

 FORTIS BC™	Eagle Mountain - Woodfibre Gas Pipeline Project	Reporting Week	Dec 18 th , 2023-Jan 1 st , 2024
	BCER Waste Discharge Approval AE-111824 Report	Report #	4
		Page	1 of 6

Eagle Mountain - Woodfibre Gas Pipeline Project

BCER Waste Discharge Approval Report—BC Rail Site Sampling and Monitoring

Report Period: December 18th, 2023 to January 1st, 2024

 FORTIS BC™	Eagle Mountain - Woodfibre Gas Pipeline Project	Dec 18th, 2023-
	BCER Waste Discharge Approval AE-111824 Report	Jan 1st, 2024
	Report #	4
	Page	2 of 6

Contents

Preamble	3
Introduction	3
Sampling Methodology	4
Summary	5
Activities	5
Point of Discharge from Water Treatment System Summary	5
Exceedance details	5
Receiving Environment Summary.....	5
Exceedance details	6

Appendix A: Point of Discharge from Water Treatment System Documentation

Appendix B: Receiving Environment Documentation

 FORTIS BC™ Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	Reporting Week	Dec 18 th , 2023-Jan 1 st , 2024
	Report #	4
	Page	3 of 6

Preamble

This is a report for the British Columbia Energy Regulator (BCER) Waste Discharge Approval (BCER number AE 111824) for the FortisBC Eagle Mountain – Woodfibre Gas Pipeline (EGP) Project for the BC Rail Site. This report covers a reporting period longer than a week as we had to change our sampling time frame over the holiday. This report covers two sampling events between December 18th to January 1st, 2024 and includes the results of water quality monitoring and sampling of the receiving environment (upstream and downstream) in the Squamish River. During this timeframe no discharge into the receiving environment in the Squamish River occurred from the BC Rail site water treatment plant.

FortisBC has retained Triton Environmental Consultants Ltd. as the Qualified Professional to implement and oversee the monitoring and sampling program in the receiving environment. The data represented below, including laboratory reported exceedances, represent background conditions of the receiving environment, and are not related to EGP Project activities. The data collected and reported on represents background water quality conditions at the two receiving environment sampling sites as shown on the approved Waste Discharge Approval AE-111824.

Water Treatment Plant Update

Since the issuance of the Waste Discharge Approval (AE 111824) on September 29, 2023, FortisBC's tunnel contractor Frontier-Kemper Michels Joint Venture (FKM) has commenced setting up the water treatment plant (WTP) including the installing the plumbing, pumps & equipment, and treatment chemicals. The commissioning process of the WTP began on October 22, 2023 and is continuing to date. Water will be sampled to confirm that the batch from the WTP meets the British Columbia Approved and Working Water Quality Guidelines for Freshwater & Marine Aquatic Life requirements prior to discharge as outlined in the Waste Discharge Approval.

Introduction

The results provided in this document are submitted to BC Energy Regulator (BCER) by FortisBC as per the requirements listed in the Waste Discharge Approval AE-111824 Section 4.2:

The Approval Holder shall summarize the results of the discharge and receiving environment compliance sampling and monitoring program in a report that shall be submitted weekly over the term of this approval. The sampling and monitoring results shall be suitably tabulated and include comparison to the respective British Columbia Approved and Working Water Quality Guidelines for Freshwater & Marine Aquatic Life, as published by the Ministry of Environment & Climate Change Strategy. Any exceedance of regulatory guidelines shall be clearly highlighted, and any missed sampling events/missing date shall be identified with an explanation provided. Reporting frequency may be reduced upon a history of compliance and by written confirmation from the BCER. These reports shall be submitted to Waste.Management@bc-er.ca. A copy of the reports shall be provided to each First Nation consulted with regarding this subject approval,

 FORTIS BC™	Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	
	Reporting Week	Dec 18 th , 2023-Jan 1 st , 2024
	Report #	4
	Page	4 of 6

and also made publicly available on the FortisBC Eagle Mountain-Woodfibre Gas Pipeline Project | Talking Energy webpage.

FortisBC requests that the BCER confirm the receipt of this submittal and confirm that the submission meets the requirements of reporting. Future reports will use this format unless otherwise directed by BCER.

Sampling Methodology

The monitoring and sampling has been carried out in accordance with the procedures described in the most recent edition of the “British Columbia Field Sampling Manual” using field equipment and lab samples to meet daily and real time requirements for the Waste Discharge Approval.

At the receiving environment, real time daily field readings of pH, temperature, NTU, electrical conductivity, DO, ORP and salinity are being taken using an AquaTROLL 600 datalogger upstream and downstream in the river. Visible sheen will be monitored with visual inspections during times of discharge or sampling. Real time and daily readings are being monitored at the same time with one piece of equipment, allowing all the daily readings real time.

At the point of discharge from the WTP, the parameters are being monitored using field equipment (YSI ProDSS) and sondes/real time meters make and models to be confirmed by the contractor. Table 1 and Table 2 below show how each parameter is being monitored.

Table 1. Monitoring Process at Point of Discharge from Water Treatment System at the BC Rail Site

Permit Frequency	Parameters	Details
Daily	Visible Sheen	In field inspection
Daily (or per batch)	DO	Monitoring using YSI ProDSS
	ORP	Monitoring using YSI ProDSS
	Salinity	Monitoring using YSI ProDSS
Real Time (or per batch)	pH	Monitoring using YSI ProDSS
	Temperature	Monitoring using YSI ProDSS
	NTU	Monitoring using YSI ProDSS
	Electrical Conductivity	Monitoring using YSI ProDSS
Weekly (or per batch) Lab Samples	List prescribed in permit	Lab samples

Table 2. Receiving Environment (upstream and downstream) Monitoring Process

Permit Frequency	Parameters	Details
Daily	Visible Sheen	In field inspection
Daily	DO	Monitoring using Sonde- AquaTROLL 600 datalogger
	ORP	Monitoring using Sonde- AquaTROLL 600 datalogger
	Salinity	Monitoring using Sonde- AquaTROLL 600 datalogger
Real Time	pH	Monitoring using Sonde- AquaTROLL 600 datalogger
	Temperature	Monitoring using Sonde- AquaTROLL 600 datalogger
	NTU	Monitoring using Sonde- AquaTROLL 600 datalogger

 FORTIS BC™	Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	
	Reporting Week	Dec 18 th , 2023-Jan 1 st , 2024
	Report #	4
	Page	5 of 6

Permit Frequency	Parameters	Details
	Electrical Conductivity	Monitoring using Sonde- AquaTROLL 600 datalogger
Weekly Lab Samples	List prescribed in permit	Lab samples

Receiving Environment equipment details: Sondes: Aqua-TROLL 600 made by In-Situ Inc. Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 10 minute intervals.

Point of Discharge from the WTP equipment details: YSI ProDSS with pH, conductivity, DO, ORP and turbidity probe that measure pH, temperature, NTU, electrical conductivity, ORP, DO and salinity

Summary

Activities

- No discharges to the receiving environment have occurred from the WTP within this reporting period. The WTP is currently being commissioned.

Point of Discharge from Water Treatment System (BC Rail Site) Summary

N/A - No discharge occurred during the reporting period.

Exceedance details

N/A - No discharge occurred during the reporting period.

Receiving Environment Summary

The receiving environment is being monitored as a permit requirement, currently, there are no discharges from the WTP to the receiving environment, so all recorded exceedances in the laboratory report are not project related and existing background quality.

Table 3: Upstream Monitoring Information

Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
2023-12-19	Yes *	Yes *	Full set of lab sample results, photo and documentation are provided in Appendix B.
2023-12-27	Yes *	Yes *	Full set of lab sample results, photo and documentation are provided in Appendix B.

 FORTIS BC™ Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	Reporting Week	Dec 18 th , 2023-Jan 1 st , 2024
	Report #	4
	Page	6 of 6

Table 4: Downstream Monitoring Information

Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
2023-12-19	Yes *	Yes *	Full set of lab sample results, photo and documentation are provided in Appendix B.
2023-12-27	Yes *	Yes *	Full set of lab sample results, photo and documentation are provided in Appendix B.

* Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 10 minute intervals.

Receiving Environment Monitoring Details

- Daily visible sheen checks have not been conducted in the receiving environment as there have not been any discharges from the WTP.
- All receiving environment lab results are in Appendix B.
- Recorded exceedances in the laboratory and field samples collected from the receiving environment (upstream and downstream) are indicative of the existing background water quality in the Squamish River, and are not related to the EGP Project activities.

 FORTIS BC™	Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	Reporting Week	Dec 18th, 2023- Jan 1st, 2024
		Report #	4
		Appendix	A

Appendix A Point of Discharge from Water Treatment Plant Documentation



**Eagle Mountain - Woodfibre Gas Pipeline Project
BCER Waste Discharge Approval AE-111824 Report**

Reporting Week	Dec 18 th , 2023-Jan 1 st , 2024
Report #	4
Appendix	A

No discharge from the water treatment plant, nothing to report

 FORTIS BC™ Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	Reporting Week	Dec 18 th , 2023- Jan 1 st , 2024
	Report #	4
	Appendix	B

Appendix B Receiving Environment Documentation

 FORTIS BC™ Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	Reporting Week	Dec 18 th , 2023- Jan 1 st , 2024
	Report #	4
	Appendix	B

Receiving Environment Sample Analysis

TRITON Environmental Consultants	Sample ID	Reviewed and signed off by:	BRITISH COLUMBIA CROWN CORPORATION Water of the Province of British Columbia	Minska Levels PAG, MSC	BCR US 1	BCR DB 1	Sample or value notes	BCWQ FAL - Short Term	BCWQ FAL - Long Term	BCWQ MAL - Short Term	BCWQ MAL - Long Term	
LAB ID					VA2303440-002	VA2303440-001						
Date Sampled					19-Dec-2023	19-Dec-2023						
Time Sampled					08:34	08:24						
Analyte	Units	BCAWWQ-FAL-ST ^{1,2}	BCAWWQ-FAL-ST ^{1,2}	BCAWWQ-MAL-ST ¹	BCAWWQ-MAL-ST ^{1,2}	Water	Water					
		N/A	N/A					Guideline notes				
In Situ Parameters												
pH (field)	pH units	6.5-9.0	6.5-9.0	7.0-8.7	7.0-8.7	7.71	7.58	LT guideline not applicable. ³	If natural pH > 8.5, no statistically significant decrease from background. No restriction in increases except in areas with unique flows or mixing. Unrestricted change within range of 6.5 to 9.0. If natural pH < 8.5, no statistically significant increase from background. No restriction in decreases. Quality Guidelines for more information.	Unrestricted change within this range (for protection of mollusc embryo development).		
Temperature (field)	°C	-	19. Hourly rate of change <1°C	Max +/- from BCG 1°C, hourly rate of change <0.25°C	-	4.80	4.80		Guideline is species-dependent. Short-term daily average guideline is 19°C for streams with unregulated waters. Guideline is 18°C for streams with regulated waters and for those with different flow distributions. Hourly rate of change need not exceed 1°C. Quality Guidelines for more information.	Guideline for marine waters are based on natural ambient conditions and are 1°C change from natural conditions. Natural temperature cycle changes are considered to be within normal amplitude or frequency for biological activity. Max rate of change is 0.25°C per hour. Unrestricted change is not exceeded if 0.25°C hour.		
Turbidity (field)	NTU	Values wth background, see note Lowest value for guideline is 3 NTU	Values wth background, see note Lowest value for guideline is 3 NTU	Values wth background, see note Lowest value for guideline is 3 NTU	Values wth background, see note Lowest value for guideline is 3 NTU	3.47	3.39	Value shown is the average turbidity taken at 10 minute intervals over a 24 hr period.	Change from background of 2 NTU at any one time for a duration of 24 hr in all waters during clear flows or in clear waters.	Change from background of 2 NTU at any one time for 30 days in clear flows.	Change from background of 2 NTU at any one time for a duration of 30 days in clear flows.	Change from background of 2 NTU at any one time for 30 days in clear water.
Dissolved Oxygen (field)	mg/L	Varies with life stage, see note	Varies with life stage, see note	Varies with life stage, see note	Varies with life stage, see note	11.98	11.07	Value shown is the average dissolved oxygen level over 10 minute intervals over a 24 hr period.	Buried embroyos minimum 9 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embroyos minimum 9 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embroyos minimum 9 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embroyos minimum 11 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.
General Parameters												
Total Dissolved Solids	mg/L	-	-	-	-	16.3	15.8					
Total Dissolved Solids	mg/L	-	-	-	-	32	37					
Total Suspended Solids	mg/L	Varies with background, see note Lowest value for guideline is 6mg/L	Varies with background, see note Lowest value for guideline is 20mg/L	Varies with background, see note Lowest value for guideline is 20mg/L	Varies with background, see note Lowest value for guideline is 6mg/L	9.5	7.5	LT guideline not applicable. ³	Change from background of 25 mg/L at any one time for duration of 24 hr in all waters during clear flows or in clear waters.	Change from background of 5 mg/L at any one time when background is > 50 NTU during high flows or in turbid waters.	Change from background of 5 mg/L @ one time for a duration of 30 days in clear flow.	Change from background of 5 mg/L @ any one time for a duration of 30 days in clear water.
Dissolved Organic Carbon (DOC)	mg/L	-	-	-	-	2.18	2.07					
Chemical Oxygen Demand (COD)	mg/L	-	-	-	-	< 10	< 10					
Total Phenols	mg/L	-	0.05	-	-	< 0.010	< 0.010	LT guideline not applicable. ³				Interim guideline
Total Alkalinity (CaCO ₃)	mg/L	Categorical	-	-	-	13.6	12.8	Upstream and downstream location are moderately sensitive to acid inputs (i.e. moderate buffering capacity).	Guideline is for alkalinity (as CaCO ₃) and categories the sensitivity of a water body to acid inputs. Moderate sensitivity means that water is sensitive to acid inputs. 10-20 mg/L is considered moderately sensitive to acid inputs. 20-40 mg/L is considered less sensitive to acid inputs.	Guideline is for alkalinity (as CaCO ₃) and categories the sensitivity of a water body to acid inputs. Moderate sensitivity means that water is sensitive to acid inputs. 10-20 mg/L is considered moderately sensitive to acid inputs. 20-40 mg/L is considered less sensitive to acid inputs.	Guideline is for alkalinity (as CaCO ₃) and categories the sensitivity of a water body to acid inputs. Moderate sensitivity means that water is sensitive to acid inputs. 10-20 mg/L is considered moderately sensitive to acid inputs. 20-40 mg/L is considered less sensitive to acid inputs.	Guideline is for alkalinity (as CaCO ₃) and categories the sensitivity of a water body to acid inputs. Moderate sensitivity means that water is sensitive to acid inputs. 10-20 mg/L is considered moderately sensitive to acid inputs. 20-40 mg/L is considered less sensitive to acid inputs.
Total Sulfide (as H ₂ S)	mg/L	-	-	-	-	< 0.015	< 0.015	LT guideline not applicable. ³				Working guideline
Total Sulfide (as H ₂ S)	mg/L	-	-	-	-	< 0.016	< 0.016					
Selected Nutrients												
Ammonia	mg/L ammonia-N	pH and temperature dependent	pH and temperature dependent	pH, temperature, and salinity dependent	pH, temperature, and salinity dependent	0.062	0.16	LT guideline not applicable. ³	Guideline for ammonia as N pH and temperature dependent. Refer to BC Water Quality Guidelines for more information.	Guideline for ammonia as N pH, safety and health dependent. Refer to BC Water Quality Guidelines for more information. Guideline not applicable to freshwater EGP samples.	Guideline for ammonia as N pH, safety and health dependent. Refer to BC Water Quality Guidelines for more information. Guideline not applicable to freshwater EGP samples.	Guideline for ammonia as N pH, safety and health dependent. Refer to BC Water Quality Guidelines for more information. Guideline not applicable to freshwater EGP samples.
Bromide	mg/L	-	-	-	-	< 0.050	< 0.050					
Chloride	mg/L	150	600	> 110% of background	< 90% of background	1.56	1.77	LT guideline not applicable. ³				
Fluoride	mg/L	-	Varies with hardness	1.5	-	0.021	< 0.020		Guideline has interim status.			
Total Kjeldahl Nitrogen (TKN)	mg/L	-	-	-	-	0.131	0.097					
Nitrite (as N)	mg/L	3	32.8	-	-	3.7	0.046	LT guideline not applicable. ³				
Nitrite (as N)	mg/L	Varies with chloride	Varies with chloride	-	-	< 0.010	< 0.010	LT guideline not applicable. ³	Guideline for nitrite varies with chloride concentrations. Refer to BC Water Quality Guidelines for more information.	Guideline for nitrite varies with chloride concentrations. Refer to BC Water Quality Guidelines for more information.	Guideline for nitrite varies with chloride concentrations. Refer to BC Water Quality Guidelines for more information.	Guideline for nitrite varies with chloride concentrations. Refer to BC Water Quality Guidelines for more information.
Total Nitrogen	mg/L	-	-	-	-	0.171	0.285					
Total Phosphorus	mg/L	0.005 to 0.015	-	-	-	-	0.0288	0.0353	LT guideline not applicable. ³			
Sulfate (as SO ₄)	mg/L	Varies with hardness	-	-	-	-	4.48	4.38	LT guideline not applicable. ³			
Total Metals												
Aluminum (Al)-Total	mg/L	Varies with pH, DOC, hardness	-	-	-	0.421	0.449	Upstream and downstream location exceed the BCWQ long-term guideline. LT guideline not applicable. ³	Guideline varies with pH, hardness and Dissolved Organic Carbon (DOC). Refer to BC Water Quality Guidelines for more information.	Guideline value with pH, hardness and Dissolved Organic Carbon (DOC). Refer to BC Water Quality Guidelines for more information.	Guideline value with pH, hardness and Dissolved Organic Carbon (DOC). Refer to BC Water Quality Guidelines for more information.	Guideline value with pH, hardness and Dissolved Organic Carbon (DOC). Refer to BC Water Quality Guidelines for more information.
Antimony (Sb)-Total	mg/L	0.074	0.25	-	-	< 0.0010	< 0.0010	LT guideline not applicable. ³				
Arsenic (As)-Total	mg/L	0.005	-	-	-	0.0125	0.0019	LT guideline not applicable. ³				Interim guideline status
Barium (Ba)-Total	mg/L	1	-	-	-	0.0102	0.0103	LT guideline not applicable. ³				Working guideline status
Beryllium (Be)-Total	mg/L	0.00013	-	-	-	0.100	< 0.00100	LT guideline not applicable. ³				Working guideline status
Boron (B)-Total	mg/L	-	-	-	-	0.000100	0.000100	LT guideline not applicable. ³				Working guideline status
Boron (B-C)-Total	mg/L	1.2	-	-	-	0.00102	0.01	LT guideline not applicable. ³				Working guideline status
Cadmium (Cd)-Total	mg/L	-	-	-	-	0.000096	0.000112					
Cesium (Cs)-Total	mg/L	-	-	-	-	0.000252	0.000252					
Cobalt (Co)-Total	mg/L	-	-	-	-	0.00017	0.00017					
Copper (Cu)-Total	mg/L	0.004	0.11	-	-	0.00017	0.00019	LT guideline not applicable. ³				
Copper (Cu)-Dissolved	mg/L	-	-	-	-	0.00020	0.00020					
Lead (Pb)-Total	mg/L	Varies with hardness	Varies with hardness	0.14	0.002	0.000139	0.000138	LT guideline not applicable. ³	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Lead = 0.000139 mg/L + 0.000138 mg/L * hardness. Lowest value for guideline is 0.003 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Lead = 0.000139 mg/L + 0.000138 mg/L * hardness. Lowest value for guideline is 0.003 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Lead = 0.000139 mg/L + 0.000138 mg/L * hardness. Lowest value for guideline is 0.003 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Lead = 0.000139 mg/L + 0.000138 mg/L * hardness. Lowest value for guideline is 0.003 mg/L.
Zinc (Zn)-Total	mg/L	-	-	-	-	< 0.001	0.001					
Manganese (Mn)-Total	mg/L	Varies with hardness	Varies with hardness	-	-	0.0118	0.0122	LT guideline not applicable. ³	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Manganese = 0.0118 mg/L + 0.0122 mg/L * hardness. Lowest value for guideline is 0.077 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Manganese = 0.0118 mg/L + 0.0122 mg/L * hardness. Lowest value for guideline is 0.077 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Manganese = 0.0118 mg/L + 0.0122 mg/L * hardness. Lowest value for guideline is 0.077 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Manganese = 0.0118 mg/L + 0.0122 mg/L * hardness. Lowest value for guideline is 0.077 mg/L.
Mercury (Hg)-Total	mg/L	Varies with methyl mercury	-	-	-	< 0.000050	< 0.000050	LT guideline not applicable. ³				
Molybdenum (Mo)-Total	mg/L	7.6	48	-	-	0.00051	0.000509	LT guideline not applicable. ³				Working guideline status
Nickel (Ni)-Total	mg/L	Varies with hardness	-	-	-	0.0083	< 0.0050	LT guideline not applicable. ³				Working guideline status
Phosphorus (P)-Total	mg/L	0.005 to 0.015	-	-	-	< 0.050	< 0.050	LT guideline not applicable. ³				
Potassium (K)-Total	mg/L	-	-	-	-	0.058	0.058					
Radium (Ra)-Total	mg/L	-	-	-	-	0.000004	0.000004					
Selenium (Se)-Total	mg/L	0.002	-	-	-	0.002	< 0.00050	LT guideline not applicable. ³				
Silver (Ag)-Total	mg/L	Varies with hardness	Varies with hardness	0.003	0.0015	< 0.00010	< 0.00010	LT guideline not applicable. ³	Variety with hardness. Guideline is 0.003 mg/L hardness <100 mg/L, and 0.0015 at Hardness > 100 mg/L.	Variety with hardness. Guideline is 0.003 mg/L hardness <100 mg/L, and 0.0015 at Hardness > 100 mg/L.	Variety with hardness. Guideline is 0.003 mg/L hardness <100 mg/L, and 0.0015 at Hardness > 100 mg/L.	Variety with hardness. Guideline is 0.003 mg/L hardness <100 mg/L, and 0.0015 at Hardness > 100 mg/L.
Sodium (Na)-Total	mg/L	-	-	-	-	1.93	2.05					
Sulfur (S)-Total	mg/L	-	-	-	-	1.41	0.0344					
Vanadium (V)-Total	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Thallium (Tl)-Total	mg/L	0.0008	-	-	-	< 0.00010	< 0.00010	LT guideline not applicable. ³				
Thorium (Th)-Total	mg/L	-	-	-	-	0.00010	0.00010	LT guideline not applicable. ³				
Uranium (U)-Total	mg/L	-	-	-	-	0.00010	0.00010	LT guideline not applicable. ³				
Vanadium (V)-Dissolved	mg/L	-	-	-	-	0.000048	0.000051	LT guideline not applicable. ³				Working guideline status
Cadmium (Cd)-Dissolved	mg/L	Varies with hardness	Varies with hardness	-	-	0.000007	0.00007	LT guideline not applicable. ³				Working guideline status
Calcium (Ca)-Dissolved	mg/L	Categorical	-	-	-	5.25	5.1	Both locations have moderate sensitivity to acid inputs (i.e. low buffering capacity).	Guideline is hardness dependent, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Acid sensitivity = 5.25 mg/L. Guideline uses equation: Acid sensitivity = 5.1 mg/L. Guideline uses equation: Acid sensitivity = 5.1 mg/L.	Guideline is hardness dependent, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Acid sensitivity = 5.25 mg/L. Guideline uses equation: Acid sensitivity = 5.1 mg/L. Guideline uses equation: Acid sensitivity = 5.1 mg/L.	Guideline is hardness dependent, refer to BC Water Quality Guidelines for more information. Guideline uses equation: Acid sensitivity = 5.25 mg/L. Guideline uses equation: Acid sensitivity = 5.1 mg/L. Guideline uses equation: Acid sensitivity = 5.1 mg/L.	
Calcium (Ca)-Dissolved	mg/L	-	-	-	-	0.000011	0.000011	LT guideline not applicable. ³				
Chromium (Cr)-Dissolved	mg/L	-	-	-	-	0.000020	0.000020					
Chromium (Cr)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					
Chromium (Cr)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					
Cobalt (Co)-Dissolved	mg/L	-	-	-	-	0.000010	0.000010					
Copper (Cu)-Dissolved	mg/L	Varies with pH, DOC, hardness	Varies with pH, DOC, hardness	-	-	0.00076	0.00076	LT guideline not applicable. ³				
Cyanide (CN)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					
Cyanide (CN)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					
Iron (Fe)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					
Iron (Fe)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					
Lead (Pb)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					
Lead (Pb)-Dissolved	mg/L	-	-	-	-	0.000000	0.000000					</td

¹⁸BC MOECCS. 2023. BC Water Quality Guidelines for the Protection of Aquatic Life, Wildlife & Agriculture. Accessed from [wqg.summary.aquaticlife.agri.pdf \(gov.bc.ca\)](http://wqg.summary.aquaticlife.agri.pdf (gov.bc.ca))

¹⁹BC MOECCS. 2021. BC Working Water Quality Guidelines for the Protection of Aquatic Life, Wildlife & Agriculture. Accessed from [wqg.summary.aquaticlife.agri.pdf \(gov.bc.ca\)](http://wqg.summary.aquaticlife.agri.pdf (gov.bc.ca))

⁷Note that long-term guidelines apply to averaged data to account for chronic impacts to aquatic life. Ideally, five samples collected

²Note that long-term guidelines apply to averaged data to account for chronic impacts; calculate the long-term average of any parameter, though this may vary by parameter, to occur in the short term.

GOALS IN THE WORKS

 FORTIS BC™ Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	Reporting Week	Dec 18 th , 2023- Jan 1 st , 2024
	Report #	4
	Appendix	B

Receiving Environment Lab Documentation

CERTIFICATE OF ANALYSIS (GUIDELINE EVALUATION)

Work Order	: VA23D0440	Page	: 1 of 7
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact	:	Account Manager	:
Address	: Suite 1730, 1111 West Georgia St Vancouver BC Canada V6E 4M3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	:
Project	: ----	Date Samples Received	: 19-Dec-2023 12:00
PO	: ----	Date Analysis Commenced	: 20-Dec-2023
C-O-C number	: ----	Issue Date	: 29-Dec-2023 12:20
Sampler	: Aegean & Courtney		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 4		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Guideline Comparison

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Brooke Miller	Laboratory Analyst	Inorganics, Edmonton, Alberta
Dan Gebert	Laboratory Analyst	Metals, Burnaby, British Columbia
Erin Sanchez		Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Administration, Burnaby, British Columbia
Sam Silveira	Lab Assistant	Metals, Burnaby, British Columbia
Tracy Harley	Supervisor - Water Quality Instrumentation	Inorganics, Burnaby, British Columbia

No Breaches Found

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guidelines are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.

Key : LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

>: greater than.

<: less than.

Red shading is applied where the result or the LOR is greater than the Guideline Upper Limit (or lower than the Guideline Lower Limit, if applicable).

For drinking water samples, Red shading is applied where the result for E.coli, fecal or total coliforms is greater than or equal to the Guideline Upper Limit.



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS1	SQU US1	---	---	---	---	---	---	---
			19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---	---	---	---	---
	Sampling date/time		Sub-Matrix		Water	Water	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0440-001	VA23D0440-002	-----	-----	-----	-----	-----	-----
Field Tests											
Conductivity, field	---	EF001/VA	µS/cm	42.000	43.000	---	---	---	---	---	---
pH, field	---	EF001/VA	pH units	7.58	7.71	---	---	---	---	---	---
Temperature, field	---	EF001/VA	°C	4.60	4.60	---	---	---	---	---	---
Physical Tests											
Hardness (as CaCO ₃), dissolved	---	EC100/VA	mg/L	15.2	15.5	---	---	---	---	---	---
Hardness (as CaCO ₃), from total Ca/Mg	---	EC100A/VA	mg/L	15.8	16.3	---	---	---	---	---	---
Solids, total dissolved [TDS]	---	E162/VA	mg/L	37	32	---	---	---	---	---	---
Solids, total suspended [TSS]	---	E160/VA	mg/L	7.5	9.5	---	---	---	---	---	---
Alkalinity, total (as CaCO ₃)	---	E290/VA	mg/L	12.8	13.6	---	---	---	---	---	---
Anions and Nutrients											
Ammonia, total (as N)	7664-41-7	E298/VA	mg/L	0.160	0.0620	---	---	---	---	---	---
Bromide	24959-67-9	E235.Br-L/VA	mg/L	<0.050	<0.050	---	---	---	---	---	---
Chloride	16887-00-6	E235.Cl/VA	mg/L	1.77	1.56	---	---	---	---	---	---
Fluoride	16984-48-8	E235.F/VA	mg/L	<0.020	0.021	---	---	---	---	---	---
Kjeldahl nitrogen, total [TKN]	---	E318/VA	mg/L	0.257	0.151	---	---	---	---	---	---
Nitrate (as N)	14797-55-8	E235.NO3-L/VA	mg/L	0.0495	0.0460	---	---	---	---	---	---
Nitrite (as N)	14797-65-0	E235.NO2-L/VA	mg/L	<0.0010	<0.0010	---	---	---	---	---	---
Nitrogen, total	7727-37-9	E366/VA	mg/L	0.265	0.171	---	---	---	---	---	---
Phosphorus, total	7723-14-0	E372-U/VA	mg/L	0.0353	0.0288	---	---	---	---	---	---
Sulfate (as SO ₄)	14808-79-8	E235.SO4/VA	mg/L	4.38	4.48	---	---	---	---	---	---
Organic / Inorganic Carbon											
Carbon, dissolved organic [DOC]	---	E358-L/VA	mg/L	2.07	2.16	---	---	---	---	---	---
Total Sulfides											
Sulfide, total (as S)	18496-25-8	E395/VA	mg/L	<0.0015	<0.0015	---	---	---	---	---	---
Sulfide, un-ionized (as H ₂ S), from total	7783-06-4	EC395/VA	mg/L	<0.0015	<0.0015	---	---	---	---	---	---
Sulfide, total (as H ₂ S)	7783-06-4	E395/VA	mg/L	<0.0016	<0.0016	---	---	---	---	---	---
Total Metals											



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS1	SQU US1	---	---	---	---	---	---
			19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---	---	---	---
	Sampling date/time		Sub-Matrix	Water	Water	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0440-001	VA23D0440-002	-----	-----	-----	-----	-----
Total Metals										
Aluminum, total	7429-90-5	E420/VA	mg/L	0.449	0.421	---	---	---	---	---
Antimony, total	7440-36-0	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Arsenic, total	7440-38-2	E420/VA	mg/L	0.00019	0.00019	---	---	---	---	---
Barium, total	7440-39-3	E420/VA	mg/L	0.0103	0.0102	---	---	---	---	---
Beryllium, total	7440-41-7	E420/VA	mg/L	<0.000100	<0.000100	---	---	---	---	---
Bismuth, total	7440-69-9	E420/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Boron, total	7440-42-8	E420/VA	mg/L	0.010	<0.010	---	---	---	---	---
Cadmium, total	7440-43-9	E420/VA	mg/L	0.0000112	0.0000096	---	---	---	---	---
Calcium, total	7440-70-2	E420/VA	mg/L	5.21	5.44	---	---	---	---	---
Cesium, total	7440-46-2	E420/VA	mg/L	0.000026	0.000023	---	---	---	---	---
Chromium, total	7440-47-3	E420/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---
Cobalt, total	7440-48-4	E420/VA	mg/L	0.00019	0.00017	---	---	---	---	---
Copper, total	7440-50-8	E420/VA	mg/L	0.00160	0.00156	---	---	---	---	---
Iron, total	7439-89-6	E420/VA	mg/L	0.385	0.356	---	---	---	---	---
Lead, total	7439-92-1	E420/VA	mg/L	0.000138	0.000139	---	---	---	---	---
Lithium, total	7439-93-2	E420/VA	mg/L	0.0010	<0.0010	---	---	---	---	---
Magnesium, total	7439-95-4	E420/VA	mg/L	0.669	0.664	---	---	---	---	---
Manganese, total	7439-96-5	E420/VA	mg/L	0.0122	0.0118	---	---	---	---	---
Mercury, total	7439-97-6	E508/VA	mg/L	<0.0000050	<0.0000050	---	---	---	---	---
Molybdenum, total	7439-98-7	E420/VA	mg/L	0.000509	0.000551	---	---	---	---	---
Nickel, total	7440-02-0	E420/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---
Phosphorus, total	7723-14-0	E420/VA	mg/L	<0.050	<0.050	---	---	---	---	---
Potassium, total	7440-09-7	E420/VA	mg/L	0.580	0.550	---	---	---	---	---
Rubidium, total	7440-17-7	E420/VA	mg/L	0.00094	0.00090	---	---	---	---	---
Selenium, total	7782-49-2	E420/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Silicon, total	7440-21-3	E420/VA	mg/L	4.38	4.50	---	---	---	---	---
Silver, total	7440-22-4	E420/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---
Sodium, total	7440-23-5	E420/VA	mg/L	2.05	1.93	---	---	---	---	---
Strontium, total	7440-24-6	E420/VA	mg/L	0.0344	0.0356	---	---	---	---	---



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS1	SQU US1	---	---	---	---	---	---
			19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---	---	---	---
	Sampling date/time		Sub-Matrix	Water	Water	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0440-001	VA23D0440-002	-----	-----	-----	-----	-----
Total Metals										
Sulfur, total	7704-34-9	E420/VA	mg/L	1.39	1.31	---	---	---	---	---
Tellurium, total	13494-80-9	E420/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---
Thallium, total	7440-28-0	E420/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---
Thorium, total	7440-29-1	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Tin, total	7440-31-5	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Titanium, total	7440-32-6	E420/VA	mg/L	0.0128	0.0113	---	---	---	---	---
Tungsten, total	7440-33-7	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Uranium, total	7440-61-1	E420/VA	mg/L	0.000051	0.000048	---	---	---	---	---
Vanadium, total	7440-62-2	E420/VA	mg/L	0.00148	0.00151	---	---	---	---	---
Zinc, total	7440-66-6	E420/VA	mg/L	<0.0030	<0.0030	---	---	---	---	---
Zirconium, total	7440-67-7	E420/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---
Dissolved Metals										
Aluminum, dissolved	7429-90-5	E421/VA	mg/L	0.0610	0.0604	---	---	---	---	---
Antimony, dissolved	7440-36-0	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Arsenic, dissolved	7440-38-2	E421/VA	mg/L	0.00012	0.00012	---	---	---	---	---
Barium, dissolved	7440-39-3	E421/VA	mg/L	0.00697	0.00685	---	---	---	---	---
Beryllium, dissolved	7440-41-7	E421/VA	mg/L	<0.000100	<0.000100	---	---	---	---	---
Bismuth, dissolved	7440-69-9	E421/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Boron, dissolved	7440-42-8	E421/VA	mg/L	<0.010	<0.010	---	---	---	---	---
Cadmium, dissolved	7440-43-9	E421/VA	mg/L	0.0000070	0.0000095	---	---	---	---	---
Calcium, dissolved	7440-70-2	E421/VA	mg/L	5.10	5.25	---	---	---	---	---
Cesium, dissolved	7440-46-2	E421/VA	mg/L	0.000013	0.000011	---	---	---	---	---
Chromium, dissolved	7440-47-3	E421/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---
Cobalt, dissolved	7440-48-4	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Copper, dissolved	7440-50-8	E421/VA	mg/L	0.00076	0.00076	---	---	---	---	---
Iron, dissolved	7439-89-6	E421/VA	mg/L	0.072	0.063	---	---	---	---	---
Lead, dissolved	7439-92-1	E421/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Lithium, dissolved	7439-93-2	E421/VA	mg/L	<0.0010	<0.0010	---	---	---	---	---



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS1	SQU US1	---	---	---	---	---	---	---
			19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---	---	---	---	---
	Sampling date/time		Sub-Matrix	Water	Water	---	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0440-001	VA23D0440-002	-----	-----	-----	-----	-----	-----
Dissolved Metals											
Magnesium, dissolved	7439-95-4	E421/VA	mg/L	0.610	0.580	---	---	---	---	---	---
Manganese, dissolved	7439-96-5	E421/VA	mg/L	0.00487	0.00408	---	---	---	---	---	---
Mercury, dissolved	7439-97-6	E509/VA	mg/L	<0.0000050	<0.0000050	---	---	---	---	---	---
Molybdenum, dissolved	7439-98-7	E421/VA	mg/L	0.000521	0.000544	---	---	---	---	---	---
Nickel, dissolved	7440-02-0	E421/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---	---
Phosphorus, dissolved	7723-14-0	E421/VA	mg/L	<0.050	<0.050	---	---	---	---	---	---
Potassium, dissolved	7440-09-7	E421/VA	mg/L	0.585	0.492	---	---	---	---	---	---
Rubidium, dissolved	7440-17-7	E421/VA	mg/L	0.00075	0.00066	---	---	---	---	---	---
Selenium, dissolved	7782-49-2	E421/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---	---
Silicon, dissolved	7440-21-3	E421/VA	mg/L	3.69	3.80	---	---	---	---	---	---
Silver, dissolved	7440-22-4	E421/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---	---
Sodium, dissolved	7440-23-5	E421/VA	mg/L	2.42	1.88	---	---	---	---	---	---
Strontium, dissolved	7440-24-6	E421/VA	mg/L	0.0320	0.0317	---	---	---	---	---	---
Sulfur, dissolved	7704-34-9	E421/VA	mg/L	1.52	1.40	---	---	---	---	---	---
Tellurium, dissolved	13494-80-9	E421/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---	---
Thallium, dissolved	7440-28-0	E421/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---	---
Thorium, dissolved	7440-29-1	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---	---
Tin, dissolved	7440-31-5	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---	---
Titanium, dissolved	7440-32-6	E421/VA	mg/L	0.00076	0.00065	---	---	---	---	---	---
Tungsten, dissolved	7440-33-7	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---	---
Uranium, dissolved	7440-61-1	E421/VA	mg/L	0.000040	0.000036	---	---	---	---	---	---
Vanadium, dissolved	7440-62-2	E421/VA	mg/L	0.00079	0.00087	---	---	---	---	---	---
Zinc, dissolved	7440-66-6	E421/VA	mg/L	0.0010	0.0014	---	---	---	---	---	---
Zirconium, dissolved	7440-67-7	E421/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---	---
Dissolved mercury filtration location	---	EP509/VA	-	Field	Field	---	---	---	---	---	---
Dissolved metals filtration location	---	EP421/VA	-	Field	Field	---	---	---	---	---	---
Aggregate Organics											
Chemical oxygen demand [COD]	---	E559-L/VA	mg/L	<10	<10	---	---	---	---	---	---



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS1	SQU US1	----	----	----	----	----	----	----
	Sampling date/time		19-Dec-2023 09:24	19-Dec-2023 08:34	----	----	----	----	----	----	----
	Sub-Matrix		Water	Water	----	----	----	----	----	----	----
Analyte	CAS Number	Method/Lab	Unit	VA23D0440-001	VA23D0440-002	-----	-----	-----	-----	-----	-----
Aggregate Organics											
Phenols, total (4AAP)	---	E562/EO	mg/L	<0.0010	<0.0010	----	----	----	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Key:

CERTIFICATE OF ANALYSIS

Work Order	: VA23D0440	Page	: 1 of 6
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address		Address	
Telephone	: Suite 1730, 1111 West Georgia St Vancouver BC Canada V6E 4M3	Telephone	: 8081 Lougheed Highway Burnaby BC Canada V5A 1W9
Project		Date Samples Received	:
PO	: ----	Date Analysis Commenced	: 19-Dec-2023 12:00
C-O-C number	: ----	Issue Date	: 20-Dec-2023
Sampler	: ----		: 29-Dec-2023 12:20
Site	: Aegean & Courtney		
Quote number	: Water Analysis		
No. of samples received	: WA23-TRIT100-012		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Brooke Miller	Laboratory Analyst	Inorganics, Edmonton, Alberta
Dan Gebert	Laboratory Analyst	Metals, Burnaby, British Columbia
Erin Sanchez		Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Administration, Burnaby, British Columbia
Sam Silveira	Lab Assistant	Metals, Burnaby, British Columbia
Tracy Harley	Supervisor - Water Quality Instrumentation	Inorganics, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



Analytical Results

Client sample ID				SQU DS1	SQU US1	---	---	---
Client sampling date / time				19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0440-001	VA23D0440-002	-----	-----
					Result	Result	---	---
Field Tests								
Conductivity, field	----	EF001/VA	0.10	µS/cm	42.000	43.000	---	---
pH, field	----	EF001/VA	0.10	pH units	7.58	7.71	---	---
Temperature, field	----	EF001/VA	0.10	°C	4.60	4.60	---	---
Physical Tests								
Hardness (as CaCO ₃), dissolved	----	EC100/VA	0.60	mg/L	15.2	15.5	---	---
Hardness (as CaCO ₃), from total Ca/Mg	----	EC100A/VA	0.60	mg/L	15.8	16.3	---	---
Solids, total dissolved [TDS]	----	E162/VA	10	mg/L	37	32	---	---
Solids, total suspended [TSS]	----	E160/VA	3.0	mg/L	7.5	9.5	---	---
Alkalinity, total (as CaCO ₃)	----	E290/VA	2.0	mg/L	12.8	13.6	---	---
Anions and Nutrients								
Ammonia, total (as N)	7664-41-7	E298/VA	0.0050	mg/L	0.160	0.0620	---	---
Bromide	24959-67-9	E235.Br-L/VA	0.050	mg/L	<0.050	<0.050	---	---
Chloride	16887-00-6	E235.Cl/VA	0.50	mg/L	1.77	1.56	---	---
Fluoride	16984-48-8	E235.F/VA	0.020	mg/L	<0.020	0.021	---	---
Kjeldahl nitrogen, total [TKN]	----	E318/VA	0.050	mg/L	0.257	0.151	---	---
Nitrate (as N)	14797-55-8	E235.NO3-L/V A	0.0050	mg/L	0.0495	0.0460	---	---
Nitrite (as N)	14797-65-0	E235.NO2-L/V A	0.0010	mg/L	<0.0010	<0.0010	---	---
Nitrogen, total	7727-37-9	E366/VA	0.030	mg/L	0.265	0.171	---	---
Phosphorus, total	7723-14-0	E372-U/VA	0.0020	mg/L	0.0353	0.0288	---	---
Sulfate (as SO ₄)	14808-79-8	E235.SO4/VA	0.30	mg/L	4.38	4.48	---	---
Organic / Inorganic Carbon								
Carbon, dissolved organic [DOC]	----	E358-L/VA	0.50	mg/L	2.07	2.16	---	---
Total Sulfides								
Sulfide, total (as S)	18496-25-8	E395/VA	0.0015	mg/L	<0.0015	<0.0015	---	---
Sulfide, un-ionized (as H ₂ S), from total	7783-06-4	EC395/VA	0.0015	mg/L	<0.0015	<0.0015	---	---
Sulfide, total (as H ₂ S)	7783-06-4	E395/VA	0.0016	mg/L	<0.0016	<0.0016	---	---
Total Metals								
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	0.449	0.421	---	---



Analytical Results

					Client sample ID	SQU DS1	SQU US1	---	---	---
					Client sampling date / time	19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0440-001	VA23D0440-002	-----	-----	-----	-----
					Result	Result	---	---	---	---
Total Metals										
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L	0.00019	0.00019	---	---	---	---
Barium, total	7440-39-3	E420/VA	0.00010	mg/L	0.0103	0.0102	---	---	---	---
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	<0.000100	<0.000100	---	---	---	---
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Boron, total	7440-42-8	E420/VA	0.010	mg/L	0.010	<0.010	---	---	---	---
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L	0.0000112	0.0000096	---	---	---	---
Calcium, total	7440-70-2	E420/VA	0.050	mg/L	5.21	5.44	---	---	---	---
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L	0.000026	0.000023	---	---	---	---
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---	---
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L	0.00019	0.00017	---	---	---	---
Copper, total	7440-50-8	E420/VA	0.00050	mg/L	0.00160	0.00156	---	---	---	---
Iron, total	7439-89-6	E420/VA	0.010	mg/L	0.385	0.356	---	---	---	---
Lead, total	7439-92-1	E420/VA	0.000050	mg/L	0.000138	0.000139	---	---	---	---
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L	0.0010	<0.0010	---	---	---	---
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L	0.669	0.664	---	---	---	---
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L	0.0122	0.0118	---	---	---	---
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	---	---	---	---
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L	0.000509	0.000551	---	---	---	---
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---	---
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L	<0.050	<0.050	---	---	---	---
Potassium, total	7440-09-7	E420/VA	0.050	mg/L	0.580	0.550	---	---	---	---
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L	0.00094	0.00090	---	---	---	---
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Silicon, total	7440-21-3	E420/VA	0.10	mg/L	4.38	4.50	---	---	---	---
Silver, total	7440-22-4	E420/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---	---
Sodium, total	7440-23-5	E420/VA	0.050	mg/L	2.05	1.93	---	---	---	---
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L	0.0344	0.0356	---	---	---	---
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L	1.39	1.31	---	---	---	---
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---	---



Analytical Results

					Client sample ID	SQU DS1	SQU US1	---	---	---
					Client sampling date / time	19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0440-001	VA23D0440-002	Result	Result	---	---
Total Metals										
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---	---
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Tin, total	7440-31-5	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L	0.0128	0.0113	---	---	---	---
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L	0.000051	0.000048	---	---	---	---
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L	0.00148	0.00151	---	---	---	---
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L	<0.0030	<0.0030	---	---	---	---
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---	---
Dissolved Metals										
Aluminum, dissolved	7429-90-5	E421/VA	0.0010	mg/L	0.0610	0.0604	---	---	---	---
Antimony, dissolved	7440-36-0	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Arsenic, dissolved	7440-38-2	E421/VA	0.00010	mg/L	0.00012	0.00012	---	---	---	---
Barium, dissolved	7440-39-3	E421/VA	0.00010	mg/L	0.00697	0.00685	---	---	---	---
Beryllium, dissolved	7440-41-7	E421/VA	0.000100	mg/L	<0.000100	<0.000100	---	---	---	---
Bismuth, dissolved	7440-69-9	E421/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Boron, dissolved	7440-42-8	E421/VA	0.010	mg/L	<0.010	<0.010	---	---	---	---
Cadmium, dissolved	7440-43-9	E421/VA	0.0000050	mg/L	0.0000070	0.0000095	---	---	---	---
Calcium, dissolved	7440-70-2	E421/VA	0.050	mg/L	5.10	5.25	---	---	---	---
Cesium, dissolved	7440-46-2	E421/VA	0.000010	mg/L	0.000013	0.000011	---	---	---	---
Chromium, dissolved	7440-47-3	E421/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---	---
Cobalt, dissolved	7440-48-4	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Copper, dissolved	7440-50-8	E421/VA	0.00020	mg/L	0.00076	0.00076	---	---	---	---
Iron, dissolved	7439-89-6	E421/VA	0.010	mg/L	0.072	0.063	---	---	---	---
Lead, dissolved	7439-92-1	E421/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Lithium, dissolved	7439-93-2	E421/VA	0.0010	mg/L	<0.0010	<0.0010	---	---	---	---
Magnesium, dissolved	7439-95-4	E421/VA	0.0050	mg/L	0.610	0.580	---	---	---	---
Manganese, dissolved	7439-96-5	E421/VA	0.00010	mg/L	0.00487	0.00408	---	---	---	---
Mercury, dissolved	7439-97-6	E509/VA	0.0000050	mg/L	<0.0000050	<0.0000050	---	---	---	---
Molybdenum, dissolved	7439-98-7	E421/VA	0.000050	mg/L	0.000521	0.000544	---	---	---	---



Analytical Results

Client sample ID					SQU DS1	SQU US1	---	---	---
Client sampling date / time					19-Dec-2023 09:24	19-Dec-2023 08:34	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0440-001	VA23D0440-002	-----	-----	-----
					Result	Result	---	---	---
Dissolved Metals									
Nickel, dissolved	7440-02-0	E421/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---
Phosphorus, dissolved	7723-14-0	E421/VA	0.050	mg/L	<0.050	<0.050	---	---	---
Potassium, dissolved	7440-09-7	E421/VA	0.050	mg/L	0.585	0.492	---	---	---
Rubidium, dissolved	7440-17-7	E421/VA	0.00020	mg/L	0.00075	0.00066	---	---	---
Selenium, dissolved	7782-49-2	E421/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---
Silicon, dissolved	7440-21-3	E421/VA	0.050	mg/L	3.69	3.80	---	---	---
Silver, dissolved	7440-22-4	E421/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---
Sodium, dissolved	7440-23-5	E421/VA	0.050	mg/L	2.42	1.88	---	---	---
Strontium, dissolved	7440-24-6	E421/VA	0.00020	mg/L	0.0320	0.0317	---	---	---
Sulfur, dissolved	7704-34-9	E421/VA	0.50	mg/L	1.52	1.40	---	---	---
Tellurium, dissolved	13494-80-9	E421/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L	0.00076	0.00065	---	---	---
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L	0.000040	0.000036	---	---	---
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L	0.00079	0.00087	---	---	---
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L	0.0010	0.0014	---	---	---
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---
Dissolved mercury filtration location	----	EP509/VA	-	-	Field	Field	---	---	---
Dissolved metals filtration location	----	EP421/VA	-	-	Field	Field	---	---	---
Aggregate Organics									
Chemical oxygen demand [COD]	----	E559-L/VA	10	mg/L	<10	<10	---	---	---
Phenols, total (4AAP)	----	E562/EO	0.0010	mg/L	<0.0010	<0.0010	---	---	---

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: VA23D0440	Page	: 1 of 15
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	:
Address	: Suite 1730, 1111 West Georgia St Vancouver BC Canada V6E 4M3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	: 19-Dec-2023 12:00
Project	: ----	Date Samples Received	: 29-Dec-2023 12:21
PO	: ----	Issue Date	
C-O-C number	: ----		
Sampler	: Aegean & Courtney		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 4		
No. of samples analysed	: 2		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water											Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time			
Analyte Group : Analytical Method	Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			Analysis Date	Holding Times		
				Preparation Date	Holding Times		Eval	Analysis Date	Holding Times			Rec	Actual	Eval
Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)														
Amber glass total (sulfuric acid) SQU DS1		E559-L	19-Dec-2023	---	---	---		22-Dec-2023	28 days	3 days		✓		
Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)														
Amber glass total (sulfuric acid) SQU US1		E559-L	19-Dec-2023	---	---	---		22-Dec-2023	28 days	3 days		✓		
Aggregate Organics : Phenols (4AAP) in Water by Colorimetry														
Amber glass total (sulfuric acid) SQU DS1		E562	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	22-Dec-2023	28 days	3 days		✓		
Aggregate Organics : Phenols (4AAP) in Water by Colorimetry														
Amber glass total (sulfuric acid) SQU US1		E562	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	22-Dec-2023	28 days	3 days		✓		
Anions and Nutrients : Ammonia by Fluorescence														
Amber glass total (sulfuric acid) SQU DS1		E298	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	24-Dec-2023	28 days	6 days		✓		
Anions and Nutrients : Ammonia by Fluorescence														
Amber glass total (sulfuric acid) SQU US1		E298	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	24-Dec-2023	28 days	6 days		✓		
Anions and Nutrients : Bromide in Water by IC (Low Level)														
HDPE SQU DS1		E235.Br-L	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days		✓		



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times	Eval	Analysis Date	Holding Times	Eval		
Container / Client Sample ID(s)	Rec	Actual	Rec	Actual		Rec	Actual			
Anions and Nutrients : Bromide in Water by IC (Low Level)										
HDPE SQU US1	E235.Br-L	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE SQU DS1	E235.Cl	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE SQU US1	E235.Cl	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE SQU DS1	E235.F	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE SQU US1	E235.F	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE SQU DS1	E235.NO3-L	19-Dec-2023	20-Dec-2023	3 days	1 days	✓	20-Dec-2023	3 days	1 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE SQU US1	E235.NO3-L	19-Dec-2023	20-Dec-2023	3 days	1 days	✓	20-Dec-2023	3 days	1 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE SQU DS1	E235.NO2-L	19-Dec-2023	20-Dec-2023	3 days	1 days	✓	20-Dec-2023	3 days	1 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE SQU US1	E235.NO2-L	19-Dec-2023	20-Dec-2023	3 days	1 days	✓	20-Dec-2023	3 days	1 days	✓



Matrix: Water Evaluation: ✘ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times	Eval	Analysis Date	Holding Times	Eval		
Container / Client Sample ID(s)	Rec	Actual	Rec	Actual		Rec	Actual			
Anions and Nutrients : Sulfate in Water by IC										
HDPE SQU DS1	E235.SO4	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE SQU US1	E235.SO4	19-Dec-2023	20-Dec-2023	28 days	1 days	✓	20-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)										
Amber glass total (sulfuric acid) SQU DS1	E318	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	28-Dec-2023	28 days	9 days	✓
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)										
Amber glass total (sulfuric acid) SQU US1	E318	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	28-Dec-2023	28 days	9 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (sulfuric acid) SQU DS1	E366	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	23-Dec-2023	28 days	4 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (sulfuric acid) SQU US1	E366	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	23-Dec-2023	28 days	4 days	✓
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid) SQU DS1	E372-U	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	27-Dec-2023	28 days	8 days	✓
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid) SQU US1	E372-U	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	27-Dec-2023	28 days	8 days	✓
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial - dissolved (lab preserved) SQU DS1	E509	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	22-Dec-2023	28 days	0 days	✓



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis		
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual
Dissolved Metals : Dissolved Mercury in Water by CVAAS									
Glass vial - dissolved (lab preserved) SQU US1	E509	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	22-Dec-2023	28 days	0 days
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS									
Glass vial - dissolved (lab preserved) SQU DS1	E421	19-Dec-2023	21-Dec-2023	180 days	2 days	✓	22-Dec-2023	180 days	3 days
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS									
Glass vial - dissolved (lab preserved) SQU US1	E421	19-Dec-2023	21-Dec-2023	180 days	2 days	✓	22-Dec-2023	180 days	3 days
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine									
Glass vial - total (lab preserved) SQU DS1	EF001	19-Dec-2023	---	---	---		22-Dec-2023	---	3 days
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine									
Glass vial - total (lab preserved) SQU US1	EF001	19-Dec-2023	---	---	---		22-Dec-2023	---	3 days
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)									
Amber glass dissolved (sulfuric acid) SQU DS1	E358-L	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	22-Dec-2023	28 days	3 days
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)									
Amber glass dissolved (sulfuric acid) SQU US1	E358-L	19-Dec-2023	22-Dec-2023	28 days	3 days	✓	22-Dec-2023	28 days	3 days
Physical Tests : Alkalinity Species by Titration									
HDPE SQU DS1	E290	19-Dec-2023	20-Dec-2023	14 days	1 days	✓	20-Dec-2023	14 days	1 days
Physical Tests : Alkalinity Species by Titration									
HDPE SQU US1	E290	19-Dec-2023	20-Dec-2023	14 days	1 days	✓	20-Dec-2023	14 days	1 days



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Physical Tests : TDS by Gravimetry										
HDPE SQU DS1	E162	19-Dec-2023	---	---	---		20-Dec-2023	7 days	1 days	✓
Physical Tests : TDS by Gravimetry										
HDPE SQU US1	E162	19-Dec-2023	---	---	---		20-Dec-2023	7 days	1 days	✓
Physical Tests : TSS by Gravimetry										
HDPE SQU DS1	E160	19-Dec-2023	---	---	---		20-Dec-2023	7 days	1 days	✓
Physical Tests : TSS by Gravimetry										
HDPE SQU US1	E160	19-Dec-2023	---	---	---		20-Dec-2023	7 days	1 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved) SQU DS1	E508	19-Dec-2023	27-Dec-2023	28 days	8 days	✓	27-Dec-2023	28 days	0 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved) SQU US1	E508	19-Dec-2023	27-Dec-2023	28 days	8 days	✓	27-Dec-2023	28 days	0 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) SQU DS1	E420	19-Dec-2023	21-Dec-2023	180 days	2 days	✓	22-Dec-2023	180 days	3 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) SQU US1	E420	19-Dec-2023	21-Dec-2023	180 days	2 days	✓	22-Dec-2023	180 days	3 days	✓
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide) SQU DS1	E395	19-Dec-2023	---	---	---		20-Dec-2023	7 days	1 days	✓



Matrix: Water

Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide) SQU US1	E395	19-Dec-2023	----	----	----		20-Dec-2023	7 days	1 days	✓

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water

Evaluation: ✘ = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type	Analytical Methods	Method	QC Lot #	Count		Frequency (%)		
				QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)								
Alkalinity Species by Titration		E290	1284065	1	11	9.0	5.0	✓
Ammonia by Fluorescence		E298	1287287	1	19	5.2	5.0	✓
Bromide in Water by IC (Low Level)		E235.Br-L	1284071	1	12	8.3	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)		E559-L	1287194	1	20	5.0	5.0	✓
Chloride in Water by IC		E235.Cl	1284070	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS		E509	1287143	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS		E421	1285459	2	9	22.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)		E358-L	1287283	1	15	6.6	5.0	✓
Fluoride in Water by IC		E235.F	1284069	1	15	6.6	5.0	✓
Nitrate in Water by IC (Low Level)		E235.NO3-L	1284072	1	16	6.2	5.0	✓
Nitrite in Water by IC (Low Level)		E235.NO2-L	1284073	1	18	5.5	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1286734	1	19	5.2	5.0	✓
Sulfate in Water by IC		E235.SO4	1284074	1	13	7.6	5.0	✓
TDS by Gravimetry		E162	1284249	1	8	12.5	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)		E318	1287282	1	11	9.0	5.0	✓
Total Mercury in Water by CVAAS		E508	1288750	1	17	5.8	5.0	✓
Total Metals in Water by CRC ICPMS		E420	1284420	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry		E366	1287285	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)		E372-U	1287286	1	16	6.2	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)		E395	1284549	1	19	5.2	5.0	✓
TSS by Gravimetry		E160	1284240	1	9	11.1	5.0	✓
Laboratory Control Samples (LCS)								
Alkalinity Species by Titration		E290	1284065	1	11	9.0	5.0	✓
Ammonia by Fluorescence		E298	1287287	1	19	5.2	5.0	✓
Bromide in Water by IC (Low Level)		E235.Br-L	1284071	1	12	8.3	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)		E559-L	1287194	1	20	5.0	5.0	✓
Chloride in Water by IC		E235.Cl	1284070	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS		E509	1287143	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS		E421	1285459	1	9	11.1	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)		E358-L	1287283	1	15	6.6	5.0	✓
Fluoride in Water by IC		E235.F	1284069	1	15	6.6	5.0	✓
Nitrate in Water by IC (Low Level)		E235.NO3-L	1284072	1	16	6.2	5.0	✓
Nitrite in Water by IC (Low Level)		E235.NO2-L	1284073	1	18	5.5	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1286734	1	19	5.2	5.0	✓
Sulfate in Water by IC		E235.SO4	1284074	1	13	7.6	5.0	✓
TDS by Gravimetry		E162	1284249	1	8	12.5	5.0	✓



Matrix: Water				Evaluation: ✗ = QC frequency outside specification; ✓ = QC frequency within specification.			
Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Control Samples (LCS) - Continued							
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1287282	1	11	9.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1288750	1	17	5.8	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1284420	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1287285	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1287286	1	16	6.2	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1284549	1	19	5.2	5.0	✓
TSS by Gravimetry	E160	1284240	1	9	11.1	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1284065	1	11	9.0	5.0	✓
Ammonia by Fluorescence	E298	1287287	1	19	5.2	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1284071	1	12	8.3	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L	1287194	1	20	5.0	5.0	✓
Chloride in Water by IC	E235.Cl	1284070	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1287143	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1285459	1	9	11.1	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1287283	1	15	6.6	5.0	✓
Fluoride in Water by IC	E235.F	1284069	1	15	6.6	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1284072	1	16	6.2	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1284073	1	18	5.5	5.0	✓
Phenols (4AAP) in Water by Colorimetry	E562	1286734	1	19	5.2	5.0	✓
Sulfate in Water by IC	E235.SO4	1284074	1	13	7.6	5.0	✓
TDS by Gravimetry	E162	1284249	1	8	12.5	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1287282	1	11	9.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1288750	1	17	5.8	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1284420	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1287285	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1287286	1	16	6.2	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1284549	1	19	5.2	5.0	✓
TSS by Gravimetry	E160	1284240	1	9	11.1	5.0	✓
Matrix Spikes (MS)							
Ammonia by Fluorescence	E298	1287287	1	19	5.2	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1284071	1	12	8.3	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L	1287194	1	20	5.0	5.0	✓
Chloride in Water by IC	E235.Cl	1284070	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1287143	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1285459	1	9	11.1	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1287283	1	15	6.6	5.0	✓
Fluoride in Water by IC	E235.F	1284069	1	15	6.6	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1284072	1	16	6.2	5.0	✓



Matrix: Water

Evaluation: ✗ = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type	Analytical Methods	Method	QC Lot #	Count		Frequency (%)		
				QC	Regular	Actual	Expected	Evaluation
Matrix Spikes (MS) - Continued								
Nitrite in Water by IC (Low Level)		E235.NO2-L	1284073	1	18	5.5	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1286734	1	19	5.2	5.0	✓
Sulfate in Water by IC		E235.SO4	1284074	1	13	7.6	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)		E318	1287282	1	11	9.0	5.0	✓
Total Mercury in Water by CVAAS		E508	1288750	1	17	5.8	5.0	✓
Total Metals in Water by CRC ICPMS		E420	1284420	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry		E366	1287285	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)		E372-U	1287286	1	16	6.2	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)		E395	1284549	1	19	5.2	5.0	✓

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
TSS by Gravimetry	E160 ALS Environmental - Vancouver	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at $104 \pm 1^\circ\text{C}$, with gravimetric measurement of the filtered solids. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
TDS by Gravimetry	E162 ALS Environmental - Vancouver	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at $180 \pm 2^\circ\text{C}$ for 16 hours or to constant weight, with gravimetric measurement of the residue.
Bromide in Water by IC (Low Level)	E235.Br-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Chloride in Water by IC	E235.Cl ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Fluoride in Water by IC	E235.F ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC (Low Level)	E235.NO2-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrate in Water by IC (Low Level)	E235.NO3-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Sulfate in Water by IC	E235.SO4 ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Alkalinity Species by Titration	E290 ALS Environmental - Vancouver	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.



Analytical Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Ammonia by Fluorescence	E298 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	Ammonia in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021)
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	TKN in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021).
Dissolved Organic Carbon by Combustion (Low Level)	E358-L ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and purged to remove inorganic carbon (IC). Analysis is by high temperature combustion with infrared detection of CO ₂ . NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of DC (dissolved carbon) is comprised of IC (which is common), this method is more accurate and more reliable than the DOC by subtraction method (i.e. DC minus DIC).
Total Nitrogen by Colourimetry	E366 ALS Environmental - Vancouver	Water	Chinchilla Scientific Nitrate Method, 2011	Following digestion, total nitrogen is determined colourimetrically using a discrete analyzer utilizing the vanadium chloride reduction method. This method of analysis is approved under US EPA 40 CFR Part 136 (May 2021).
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U ALS Environmental - Vancouver	Water	APHA 4500-P E (mod.)	Total Phosphorus is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
Total Sulfide by Colourimetry (Automated Flow)	E395 ALS Environmental - Vancouver	Water	APHA 4500 -S E-Auto-Colorimetry	Sulfide is determined using the gas dialysis automated methylene blue colourimetric method. Results expressed "as H ₂ S" if reported represent the maximum possible H ₂ S concentration based on the total sulfide concentration in the sample. The H ₂ S calculation converts Total Sulphide as (S ²⁻) and reports it as Total Sulphide as (H ₂ S)
Total Metals in Water by CRC ICPMS	E420 ALS Environmental - Vancouver	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508 ALS Environmental - Vancouver	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS



Analytical Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Mercury in Water by CVAAS	E509 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L ALS Environmental - Vancouver	Water	APHA 5220 D (mod)	Samples are analyzed using the closed reflux colourimetric method.
Phenols (4AAP) in Water by Colorimetry	E562 ALS Environmental - Edmonton	Water	EPA 9066	This automated method is based on the distillation of phenol and subsequent reaction of the distillate with alkaline ferricyanide (K3Fe(CN)6) and 4-amino-antipyrine (4-AAP) to form a red complex which is measured colorimetrically.
Dissolved Hardness (Calculated)	EC100 ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO ₃ , dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO ₃ equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO ₃ , from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO ₃ equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Un-ionized Total Hydrogen Sulfide (calculated)	EC395 ALS Environmental - Vancouver	Water	APHA 4500 -S H	Un-ionized sulfide is calculated using results from total sulfide analysis, pH, temperature, and ionic strength of the sample. Calculation of un-ionized sulfide using total sulfide concentrations may be biased high due to particulate forms of sulfide measured during total sulfide testing.
Field pH,EC,Salinity,Cl ₂ ,ClO ₂ ,ORP,DO, Turbidity,T,T-P,o-PO ₄ ,NH ₃ ,Chloramine	EF001 ALS Environmental - Vancouver	Water	Field Measurement (Client Supplied)	Field pH,EC,Salinity,Cl ₂ ,ClO ₂ ,ORP,DO, Turbidity,T,T-P,o-PO ₄ ,NH ₃ or Chloramine measurements provided by client and recorded on ALS report may affect the validity of results.
Preparation Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298 ALS Environmental - Vancouver	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.
Digestion for TKN in water	EP318 ALS Environmental - Vancouver	Water	APHA 4500-Norg D (mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.



Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Dissolved Organic Carbon for Combustion	EP358 ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
Digestion for Total Nitrogen in water	EP366 ALS Environmental - Vancouver	Water	APHA 4500-P J (mod)	Samples for total nitrogen analysis are digested using a heated persulfate digestion. Nitrogen compounds are converted to nitrate in this digestion.
Digestion for Total Phosphorus in water	EP372 ALS Environmental - Vancouver	Water	APHA 4500-P E (mod.)	Samples are heated with a persulfate digestion reagent.
Dissolved Metals Water Filtration	EP421 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
Dissolved Mercury Water Filtration	EP509 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.

QUALITY CONTROL REPORT

Work Order	:VA23D0440	Page	: 1 of 18
Client	Triton Environmental Consultants Ltd.	Laboratory	ALS Environmental - Vancouver
Contact		Account Manager	
Address	Suite 1730, 1111 West Georgia St Vancouver BC Canada V6E 4M3	Address	8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	:
Project	----	Date Samples Received	: 19-Dec-2023 12:00
PO	----	Date Analysis Commenced	: 20-Dec-2023
C-O-C number	----	Issue Date	: 29-Dec-2023 12:21
Sampler	Aegean & Cou		
Site	Water Analysis		
Quote number	VA23-TRIT100-012		
No. of samples received	: 4		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Brooke Miller	Laboratory Analyst	Edmonton Inorganics, Edmonton, Alberta
Dan Gebert	Laboratory Analyst	Vancouver Metals, Burnaby, British Columbia
Erin Sanchez		Vancouver Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Vancouver Administration, Burnaby, British Columbia
Sam Silveira	Lab Assistant	Vancouver Metals, Burnaby, British Columbia
Tracy Harley	Supervisor - Water Quality Instrumentation	Vancouver Inorganics, Burnaby, British Columbia



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

- Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO = Data Quality Objective.
- LOR = Limit of Reporting (detection limit).
- RPD = Relative Percent Difference
- # = Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water

Laboratory Duplicate (DUP) Report											
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1284065)											
VA23D0362-002	Anonymous	Alkalinity, total (as CaCO ₃)	---	E290	1.0	mg/L	195	195	0.308%	20%	---
Physical Tests (QC Lot: 1284240)											
VA23D0425-008	Anonymous	Solids, total suspended [TSS]	---	E160	3.0	mg/L	<3.0	5.3	2.3	Diff <2x LOR	---
Physical Tests (QC Lot: 1284249)											
VA23D0425-008	Anonymous	Solids, total dissolved [TDS]	---	E162	20	mg/L	201	188	13	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1284069)											
VA23D0307-001	Anonymous	Fluoride	16984-48-8	E235.F	0.020	mg/L	0.022	0.021	0.001	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1284070)											
VA23D0307-001	Anonymous	Chloride	16887-00-6	E235.Cl	0.50	mg/L	0.94	0.94	0.0008	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1284071)											
VA23D0307-001	Anonymous	Bromide	24959-67-9	E235.Br-L	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1284072)											
VA23D0307-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	0.0838	0.0843	0.675%	20%	---
Anions and Nutrients (QC Lot: 1284073)											
VA23D0307-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1284074)											
VA23D0307-001	Anonymous	Sulfate (as SO ₄)	14808-79-8	E235.SO4	0.30	mg/L	3.71	3.70	0.140%	20%	---
Anions and Nutrients (QC Lot: 1287282)											
VA23D0417-005	Anonymous	Kjeldahl nitrogen, total [TKN]	---	E318	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1287285)											
KS2304901-001	Anonymous	Nitrogen, total	7727-37-9	E366	0.030	mg/L	0.186	0.190	0.004	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1287286)											
VA23D0417-007	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0020	mg/L	0.0070	0.0068	0.0002	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1287287)											
KS2304901-001	Anonymous	Ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	---
Organic / Inorganic Carbon (QC Lot: 1287283)											
VA23D0417-001	Anonymous	Carbon, dissolved organic [DOC]	---	E358-L	0.50	mg/L	0.57	<0.50	0.07	Diff <2x LOR	---
Total Sulfides (QC Lot: 1284549)											
SK2307238-001	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	0.0071	0.0071	0.00003	Diff <2x LOR	---
Total Metals (QC Lot: 1284420)											



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 1284420) - continued											
VA23D0412-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.0046	0.0052	0.0005	Diff <2x LOR	---
		Antimony, total	7440-36-0	E420	0.00010	mg/L	0.00016	0.00017	0.000003	Diff <2x LOR	---
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.00402	0.00403	0.331%	20%	---
		Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	---
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Boron, total	7440-42-8	E420	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	---
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	---
		Calcium, total	7440-70-2	E420	0.050	mg/L	31.3	31.3	0.0339%	20%	---
		Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Copper, total	7440-50-8	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Iron, total	7439-89-6	E420	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	---
		Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Lithium, total	7439-93-2	E420	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	6.31	6.35	0.729%	20%	---
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.00222	0.00227	2.13%	20%	---
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.000100	0.000093	0.000006	Diff <2x LOR	---
		Nickel, total	7440-02-0	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
		Potassium, total	7440-09-7	E420	0.050	mg/L	2.15	2.17	0.960%	20%	---
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00023	0.00022	0.00002	Diff <2x LOR	---
		Selenium, total	7782-49-2	E420	0.000050	mg/L	0.000126	0.000138	0.000012	Diff <2x LOR	---
		Silicon, total	7440-21-3	E420	0.10	mg/L	1.47	1.45	1.32%	20%	---
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Sodium, total	7440-23-5	E420	0.050	mg/L	2.53	2.55	0.824%	20%	---
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.152	0.154	1.23%	20%	---
		Sulfur, total	7704-34-9	E420	0.50	mg/L	9.38	9.43	0.479%	20%	---
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	---
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	---



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 1284420) - continued											
VA23D0412-001	Anonymous	Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.000293	0.000294	0.228%	20%	---
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0030	<0.0030	0	Diff <2x LOR	---
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---
Total Metals (QC Lot: 1288750)											
KS2304864-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	---
Dissolved Metals (QC Lot: 1285459)											
VA23D0592-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0173	0.0171	1.01%	20%	---
VA23D0592-001	Anonymous	Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	0.0103	0.0104	1.33%	20%	---
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.00493	0.00498	1.08%	20%	---
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.0431	0.0430	0.237%	20%	---
		Beryllium, dissolved	7440-41-7	E421	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	---
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	---
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.107	0.109	1.45%	20%	---
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0000197	0.0000152	0.0000045	Diff <2x LOR	---
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	23.7	23.6	0.469%	20%	---
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	0.00238	0.00240	0.754%	20%	---
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	---
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	0.000068	0.000069	0.000002	Diff <2x LOR	---
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.0640	0.0648	1.22%	20%	---
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	1.85	1.85	0.0742%	20%	---
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.0504	0.0507	0.583%	20%	---
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.0106	0.0108	1.72%	20%	---
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	---
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	14.5	14.5	0.284%	20%	---
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.0181	0.0180	0.649%	20%	---
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	0.000943	0.00102	7.59%	20%	---
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	1.64	1.64	0.467%	20%	---
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	---



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier	
Dissolved Metals (QC Lot: 1285459) - continued												
VA23D0592-001	Anonymous	Sodium, dissolved	7440-23-5	E421	0.050	mg/L	33.8	34.1	0.890%	20%	---	
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.505	0.512	1.38%	20%	---	
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	24.6	24.8	0.998%	20%	---	
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---	
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	0.000050	0.000049	0.0000005	Diff <2x LOR	---	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---	
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	---	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	---	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	0.00121	0.00122	0.672%	20%	---	
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000423	0.000428	1.07%	20%	---	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	---	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---	
		Zirconium, dissolved	7440-67-7	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	---	
Dissolved Metals (QC Lot: 1287143)												
FJ2303314-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	---	
Aggregate Organics (QC Lot: 1286734)												
CG2317850-001	Anonymous	Phenols, total (4AAP)	----	E562	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---	
Aggregate Organics (QC Lot: 1287194)												
FJ2303321-001	Anonymous	Chemical oxygen demand [COD]	----	E559-L	10	mg/L	<10	<10	0	Diff <2x LOR	----	

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1284065)						
Alkalinity, total (as CaCO ₃)	----	E290	1	mg/L	<1.0	---
Physical Tests (QCLot: 1284240)						
Solids, total suspended [TSS]	----	E160	3	mg/L	<3.0	---
Physical Tests (QCLot: 1284249)						
Solids, total dissolved [TDS]	----	E162	10	mg/L	<10	---
Anions and Nutrients (QCLot: 1284069)						
Fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	---
Anions and Nutrients (QCLot: 1284070)						
Chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	---
Anions and Nutrients (QCLot: 1284071)						
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	<0.050	---
Anions and Nutrients (QCLot: 1284072)						
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	<0.0050	---
Anions and Nutrients (QCLot: 1284073)						
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	<0.0010	---
Anions and Nutrients (QCLot: 1284074)						
Sulfate (as SO ₄)	14808-79-8	E235.SO4	0.3	mg/L	<0.30	---
Anions and Nutrients (QCLot: 1287282)						
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	<0.050	---
Anions and Nutrients (QCLot: 1287285)						
Nitrogen, total	7727-37-9	E366	0.03	mg/L	<0.030	---
Anions and Nutrients (QCLot: 1287286)						
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	<0.0020	---
Anions and Nutrients (QCLot: 1287287)						
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	---
Organic / Inorganic Carbon (QCLot: 1287283)						
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	<0.50	---
Total Sulfides (QCLot: 1284549)						
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	---
Total Metals (QCLot: 1284420)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	---
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1284420) - continued						
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	---
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	---
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	---
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	---
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	---
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	---
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	---
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	---
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	---
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	---
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	---
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	---
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	---
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.010	---
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	---
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	---
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	---
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	---
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	---
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	---
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	---
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	---
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	---
Silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	---
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	---
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	---
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	---
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	---
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	---
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	---
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	---
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	---
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	---
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	---
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1284420) - continued						
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	---
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	---
Total Metals (QCLot: 1288750)						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	---
Dissolved Metals (QCLot: 1285459)						
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	---
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	---
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	---
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	---
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	---
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	---
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	---
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.0000050	---
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	---
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	---
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	---
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	---
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	---
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	---
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	---
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	---
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	---
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	---
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	---
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	---
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	---
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	---
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	---
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	---
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	---
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	---
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	---
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	---
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	---
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	---

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1285459) - continued						
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	---
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	---
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	---
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	---
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	---
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	---
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	---
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	---
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	---
Dissolved Metals (QCLot: 1287143)						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	---
Aggregate Organics (QCLot: 1286734)						
Phenols, total (4AAP)	----	E562	0.001	mg/L	<0.0010	---
Aggregate Organics (QCLot: 1287194)						
Chemical oxygen demand [COD]	----	E559-L	10	mg/L	<10	---

Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		Qualifier
Physical Tests (QCLot: 1284065)									
Alkalinity, total (as CaCO ₃)	---	E290	1	mg/L	500 mg/L	111	85.0	115	---
Physical Tests (QC Lot: 1284240)									
Solids, total suspended [TSS]	---	E160	3	mg/L	150 mg/L	96.5	85.0	115	---
Physical Tests (QC Lot: 1284249)									
Solids, total dissolved [TDS]	---	E162	10	mg/L	1000 mg/L	97.8	85.0	115	---
Anions and Nutrients (QC Lot: 1284069)									
Fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	102	90.0	110	---
Anions and Nutrients (QC Lot: 1284070)									
Chloride	16887-00-6	E235.Cl	0.5	mg/L	100 mg/L	101	90.0	110	---
Anions and Nutrients (QC Lot: 1284071)									
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	0.5 mg/L	101	85.0	115	---
Anions and Nutrients (QC Lot: 1284072)									
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	2.5 mg/L	101	90.0	110	---
Anions and Nutrients (QC Lot: 1284073)									
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	101	90.0	110	---
Anions and Nutrients (QC Lot: 1284074)									
Sulfate (as SO ₄)	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	103	90.0	110	---
Anions and Nutrients (QC Lot: 1287282)									
Kjeldahl nitrogen, total [TKN]	---	E318	0.05	mg/L	4 mg/L	93.3	75.0	125	---
Anions and Nutrients (QC Lot: 1287285)									
Nitrogen, total	7727-37-9	E366	0.03	mg/L	0.5 mg/L	102	75.0	125	---
Anions and Nutrients (QC Lot: 1287286)									
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	0.05 mg/L	92.9	80.0	120	---
Anions and Nutrients (QC Lot: 1287287)									
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	105	85.0	115	---
Organic / Inorganic Carbon (QC Lot: 1287283)									
Carbon, dissolved organic [DOC]	---	E358-L	0.5	mg/L	8.57 mg/L	102	80.0	120	---
Total Sulfides (QC Lot: 1284549)									
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	0.08 mg/L	110	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
Total Metals (QCLot: 1284420)									
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	108	80.0	120	---
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	105	80.0	120	---
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	108	80.0	120	---
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	106	80.0	120	---
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	103	80.0	120	---
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	102	80.0	120	---
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	96.7	80.0	120	---
Cadmium, total	7440-43-9	E420	0.00005	mg/L	0.1 mg/L	102	80.0	120	---
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	100	80.0	120	---
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	103	80.0	120	---
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	104	80.0	120	---
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	---
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	102	80.0	120	---
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	118	80.0	120	---
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	103	80.0	120	---
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	105	80.0	120	---
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	103	80.0	120	---
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	---
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	104	80.0	120	---
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	103	80.0	120	---
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	112	80.0	120	---
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	109	80.0	120	---
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	105	80.0	120	---
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	100	80.0	120	---
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	106	80.0	120	---
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	100	80.0	120	---
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	104	80.0	120	---
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	105	80.0	120	---
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	100	80.0	120	---
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120	---
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	103	80.0	120	---
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	98.8	80.0	120	---
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	104	80.0	120	---
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	102	80.0	120	---
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	101	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
Total Metals (QC Lot: 1284420) - continued									
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	104	80.0	120	---
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	106	80.0	120	---
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	104	80.0	120	---
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	105	80.0	120	---
Total Metals (QC Lot: 1288750)									
Mercury, total	7439-97-6	E508	0.000005	mg/L	0.0001 mg/L	99.3	80.0	120	---
Dissolved Metals (QC Lot: 1285459)									
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	104	80.0	120	---
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	102	80.0	120	---
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	106	80.0	120	---
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	105	80.0	120	---
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	101	80.0	120	---
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	102	80.0	120	---
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	105	80.0	120	---
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	102	80.0	120	---
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	101	80.0	120	---
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	106	80.0	120	---
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	102	80.0	120	---
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	102	80.0	120	---
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	100	80.0	120	---
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	118	80.0	120	---
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	101	80.0	120	---
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	104	80.0	120	---
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	101	80.0	120	---
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	101	80.0	120	---
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	104	80.0	120	---
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	100	80.0	120	---
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	112	80.0	120	---
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	106	80.0	120	---
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	101	80.0	120	---
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	100	80.0	120	---
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	106	80.0	120	---
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	100	80.0	120	---
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	102	80.0	120	---
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	105	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
Dissolved Metals (QC Lot: 1285459) - continued									
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	98.7	80.0	120	----
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	102	80.0	120	----
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	101	80.0	120	----
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	100	80.0	120	----
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	104	80.0	120	----
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	96.9	80.0	120	----
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	102	80.0	120	----
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	106	80.0	120	----
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	104	80.0	120	----
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	102	80.0	120	----
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	103	80.0	120	----
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0.0001 mg/L	105	80.0	120	----
Aggregate Organics (QC Lot: 1286734)									
Phenols, total (4AAP)	----	E562	0.001	mg/L	0.02 mg/L	100	85.0	115	----
Aggregate Organics (QC Lot: 1287194)									
Chemical oxygen demand [COD]	----	E559-L	10	mg/L	100 mg/L	110	85.0	115	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water

Matrix Spike (MS) Report										
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Spike		Recovery (%)	Recovery Limits (%)		Qualifier
					Concentration	Target	MS	Low	High	
Anions and Nutrients (QCLot: 1284069)										
VA23D0307-002	Anonymous	Fluoride	16984-48-8	E235.F	1.02 mg/L	1 mg/L	102	75.0	125	----
Anions and Nutrients (QC Lot: 1284070)										
VA23D0307-002	Anonymous	Chloride	16887-00-6	E235.Cl	102 mg/L	100 mg/L	102	75.0	125	----
Anions and Nutrients (QC Lot: 1284071)										
VA23D0307-002	Anonymous	Bromide	24959-67-9	E235.Br-L	0.507 mg/L	0.5 mg/L	101	75.0	125	----
Anions and Nutrients (QC Lot: 1284072)										
VA23D0307-002	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-L	2.54 mg/L	2.5 mg/L	102	75.0	125	----
Anions and Nutrients (QC Lot: 1284073)										
VA23D0307-002	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.504 mg/L	0.5 mg/L	101	75.0	125	----
Anions and Nutrients (QC Lot: 1284074)										
VA23D0307-002	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	104 mg/L	100 mg/L	104	75.0	125	----
Anions and Nutrients (QC Lot: 1287282)										
VA23D0417-006	Anonymous	Kjeldahl nitrogen, total [TKN]	----	E318	2.48 mg/L	2.5 mg/L	99.4	70.0	130	----
Anions and Nutrients (QC Lot: 1287285)										
VA23D0417-001	Anonymous	Nitrogen, total	7727-37-9	E366	0.386 mg/L	0.4 mg/L	96.5	70.0	130	----
Anions and Nutrients (QC Lot: 1287286)										
VA23D0417-008	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0468 mg/L	0.05 mg/L	93.5	70.0	130	----
Anions and Nutrients (QC Lot: 1287287)										
VA23D0417-001	Anonymous	Ammonia, total (as N)	7664-41-7	E298	0.103 mg/L	0.1 mg/L	103	75.0	125	----
Organic / Inorganic Carbon (QC Lot: 1287283)										
VA23D0417-002	Anonymous	Carbon, dissolved organic [DOC]	----	E358-L	5.18 mg/L	5 mg/L	104	70.0	130	----
Total Sulfides (QC Lot: 1284549)										
SK2307238-002	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.190 mg/L	0.2 mg/L	95.0	75.0	125	----
Total Metals (QC Lot: 1284420)										
VA23D0412-002	Anonymous	Aluminum, total	7429-90-5	E420	0.199 mg/L	0.2 mg/L	99.5	70.0	130	----
		Antimony, total	7440-36-0	E420	0.0186 mg/L	0.02 mg/L	93.0	70.0	130	----
		Arsenic, total	7440-38-2	E420	0.0191 mg/L	0.02 mg/L	95.6	70.0	130	----
		Barium, total	7440-39-3	E420	0.0178 mg/L	0.02 mg/L	89.3	70.0	130	----



Sub-Matrix: Water

					Matrix Spike (MS) Report					
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Spike		Recovery (%)	Recovery Limits (%)		Qualifier
					Concentration	Target		Low	High	
Total Metals (QC Lot: 1284420) - continued										
VA23D0412-002	Anonymous	Beryllium, total	7440-41-7	E420	0.0379 mg/L	0.04 mg/L	94.6	70.0	130	---
		Bismuth, total	7440-69-9	E420	0.00913 mg/L	0.01 mg/L	91.3	70.0	130	---
		Boron, total	7440-42-8	E420	0.089 mg/L	0.1 mg/L	88.8	70.0	130	---
		Cadmium, total	7440-43-9	E420	0.00375 mg/L	0.004 mg/L	93.7	70.0	130	---
		Calcium, total	7440-70-2	E420	ND mg/L	4 mg/L	ND	70.0	130	---
		Cesium, total	7440-46-2	E420	0.00947 mg/L	0.01 mg/L	94.7	70.0	130	---
		Chromium, total	7440-47-3	E420	0.0386 mg/L	0.04 mg/L	96.4	70.0	130	---
		Cobalt, total	7440-48-4	E420	0.0188 mg/L	0.02 mg/L	93.9	70.0	130	---
		Copper, total	7440-50-8	E420	0.0185 mg/L	0.02 mg/L	92.5	70.0	130	---
		Iron, total	7439-89-6	E420	1.86 mg/L	2 mg/L	92.9	70.0	130	---
		Lead, total	7439-92-1	E420	0.0180 mg/L	0.02 mg/L	90.2	70.0	130	---
		Lithium, total	7439-93-2	E420	0.0952 mg/L	0.1 mg/L	95.2	70.0	130	---
		Magnesium, total	7439-95-4	E420	ND mg/L	1 mg/L	ND	70.0	130	---
		Manganese, total	7439-96-5	E420	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Molybdenum, total	7439-98-7	E420	0.0185 mg/L	0.02 mg/L	92.7	70.0	130	---
		Nickel, total	7440-02-0	E420	0.0376 mg/L	0.04 mg/L	94.1	70.0	130	---
		Phosphorus, total	7723-14-0	E420	9.60 mg/L	10 mg/L	96.0	70.0	130	---
		Potassium, total	7440-09-7	E420	3.69 mg/L	4 mg/L	92.3	70.0	130	---
		Rubidium, total	7440-17-7	E420	0.0188 mg/L	0.02 mg/L	94.2	70.0	130	---
		Selenium, total	7782-49-2	E420	0.0387 mg/L	0.04 mg/L	96.8	70.0	130	---
		Silicon, total	7440-21-3	E420	9.56 mg/L	10 mg/L	95.6	70.0	130	---
		Silver, total	7440-22-4	E420	0.00382 mg/L	0.004 mg/L	95.4	70.0	130	---
		Sodium, total	7440-23-5	E420	ND mg/L	2 mg/L	ND	70.0	130	---
		Strontium, total	7440-24-6	E420	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Sulfur, total	7704-34-9	E420	18.4 mg/L	20 mg/L	91.9	70.0	130	---
		Tellurium, total	13494-80-9	E420	0.0364 mg/L	0.04 mg/L	91.0	70.0	130	---
		Thallium, total	7440-28-0	E420	0.00372 mg/L	0.004 mg/L	93.0	70.0	130	---
		Thorium, total	7440-29-1	E420	0.0163 mg/L	0.02 mg/L	81.4	70.0	130	---
		Tin, total	7440-31-5	E420	0.0187 mg/L	0.02 mg/L	93.5	70.0	130	---
		Titanium, total	7440-32-6	E420	0.0374 mg/L	0.04 mg/L	93.6	70.0	130	---
		Tungsten, total	7440-33-7	E420	0.0183 mg/L	0.02 mg/L	91.6	70.0	130	---
		Uranium, total	7440-61-1	E420	0.00371 mg/L	0.004 mg/L	92.7	70.0	130	---
		Vanadium, total	7440-62-2	E420	0.0969 mg/L	0.1 mg/L	96.9	70.0	130	---
		Zinc, total	7440-66-6	E420	0.392 mg/L	0.4 mg/L	97.9	70.0	130	---
		Zirconium, total	7440-67-7	E420	0.0373 mg/L	0.04 mg/L	93.2	70.0	130	---



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)		Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QCLot: 1288750)										
VA23D0406-001	Anonymous	Mercury, total	7439-97-6	E508	0.000101 mg/L	0.0001 mg/L	101	70.0	130	---
Dissolved Metals (QCLot: 1285459)										
VA23D0592-002	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.199 mg/L	0.2 mg/L	99.4	70.0	130	---
		Antimony, dissolved	7440-36-0	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	---
		Arsenic, dissolved	7440-38-2	E421	0.0196 mg/L	0.02 mg/L	98.1	70.0	130	---
		Barium, dissolved	7440-39-3	E421	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Beryllium, dissolved	7440-41-7	E421	0.0396 mg/L	0.04 mg/L	99.0	70.0	130	---
		Bismuth, dissolved	7440-69-9	E421	0.00957 mg/L	0.01 mg/L	95.7	70.0	130	---
		Boron, dissolved	7440-42-8	E421	ND mg/L	0.1 mg/L	ND	70.0	130	---
		Cadmium, dissolved	7440-43-9	E421	0.00408 mg/L	0.004 mg/L	102	70.0	130	---
		Calcium, dissolved	7440-70-2	E421	ND mg/L	4 mg/L	ND	70.0	130	---
		Cesium, dissolved	7440-46-2	E421	0.0102 mg/L	0.01 mg/L	102	70.0	130	---
		Chromium, dissolved	7440-47-3	E421	0.0396 mg/L	0.04 mg/L	99.0	70.0	130	---
		Cobalt, dissolved	7440-48-4	E421	0.0196 mg/L	0.02 mg/L	97.9	70.0	130	---
		Copper, dissolved	7440-50-8	E421	0.0191 mg/L	0.02 mg/L	95.6	70.0	130	---
		Iron, dissolved	7439-89-6	E421	1.94 mg/L	2 mg/L	96.8	70.0	130	---
		Lead, dissolved	7439-92-1	E421	0.0194 mg/L	0.02 mg/L	97.2	70.0	130	---
		Lithium, dissolved	7439-93-2	E421	0.0948 mg/L	0.1 mg/L	94.8	70.0	130	---
		Magnesium, dissolved	7439-95-4	E421	ND mg/L	1 mg/L	ND	70.0	130	---
		Manganese, dissolved	7439-96-5	E421	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Molybdenum, dissolved	7439-98-7	E421	0.0196 mg/L	0.02 mg/L	98.2	70.0	130	---
		Nickel, dissolved	7440-02-0	E421	0.0390 mg/L	0.04 mg/L	97.6	70.0	130	---
		Phosphorus, dissolved	7723-14-0	E421	10.5 mg/L	10 mg/L	105	70.0	130	---
		Potassium, dissolved	7440-09-7	E421	ND mg/L	4 mg/L	ND	70.0	130	---
		Rubidium, dissolved	7440-17-7	E421	0.0185 mg/L	0.02 mg/L	92.3	70.0	130	---
		Selenium, dissolved	7782-49-2	E421	0.0391 mg/L	0.04 mg/L	97.7	70.0	130	---
		Silicon, dissolved	7440-21-3	E421	9.94 mg/L	10 mg/L	99.4	70.0	130	---
		Silver, dissolved	7440-22-4	E421	0.00401 mg/L	0.004 mg/L	100	70.0	130	---
		Sodium, dissolved	7440-23-5	E421	ND mg/L	2 mg/L	ND	70.0	130	---
		Strontium, dissolved	7440-24-6	E421	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Sulfur, dissolved	7704-34-9	E421	ND mg/L	20 mg/L	ND	70.0	130	---
		Tellurium, dissolved	13494-80-9	E421	0.0402 mg/L	0.04 mg/L	100	70.0	130	---
		Thallium, dissolved	7440-28-0	E421	0.00395 mg/L	0.004 mg/L	98.7	70.0	130	---
		Thorium, dissolved	7440-29-1	E421	0.0174 mg/L	0.02 mg/L	87.3	70.0	130	---
		Tin, dissolved	7440-31-5	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	---



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals (QCLot: 1285459) - continued										
VA23D0592-002	Anonymous	Titanium, dissolved	7440-32-6	E421	0.0388 mg/L	0.04 mg/L	96.9	70.0	130	----
		Tungsten, dissolved	7440-33-7	E421	0.0196 mg/L	0.02 mg/L	98.1	70.0	130	----
		Uranium, dissolved	7440-61-1	E421	0.00392 mg/L	0.004 mg/L	98.1	70.0	130	----
		Vanadium, dissolved	7440-62-2	E421	0.101 mg/L	0.1 mg/L	101	70.0	130	----
		Zinc, dissolved	7440-66-6	E421	0.411 mg/L	0.4 mg/L	103	70.0	130	----
		Zirconium, dissolved	7440-67-7	E421	0.0412 mg/L	0.04 mg/L	103	70.0	130	----
Dissolved Metals (QCLot: 1287143)										
FJ2303314-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.000104 mg/L	0.0001 mg/L	104	70.0	130	----
Aggregate Organics (QCLot: 1286734)										
CG2317850-002	Anonymous	Phenols, total (4AAP)	----	E562	0.0210 mg/L	0.02 mg/L	105	75.0	125	----
Aggregate Organics (QCLot: 1287194)										
FJ2303321-002	Anonymous	Chemical oxygen demand [COD]	----	E559-L	108 mg/L	100 mg/L	108	75.0	125	----



Chain of Custody (COC) / Analytical Request Form


Canada Toll Free: 1 800 668 9878

COC Number: 17 -

Page 1 of 1

Affix ALS barcode label here

(lab use only)

Report To		Contact and company name below will appear on the final report		Report Format / Distribution		Select Service Level Below - Contact your AM to confirm all E&P TATs (surcharges may apply)																							
Company:		Triton Environmental		Select Report Format: <input type="checkbox"/> PDF <input checked="" type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL)		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">PRIORITY (Business Day)</td> <td style="width: 20%; text-align: center;">Regular [R] <input type="checkbox"/></td> <td style="width: 70%; text-align: left;">Standard TAT if received by 3 pm - business days - no surcharges apply</td> </tr> <tr> <td style="text-align: center;">4 day [P4-20%]</td> <td><input type="checkbox"/></td> <td>1 Business day [E1 - 100%]</td> </tr> <tr> <td style="text-align: center;">3 day [P3-25%]</td> <td><input type="checkbox"/></td> <td>Same Day, Weekend or Statutory holiday [E2 - 200% (Laboratory opening fees may apply)]</td> </tr> <tr> <td style="text-align: center;">2 day [P2-50%]</td> <td><input type="checkbox"/></td> <td></td> </tr> </table>												PRIORITY (Business Day)	Regular [R] <input type="checkbox"/>	Standard TAT if received by 3 pm - business days - no surcharges apply	4 day [P4-20%]	<input type="checkbox"/>	1 Business day [E1 - 100%]	3 day [P3-25%]	<input type="checkbox"/>	Same Day, Weekend or Statutory holiday [E2 - 200% (Laboratory opening fees may apply)]	2 day [P2-50%]	<input type="checkbox"/>	
PRIORITY (Business Day)	Regular [R] <input type="checkbox"/>	Standard TAT if received by 3 pm - business days - no surcharges apply																											
4 day [P4-20%]	<input type="checkbox"/>	1 Business day [E1 - 100%]																											
3 day [P3-25%]	<input type="checkbox"/>	Same Day, Weekend or Statutory holiday [E2 - 200% (Laboratory opening fees may apply)]																											
2 day [P2-50%]	<input type="checkbox"/>																												
Contact:				Quality Control (QC) Report with Report <input type="checkbox"/> YES <input type="checkbox"/> NO																									
Phone:				<input checked="" type="checkbox"/> Compare Results to Criteria on Report - provide details below if box checked																									
Company address below will appear on the final report				Select Distribution: <input type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX																									
Street:		1730-1111 West Georgia Street		Email 1 or Fax																									
City/Province:		Vancouver/BC		Email 2																									
Postal Code:		V6E 4M3		Email 3																									
Invoice To		Same as Report To <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		Invoice Distribution		Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below																							
Copy of Invoice with Report		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		Select Invoice Distribution: <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> MAIL <input type="checkbox"/> FAX																									
Company:				Email 1 or Fax																									
Contact:				Email 2																									
Project Information														Oil and Gas Required Fields (client use) AFE/Cost Center: VA23-TRIT100-012 Major/Minor Code: PO / AFE: LSD: ALS Lab Work Order # (lab use only): DOL4HO ALS Sample # (lab use only): Sample Identification and/or Coordinates (This description will appear on the report)															
Job #:				Routing Code:																									
Requisitioner:				Location:																									
Environmental Division Vancouver Work Order Reference VA23D0440														on report by clicking on the drop-down list below (lab use only)															
																													
Drinking Water (DW) Samples ¹ (client use)																													
Are samples taken from a Regulated DW System? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO																													
Telephone: +1 604 253 4188																													
Are samples for human consumption/ use? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO																													
INITIAL SHIPMENT RELEASE (client use)																													
Ref:		DCE 19/123		Time: 13:00		Received by:		Date:		Time:		Received by:				Date:		Time:											
INITIAL SHIPMENT RECEIPTION (lab use only)																													
FINAL SHIPMENT RECEIPTION (lab use only)																													
5																													
5																													
SAMPLE CONDITION AS RECEIVED (lab use only)																													
Frozen <input type="checkbox"/> SIF Observations Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Ice Packs <input type="checkbox"/> Ice Cubes <input type="checkbox"/> Custody seal intact Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Cooling initiated <input type="checkbox"/>																													
INITIAL COOLER TEMPERATURES °C																													
FINAL COOLER TEMPERATURES °C																													
5																													
5																													
WHITE - LABORATORY COPY YELLOW - CLIENT COPY																													
REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION																													
Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.																													
1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.																													

CERTIFICATE OF ANALYSIS (GUIDELINE EVALUATION)

Work Order	: VA23D0828	Page	: 1 of 7
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact	:	Account Manager	:
Address	: Suite 1730, 1111 West Georgia St Vancouver BC Canada V6E 4M3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	:
Project	: ----	Date Samples Received	: 27-Dec-2023 13:25
PO	: ----	Date Analysis Commenced	: 28-Dec-2023
C-O-C number	: ----	Issue Date	: 04-Jan-2024 15:00
Sampler	:		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Guideline Comparison

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Angelo Salandanano	Lab Assistant	Metals, Burnaby, British Columbia
Brooke Miller	Laboratory Analyst	Inorganics, Edmonton, Alberta
Juanita Martis	Laboratory Analyst	Metals, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Inorganics, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Administration, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia

No Breaches Found

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guidelines are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.

Key : LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

>: greater than.

<: less than.

Red shading is applied where the result or the LOR is greater than the Guideline Upper Limit (or lower than the Guideline Lower Limit, if applicable).

For drinking water samples, Red shading is applied where the result for E.coli, fecal or total coliforms is greater than or equal to the Guideline Upper Limit.



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS 1	SQU US 1	---	---	---	---	---	---	---
			Sampling date/time	27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---	---	---	---
				Water	Water	---	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----	-----	-----	-----
Field Tests											
Conductivity, field	---	EF001/VA	µS/cm	64.000	46.000	---	---	---	---	---	---
pH, field	---	EF001/VA	pH units	7.11	6.94	---	---	---	---	---	---
Temperature, field	---	EF001/VA	°C	4.20	4.40	---	---	---	---	---	---
Physical Tests											
Hardness (as CaCO ₃), dissolved	---	EC100/VA	mg/L	14.8	15.4	---	---	---	---	---	---
Hardness (as CaCO ₃), from total Ca/Mg	---	EC100A/VA	mg/L	15.4	15.9	---	---	---	---	---	---
Solids, total dissolved [TDS]	---	E162/VA	mg/L	31	30	---	---	---	---	---	---
Solids, total suspended [TSS]	---	E160/VA	mg/L	7.0	5.8	---	---	---	---	---	---
Alkalinity, total (as CaCO ₃)	---	E290/VA	mg/L	12.8	13.2	---	---	---	---	---	---
Anions and Nutrients											
Ammonia, total (as N)	7664-41-7	E298/VA	mg/L	0.0408	0.0773	---	---	---	---	---	---
Bromide	24959-67-9	E235.Br-L/VA	mg/L	<0.050	<0.050	---	---	---	---	---	---
Chloride	16887-00-6	E235.Cl/VA	mg/L	1.62	1.83	---	---	---	---	---	---
Fluoride	16984-48-8	E235.F/VA	mg/L	<0.020	<0.020	---	---	---	---	---	---
Kjeldahl nitrogen, total [TKN]	---	E318/VA	mg/L	0.099	0.142	---	---	---	---	---	---
Nitrate (as N)	14797-55-8	E235.NO3-L/VA	mg/L	0.0663	0.0631	---	---	---	---	---	---
Nitrite (as N)	14797-65-0	E235.NO2-L/VA	mg/L	<0.0010	<0.0010	---	---	---	---	---	---
Nitrogen, total	7727-37-9	E366/VA	mg/L	0.152	0.198	---	---	---	---	---	---
Phosphorus, total	7723-14-0	E372-U/VA	mg/L	0.0140	0.0156	---	---	---	---	---	---
Sulfate (as SO ₄)	14808-79-8	E235.SO4/VA	mg/L	3.79	3.84	---	---	---	---	---	---
Organic / Inorganic Carbon											
Carbon, dissolved organic [DOC]	---	E358-L/VA	mg/L	2.51	2.46	---	---	---	---	---	---
Total Sulfides											
Sulfide, total (as S)	18496-25-8	E395/VA	mg/L	<0.0015	<0.0015	---	---	---	---	---	---
Sulfide, un-ionized (as H ₂ S), from total	7783-06-4	EC395/VA	mg/L	<0.0015	<0.0015	---	---	---	---	---	---
Sulfide, total (as H ₂ S)	7783-06-4	E395/VA	mg/L	<0.0016	<0.0016	---	---	---	---	---	---
Total Metals											



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS 1	SQU US 1	---	---	---	---	---	---
			27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---	---	---	---
	Sampling date/time		Sub-Matrix	Water	Water	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----	-----	-----
Total Metals										
Aluminum, total	7429-90-5	E420/VA	mg/L	0.260	0.209	---	---	---	---	---
Antimony, total	7440-36-0	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Arsenic, total	7440-38-2	E420/VA	mg/L	0.00013	0.00013	---	---	---	---	---
Barium, total	7440-39-3	E420/VA	mg/L	0.00918	0.00862	---	---	---	---	---
Beryllium, total	7440-41-7	E420/VA	mg/L	<0.000100	<0.000100	---	---	---	---	---
Bismuth, total	7440-69-9	E420/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Boron, total	7440-42-8	E420/VA	mg/L	<0.010	<0.010	---	---	---	---	---
Cadmium, total	7440-43-9	E420/VA	mg/L	0.0000090	0.0000085	---	---	---	---	---
Calcium, total	7440-70-2	E420/VA	mg/L	5.14	5.32	---	---	---	---	---
Cesium, total	7440-46-2	E420/VA	mg/L	0.000014	0.000014	---	---	---	---	---
Chromium, total	7440-47-3	E420/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---
Cobalt, total	7440-48-4	E420/VA	mg/L	0.00011	<0.00010	---	---	---	---	---
Copper, total	7440-50-8	E420/VA	mg/L	0.00116	0.00112	---	---	---	---	---
Iron, total	7439-89-6	E420/VA	mg/L	0.271	0.387	---	---	---	---	---
Lead, total	7439-92-1	E420/VA	mg/L	0.000060	0.000057	---	---	---	---	---
Lithium, total	7439-93-2	E420/VA	mg/L	0.0011	<0.0010	---	---	---	---	---
Magnesium, total	7439-95-4	E420/VA	mg/L	0.615	0.630	---	---	---	---	---
Manganese, total	7439-96-5	E420/VA	mg/L	0.00989	0.0121	---	---	---	---	---
Mercury, total	7439-97-6	E508/VA	mg/L	<0.0000050	<0.0000050	---	---	---	---	---
Molybdenum, total	7439-98-7	E420/VA	mg/L	0.000438	0.000483	---	---	---	---	---
Nickel, total	7440-02-0	E420/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---
Phosphorus, total	7723-14-0	E420/VA	mg/L	<0.050	<0.050	---	---	---	---	---
Potassium, total	7440-09-7	E420/VA	mg/L	0.511	0.513	---	---	---	---	---
Rubidium, total	7440-17-7	E420/VA	mg/L	0.00075	0.00069	---	---	---	---	---
Selenium, total	7782-49-2	E420/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Silicon, total	7440-21-3	E420/VA	mg/L	3.96	4.27	---	---	---	---	---
Silver, total	7440-22-4	E420/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---
Sodium, total	7440-23-5	E420/VA	mg/L	1.88	1.99	---	---	---	---	---
Strontium, total	7440-24-6	E420/VA	mg/L	0.0322	0.0330	---	---	---	---	---



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS 1	SQU US 1	---	---	---	---	---	---
			27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---	---	---	---
	Sampling date/time		Sub-Matrix	Water	Water	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----	-----	-----
Total Metals										
Sulfur, total	7704-34-9	E420/VA	mg/L	1.22	1.15	---	---	---	---	---
Tellurium, total	13494-80-9	E420/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---
Thallium, total	7440-28-0	E420/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---
Thorium, total	7440-29-1	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Tin, total	7440-31-5	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Titanium, total	7440-32-6	E420/VA	mg/L	0.00741	0.00505	---	---	---	---	---
Tungsten, total	7440-33-7	E420/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Uranium, total	7440-61-1	E420/VA	mg/L	0.000047	0.000037	---	---	---	---	---
Vanadium, total	7440-62-2	E420/VA	mg/L	0.00108	0.00105	---	---	---	---	---
Zinc, total	7440-66-6	E420/VA	mg/L	<0.0030	<0.0030	---	---	---	---	---
Zirconium, total	7440-67-7	E420/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---
Dissolved Metals										
Aluminum, dissolved	7429-90-5	E421/VA	mg/L	0.0632	0.0649	---	---	---	---	---
Antimony, dissolved	7440-36-0	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Arsenic, dissolved	7440-38-2	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Barium, dissolved	7440-39-3	E421/VA	mg/L	0.00707	0.00735	---	---	---	---	---
Beryllium, dissolved	7440-41-7	E421/VA	mg/L	<0.000100	<0.000100	---	---	---	---	---
Bismuth, dissolved	7440-69-9	E421/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Boron, dissolved	7440-42-8	E421/VA	mg/L	<0.010	<0.010	---	---	---	---	---
Cadmium, dissolved	7440-43-9	E421/VA	mg/L	0.0000094	0.0000092	---	---	---	---	---
Calcium, dissolved	7440-70-2	E421/VA	mg/L	5.02	5.15	---	---	---	---	---
Cesium, dissolved	7440-46-2	E421/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---
Chromium, dissolved	7440-47-3	E421/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---
Cobalt, dissolved	7440-48-4	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---
Copper, dissolved	7440-50-8	E421/VA	mg/L	0.00082	0.00090	---	---	---	---	---
Iron, dissolved	7439-89-6	E421/VA	mg/L	0.106	0.243	---	---	---	---	---
Lead, dissolved	7439-92-1	E421/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---
Lithium, dissolved	7439-93-2	E421/VA	mg/L	<0.0010	<0.0010	---	---	---	---	---



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS 1	SQU US 1	---	---	---	---	---	---	---
			27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---	---	---	---	---
	Sampling date/time		Sub-Matrix	Water	Water	---	---	---	---	---	---
Analyte	CAS Number	Method/Lab	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----	-----	-----	-----
Dissolved Metals											
Magnesium, dissolved	7439-95-4	E421/VA	mg/L	0.548	0.609	---	---	---	---	---	---
Manganese, dissolved	7439-96-5	E421/VA	mg/L	0.00573	0.00896	---	---	---	---	---	---
Mercury, dissolved	7439-97-6	E509/VA	mg/L	<0.0000050	<0.0000050	---	---	---	---	---	---
Molybdenum, dissolved	7439-98-7	E421/VA	mg/L	0.000446	0.000427	---	---	---	---	---	---
Nickel, dissolved	7440-02-0	E421/VA	mg/L	<0.00050	<0.00050	---	---	---	---	---	---
Phosphorus, dissolved	7723-14-0	E421/VA	mg/L	<0.050	<0.050	---	---	---	---	---	---
Potassium, dissolved	7440-09-7	E421/VA	mg/L	0.482	0.519	---	---	---	---	---	---
Rubidium, dissolved	7440-17-7	E421/VA	mg/L	0.00063	0.00065	---	---	---	---	---	---
Selenium, dissolved	7782-49-2	E421/VA	mg/L	<0.000050	<0.000050	---	---	---	---	---	---
Silicon, dissolved	7440-21-3	E421/VA	mg/L	3.61	3.98	---	---	---	---	---	---
Silver, dissolved	7440-22-4	E421/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---	---
Sodium, dissolved	7440-23-5	E421/VA	mg/L	1.84	2.05	---	---	---	---	---	---
Strontium, dissolved	7440-24-6	E421/VA	mg/L	0.0300	0.0310	---	---	---	---	---	---
Sulfur, dissolved	7704-34-9	E421/VA	mg/L	1.36	1.44	---	---	---	---	---	---
Tellurium, dissolved	13494-80-9	E421/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---	---
Thallium, dissolved	7440-28-0	E421/VA	mg/L	<0.000010	<0.000010	---	---	---	---	---	---
Thorium, dissolved	7440-29-1	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---	---
Tin, dissolved	7440-31-5	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---	---
Titanium, dissolved	7440-32-6	E421/VA	mg/L	0.00061	0.00061	---	---	---	---	---	---
Tungsten, dissolved	7440-33-7	E421/VA	mg/L	<0.00010	<0.00010	---	---	---	---	---	---
Uranium, dissolved	7440-61-1	E421/VA	mg/L	0.000038	0.000034	---	---	---	---	---	---
Vanadium, dissolved	7440-62-2	E421/VA	mg/L	0.00066	0.00071	---	---	---	---	---	---
Zinc, dissolved	7440-66-6	E421/VA	mg/L	<0.0010	0.0014	---	---	---	---	---	---
Zirconium, dissolved	7440-67-7	E421/VA	mg/L	<0.00020	<0.00020	---	---	---	---	---	---
Dissolved mercury filtration location	---	EP509/VA	-	Field	Field	---	---	---	---	---	---
Dissolved metals filtration location	---	EP421/VA	-	Field	Field	---	---	---	---	---	---
Aggregate Organics											
Chemical oxygen demand [COD]	---	E559-L/VA	mg/L	<10	10	---	---	---	---	---	---



Analytical Results Evaluation

Matrix: Water	Client sample ID		SQU DS 1	SQU US 1	----	----	----	----	----	----
			27-Dec-2023 11:24	27-Dec-2023 11:05	----	----	----	----	----	----
	Sampling date/time		Sub-Matrix	Water	Water	----	----	----	----	----
Analyte	CAS Number	Method/Lab	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----	-----	-----
Aggregate Organics										
Phenols, total (4AAP)	---	E562/EO	mg/L	<0.0010	<0.0010	----	----	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Key:

CERTIFICATE OF ANALYSIS

Work Order	: VA23D0828	Page	: 1 of 6
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	:
Address		Address	: 8081 Lougheed Highway Burnaby BC Canada V5A 1W9
Telephone	: Suite 1730, 1111 West Georgia St Vancouver BC Canada V6E 4M3	Telephone	: 27-Dec-2023 13:25
Project		Date Samples Received	: 28-Dec-2023
PO	: ----	Date Analysis Commenced	: 04-Jan-2024 15:00
C-O-C number	: ----	Issue Date	
Sampler	: ----		
Site	: ----		
Quote number	: Water Analysis		
No. of samples received	: VA23-TRIT100-012		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Angelo Salandanian	Lab Assistant	Metals, Burnaby, British Columbia
Brooke Miller	Laboratory Analyst	Inorganics, Edmonton, Alberta
Juanita Martis	Laboratory Analyst	Metals, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Inorganics, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Administration, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
LOR: Limit of Reporting (detection limit).

<i>Unit</i>	<i>Description</i>
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.



Analytical Results

Client sample ID				SQU DS 1	SQU US 1	---	---	---	
Client sampling date / time				27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---	
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----
Field Tests									
Conductivity, field	----	EF001/VA	0.10	µS/cm	64.000	46.000	---	---	---
pH, field	----	EF001/VA	0.10	pH units	7.11	6.94	---	---	---
Temperature, field	----	EF001/VA	0.10	°C	4.20	4.40	---	---	---
Physical Tests									
Hardness (as CaCO ₃), dissolved	----	EC100/VA	0.60	mg/L	14.8	15.4	---	---	---
Hardness (as CaCO ₃), from total Ca/Mg	----	EC100A/VA	0.60	mg/L	15.4	15.9	---	---	---
Solids, total dissolved [TDS]	----	E162/VA	10	mg/L	31	30	---	---	---
Solids, total suspended [TSS]	----	E160/VA	3.0	mg/L	7.0	5.8	---	---	---
Alkalinity, total (as CaCO ₃)	----	E290/VA	2.0	mg/L	12.8	13.2	---	---	---
Anions and Nutrients									
Ammonia, total (as N)	7664-41-7	E298/VA	0.0050	mg/L	0.0408	0.0773	---	---	---
Bromide	24959-67-9	E235.Br-L/VA	0.050	mg/L	<0.050	<0.050	---	---	---
Chloride	16887-00-6	E235.Cl/VA	0.50	mg/L	1.62	1.83	---	---	---
Fluoride	16984-48-8	E235.F/VA	0.020	mg/L	<0.020	<0.020	---	---	---
Kjeldahl nitrogen, total [TKN]	----	E318/VA	0.050	mg/L	0.099	0.142	---	---	---
Nitrate (as N)	14797-55-8	E235.NO3-L/V A	0.0050	mg/L	0.0663	0.0631	---	---	---
Nitrite (as N)	14797-65-0	E235.NO2-L/V A	0.0010	mg/L	<0.0010	<0.0010	---	---	---
Nitrogen, total	7727-37-9	E366/VA	0.030	mg/L	0.152	0.198	---	---	---
Phosphorus, total	7723-14-0	E372-U/VA	0.0020	mg/L	0.0140	0.0156	---	---	---
Sulfate (as SO ₄)	14808-79-8	E235.SO4/VA	0.30	mg/L	3.79	3.84	---	---	---
Organic / Inorganic Carbon									
Carbon, dissolved organic [DOC]	----	E358-L/VA	0.50	mg/L	2.51	2.46	---	---	---
Total Sulfides									
Sulfide, total (as S)	18496-25-8	E395/VA	0.0015	mg/L	<0.0015	<0.0015	---	---	---
Sulfide, un-ionized (as H ₂ S), from total	7783-06-4	EC395/VA	0.0015	mg/L	<0.0015	<0.0015	---	---	---
Sulfide, total (as H ₂ S)	7783-06-4	E395/VA	0.0016	mg/L	<0.0016	<0.0016	---	---	---
Total Metals									
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	0.260	0.209	---	---	---



Analytical Results

					Client sample ID	SQU DS 1	SQU US 1	---	---	---
					Client sampling date / time	27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----	
				Result		Result	---	---	---	
Total Metals										
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L	0.00013	0.00013	---	---	---	---
Barium, total	7440-39-3	E420/VA	0.00010	mg/L	0.00918	0.00862	---	---	---	---
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	<0.000100	<0.000100	---	---	---	---
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Boron, total	7440-42-8	E420/VA	0.010	mg/L	<0.010	<0.010	---	---	---	---
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L	0.0000090	0.0000085	---	---	---	---
Calcium, total	7440-70-2	E420/VA	0.050	mg/L	5.14	5.32	---	---	---	---
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L	0.000014	0.000014	---	---	---	---
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---	---
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L	0.00011	<0.00010	---	---	---	---
Copper, total	7440-50-8	E420/VA	0.00050	mg/L	0.00116	0.00112	---	---	---	---
Iron, total	7439-89-6	E420/VA	0.010	mg/L	0.271	0.387	---	---	---	---
Lead, total	7439-92-1	E420/VA	0.000050	mg/L	0.000060	0.000057	---	---	---	---
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L	0.0011	<0.0010	---	---	---	---
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L	0.615	0.630	---	---	---	---
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L	0.00989	0.0121	---	---	---	---
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	---	---	---	---
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L	0.000438	0.000483	---	---	---	---
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---	---
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L	<0.050	<0.050	---	---	---	---
Potassium, total	7440-09-7	E420/VA	0.050	mg/L	0.511	0.513	---	---	---	---
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L	0.00075	0.00069	---	---	---	---
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Silicon, total	7440-21-3	E420/VA	0.10	mg/L	3.96	4.27	---	---	---	---
Silver, total	7440-22-4	E420/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---	---
Sodium, total	7440-23-5	E420/VA	0.050	mg/L	1.88	1.99	---	---	---	---
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L	0.0322	0.0330	---	---	---	---
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L	1.22	1.15	---	---	---	---
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---	---



Analytical Results

					Client sample ID	SQU DS 1	SQU US 1	---	---	---
					Client sampling date / time	27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----	
Total Metals										
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---	---
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Tin, total	7440-31-5	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L	0.00741	0.00505	---	---	---	---
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L	0.000047	0.000037	---	---	---	---
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L	0.00108	0.00105	---	---	---	---
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L	<0.0030	<0.0030	---	---	---	---
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---	---
Dissolved Metals										
Aluminum, dissolved	7429-90-5	E421/VA	0.0010	mg/L	0.0632	0.0649	---	---	---	---
Antimony, dissolved	7440-36-0	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Arsenic, dissolved	7440-38-2	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Barium, dissolved	7440-39-3	E421/VA	0.00010	mg/L	0.00707	0.00735	---	---	---	---
Beryllium, dissolved	7440-41-7	E421/VA	0.000100	mg/L	<0.000100	<0.000100	---	---	---	---
Bismuth, dissolved	7440-69-9	E421/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Boron, dissolved	7440-42-8	E421/VA	0.010	mg/L	<0.010	<0.010	---	---	---	---
Cadmium, dissolved	7440-43-9	E421/VA	0.0000050	mg/L	0.0000094	0.0000092	---	---	---	---
Calcium, dissolved	7440-70-2	E421/VA	0.050	mg/L	5.02	5.15	---	---	---	---
Cesium, dissolved	7440-46-2	E421/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---	---
Chromium, dissolved	7440-47-3	E421/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---	---
Cobalt, dissolved	7440-48-4	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---	---
Copper, dissolved	7440-50-8	E421/VA	0.00020	mg/L	0.00082	0.00090	---	---	---	---
Iron, dissolved	7439-89-6	E421/VA	0.010	mg/L	0.106	0.243	---	---	---	---
Lead, dissolved	7439-92-1	E421/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---	---
Lithium, dissolved	7439-93-2	E421/VA	0.0010	mg/L	<0.0010	<0.0010	---	---	---	---
Magnesium, dissolved	7439-95-4	E421/VA	0.0050	mg/L	0.548	0.609	---	---	---	---
Manganese, dissolved	7439-96-5	E421/VA	0.00010	mg/L	0.00573	0.00896	---	---	---	---
Mercury, dissolved	7439-97-6	E509/VA	0.0000050	mg/L	<0.0000050	<0.0000050	---	---	---	---
Molybdenum, dissolved	7439-98-7	E421/VA	0.000050	mg/L	0.000446	0.000427	---	---	---	---



Analytical Results

Client sample ID					SQU DS 1	SQU US 1	---	---	---
Client sampling date / time					27-Dec-2023 11:24	27-Dec-2023 11:05	---	---	---
Analyte	CAS Number	Method/Lab	LOR	Unit	VA23D0828-001	VA23D0828-002	-----	-----	-----
					Result	Result	---	---	---
Dissolved Metals									
Nickel, dissolved	7440-02-0	E421/VA	0.00050	mg/L	<0.00050	<0.00050	---	---	---
Phosphorus, dissolved	7723-14-0	E421/VA	0.050	mg/L	<0.050	<0.050	---	---	---
Potassium, dissolved	7440-09-7	E421/VA	0.050	mg/L	0.482	0.519	---	---	---
Rubidium, dissolved	7440-17-7	E421/VA	0.00020	mg/L	0.00063	0.00065	---	---	---
Selenium, dissolved	7782-49-2	E421/VA	0.000050	mg/L	<0.000050	<0.000050	---	---	---
Silicon, dissolved	7440-21-3	E421/VA	0.050	mg/L	3.61	3.98	---	---	---
Silver, dissolved	7440-22-4	E421/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---
Sodium, dissolved	7440-23-5	E421/VA	0.050	mg/L	1.84	2.05	---	---	---
Strontium, dissolved	7440-24-6	E421/VA	0.00020	mg/L	0.0300	0.0310	---	---	---
Sulfur, dissolved	7704-34-9	E421/VA	0.50	mg/L	1.36	1.44	---	---	---
Tellurium, dissolved	13494-80-9	E421/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L	<0.000010	<0.000010	---	---	---
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L	0.00061	0.00061	---	---	---
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L	<0.00010	<0.00010	---	---	---
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L	0.000038	0.000034	---	---	---
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L	0.00066	0.00071	---	---	---
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L	<0.0010	0.0014	---	---	---
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L	<0.00020	<0.00020	---	---	---
Dissolved mercury filtration location	----	EP509/VA	-	-	Field	Field	---	---	---
Dissolved metals filtration location	----	EP421/VA	-	-	Field	Field	---	---	---
Aggregate Organics									
Chemical oxygen demand [COD]	----	E559-L/VA	10	mg/L	<10	10	---	---	---
Phenols, total (4AAP)	----	E562/EO	0.0010	mg/L	<0.0010	<0.0010	---	---	---

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: VA23D0828	Page	: 1 of 15
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address	: Suite 1730, 1111 West Georgia St Vancouver BC Canada V6E 4M3	Address	: 8081 Lougheed Highway Burnaby, British Columbia Canada V5A 1W9
Telephone	: ----	Telephone	: 27-Dec-2023 13:25
Project	: ----	Date Samples Received	: 04-Jan-2024 15:01
PO	: ----	Issue Date	
C-O-C number	: ----		
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water										Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time				
Analyte Group : Analytical Method	Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis						
				Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval			
				Rec	Actual	Rec			Actual					
Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)														
Amber glass total (sulfuric acid)		E559-L	27-Dec-2023	---	---	---		03-Jan-2024	28 days	7 days		✓		
SQU DS 1														
Aggregate Organics : Chemical Oxygen Demand by Colourimetry (Low Level)														
Amber glass total (sulfuric acid)		E559-L	27-Dec-2023	---	---	---		03-Jan-2024	28 days	7 days		✓		
SQU US 1														
Aggregate Organics : Phenols (4AAP) in Water by Colorimetry														
Amber glass total (sulfuric acid)		E562	27-Dec-2023	03-Jan-2024	28 days	7 days	✓	03-Jan-2024	28 days	7 days		✓		
SQU DS 1														
Aggregate Organics : Phenols (4AAP) in Water by Colorimetry														
Amber glass total (sulfuric acid)		E562	27-Dec-2023	03-Jan-2024	28 days	7 days	✓	03-Jan-2024	28 days	7 days		✓		
SQU US 1														
Anions and Nutrients : Ammonia by Fluorescence														
Amber glass total (sulfuric acid)		E298	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	03-Jan-2024	28 days	7 days		✓		
SQU DS 1														
Anions and Nutrients : Ammonia by Fluorescence														
Amber glass total (sulfuric acid)		E298	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	03-Jan-2024	28 days	7 days		✓		
SQU US 1														
Anions and Nutrients : Bromide in Water by IC (Low Level)														
HDPE		E235.Br-L	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days		✓		
SQU DS 1														



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Anions and Nutrients : Bromide in Water by IC (Low Level)										
HDPE SQU US 1	E235.Br-L	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE SQU DS 1	E235.Cl	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE SQU US 1	E235.Cl	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE SQU DS 1	E235.F	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE SQU US 1	E235.F	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE SQU DS 1	E235.NO3-L	27-Dec-2023	28-Dec-2023	3 days	1 days	✓	28-Dec-2023	3 days	1 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE SQU US 1	E235.NO3-L	27-Dec-2023	28-Dec-2023	3 days	1 days	✓	28-Dec-2023	3 days	1 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE SQU DS 1	E235.NO2-L	27-Dec-2023	28-Dec-2023	3 days	1 days	✓	28-Dec-2023	3 days	1 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE SQU US 1	E235.NO2-L	27-Dec-2023	28-Dec-2023	3 days	1 days	✓	28-Dec-2023	3 days	1 days	✓



Matrix: Water Evaluation: ✘ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation			Eval	Analysis		
			Preparation Date	Holding Times	Rec		Analysis Date	Holding Times	Eval
Container / Client Sample ID(s)			Rec	Actual		Rec	Actual		
Anions and Nutrients : Sulfate in Water by IC									
HDPE SQU DS 1	E235.SO4	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days
Anions and Nutrients : Sulfate in Water by IC									
HDPE SQU US 1	E235.SO4	27-Dec-2023	28-Dec-2023	28 days	1 days	✓	28-Dec-2023	28 days	1 days
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)									
Amber glass total (sulfuric acid) SQU DS 1	E318	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	02-Jan-2024	28 days	6 days
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)									
Amber glass total (sulfuric acid) SQU US 1	E318	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	02-Jan-2024	28 days	6 days
Anions and Nutrients : Total Nitrogen by Colourimetry									
Amber glass total (sulfuric acid) SQU DS 1	E366	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	02-Jan-2024	28 days	6 days
Anions and Nutrients : Total Nitrogen by Colourimetry									
Amber glass total (sulfuric acid) SQU US 1	E366	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	02-Jan-2024	28 days	6 days
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)									
Amber glass total (sulfuric acid) SQU DS 1	E372-U	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	03-Jan-2024	28 days	7 days
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)									
Amber glass total (sulfuric acid) SQU US 1	E372-U	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	03-Jan-2024	28 days	7 days
Dissolved Metals : Dissolved Mercury in Water by CVAAS									
Glass vial - dissolved (lab preserved) SQU DS 1	E509	27-Dec-2023	03-Jan-2024	28 days	7 days	✓	03-Jan-2024	28 days	0 days



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis		
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual
Dissolved Metals : Dissolved Mercury in Water by CVAAS									
Glass vial - dissolved (lab preserved) SQU US 1	E509	27-Dec-2023	03-Jan-2024	28 days	7 days	✓	03-Jan-2024	28 days	0 days
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS									
HDPE - dissolved (lab preserved) SQU DS 1	E421	27-Dec-2023	28-Dec-2023	180 days	1 days	✓	28-Dec-2023	180 days	1 days
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS									
HDPE - dissolved (lab preserved) SQU US 1	E421	27-Dec-2023	28-Dec-2023	180 days	1 days	✓	28-Dec-2023	180 days	1 days
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine									
Glass vial - total (lab preserved) SQU DS 1	EF001	27-Dec-2023	---	---	---		28-Dec-2023	---	1 days
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine									
Glass vial - total (lab preserved) SQU US 1	EF001	27-Dec-2023	---	---	---		28-Dec-2023	---	1 days
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)									
Amber glass dissolved (sulfuric acid) SQU DS 1	E358-L	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	31-Dec-2023	28 days	4 days
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)									
Amber glass dissolved (sulfuric acid) SQU US 1	E358-L	27-Dec-2023	31-Dec-2023	28 days	4 days	✓	31-Dec-2023	28 days	4 days
Physical Tests : Alkalinity Species by Titration									
HDPE SQU DS 1	E290	27-Dec-2023	28-Dec-2023	14 days	1 days	✓	29-Dec-2023	14 days	2 days
Physical Tests : Alkalinity Species by Titration									
HDPE SQU US 1	E290	27-Dec-2023	28-Dec-2023	14 days	1 days	✓	29-Dec-2023	14 days	2 days



Matrix: Water Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Physical Tests : TDS by Gravimetry										
HDPE SQU DS 1	E162	27-Dec-2023	---	---	---		02-Jan-2024	7 days	6 days	✓
Physical Tests : TDS by Gravimetry										
HDPE SQU US 1	E162	27-Dec-2023	---	---	---		02-Jan-2024	7 days	6 days	✓
Physical Tests : TSS by Gravimetry										
HDPE SQU DS 1	E160	27-Dec-2023	---	---	---		02-Jan-2024	7 days	6 days	✓
Physical Tests : TSS by Gravimetry										
HDPE SQU US 1	E160	27-Dec-2023	---	---	---		02-Jan-2024	7 days	6 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved) SQU DS 1	E508	27-Dec-2023	03-Jan-2024	28 days	7 days	✓	03-Jan-2024	28 days	0 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved) SQU US 1	E508	27-Dec-2023	03-Jan-2024	28 days	7 days	✓	03-Jan-2024	28 days	0 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) SQU DS 1	E420	27-Dec-2023	28-Dec-2023	180 days	1 days	✓	28-Dec-2023	180 days	1 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) SQU US 1	E420	27-Dec-2023	28-Dec-2023	180 days	1 days	✓	28-Dec-2023	180 days	1 days	✓
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide) SQU DS 1	E395	27-Dec-2023	---	---	---		03-Jan-2024	7 days	7 days	✓



Matrix: Water

Evaluation: ✗ = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide) SQU US 1	E395	27-Dec-2023	----	----	----		03-Jan-2024	7 days	7 days	✓

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water

Evaluation: ✘ = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type	Analytical Methods	Method	QC Lot #	Count		Frequency (%)		
				QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)								
Alkalinity Species by Titration		E290	1289588	1	8	12.5	5.0	✓
Ammonia by Fluorescence		E298	1291733	1	7	14.2	5.0	✓
Bromide in Water by IC (Low Level)		E235.Br-L	1289592	1	11	9.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)		E559-L	1293517	1	16	6.2	5.0	✓
Chloride in Water by IC		E235.Cl	1289591	1	12	8.3	5.0	✓
Dissolved Mercury in Water by CVAAS		E509	1293545	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS		E421	1289459	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)		E358-L	1291734	1	4	25.0	5.0	✓
Fluoride in Water by IC		E235.F	1289590	1	11	9.0	5.0	✓
Nitrate in Water by IC (Low Level)		E235.NO3-L	1289593	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)		E235.NO2-L	1289594	1	12	8.3	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1292875	1	19	5.2	5.0	✓
Sulfate in Water by IC		E235.SO4	1289595	1	16	6.2	5.0	✓
TDS by Gravimetry		E162	1292047	1	19	5.2	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)		E318	1291729	1	9	11.1	5.0	✓
Total Mercury in Water by CVAAS		E508	1293559	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS		E420	1289512	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry		E366	1291731	1	11	9.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)		E372-U	1291732	1	8	12.5	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)		E395	1293028	1	19	5.2	5.0	✓
TSS by Gravimetry		E160	1292054	1	7	14.2	5.0	✓
Laboratory Control Samples (LCS)								
Alkalinity Species by Titration		E290	1289588	1	8	12.5	5.0	✓
Ammonia by Fluorescence		E298	1291733	1	7	14.2	5.0	✓
Bromide in Water by IC (Low Level)		E235.Br-L	1289592	1	11	9.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)		E559-L	1293517	1	16	6.2	5.0	✓
Chloride in Water by IC		E235.Cl	1289591	1	12	8.3	5.0	✓
Dissolved Mercury in Water by CVAAS		E509	1293545	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS		E421	1289459	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)		E358-L	1291734	1	4	25.0	5.0	✓
Fluoride in Water by IC		E235.F	1289590	1	11	9.0	5.0	✓
Nitrate in Water by IC (Low Level)		E235.NO3-L	1289593	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)		E235.NO2-L	1289594	1	12	8.3	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1292875	1	19	5.2	5.0	✓
Sulfate in Water by IC		E235.SO4	1289595	1	16	6.2	5.0	✓
TDS by Gravimetry		E162	1292047	1	19	5.2	5.0	✓



Evaluation: ✗ = QC frequency outside specification; ✓ = QC frequency within specification.							
Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Control Samples (LCS) - Continued							
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1291729	1	9	11.1	5.0	✓
Total Mercury in Water by CVAAS	E508	1293559	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1289512	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1291731	1	11	9.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1291732	1	8	12.5	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1293028	1	19	5.2	5.0	✓
TSS by Gravimetry	E160	1292054	1	7	14.2	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1289588	1	8	12.5	5.0	✓
Ammonia by Fluorescence	E298	1291733	1	7	14.2	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1289592	1	11	9.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L	1293517	1	16	6.2	5.0	✓
Chloride in Water by IC	E235.Cl	1289591	1	12	8.3	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1293545	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1289459	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1291734	1	4	25.0	5.0	✓
Fluoride in Water by IC	E235.F	1289590	1	11	9.0	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1289593	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1289594	1	12	8.3	5.0	✓
Phenols (4AAP) in Water by Colorimetry	E562	1292875	1	19	5.2	5.0	✓
Sulfate in Water by IC	E235.SO4	1289595	1	16	6.2	5.0	✓
TDS by Gravimetry	E162	1292047	1	19	5.2	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1291729	1	9	11.1	5.0	✓
Total Mercury in Water by CVAAS	E508	1293559	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1289512	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1291731	1	11	9.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1291732	1	8	12.5	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1293028	1	19	5.2	5.0	✓
TSS by Gravimetry	E160	1292054	1	7	14.2	5.0	✓
Matrix Spikes (MS)							
Ammonia by Fluorescence	E298	1291733	1	7	14.2	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1289592	1	11	9.0	5.0	✓
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L	1293517	1	16	6.2	5.0	✓
Chloride in Water by IC	E235.Cl	1289591	1	12	8.3	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1293545	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1289459	1	19	5.2	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1291734	1	4	25.0	5.0	✓
Fluoride in Water by IC	E235.F	1289590	1	11	9.0	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1289593	1	14	7.1	5.0	✓



Matrix: Water

Evaluation: ✗ = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type	Analytical Methods	Method	QC Lot #	Count		Frequency (%)		
				QC	Regular	Actual	Expected	Evaluation
Matrix Spikes (MS) - Continued								
Nitrite in Water by IC (Low Level)		E235.NO2-L	1289594	1	12	8.3	5.0	✓
Phenols (4AAP) in Water by Colorimetry		E562	1292875	1	19	5.2	5.0	✓
Sulfate in Water by IC		E235.SO4	1289595	1	16	6.2	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)		E318	1291729	1	9	11.1	5.0	✓
Total Mercury in Water by CVAAS		E508	1293559	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS		E420	1289512	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry		E366	1291731	1	11	9.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)		E372-U	1291732	1	8	12.5	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)		E395	1293028	1	19	5.2	5.0	✓

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
TSS by Gravimetry	E160 ALS Environmental - Vancouver	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at $104 \pm 1^\circ\text{C}$, with gravimetric measurement of the filtered solids. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
TDS by Gravimetry	E162 ALS Environmental - Vancouver	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at $180 \pm 2^\circ\text{C}$ for 16 hours or to constant weight, with gravimetric measurement of the residue.
Bromide in Water by IC (Low Level)	E235.Br-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Chloride in Water by IC	E235.Cl ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Fluoride in Water by IC	E235.F ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC (Low Level)	E235.NO2-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrate in Water by IC (Low Level)	E235.NO3-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Sulfate in Water by IC	E235.SO4 ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Alkalinity Species by Titration	E290 ALS Environmental - Vancouver	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.



Analytical Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Ammonia by Fluorescence	E298 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	Ammonia in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021)
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	TKN in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021).
Dissolved Organic Carbon by Combustion (Low Level)	E358-L ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and purged to remove inorganic carbon (IC). Analysis is by high temperature combustion with infrared detection of CO ₂ . NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of DC (dissolved carbon) is comprised of IC (which is common), this method is more accurate and more reliable than the DOC by subtraction method (i.e. DC minus DIC).
Total Nitrogen by Colourimetry	E366 ALS Environmental - Vancouver	Water	Chinchilla Scientific Nitrate Method, 2011	Following digestion, total nitrogen is determined colourimetrically using a discrete analyzer utilizing the vanadium chloride reduction method. This method of analysis is approved under US EPA 40 CFR Part 136 (May 2021).
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U ALS Environmental - Vancouver	Water	APHA 4500-P E (mod.)	Total Phosphorus is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
Total Sulfide by Colourimetry (Automated Flow)	E395 ALS Environmental - Vancouver	Water	APHA 4500 -S E-Auto-Colorimetry	Sulfide is determined using the gas dialysis automated methylene blue colourimetric method. Results expressed "as H ₂ S" if reported represent the maximum possible H ₂ S concentration based on the total sulfide concentration in the sample. The H ₂ S calculation converts Total Sulphide as (S ²⁻) and reports it as Total Sulphide as (H ₂ S)
Total Metals in Water by CRC ICPMS	E420 ALS Environmental - Vancouver	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508 ALS Environmental - Vancouver	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS



Analytical Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Mercury in Water by CVAAS	E509 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.
Chemical Oxygen Demand by Colourimetry (Low Level)	E559-L ALS Environmental - Vancouver	Water	APHA 5220 D (mod)	Samples are analyzed using the closed reflux colourimetric method.
Phenols (4AAP) in Water by Colorimetry	E562 ALS Environmental - Edmonton	Water	EPA 9066	This automated method is based on the distillation of phenol and subsequent reaction of the distillate with alkaline ferricyanide (K3Fe(CN)6) and 4-amino-antipyrine (4-AAP) to form a red complex which is measured colorimetrically.
Dissolved Hardness (Calculated)	EC100 ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO ₃ , dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO ₃ equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO ₃ , from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO ₃ equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Un-ionized Total Hydrogen Sulfide (calculated)	EC395 ALS Environmental - Vancouver	Water	APHA 4500 -S H	Un-ionized sulfide is calculated using results from total sulfide analysis, pH, temperature, and ionic strength of the sample. Calculation of un-ionized sulfide using total sulfide concentrations may be biased high due to particulate forms of sulfide measured during total sulfide testing.
Field pH,EC,Salinity,Cl ₂ ,ClO ₂ ,ORP,DO, Turbidity,T,T-P,o-PO ₄ ,NH ₃ ,Chloramine	EF001 ALS Environmental - Vancouver	Water	Field Measurement (Client Supplied)	Field pH,EC,Salinity,Cl ₂ ,ClO ₂ ,ORP,DO, Turbidity,T,T-P,o-PO ₄ ,NH ₃ or Chloramine measurements provided by client and recorded on ALS report may affect the validity of results.
Preparation Methods				
	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298 ALS Environmental - Vancouver	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.
Digestion for TKN in water	EP318 ALS Environmental - Vancouver	Water	APHA 4500-Norg D (mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.



Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Dissolved Organic Carbon for Combustion	EP358 ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
Digestion for Total Nitrogen in water	EP366 ALS Environmental - Vancouver	Water	APHA 4500-P J (mod)	Samples for total nitrogen analysis are digested using a heated persulfate digestion. Nitrogen compounds are converted to nitrate in this digestion.
Digestion for Total Phosphorus in water	EP372 ALS Environmental - Vancouver	Water	APHA 4500-P E (mod.)	Samples are heated with a persulfate digestion reagent.
Dissolved Metals Water Filtration	EP421 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
Dissolved Mercury Water Filtration	EP509 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.

QUALITY CONTROL REPORT

Work Order	: VA23D0828	Page	: 1 of 18
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact	: Suite 1730, 1111 West Georgia St	Account Manager	: 8081 Lougheed Highway
Address	Vancouver BC Canada V6E 4M3	Address	Burnaby, British Columbia Canada V5A 1W9
Telephone	:	Telephone	28-Dec-2023
Project	: ----	Date Samples Received	: 04-Jan-2024 15:01
PO	: ----	Date Analysis Commenced	
C-O-C number	: ----	Issue Date	
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Angelo Salandanan	Lab Assistant	Vancouver Metals, Burnaby, British Columbia
Brooke Miller	Laboratory Analyst	Edmonton Inorganics, Edmonton, Alberta
Juanita Martis	Laboratory Analyst	Vancouver Metals, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Vancouver Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Inorganics, Burnaby, British Columbia
Owen Cheng		Vancouver Metals, Burnaby, British Columbia
Paolo Obillo	Account Manager Assistant	Vancouver Administration, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water

Laboratory Duplicate (DUP) Report											
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1289588)											
VA23D0868-001	Anonymous	Alkalinity, total (as CaCO ₃)	---	E290	1.0	mg/L	52.4	52.2	0.382%	20%	---
Physical Tests (QC Lot: 1292047)											
FJ2303353-003	Anonymous	Solids, total dissolved [TDS]	---	E162	20	mg/L	2670	2780	3.89%	20%	---
Physical Tests (QC Lot: 1292054)											
VA23D0828-001	SQU DS 1	Solids, total suspended [TSS]	---	E160	3.0	mg/L	7.0	6.4	0.6	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1289590)											
FJ2303353-001	Anonymous	Fluoride	16984-48-8	E235.F	0.400	mg/L	<0.400	<0.400	0	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1289591)											
FJ2303353-001	Anonymous	Chloride	16887-00-6	E235.Cl	10.0	mg/L	<10.0	<10.0	0	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1289592)											
FJ2303353-001	Anonymous	Bromide	24959-67-9	E235.Br-L	1.00	mg/L	<1.00	<1.00	0	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1289593)											
FJ2303353-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-L	0.100	mg/L	8.92	9.01	1.01%	20%	---
Anions and Nutrients (QC Lot: 1289594)											
FJ2303353-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0200	mg/L	<0.0200	<0.0200	0	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1289595)											
FJ2303353-001	Anonymous	Sulfate (as SO ₄)	14808-79-8	E235.SO4	6.00	mg/L	1760	1760	0.218%	20%	---
Anions and Nutrients (QC Lot: 1291729)											
VA23D0828-001	SQU DS 1	Kjeldahl nitrogen, total [TKN]	---	E318	0.050	mg/L	0.099	0.100	0.0005	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1291731)											
EO2311693-001	Anonymous	Nitrogen, total	7727-37-9	E366	0.150	mg/L	5.27	4.93	6.65%	20%	---
Anions and Nutrients (QC Lot: 1291732)											
VA23D0828-001	SQU DS 1	Phosphorus, total	7723-14-0	E372-U	0.0020	mg/L	0.0140	0.0138	0.0001	Diff <2x LOR	---
Anions and Nutrients (QC Lot: 1291733)											
VA23D0828-001	SQU DS 1	Ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.0408	0.0410	0.0002	Diff <2x LOR	---
Organic / Inorganic Carbon (QC Lot: 1291734)											
VA23D0828-001	SQU DS 1	Carbon, dissolved organic [DOC]	---	E358-L	0.50	mg/L	2.51	2.66	0.16	Diff <2x LOR	---
Total Sulfides (QC Lot: 1293028)											
CG2318119-001	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	<0.0015	0	Diff <2x LOR	---
Total Metals (QC Lot: 1289512)											



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 1289512) - continued											
FJ2303347-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	16.6	16.8	1.05%	20%	---
		Antimony, total	7440-36-0	E420	0.00010	mg/L	0.00208	0.00214	2.77%	20%	---
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.0311	0.0316	1.66%	20%	---
		Barium, total	7440-39-3	E420	0.00010	mg/L	3.69	3.68	0.253%	20%	---
		Beryllium, total	7440-41-7	E420	0.000100	mg/L	0.00152	0.00157	3.15%	20%	---
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	0.000823	0.000826	0.286%	20%	---
		Boron, total	7440-42-8	E420	0.010	mg/L	0.222	0.228	2.72%	20%	---
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.00190	0.00187	1.53%	20%	---
		Calcium, total	7440-70-2	E420	0.050	mg/L	56.8	57.7	1.60%	20%	---
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.00663	0.00676	2.00%	20%	---
		Chromium, total	7440-47-3	E420	0.00050	mg/L	0.0291	0.0294	1.12%	20%	---
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	0.0268	0.0268	0.0659%	20%	---
		Copper, total	7440-50-8	E420	0.00050	mg/L	0.0730	0.0735	0.606%	20%	---
		Iron, total	7439-89-6	E420	0.010	mg/L	65.4	65.8	0.733%	20%	---
		Lead, total	7439-92-1	E420	0.000050	mg/L	0.0538	0.0535	0.603%	20%	---
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.687	0.694	1.01%	20%	---
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	32.4	32.5	0.388%	20%	---
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.467	0.469	0.375%	20%	---
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.0178	0.0180	1.03%	20%	---
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.0999	0.100	0.303%	20%	---
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	3.94	4.02	1.93%	20%	---
		Potassium, total	7440-09-7	E420	0.050	mg/L	3.82	3.93	2.85%	20%	---
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.0328	0.0339	3.33%	20%	---
		Selenium, total	7782-49-2	E420	0.000050	mg/L	0.00403	0.00393	2.53%	20%	---
		Silicon, total	7440-21-3	E420	0.10	mg/L	23.4	23.7	1.02%	20%	---
		Silver, total	7440-22-4	E420	0.000010	mg/L	0.000884	0.000877	0.823%	20%	---
		Sodium, total	7440-23-5	E420	0.050	mg/L	308	311	0.818%	20%	---
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.367	0.372	1.44%	20%	---
		Sulfur, total	7704-34-9	E420	0.50	mg/L	23.9	23.9	0.174%	20%	---
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	0.00026	0.00027	0.000008	Diff <2x LOR	---
		Thallium, total	7440-28-0	E420	0.000010	mg/L	0.000677	0.000690	1.94%	20%	---
		Thorium, total	7440-29-1	E420	0.00010	mg/L	0.0198	0.0197	0.189%	20%	---
		Tin, total	7440-31-5	E420	0.00010	mg/L	0.00017	0.00018	0.00001	Diff <2x LOR	---
		Titanium, total	7440-32-6	E420	0.00030	mg/L	0.0390	0.0411	5.30%	20%	---



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 1289512) - continued											
FJ2303347-001	Anonymous	Tungsten, total	7440-33-7	E420	0.00010	mg/L	0.00010	0.00010	0.000003	Diff <2x LOR	---
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.00760	0.00749	1.43%	20%	---
		Vanadium, total	7440-62-2	E420	0.000050	mg/L	0.0516	0.0521	0.961%	20%	---
		Zinc, total	7440-66-6	E420	0.0030	mg/L	0.410	0.410	0.0828%	20%	---
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	0.00021	0.00025	0.00004	Diff <2x LOR	---
Total Metals (QC Lot: 1293559)											
FJ2303347-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	---
Dissolved Metals (QC Lot: 1289459)											
VA23D0812-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0020	mg/L	0.383	0.386	0.709%	20%	---
		Antimony, dissolved	7440-36-0	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---
		Arsenic, dissolved	7440-38-2	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---
		Barium, dissolved	7440-39-3	E421	0.00020	mg/L	0.00530	0.00540	1.81%	20%	---
		Beryllium, dissolved	7440-41-7	E421	0.000040	mg/L	<0.000040	<0.000040	0	Diff <2x LOR	---
		Bismuth, dissolved	7440-69-9	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	---
		Boron, dissolved	7440-42-8	E421	0.020	mg/L	0.116	0.116	0.0002	Diff <2x LOR	---
		Cadmium, dissolved	7440-43-9	E421	0.0000100	mg/L	0.000904	0.000928	2.68%	20%	---
		Calcium, dissolved	7440-70-2	E421	0.100	mg/L	416	415	0.315%	20%	---
		Cesium, dissolved	7440-46-2	E421	0.000020	mg/L	0.000218	0.000219	0.277%	20%	---
		Chromium, dissolved	7440-47-3	E421	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	---
		Cobalt, dissolved	7440-48-4	E421	0.00020	mg/L	0.00040	0.00040	0.000005	Diff <2x LOR	---
		Copper, dissolved	7440-50-8	E421	0.00040	mg/L	0.00391	0.00386	0.00005	Diff <2x LOR	---
		Iron, dissolved	7439-89-6	E421	0.020	mg/L	<0.020	<0.020	0	Diff <2x LOR	---
		Lead, dissolved	7439-92-1	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	---
		Lithium, dissolved	7439-93-2	E421	0.0020	mg/L	0.0520	0.0514	1.06%	20%	---
		Magnesium, dissolved	7439-95-4	E421	0.0100	mg/L	40.7	41.3	1.52%	20%	---
		Manganese, dissolved	7439-96-5	E421	0.00020	mg/L	0.241	0.243	0.828%	20%	---
		Molybdenum, dissolved	7439-98-7	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	---
		Nickel, dissolved	7440-02-0	E421	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	---
		Phosphorus, dissolved	7723-14-0	E421	0.100	mg/L	<0.100	<0.100	0	Diff <2x LOR	---
		Potassium, dissolved	7440-09-7	E421	0.100	mg/L	0.935	0.946	0.010	Diff <2x LOR	---
		Rubidium, dissolved	7440-17-7	E421	0.00040	mg/L	0.00088	0.00094	0.00007	Diff <2x LOR	---
		Selenium, dissolved	7782-49-2	E421	0.000100	mg/L	0.000177	0.000152	0.000025	Diff <2x LOR	---
		Silicon, dissolved	7440-21-3	E421	0.100	mg/L	1.40	1.41	0.929%	20%	---
		Silver, dissolved	7440-22-4	E421	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	---



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier	
Dissolved Metals (QC Lot: 1289459) - continued												
VA23D0812-001	Anonymous	Sodium, dissolved	7440-23-5	E421	0.100	mg/L	7.85	7.94	1.20%	20%	---	
		Strontium, dissolved	7440-24-6	E421	0.00040	mg/L	1.91	1.90	0.479%	20%	---	
		Sulfur, dissolved	7704-34-9	E421	1.00	mg/L	448	449	0.415%	20%	---	
		Tellurium, dissolved	13494-80-9	E421	0.00040	mg/L	<0.00040	<0.00040	0	Diff <2x LOR	---	
		Thallium, dissolved	7440-28-0	E421	0.000020	mg/L	0.000065	0.000067	0.000003	Diff <2x LOR	---	
		Thorium, dissolved	7440-29-1	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---	
		Tin, dissolved	7440-31-5	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---	
		Titanium, dissolved	7440-32-6	E421	0.00060	mg/L	<0.00060	<0.00060	0	Diff <2x LOR	---	
		Tungsten, dissolved	7440-33-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	---	
		Uranium, dissolved	7440-61-1	E421	0.000020	mg/L	0.000026	0.000025	0.000001	Diff <2x LOR	---	
		Vanadium, dissolved	7440-62-2	E421	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	---	
		Zinc, dissolved	7440-66-6	E421	0.0020	mg/L	0.0217	0.0227	4.54%	20%	---	
		Zirconium, dissolved	7440-67-7	E421	0.00040	mg/L	<0.00040	<0.00040	0	Diff <2x LOR	---	
Dissolved Metals (QC Lot: 1293545)												
FJ2303347-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	---	
Aggregate Organics (QC Lot: 1292875)												
VA23D0908-001	Anonymous	Phenols, total (4AAP)	----	E562	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	---	
Aggregate Organics (QC Lot: 1293517)												
KS2304924-001	Anonymous	Chemical oxygen demand [COD]	----	E559-L	10	mg/L	62	69	7	Diff <2x LOR	---	

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1289588)						
Alkalinity, total (as CaCO ₃)	----	E290	1	mg/L	<1.0	---
Physical Tests (QCLot: 1292047)						
Solids, total dissolved [TDS]	----	E162	10	mg/L	<10	---
Physical Tests (QCLot: 1292054)						
Solids, total suspended [TSS]	----	E160	3	mg/L	<3.0	---
Anions and Nutrients (QCLot: 1289590)						
Fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	---
Anions and Nutrients (QCLot: 1289591)						
Chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	---
Anions and Nutrients (QCLot: 1289592)						
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	<0.050	---
Anions and Nutrients (QCLot: 1289593)						
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	<0.0050	---
Anions and Nutrients (QCLot: 1289594)						
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	<0.0010	---
Anions and Nutrients (QCLot: 1289595)						
Sulfate (as SO ₄)	14808-79-8	E235.SO4	0.3	mg/L	<0.30	---
Anions and Nutrients (QCLot: 1291729)						
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	<0.050	---
Anions and Nutrients (QCLot: 1291731)						
Nitrogen, total	7727-37-9	E366	0.03	mg/L	<0.030	---
Anions and Nutrients (QCLot: 1291732)						
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	<0.0020	---
Anions and Nutrients (QCLot: 1291733)						
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	---
Organic / Inorganic Carbon (QCLot: 1291734)						
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	<0.50	---
Total Sulfides (QCLot: 1293028)						
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	---
Total Metals (QCLot: 1289512)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	---
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1289512) - continued						
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	---
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	---
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	---
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	---
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	---
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	---
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	---
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	---
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	---
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	---
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	---
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	---
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	---
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	---
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	---
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	---
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	---
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	---
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	---
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	---
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	---
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	---
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	---
Silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	---
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	---
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	---
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	---
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	---
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	---
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	---
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	---
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	---
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	---
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	---
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1289512) - continued						
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	---
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	---
Total Metals (QCLot: 1293559)						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	---
Dissolved Metals (QCLot: 1289459)						
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	---
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	---
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	---
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	---
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	---
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	---
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	---
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.0000050	---
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	---
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	---
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	---
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	---
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	---
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	---
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	---
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	---
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	---
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	---
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	---
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	---
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	---
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	---
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	---
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	---
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	---
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	---
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	---
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	---
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	---
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	---

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1289459) - continued						
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	---
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	---
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	---
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	---
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	---
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	---
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	---
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	---
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	---
Dissolved Metals (QCLot: 1293545)						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	---
Aggregate Organics (QCLot: 1292875)						
Phenols, total (4AAP)	----	E562	0.001	mg/L	<0.0010	---
Aggregate Organics (QCLot: 1293517)						
Chemical oxygen demand [COD]	----	E559-L	10	mg/L	<10	---



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water	Laboratory Control Sample (LCS) Report								
		Spike	Recovery (%)	Recovery Limits (%)					
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1289588)									
Alkalinity, total (as CaCO ₃)	---	E290	1	mg/L	500 mg/L	109	85.0	115	---
Physical Tests (QC Lot: 1292047)									
Solids, total dissolved [TDS]	---	E162	10	mg/L	1000 mg/L	90.7	85.0	115	---
Physical Tests (QC Lot: 1292054)									
Solids, total suspended [TSS]	---	E160	3	mg/L	150 mg/L	98.7	85.0	115	---
Anions and Nutrients (QC Lot: 1289590)									
Fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	102	90.0	110	---
Anions and Nutrients (QC Lot: 1289591)									
Chloride	16887-00-6	E235.Cl	0.5	mg/L	100 mg/L	102	90.0	110	---
Anions and Nutrients (QC Lot: 1289592)									
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	0.5 mg/L	98.8	85.0	115	---
Anions and Nutrients (QC Lot: 1289593)									
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	2.5 mg/L	103	90.0	110	---
Anions and Nutrients (QC Lot: 1289594)									
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	97.8	90.0	110	---
Anions and Nutrients (QC Lot: 1289595)									
Sulfate (as SO ₄)	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	101	90.0	110	---
Anions and Nutrients (QC Lot: 1291729)									
Kjeldahl nitrogen, total [TKN]	---	E318	0.05	mg/L	4 mg/L	96.7	75.0	125	---
Anions and Nutrients (QC Lot: 1291731)									
Nitrogen, total	7727-37-9	E366	0.03	mg/L	0.5 mg/L	92.4	75.0	125	---
Anions and Nutrients (QC Lot: 1291732)									
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	0.05 mg/L	94.2	80.0	120	---
Anions and Nutrients (QC Lot: 1291733)									
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	103	85.0	115	---
Organic / Inorganic Carbon (QC Lot: 1291734)									
Carbon, dissolved organic [DOC]	---	E358-L	0.5	mg/L	8.57 mg/L	102	80.0	120	---
Total Sulfides (QC Lot: 1293028)									
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	0.08 mg/L	91.3	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
Total Metals (QCLot: 1289512)						Low	High	Qualifier	
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	104	80.0	120	---
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	104	80.0	120	---
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	105	80.0	120	---
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	---
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	104	80.0	120	---
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	104	80.0	120	---
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	111	80.0	120	---
Cadmium, total	7440-43-9	E420	0.00005	mg/L	0.1 mg/L	101	80.0	120	---
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	102	80.0	120	---
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	105	80.0	120	---
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	101	80.0	120	---
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	102	80.0	120	---
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	103	80.0	120	---
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	103	80.0	120	---
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	104	80.0	120	---
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	109	80.0	120	---
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	107	80.0	120	---
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	103	80.0	120	---
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	103	80.0	120	---
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	104	80.0	120	---
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	108	80.0	120	---
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	104	80.0	120	---
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120	---
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	101	80.0	120	---
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	102	80.0	120	---
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	99.4	80.0	120	---
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	104	80.0	120	---
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	107	80.0	120	---
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	106	80.0	120	---
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120	---
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	102	80.0	120	---
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	106	80.0	120	---
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	101	80.0	120	---
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	99.5	80.0	120	---
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	102	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
Total Metals (QC Lot: 1289512) - continued									
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	112	80.0	120	---
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	104	80.0	120	---
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	103	80.0	120	---
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	105	80.0	120	---
Total Metals (QC Lot: 1293559)									
Mercury, total	7439-97-6	E508	0.000005	mg/L	0.0001 mg/L	101	80.0	120	---
Dissolved Metals (QC Lot: 1289459)									
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	105	80.0	120	---
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	100	80.0	120	---
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	103	80.0	120	---
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	101	80.0	120	---
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	103	80.0	120	---
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	100	80.0	120	---
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	97.5	80.0	120	---
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	101	80.0	120	---
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	102	80.0	120	---
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	101	80.0	120	---
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	99.3	80.0	120	---
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	99.7	80.0	120	---
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	100	80.0	120	---
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	103	80.0	120	---
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	101	80.0	120	---
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	103	80.0	120	---
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	108	80.0	120	---
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	101	80.0	120	---
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	100	80.0	120	---
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	102	80.0	120	---
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	104	80.0	120	---
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	103	80.0	120	---
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	98.7	80.0	120	---
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	98.6	80.0	120	---
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	104	80.0	120	---
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	95.8	80.0	120	---
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	103	80.0	120	---
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	104	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			
						Spike	Recovery (%)	Recovery Limits (%)	
Dissolved Metals (QC Lot: 1289459) - continued									
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	105	80.0	120	----
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	97.4	80.0	120	----
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	99.2	80.0	120	----
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	102	80.0	120	----
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	99.4	80.0	120	----
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	97.6	80.0	120	----
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	102	80.0	120	----
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	107	80.0	120	----
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	102	80.0	120	----
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	103	80.0	120	----
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	102	80.0	120	----
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0.0001 mg/L	83.2	80.0	120	----
Aggregate Organics (QC Lot: 1292875)									
Phenols, total (4AAP)	----	E562	0.001	mg/L	0.02 mg/L	103	85.0	115	----
Aggregate Organics (QC Lot: 1293517)									
Chemical oxygen demand [COD]	----	E559-L	10	mg/L	100 mg/L	105	85.0	115	----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water

Matrix Spike (MS) Report										
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Anions and Nutrients (QCLot: 1289590)										
FJ2303353-002	Anonymous	Fluoride	16984-48-8	E235.F	19.9 mg/L	20 mg/L	99.7	75.0	125	----
Anions and Nutrients (QCLot: 1289591)										
FJ2303353-002	Anonymous	Chloride	16887-00-6	E235.Cl	2010 mg/L	2000 mg/L	100	75.0	125	----
Anions and Nutrients (QCLot: 1289592)										
FJ2303353-002	Anonymous	Bromide	24959-67-9	E235.Br-L	9.70 mg/L	10 mg/L	97.0	75.0	125	----
Anions and Nutrients (QCLot: 1289593)										
FJ2303353-002	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-L	50.7 mg/L	50 mg/L	101	75.0	125	----
Anions and Nutrients (QCLot: 1289594)										
FJ2303353-002	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	9.62 mg/L	10 mg/L	96.2	75.0	125	----
Anions and Nutrients (QCLot: 1289595)										
FJ2303353-002	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	1970 mg/L	2000 mg/L	98.6	75.0	125	----
Anions and Nutrients (QCLot: 1291729)										
VA23D0828-002	SQU US 1	Kjeldahl nitrogen, total [TKN]	----	E318	2.57 mg/L	2.5 mg/L	103	70.0	130	----
Anions and Nutrients (QCLot: 1291731)										
VA23D0300-005	Anonymous	Nitrogen, total	7727-37-9	E366	ND mg/L	0.4 mg/L	ND	70.0	130	----
Anions and Nutrients (QCLot: 1291732)										
VA23D0828-002	SQU US 1	Phosphorus, total	7723-14-0	E372-U	0.0478 mg/L	0.05 mg/L	95.7	70.0	130	----
Anions and Nutrients (QCLot: 1291733)										
VA23D0828-002	SQU US 1	Ammonia, total (as N)	7664-41-7	E298	0.102 mg/L	0.1 mg/L	102	75.0	125	----
Organic / Inorganic Carbon (QCLot: 1291734)										
VA23D0828-002	SQU US 1	Carbon, dissolved organic [DOC]	----	E358-L	4.52 mg/L	5 mg/L	90.4	70.0	130	----
Total Sulfides (QCLot: 1293028)										
CG2318119-002	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.207 mg/L	0.2 mg/L	104	75.0	125	----
Total Metals (QCLot: 1289512)										
FJ2303347-002	Anonymous	Aluminum, total	7429-90-5	E420	0.189 mg/L	0.2 mg/L	94.5	70.0	130	----
		Antimony, total	7440-36-0	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130	----
		Arsenic, total	7440-38-2	E420	0.0189 mg/L	0.02 mg/L	94.3	70.0	130	----
		Barium, total	7440-39-3	E420	ND mg/L	0.02 mg/L	ND	70.0	130	----



Sub-Matrix: Water

					Matrix Spike (MS) Report					
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Spike		Recovery (%)	Recovery Limits (%)		Qualifier
					Concentration	Target		Low	High	
Total Metals (QC Lot: 1289512) - continued										
FJ2303347-002	Anonymous	Beryllium, total	7440-41-7	E420	0.0376 mg/L	0.04 mg/L	94.0	70.0	130	---
		Bismuth, total	7440-69-9	E420	0.00995 mg/L	0.01 mg/L	99.5	70.0	130	---
		Boron, total	7440-42-8	E420	ND mg/L	0.1 mg/L	ND	70.0	130	---
		Cadmium, total	7440-43-9	E420	0.00389 mg/L	0.004 mg/L	97.2	70.0	130	---
		Calcium, total	7440-70-2	E420	3.64 mg/L	4 mg/L	90.9	70.0	130	---
		Cesium, total	7440-46-2	E420	0.0100 mg/L	0.01 mg/L	100	70.0	130	---
		Chromium, total	7440-47-3	E420	0.0375 mg/L	0.04 mg/L	93.8	70.0	130	---
		Cobalt, total	7440-48-4	E420	0.0186 mg/L	0.02 mg/L	93.0	70.0	130	---
		Copper, total	7440-50-8	E420	0.0185 mg/L	0.02 mg/L	92.6	70.0	130	---
		Iron, total	7439-89-6	E420	1.86 mg/L	2 mg/L	93.2	70.0	130	---
		Lead, total	7439-92-1	E420	0.0190 mg/L	0.02 mg/L	95.2	70.0	130	---
		Lithium, total	7439-93-2	E420	ND mg/L	0.1 mg/L	ND	70.0	130	---
		Magnesium, total	7439-95-4	E420	ND mg/L	1 mg/L	ND	70.0	130	---
		Manganese, total	7439-96-5	E420	0.0187 mg/L	0.02 mg/L	93.5	70.0	130	---
		Molybdenum, total	7439-98-7	E420	0.0202 mg/L	0.02 mg/L	101	70.0	130	---
		Nickel, total	7440-02-0	E420	0.0381 mg/L	0.04 mg/L	95.2	70.0	130	---
		Phosphorus, total	7723-14-0	E420	9.71 mg/L	10 mg/L	97.1	70.0	130	---
		Potassium, total	7440-09-7	E420	3.78 mg/L	4 mg/L	94.5	70.0	130	---
		Rubidium, total	7440-17-7	E420	0.0180 mg/L	0.02 mg/L	90.0	70.0	130	---
		Selenium, total	7782-49-2	E420	0.0375 mg/L	0.04 mg/L	93.8	70.0	130	---
		Silicon, total	7440-21-3	E420	9.38 mg/L	10 mg/L	93.8	70.0	130	---
		Silver, total	7440-22-4	E420	0.00387 mg/L	0.004 mg/L	96.7	70.0	130	---
		Sodium, total	7440-23-5	E420	ND mg/L	2 mg/L	ND	70.0	130	---
		Strontium, total	7440-24-6	E420	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Sulfur, total	7704-34-9	E420	20.6 mg/L	20 mg/L	103	70.0	130	---
		Tellurium, total	13494-80-9	E420	0.0389 mg/L	0.04 mg/L	97.3	70.0	130	---
		Thallium, total	7440-28-0	E420	0.00379 mg/L	0.004 mg/L	94.8	70.0	130	---
		Thorium, total	7440-29-1	E420	0.0175 mg/L	0.02 mg/L	87.4	70.0	130	---
		Tin, total	7440-31-5	E420	0.0198 mg/L	0.02 mg/L	98.8	70.0	130	---
		Titanium, total	7440-32-6	E420	0.0402 mg/L	0.04 mg/L	100	70.0	130	---
		Tungsten, total	7440-33-7	E420	0.0196 mg/L	0.02 mg/L	98.0	70.0	130	---
		Uranium, total	7440-61-1	E420	0.00402 mg/L	0.004 mg/L	101	70.0	130	---
		Vanadium, total	7440-62-2	E420	0.0968 mg/L	0.1 mg/L	96.8	70.0	130	---
		Zinc, total	7440-66-6	E420	0.380 mg/L	0.4 mg/L	95.1	70.0	130	---
		Zirconium, total	7440-67-7	E420	0.0410 mg/L	0.04 mg/L	102	70.0	130	---



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)		Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QCLot: 1293559)										
FJ2303347-003	Anonymous	Mercury, total	7439-97-6	E508	0.000109 mg/L	0.0001 mg/L	109	70.0	130	---
Dissolved Metals (QCLot: 1289459)										
VA23D0812-002	Anonymous	Aluminum, dissolved	7429-90-5	E421	ND mg/L	0.2 mg/L	ND	70.0	130	---
		Antimony, dissolved	7440-36-0	E421	0.0403 mg/L	0.04 mg/L	101	70.0	130	---
		Arsenic, dissolved	7440-38-2	E421	0.0388 mg/L	0.04 mg/L	96.9	70.0	130	---
		Barium, dissolved	7440-39-3	E421	0.0394 mg/L	0.04 mg/L	98.4	70.0	130	---
		Beryllium, dissolved	7440-41-7	E421	0.0751 mg/L	0.08 mg/L	93.9	70.0	130	---
		Bismuth, dissolved	7440-69-9	E421	0.0200 mg/L	0.02 mg/L	99.8	70.0	130	---
		Boron, dissolved	7440-42-8	E421	ND mg/L	0.1 mg/L	ND	70.0	130	---
		Cadmium, dissolved	7440-43-9	E421	0.00783 mg/L	0.008 mg/L	97.9	70.0	130	---
		Calcium, dissolved	7440-70-2	E421	ND mg/L	4 mg/L	ND	70.0	130	---
		Cesium, dissolved	7440-46-2	E421	0.0202 mg/L	0.02 mg/L	101	70.0	130	---
		Chromium, dissolved	7440-47-3	E421	0.0788 mg/L	0.08 mg/L	98.6	70.0	130	---
		Cobalt, dissolved	7440-48-4	E421	0.0390 mg/L	0.04 mg/L	97.5	70.0	130	---
		Copper, dissolved	7440-50-8	E421	0.0386 mg/L	0.04 mg/L	96.4	70.0	130	---
		Iron, dissolved	7439-89-6	E421	3.96 mg/L	4 mg/L	99.0	70.0	130	---
		Lead, dissolved	7439-92-1	E421	0.0389 mg/L	0.04 mg/L	97.2	70.0	130	---
		Lithium, dissolved	7439-93-2	E421	0.185 mg/L	0.2 mg/L	92.6	70.0	130	---
		Magnesium, dissolved	7439-95-4	E421	ND mg/L	1 mg/L	ND	70.0	130	---
		Manganese, dissolved	7439-96-5	E421	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Molybdenum, dissolved	7439-98-7	E421	0.0398 mg/L	0.04 mg/L	99.5	70.0	130	---
		Nickel, dissolved	7440-02-0	E421	0.0800 mg/L	0.08 mg/L	100.0	70.0	130	---
		Phosphorus, dissolved	7723-14-0	E421	20.2 mg/L	20 mg/L	101	70.0	130	---
		Potassium, dissolved	7440-09-7	E421	7.99 mg/L	8 mg/L	99.9	70.0	130	---
		Rubidium, dissolved	7440-17-7	E421	0.0398 mg/L	0.04 mg/L	99.4	70.0	130	---
		Selenium, dissolved	7782-49-2	E421	0.0817 mg/L	0.08 mg/L	102	70.0	130	---
		Silicon, dissolved	7440-21-3	E421	19.7 mg/L	20 mg/L	98.5	70.0	130	---
		Silver, dissolved	7440-22-4	E421	0.00771 mg/L	0.008 mg/L	96.4	70.0	130	---
		Sodium, dissolved	7440-23-5	E421	ND mg/L	2 mg/L	ND	70.0	130	---
		Strontium, dissolved	7440-24-6	E421	ND mg/L	0.02 mg/L	ND	70.0	130	---
		Sulfur, dissolved	7704-34-9	E421	ND mg/L	20 mg/L	ND	70.0	130	---
		Tellurium, dissolved	13494-80-9	E421	0.0759 mg/L	0.08 mg/L	94.8	70.0	130	---
		Thallium, dissolved	7440-28-0	E421	0.00792 mg/L	0.008 mg/L	99.0	70.0	130	---
		Thorium, dissolved	7440-29-1	E421	0.0363 mg/L	0.04 mg/L	90.8	70.0	130	---
		Tin, dissolved	7440-31-5	E421	0.0396 mg/L	0.04 mg/L	98.9	70.0	130	---



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)		Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals (QCLot: 1289459) - continued										
VA23D0812-002	Anonymous	Titanium, dissolved	7440-32-6	E421	0.0781 mg/L	0.08 mg/L	97.6	70.0	130	----
		Tungsten, dissolved	7440-33-7	E421	0.0399 mg/L	0.04 mg/L	99.7	70.0	130	----
		Uranium, dissolved	7440-61-1	E421	0.00816 mg/L	0.008 mg/L	102	70.0	130	----
		Vanadium, dissolved	7440-62-2	E421	0.202 mg/L	0.2 mg/L	101	70.0	130	----
		Zinc, dissolved	7440-66-6	E421	0.789 mg/L	0.8 mg/L	98.6	70.0	130	----
		Zirconium, dissolved	7440-67-7	E421	0.0799 mg/L	0.08 mg/L	99.9	70.0	130	----
Dissolved Metals (QCLot: 1293545)										
FJ2303347-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.000109 mg/L	0.0001 mg/L	109	70.0	130	----
Aggregate Organics (QCLot: 1292875)										
VA23D0908-002	Anonymous	Phenols, total (4AAP)	----	E562	0.0211 mg/L	0.02 mg/L	106	75.0	125	----
Aggregate Organics (QCLot: 1293517)										
KS2304924-002	Anonymous	Chemical oxygen demand [COD]	---	E559-L	ND mg/L	100 mg/L	ND	75.0	125	----



Environmental
www.alsglobal.com

Chain of Custody (COC) / Analytical Request Form

Canada Toll Free: 1 800 668 9878

COC Number: 17

Page 1 of

Report To Company: Triton Environmental		Contact and company name below will appear on the final report		Report Format / Distribution		Select Service Level Below - Contact your AM to confirm all E&P TATs (surcharges may apply)																					
Contact:	Phone:			Select Report Format: <input type="checkbox"/> PDF <input type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL)	Quality Control (QC) Report with Report <input type="checkbox"/> YES <input type="checkbox"/> NO		<input type="checkbox"/> Compare Results to Criteria on Report - provide details below if box checked		4 day [P4-20%] <input type="checkbox"/>		Regular [R] <input type="checkbox"/> Standard TAT if received by 3 pm - business days - no surcharges apply.		1 Business day [E1 - 100%]														
Company address below will appear on the final report				Select Distribution: <input type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX					3 day [P3-25%] <input type="checkbox"/>				EMERGENCY <input type="checkbox"/>		Same Day, Weekend or Statutory holiday [E2 - 200% (Laboratory opening fees may apply)]												
Street: 1730-1111 West Georgia Street				Email 1 or Fax		Date and Time Required for all E&P TATs																					
City/Province: Vancouver/BC				Email 2		For tests that can not be performed according to the service level selected, you will be contacted.																					
Postal Code: V6E 4M3				Email 3		Analysis Request																					
Invoice To Same as Report To <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				Invoice Distribution						Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below																	
Copy of Invoice with Report <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				Select Invoice Distribution: <input type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input checked="" type="checkbox"/> FAX						F	F		P	P		F/P											
Company:				Email 1 or Fax																							
Contact:				Email 2																							
Project Information				Oil and Gas Required Fields (client use)																							
ALS Account # / Quote #: VA23-TRIT100-012				AFE/Cost Center: PO#																							
Job #:				Major/Minor Code: Routing Code:																							
PO / AFE:				Requisitioner:																							
LSD:				Location:																							
ALS Lab Work Order #: (lab use only): D0828				ALS Contact:		Sampler:																					
ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)				Date (dd-mmm-yy)	Time (hh:mm)	Sample Type		Total metals	Total mercury	Dissolved metals	Dissolved mercury	TSS	TDS	Nutrients (ammonia, ammonium, TKN, total nitrogen, total phosphorus, phenols, COD, Total sulfide (as H2S), Unionized Sulfide	Anions scan (Br, Cl, F, NO2, NO3, SO4)	General parameters (alkalinity)	DOC						SAMPLES ON HOLD			
SQU DS 1					27-Dec-23	11:24	Water		R	R	R	R	R	R	R	R	R	R	R	R					N	8	
pH: 7.11 cond: 64 mS/cm temp: 4.20 °C																											
SQU US-1					27-Dec-23	11:05	Water		R	R	R	R	R	R	R	R	R	R	R	R	R					N	8
pH: 6.94 cond: 46 mS/cm temp: 4.40 °C																											
Duplicate N/A																											
Field Blank N/A																											
Trip Blank N/A																											
Drinking Water (DW) Samples ¹ (client use)				Special Instructions / Sp				Environmental Division Vancouver Work Order Reference VA23D0828																			
Are samples taken from a Regulated DW System? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO								Drop-down list below										SAMPLE CONDITION AS RECEIVED (lab use only)									
Are samples for human consumption/ use? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO																		Frozen <input type="checkbox"/>	SIP Observations Yes <input type="checkbox"/> No <input type="checkbox"/>								
																		Ice Packs <input type="checkbox"/>	Ice Cubes <input type="checkbox"/>	Custody seal intact Yes <input type="checkbox"/> No <input type="checkbox"/>							
																		Cooling Initiated <input type="checkbox"/>									
																		INITIAL COOLER TEMPERATURES °C				FINAL COOLER TEMPERATURES °C					
SHIPMENT RELEASE (client use)				INITIAL SHIPMENT RECEIPTION (lab use only)										FINAL SHIPMENT RECEIPTION (lab use only)													
				Received by:	Date:			Time:			Received by:	Date:			Time:												
				27-Dec-2023	13:25						D	12/23/23			13:25PM												

DETERMINATION OF THE DOPING CONCENTRATION AND SAMPLING INFORMATION

WHITE - LABORATORY COPY YELLOW - CLIENT COPY

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a **Regulated Drinking Water (DW) System**, please submit using an **Authorized DW-COC form**.

 FORTIS BC™ Eagle Mountain - Woodfibre Gas Pipeline Project BCER Waste Discharge Approval AE-111824 Report	Reporting Week	Dec 18 th , 2023- Jan 1 st , 2024
	Report #	4
	Appendix	B

Receiving Environment Field Notes and Logs

Inspection Date	12/19/2023
Location	BC Rail Site
SiteID	SQU DS1
Component	Tunnel
Permit	AE 111824
Site Name	Receiving Environment - Downstream of Discharge
Latitude	49.725282
Longitude	-123.165175
EM	Aegean Chan
Air Temperature Low (°C)	6
Air Temperature High (°C)	8
Conditions	Light Rain
GroundCondition	Wet
Timestamp	9:25:00
FlowVolume	high
Notes	N/A
OdourDetected	No
Odour	N/A
ColourDetected	No
Colour	N/A
UnusualObservationDetected	No
UnusualObservation	N/A
SheenDetected	No
Sheen	N/A

SAMPLES COLLECTED

Total Metals Mercury	Yes
Dissolved Metals Mercury	Yes
TSS	Yes
TDS	Yes
Nutrients	Yes
DOC	Yes
General Parameters Alkalinity	Yes
Total Sulfide Unionized Sulfide	Yes
Anions	Yes
OtherSample	One spare bottle of just water sent with samples as a backup.
Logger Maintenance Performed	Yes -Logger SN 463863 was replaced with logger SN 796778. The wiper on 463863 was not spinning prior to reading. A PVC casing was installed on the logger for protection. Barometer was calibrated in the field.
LoggerMaintenanceComment	

Photos of Downstream Sampling



Inspection Date	12/19/2023
Location	BC Rail Site
SiteID	SQU US1
Component	Tunnel
Permit	AE 111824
Site Name	Receiving Environment - Upstream of Discharge
Latitude	49.726866
Longitude	-123.163912
EM	Aegean Chan
Air Temperature Low (°C)	6
Air Temperature High (°C)	8
Conditions	Light Rain
GroundCondition	Wet
Timestamp	8:43:54
FlowVolume	high
Notes	N/A
OdourDetected	No
Odour	N/A
ColourDetected	No
Colour	N/A
UnusualObservationDetected	No
UnusualObservation	N/A
SheenDetected	No
Sheen	N/A

SAMPLES COLLECTED

Total Metals Mercury	Yes
Dissolved Metals Mercury	Yes
TSS	Yes
TDS	Yes
Nutrients	Yes
DOC	Yes
General Parameters Alkalinity	Yes
Total Sulfide Unionized Sulfide	Yes
Anions	Yes
OtherSample	No
Logger Maintenance Performed	Yes

LoggerMaintenanceComment Downloaded upstream data. Added a PVC protective casing to the logger.

Photos of Upstream Sampling




Inspection Date	12/27/2023
Location	BC Rail Site
SiteID	SQU US1
Component	Tunnel
Permit	AE 111824
Site Name	Receiving Environment - Upstream of Discharge
Latitude	49.726866
Longitude	-123.163912
EM	KS SB
Air Temperature Low (°C)	6
Air Temperature High (°C)	9
Conditions	Light Rain
GroundCondition	Wet
Timestamp	11:06:50
FlowVolume	high
Notes	N/A
OdourDetected	No
Odour	N/A
ColourDetected	No
Colour	N/A
Unusual Observation Detected	No
Unusual Observation	N/A
SheenDetected	No
Sheen	N/A

SAMPLES COLLECTED

Total Metals Mercury	Yes
Dissolved Metals Mercury	Yes
TSS	Yes
TDS	Yes
Nutrients	Yes
DOC	Yes
General Parameters Alkalinity	Yes
Total Sulfide Unionized Sulfide	Yes
Anions	Yes
Logger Maintenance Performed	No
Photo Of COC	Yes
Logger Maintenance Comment	N/A

Downstream BCR Sampling



Inspection Date	12/27/2023	
Location	BC Rail Site	
SiteID	SQU DS1	
Component	Tunnel	
Permit	AE 111824	
Site Name	Receiving Environment - Downstream of Discharge	
Latitude		49.725282
Longitude		-123.165175
EM	KS SB	
Air Temperature Low (°C)		6
Air Temperature High (°C)		9
Conditions	Light Rain	
GroundCondition	Wet	
Timestamp		11:34:16
FlowVolume	moderate	
Notes	N/A	
OdourDetected	No	
Odour	N/A	
ColourDetected	No	
Colour	N/A	
Unusual Observation Detected	No	
Unusual Observation	N/A	
SheenDetected	No	
Sheen	N/A	

SAMPLES COLLECTED

Total Metals Mercury	Yes
Dissolved Metals Mercury	Yes
TSS	Yes
TDS	Yes
Nutrients	Yes
DOC	Yes
General Parameters Alkalinity	Yes
Total Sulfide Unionized Sulfide	Yes
Anions	Yes
Logger Maintenance Performed	No
Photo Of COC	Yes
Logger Maintenance Comment	N/A

Upstream BCR Sampling

