Eagle Mountain - Woodfibre Gas Pipeline Project

BCER Waste Discharge Permit Weekly Report

Contents

Preamble

This weekly report for the British Columbia Energy Regulator (BCER) Waste Discharge Permit (BCER number PE-110163) for the FortisBC Eagle Mountain – Woodfibre Gas Pipeline (EGP) Project includes the results of water quality monitoring and sampling of the receiving environment (upstream and downstream) and point of discharge.

FortisBC has retained Triton Environmental Consultants Ltd. as the Qualified Professional to implement and oversee the monitoring and sampling program in the receiving environments. The data represented below, including laboratory reported exceedances, represent background conditions from the receiving environment sampling as shown on the Waste Discharge Permit.

Introduction

The results provided in this document are submitted to BC Energy Regulator (BCER) by FortisBC as per the requirements listed in the Waste Discharge Permit PE-110163 Section 4.2:

> The Permittee shall summarize the results of the discharge and receiving environment compliance sampling and monitoring program in a report that shall be submitted weekly over the term of this permit. The sampling and monitoring results shall be suitably tabulated and include comparison to the respective British Columbia Approved and Working Water Quality Guidelines for Freshwater & Marine Aquatic Life, as published by the Ministry of Environment & Climate Change Strategy. Any exceedance of regulatory guidelines shall be clearly highlighted, and any missed sampling events/missing data shall be identified with an explanation provided. Reporting frequency may be reduced upon a history of compliance and by written confirmation from the BCER. These reports shall be submitted to Waste.Management@bc-er.ca. A copy of the reports shall be provided to each First Nation consulted with regarding the subject permit, and also made publicly available on the FortisBC Eagle Mountain-Woodfibre Gas Pipeline Project | Talking Energy webpage.

Sampling Methodology

The monitoring and sampling has been carried out in accordance with the procedures described in the most recent edition of the “British Columbia Field Sampling Manual” using field equipment and lab samples to meet daily and real time requirements for the Waste Discharge Permit.

At the receiving environments, real time and daily readings are being monitored at the same time with one piece of equipment, allowing all the daily readings real time. Visible sheen will be monitored with visual inspections during times of discharge or sampling.
At the point of discharge from the WTP, the parameters are being monitored using field equipment and sondes/real time meters make and models to be confirmed by the contractor. Table 1 and Table 2 below show how each parameter is being monitored.

Table 1. Monitor Details for the Point of Discharge from the Water Treatment System-BC Rail and Woodfibre

Permit Frequency	Parameters	Details
Daily	Visible Sheen	Monitoring using In field inspection
Daily (or per batch)	DO	Monitoring using YSI ProDSS
	ORP	Monitoring using YSI ProDSS
	Salinity	Monitoring using YSI ProDSS
Real Time (or per batch)	pH	Monitoring using GF Dryloc pH Series NPT
	Temperature	Monitoring using YSI ProDSS
	NTU	Monitoring using Observator NEP9504GPI
	Electrical Conductivity	Monitoring using YSI ProDSS
Weekly (or per batch) Lab Samples	List prescribed in permit	Lab samples

Point of Discharge from the WTP equipment details: YSI ProDSS with pH, conductivity, DO, ORP and turbidity probe that measure pH, temperature, NTU, electrical conductivity, ORP, DO and salinity.

Table 2. Monitor Details for the Receiving Environment (upstream and downstream)-BC Rail and Woodfibre

Permit Frequency	Parameters	Details
Daily	Visible Sheen	In field inspection
Daily	DO	Monitoring using Sonde- AquaTROLL 600 datalogger
	ORP	Monitoring using Sonde- AquaTROLL 600 datalogger
	Salinity	Monitoring using Sonde- AquaTROLL 600 datalogger
Real Time	pH	Monitoring using Sonde- AquaTROLL 600 datalogger
	Temperature	Monitoring using Sonde- AquaTROLL 600 datalogger
	NTU	Monitoring using Sonde- AquaTROLL 600 datalogger
	Electrical Conductivity	Monitoring using Sonde- AquaTROLL 600 datalogger
Weekly Lab Samples	List prescribed in permit	Lab samples

Receiving Environment equipment details: Sondes: Aqua-TROLL 600 made by In-Situ Inc. Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 10 minute intervals.

Summary-BC Rail Site

Site Activities

- No discharges occurred during this time period.

Point of Discharge from Water Treatment System Monitoring

Table 3 below includes information on water quality and lab sampling during discharges. Appendix A includes a full set of lab results with real time/field samples from discharges.

Table 3: Discharge from Water Treatment System Information

Location	Date of Discharge	Date of Lab Sample (for the discharge)	Real Time Monitored	Field Samples Taken	Discharge Rate (batch)	Discharge Volume (batch)	Results
BC Rail	No discharges during this time period						

Exceedance details

- No discharges during this reporting period.

Receiving Environment Monitoring

The receiving environment is being monitored as outlined in the permit.

Table 4: Upstream Monitoring Information

Location	Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
Squamish River Upstream	2024-05-06	Yes *	Yes	Full set of lab sample results, photo and documentation are provided in Appendix B.

Table 5: Downstream Monitoring Information

	Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
Squamish River Downstream	2023-05-06	Yes *	Yes	Full set of lab sample results, photo and documentation are provided in Appendix B.

***** Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 10 minute intervals.

Receiving Environment Monitoring Details

- Visual sheen checks conducted for days of discharge.
- All receiving environment lab results are in Appendix B.
- Any recorded exceedances in the laboratory and field samples collected from the receiving environment (upstream and downstream) are indicative of the existing background water quality in the Squamish River, and are not related to the EGP Project activities.

Summary-Woodfibre

Site Activities

- No discharges during this reporting period.

Point of Discharge from Water Treatment System Monitoring

Table 3 below includes information on the batch test water quality and lab sampling. Appendix C includes a full set of lab results with real time/field samples from the batch discharge.

Table 3: Discharge from Water Treatment System Information

Location	Date of Discharge	Date of Lab Sample (for the discharge)	Real Time Monitored	Field Samples Taken	Discharge Rate (batch)	Discharge Volume (batch)	Results
Woodfibre	No discharges this reporting period						

Exceedance details

- No discharges during this reporting period.

Receiving Environment Monitoring

The receiving environment is being monitored as outlined in the permit.

Table 4: Upstream Monitoring Information

Location	Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
Woodfibre Upstream	2024-05-07	Yes *	No	Field documentation in Appendix D

Table 5: Downstream Monitoring Information

	Date of Lab Sample	Real Time Monitored	Field Samples Taken	Results
Woodfibre Downstream	2024-05-07	Yes *	No	Field documentation in Appendix D

***** Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 10 minute intervals.

Receiving Environment Monitoring Details

- Visual sheen checks are conducted during discharges.
- Any recorded exceedances in the laboratory and field samples collected from the receiving environment (upstream and downstream) are indicative of the existing background water quality in the Squamish River, and are not related to the EGP Project activities.

Appendix A: BCR Site Point of Discharge from Water Treatment Plant Documentation

BCR Site Batch Sample Analysis

BCR Site Batch Sample Lab Documentation

BCR Site WTP Discharge Field Notes and Logs

Appendix B: BCR Site Receiving Environment Documentation

BCR Site Receiving Environment Sample Analysis

TRITON Environmental Consultants	Sample ID	Reviewed and signed off by:	College of Applied Biology – Adam Goodwin – RPBio 2501 – CAB		Adam Goodwin R.P. Bio., MSc	BCR US1 (Upstream)	BCR DS 1 (Downstream)	Sample or value notes	BCWQ FAL - Short Term	BCWQ FAL - Long Term	BCWQ MAL - Short Term	BCWQ MAL - Long Term
	LAB ID					VA24A9833-001	VA24A9833-002					
	Date Sampled					06-May-2024	06-May-2024					
	Time Sampled					10:07	10:35					
Analyte	Units	BCAWWQG-FAL-LT [1,2]	BCAWWQG-FAL-ST [1,2]	BCAWWQG-MAL-ST [1]	BCAWWQG-MAL-LT [1,2]	Water	Water					
						N/A	N/A		Guideline notes			
In Situ Parameters												
pH (field)	pH units	6.5-9.0	6.5-9.0	7.0-8.7	7.0-8.7	7.57	7.47		If natural pH < 6.5, no statisticaly significant decrease from background. No restriction in increase except in areas with unique flora or fauna. Unrestricted change permitted within range of 6.5 to 9.0. If natural pH > 9.0, no statistically significant increase from background. Refer to BC Water Quality Guidelines for more information.		Unrestricted change within this range (for protection of mollusc embryo development).	
Temperature (field)	°C	-	Max +/- from BKG 1°C, hourly rate of change <0.5°C [4]	Max +/- from BKG 1°C, hourly rate of change <0.5°C [4]	-	5.9	6.4		Guideline is species-dependent. Short-term daily temperature guideline is 19°C for streams with unknown fish distribution. Refer to footnote 4 for background temperature range for the Squamish River. Refer to BC Water Quality Guidelines for more information Hourly rate of change not to exceed 1°C. Calculation: BCR US value +/- 1 = guideline range		Guideline for marine waters are based on natural ambient conditions. Max and min. 1°C change from natural condition. Natural temperature cycle characteristic of the site should not be altered in amplitude or frequency by human activities. Max rate of any human-induced temperature change not to exceed 0.5°C hourly. treams with unknown fish distribution. Refer to footnote 4 for background temperature range for the Squamish River. Calculation: BCR US value +/- 1 = guideline range	
Conductivity (field)	µS/cm	-	-	-	-	43	40					
Turbidity (field)	NTU	Varies with background, see note Lowest value for guideline is 3 NTU	Varies with background, see note Lowest value for guideline is 9 NTU	Varies with background, see note Lowest value for guideline is 9 NTU	Varies with background, see note Lowest value for guideline is 3 NTU	10.54	10.68		Change from background of 8 NTU at any one time for a duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 8 = BCR DS guideline Change from background of 5 NTU at any time when background is 8 - 50 NTU during high flows or in turbid waters. Calculation: BCR US value + 5 = BCR DS guideline Change from background of 10% when background is > 50 NTU at any time during high flows or in turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 2 NTU at any one time for 30 days in clear flows. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.	Change from background of 8 NTU at any one time for a duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 8 = BCR DS guideline Change from background of 5 NTU at any time when background is 8 - 50 NTU during high flows or in turbid waters. Calculation: BCR US value + 5 = BCR DS guideline Change from background of 10% when background is > 50 NTU at any time during high flows or in turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 2 NTU at any one time for 30 days in clear flows. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.
Dissolved Oxygen (field)	mg/L	Varies with life stage, see note	Varies with life stage, see note	Varies with life stage, see note	Varies with life stage, see note	12.44	11.38		Buried embryo/alevin minimum 9 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embryo/alevin minimum 11 mg/L, all other life stages 8 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embryo/alevin minimum 9 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embryo/alevin minimum 11 mg/L, all other life stages 8 mg/L. Refer to BC Water Quality Guidelines for more information.
General Parameters												
Hardness (as CaCO3) (total)	mg/L	-	-	-	-	13.6	13.3					
Total Dissolved Solids	mg/L	-	-	-	-	37	31					
Total Suspended Solids	mg/L	Varies with background, see note Lowest value for guideline is 6mg/L	Varies with background, see note Lowest value for guideline is 26mg/L	Varies with background, see note Lowest value for guideline is 26mg/L	Varies with background, see note Lowest value for guideline is 6mg/L	8.9	7.7		Change from background of 25 mg/L at any one time for duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 25 = BCR DS guideline Change from background of 10 mg/L at any one time when background 25-100 mg/L during high flows or turbid waters. Calculation: BCR US value + 10 = BCR DS guideline Change from background of 10% when background is > 100 mg/L at any time during high flows or turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 5 mg/L @ one time for a druation of 30 days in clear flow. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.	Change from background of 25 mg/L at any one time for duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 25 = BCR DS guideline Change from background of 10 mg/L at any one time when background 25-100 mg/L during high flows or turbid waters. Calculation: BCR US value + 10 = BCR DS guideline Change from background of 10% when background is > 100 mg/L at any time during high flows or turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 5 mg/L @ one time for a druation of 30 days in clear flow. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.
Dissolved Organic Carbon (DOC)	mg/L	-	-	-	-	2.43	2.58			Long-term (30-day) median within 20% of background median [3]		
Total Alkalinity (CaCO$_3$)	mg/L	Categorical	-	-	-	12.4	11.7	The upstream and downstream locations have moderate sensitivity to acid inputs (i.e. moderate buffering capcity).		Guideline is for alkalinity (as CaCO3) and categorizes the sensitivity of a water body to acid inputs. Alkalinity < 10 mg/L is considered highly sensitive to acid inputs; 10 - 20 mg/L is considered moderately sensitive to acid inputs; > 20 mg/L is considered low sensitivity.		
Total Sulfide (as S)	mg/L	-	-	-	-	< 0.0015	< 0.0015					
Total Sulfide (un-ionized as H2S)	mg/L	0.002	-	-	-	< 0.0015	< 0.0015			Working guideline		
Total Sulfide (as H2S)	mg/L	-	-	-	-	< 0.0016	< 0.0016					
Anions and Nutrients												
Ammonia	mg/L ammonia-N	Varies with pH and temperature. See note.	Varies with pH and temperature. See note.	Varies with pH, temperature and salinity. See note.	Varies with pH, temperature and salinity. See note.	0.171	0.0823		Guideline for ammonia as N and is pH and temperature dependent. Refer to Table 27D in BC WQG for guideline values.	Guideline for ammonia as N and is pH and temperature dependent. Refer to Table 27C in BC WQG for guideline values.	Guideline for ammonia as N. Guideline is pH, temperature and salinity dependent. Refer to Table 27F in BC WQG for guideline values.	Guideline for ammonia as N. Guideline is pH, temperature and salinity dependent. Refer to Table 27E in BC WQG for guideline values.
Bromide	mg/L	-	-	-	-	< 0.050	< 0.050					
Chloride	mg/L	150	600	> 110% of background	< 90% of background	1.18	1.18				Human activities should not cause the chloride of marine and estuarine waters to fluctuate by more than 10% of the natural chloride expected at that time and depth.	Human activities should not cause the chloride of marine and estuarine waters to fluctuate by more than 10% of the natural chloride expected at that time and depth.
Fluoride	mg/L	-	Varies with hardness	1.5	-	< 0.020	< 0.020		Guideline has interim status. Guideline is calculated with the following equation: Guideline = [-51.73 + 92.57 log10 (hardness)] * 0.01			
Nitrate (as N)	mg/L	3	32.8	-	3.7	0.031	0.0326					
Nitrite (as N)	mg/L	Varies with chloride. See note.	Varies with chloride. See note.	-	-	0.0012	< 0.0010		Varies with chloride. Refer to Table 27B in BC WQG for guideline values.	Varies with chloride. Refer to Table 27B in BC WQG for guideline values.		
Total Nitrogen	mg/L	-	-	-	-	0.275	0.196					
Total Phosphorous	mg/L	0.005 to 0.015	-	-	-	0.0409	0.0274			Guideline is for lakes, refer to BCWQ guideline for nutrients and algae for more information. Guideline does not apply to site.		
Sulfate (as SO4)	mg/L	Varies with hardness. See note.	-	-	-	3.21	3.12			Guidelines for hardness ranges below: Hardness 0 - 30: 128 Hardness 31 - 75: 218 Hardness 76 - 180: 309 Hardness 181 - 250: 429		
Total Metals												
Aluminum (Al)-Total	mg/L	Varies with pH, DOC, hardness	-	-	-	***0.366***	***0.399***	**The upstream and downstream location exceeds the long-term 5-week average BCWG for FAL; thus there is a risk for chronic effects to FAL. Discharge from BCR has not begun full-time. These impacts are not attributable to BCR construction activities and may be characteristic of the Squamish River and the local geology**		Guideline varies with pH, hardness and Dissolved Organic Carbon (DOC). Guideline is calculated with the following equation: Guideline = (EXP((0.645 * LN(DOC)) + (2.255 * LN(hardness)) + (1.995 * pH) + (-0.284 * (LN(hardness) * pH))-9.898)/3/1000) If hardness or DOC is below the hardness or DOC range, the minimum hardness or DOC will be applied in the calculation.		
Antimony (Sb)-Total	mg/L	0.074	0.25	-	-	< 0.00010	< 0.00010					
Arsenic (As)-Total	mg/L	0.005	-	-	0.0125	0.00016	0.00017					Interim guideline status
Barium (Ba)-Total	mg/L	1	-	-	-	0.00847	0.00912			Working guideline status		
Beryllium (Be)-Total	mg/L	0.00013	-	-	0.100	< 0.000100	< 0.000100			Working guideline status		Working guideline status
Bismuth (Bi)-Total	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Boron (B)-Total	mg/L	1.2	-	-	1.2	< 0.010	< 0.010					
Cadmium (Cd)-Total	mg/L	-	-	-	0.00012	0.0000093	0.0000104					Working guideline status
Calcium (Ca)-Total	mg/L	-	-	-	-	4.53	4.41					
Cesium (Cs)-Total	mg/L	-	-	-	-	0.00002	0.000024					
Chromium (Cr) - Total	mg/L	-	-	-	-	< 0.00050	< 0.00050					
Chromium (Cr(III))-Total	mg/L	0.0089	-	-	0.056	< 0.00050	< 0.00050			Working guideline status		Working guideline status
Chromium (Cr(VI))-Total	mg/L	0.001	-	-	0.0015	< 0.00050	< 0.00050			Working guideline status		Working guideline status
Cobalt (Co)-Total	mg/L	0.004	0.11	-	-	0.00015	0.00017					
Copper (Cu)-Total	mg/L	-	-	0.003	0.002	0.00148	0.00155					
Iron (Fe)-Total	mg/L	-	1	-	-	0.318	0.354					
Lead (Pb)-Total	mg/L	Varies with hardness. See Note.	Varies with hardness. See Note.	0.14	0.002	0.000082	0.000093		Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline is 0.003 where hardness ≤8mg/L. Guideline uses equation EXP[1.273*on(hardness)-1.460] where hardness is 8-360 mg/L. Lowest value for guideline is 0.003 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline equation EXP[1.273*on(hardness)-4.704] applies to samples with hardness 8-360 mg/L.		
Lithium (Li)-Total	mg/L	-	-	-	-	< 0.0010	< 0.0010					
Magnesium (Mg)-Total	mg/L	-	-	-	-	0.565	0.549					
Manganese (Mn)-Total	mg/L	Varies with hardness	Varies with hardness	-	-	0.00996	0.0105		Guideline varies with hardness. The guideline is calculated using the following equation: Guideline = (0.0044 * hardness + 0.605) Guideline applies to samples with hardness 25-259 mg/L. Lowest value for guideline is 0.77 mg/L. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. The guideline is calculated using the following formula: Guideline = (0.01102 * hardness + 0.54) Guideline applies to samples with hardness 37-450 mg/L. Lowest value for guideline is 0.81 mg/L. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.		
Mercury (Hg)-Total	mg/L	Varies with methyl mercury	-	-	-	< 0.0000050	< 0.0000050			When MeHg ≤ 0.5% of total Hg, guideline is equal to 0.02 mg/L Guideline = 0.1/[MeHg/totalHg]. When MeHg ≤ 0.5% of total Hg, guideline is equal to 0.02 mg/L		
Molybdenum (Mo)-Total	mg/L	7.6	46	-	-	0.000422	0.000417					
Nickel (Ni)-Total	mg/L	Varies with hardness	-	-	0.0083	< 0.00050	< 0.00050			Working guideline status. Guideline varies with hardness. Refer to BC Water Quality Guidelines for more information. Hardness 0 ≤ 60: 0.025 Hardness > 60 ≤ 180: Guideline = (EXP((0.76 * (LN(hardness)) + 1.06))/1000) Hardness ≥ 180: 0.15		Working guideline status
Phosphorus (P)-Total	mg/L	0.005 to 0.015	-	-	-	< 0.050	< 0.050			Guideline only applies to lakes with salmonid species being the dominant fish species. Guideline is for reference only and does not apply to site.		
Potassium (K)-Total	mg/L	-	-	-	-	0.475	0.591					
Rubidium (Rb)-Total	mg/L	-	-	-	-	0.00078	0.00081					
Selenium (Se)-Total	mg/L	0.002	-	-	0.002	< 0.000050	< 0.000050			Guideline for freshwater aquatic life (water column). Alert concentration is 0.001 mg/L, with separate guidleiens for sediment, invertebrate and fish tissue. Refer to BC Water Quality Guidelines for more information on guidleiens and sampling guidance.		Guideline for marine aquatic life (water column). Alert concentration is 0.001 mg/L, with separate guidleiens for sediment, invertebrate and fish tissue. Refer to BC Water Quality Guidelines for more information on guidleiens and sampling guidance.
Silicon (Si)-Total	mg/L	-	-	-	-	3.87	3.68					
Silver (Ag)-Total	mg/L	Varies with hardness, see note	Varies with hardness, see note	0.003	0.0015	< 0.000010	0.000015		Varies with hardness Guideline ranges: Hardness ≤ 100: 0.0001 Hardness > 100: 0.003	Varies with hardness Guideline ranges: Hardness ≤ 100: 0.00005 Hardness > 100: 0.0015		Guideline applies to open coast and estuaries. Guideline is applicable to the EGP site.
Sodium (Na)-Total	mg/L	-	-	-	-	1.58	1.47					
Strontium (Sr)-Total	mg/L	-	-	-	-	0.0285	0.0282					
Sulfur (S)-Total	mg/L	-	-	-	-	0.73	0.85					
Tellurium (Te)-Total	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Thallium (Tl)-Total	mg/L	0.0008	-	-	-	< 0.000010	< 0.000010			30-day average, site-specific objective for the lower Columbia River, BC. Guideline is for reference only and does not apply to tnhe EGP site.		
Thorium (Th)-Total	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Tin (Sn)-Total	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Titanium (Ti)-Total	mg/L	-	-	-	-	0.0104	0.0136					
Tungsten (W)-Total	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Uranium (U)-Total	mg/L	0.0085	-	-	-	0.000049	0.000049			Working guideline status		
Vanadium (V)-Total	mg/L	-	-	-	0.050	0.00135	0.0014					
Zinc (Zn)-Total	mg/L	-	-	0.055	0.010	< 0.0030	< 0.0030					Working guideline status
Zirconium (Zr)-Total	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Dissolved Metals												
Aluminum (Al)-Dissolved	mg/L	-	-	-	-	0.0662	0.0652					
Antimony (Sb)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Arsenic (As)-Dissolved	mg/L	-	-	-	-	< 0.00010	0.00012					
Barium (Ba)-Dissolved	mg/L	-	-	-	-	0.00556	0.00591					
Beryllium (Be)-Dissolved	mg/L	-	-	-	-	< 0.000100	< 0.000100					
Bismuth (Bi)-Dissolved	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Boron (B)-Dissolved	mg/L	-	-	-	-	< 0.010	< 0.010					
Cadmium (Cd)-Dissolved	mg/L	Varies with hardness, see note	Varies with hardness, see note	-	-	0.0000076	0.0000076		Guideline is hardness dependent. Guideline is appilcable to water hardness between 7.0 and 455 mg/L. Guideline is calculated with the following formula: Guideline = (EXP(1.03 * (LN(hardness)) - 5.274)/1000) Lowest value for guideline is 0.000018 mg/L. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.	Guideline is hardness dependent. Guideline is applicable to hardness between 3.4 and 285 mg/L. Guideline is calculated with the following formula: Guideline = (EXP(0.736 * (LN(hardness)) - 4.943)/1000) Lowest value for guiedeline is 0.00004. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.		
Calcium (Ca)-Dissolved	mg/L	Categorical, see note	-	-	-	4.06	3.95	Both locations have high sensitivity to acid inputs (i.e. low buffering capacity).		Guideline categorizes the sensitivity of a water body to acid inputs (i.e. buffering capacity). Standard is 4 mg/L dissolved Ca for the most sensitive waterbodies,5 - 8 mg/L for waterbodies with moderate sensitivity to acid inputs. Waterbodies with dissolved calcium > 8mg/L are considered to have low sensitivity to acid inputs.		
Cesium (Cs)-Dissolved	mg/L	-	-	-	-	< 0.000010	< 0.000010					
Chromium (Cr)-Dissolved	mg/L	-	-	-	-	< 0.00050	< 0.00050					
Cobalt (Co)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Copper (Cu)-Dissolved	mg/L	Guideline varies with other parameters, see note	Guideline varies with other parameters, see note	-	-	***0.00087***	***0.00083***	**Both upstream and downstream locations exceed long-term BCWG for FAL and have exceeded guidelines for 5 weeks on average. There is a risk that chronic impacts to FAL are occuring. Discharge from BCR has not begun full-time. These impacts are not attributable to BCR construction activities and may be characteristic of the Squamish River and the local geology.**	Guideline varies with other parameters and is calculated using BC BLM software. Simplified model: Temperature, pH, DOC and hardness Detailed model: Temperature, pH, DOC, humic acid content, total calcium, total magnesium, total sodium, total potassium, sulphate, chloride, and alkalinity Guideline calculated using values for parameters above taken at the specific site on each sampling date	Guideline varies with other parameters and is calculated using BC BLM software. Simplified model: Temperature, pH, DOC and hardness Detailed model: Temperature, pH, DOC, humic acid content, total calcium, total magnesium, total sodium, total potassium, sulphate, chloride, and alkalinity Guideline calculated using values for parameters above taken at the specific site on each sampling date		
Iron (Fe)-Dissolved	mg/L	-	0.35	-	-	0.046	0.044					
Lead (Pb)-Dissolved	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Lithium (Li)-Dissolved	mg/L	-	-	-	-	< 0.0010	< 0.0010					
Magnesium (Mg)-Dissolved	mg/L	-	-	-	-	0.459	0.447					
Manganese (Mn)-Dissolved	mg/L	-	-	-	-	0.00348	0.00361					
Mercury (Hg)-Dissolved	mg/L	-	-	-	-	< 0.0000050	< 0.0000050					
Molybdenum (Mo)-Dissolved	mg/L	-	-	-	-	0.000383	0.000402					
Nickel (Ni)-Dissolved	mg/L	-	-	-	-	< 0.00050	< 0.00050					
Phosphorus (P)-Dissolved	mg/L	-	-	-	-	< 0.050	< 0.050					
Potassium (K)-Dissolved	mg/L	-	-	-	-	0.41	0.402					
Rubidium (Rb)-Dissolved	mg/L	-	-	-	-	0.00065	0.00063					
Selenium (Se)-Dissolved	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Silicon (Si)-Dissolved	mg/L	-	-	-	-	3.1	2.92					
Silver (Ag)-Dissolved	mg/L	-	-	-	-	< 0.000010	< 0.000010					
Sodium (Na)-Dissolved	mg/L	-	-	-	-	1.55	1.41					
Strontium (Sr)-Dissolved	mg/L	-	-	-	-	0.0256	0.0253					
Sulfur (S)-Dissolved	mg/L	-	-	-	-	0.81	0.67					
Tellurium (Te)-Dissolved	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Thallium (Tl)-Dissolved	mg/L	-	-	-	-	< 0.000010	< 0.000010					
Thorium (Th)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Tin (Sn)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Titanium (Ti)-Dissolved	mg/L	-	-	-	-	0.00064	0.00082					
Tungsten (W)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Uranium (U)-Dissolved	mg/L	-	-	-	-	0.000032	0.000035					
Vanadium (V)-Dissolved	mg/L	-	-	-	-	0.00078	0.00076					
Zinc (Zn)-Dissolved	mg/L	Varies with pH, DOC, hardness	Varies with DOC and hardness	-	-	0.0014	< 0.0010		Guideline varies with DOC and hardness. Guideline is calculated using the following formula: Guideline = (EXP((0.833 * (LN(hardness))) + (0.24 * (LN(DOC))) + 0.526)/2/1000) If hardness or DOC is below the hardness or DOC range, the minimum hardness or DOC will be applied in the calculation.	Guideline varies with pH, hardness and Dissolved Organic Carbon (DOC). Guideline is calculated using the following formula: Guideline = (EXP((0.974 * (LN(hardness))) - (0.815 * pH) + (0.398 * (LN(DOC))) + 4.625)/2/1000) Guideline only applies to water with pH between 6.5 and 8.13, DOC between 0.3 and 22.9 mg/L, anmd hardness between 23.4 and 399 mg/L. If hardness or DOC is below the hardness or DOC range, the minimum hardness or DOC will be applied in the calculation.		
Zirconium (Zr)-Dissolved	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Applied Guideline:		**British Columbia Approved and Working Water Quality Guidelines (NOV 2023) - BCAWWQG - Freshwater Aquatic Life** **British Columbia Approved and Working Water Quality Guidelines (NOV 2023) - BCAWWQG - Marine Aquatic Life**										
Color Key:	**Exceeds BCAWWQG Short and Long-Term Guideline**	***Exceeds BCAWWQG Long term Guideline***	**Exceeds BCAWWQG Short term Guideline**	**Exceeds BCAWWQG MAL Short term Guideline**	***Exceeds BCAWWQG MAL Long term Guideline***							
Color Key:				**Exceeds BCAWWQG MAL Short and Long-term Guidelines**	**Exceeds both BCAWWQG FAL and MAL Guidelines**							

[1]BC MOECCS. 2023. BC Water Qualtiy Guidelines for the Protection of Aquatic Life, Wildlife & Agriculture. Accessed from: wqg_summary_aquaticlife_wildlife_agri.pdf (gov.bc.ca)
[2]BC MOECCS. 2021. BC Working Water Qualtiy Guidelines for the Protection of Aquatic Life, Widlife & Agriculture. Accessed from: bc_env_working_water_quality_guidelines.pdf (gov.bc.ca)
[3]Note that long-term guidelines apply to averaged data to account for chronic impacts to aquatic life. Ideally, five samples collected at evenly spaced intervals over 30 days is considered to be the minimum number needed to calculate the long-term average of any parameter, though this may vary by parameter and site conditions. Long-term guidelines applied here are for reference only and may not indicate chronic impacts to aquatic life if exceedances occur in the short term.
[4]Background temperature ranges: Dec-Feb: 2.0-4.0C; Mar-Apr: 4.0-6.0C; May-June: 6.0-12.0C; Jul-Sept: 9.0-12.0C; Oct-Nov: 3.0-5.0
Reference: Triton Environmental Consulants Ltd. 2023. Memo - Background water quality values for the BC Rail Discharge to Squamish River
For guidelines dependent on other parameters, when hardness, pH or DOC are below the range stated in the guideline, the lowest value in the range is used to calculate the guideline.

Parameters Used to Calculate Guidelines

Analyte	Units	BCAWWQG-FAL-LT [1,2]	BCAWWQG-FAL-ST [1,2]	BCAWWQG-MAL-ST [1]	BCAWWQG-MAL-LT [1,2]	Values: BCR US1	Values: BCR DS1
pH (field)	pH units	Field pH taken using handheld meters during sampling used in calculations				7.57	7.47
Temperature (field)	°C	Field temperature taken using handheld meters during sampling used in calculations				5.9	6.4
Turbidity (field)	NTU	Field turbidity taken using handheld meters during sampling used in calculations				10.54	10.68
Hardness (as CaCO3) (total)	mg/L	Laboratory tested total hardness taken at each respective sample site on the day of sampling used in guideline calculations				13.6	13.3
Dissolved Organic Carbon (DOC)	mg/L	Laboratory tested dissolved organic carbon tested at the lab used in guideline calculations				2.43	2.58
Total Alkalinity (CaCO$_3$)	mg/L	Laboratory tested total alkalinity used in calculations				12.4	11.7
Chloride	mg/L	Laboratory tested chloride taken at each respective sample site on the day of sampling used in guideline calculations				1.18	1.18

BCR Site Receiving Environment Lab Documentation

ALS Canada Ltd.

right solutions. right partner.

CERTIFICATE OF ANALYSIS

Work Order	: **VA24A9833**	Page	: 1 of 6
Client	: **Triton Environmental Consultants Ltd.**	Laboratory	: ALS Environmental - Vancouver
Contact	:	Account Manager	:
Address	:	Address	:
Telephone	:	Telephone	:
Project	: 11964	Date Samples Received	: 06-May-2024 13:00
PO	: 11964 - Task 20- Phase 3C-4C	Date Analysis Commenced	: 07-May-2024
C-O-C number	: ----	Issue Date	: 14-May-2024 12:27
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012 _V2		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	*Position*	*Laboratory Department*
	Production/Validation Manager	Administration, Burnaby, British Columbia
		Metals, Burnaby, British Columbia
	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
	Department Manager - Metals	Inorganics, Burnaby, British Columbia
	Department Manager - Metals	Metals, Burnaby, British Columbia
	Department Manager - Inorganics	Inorganics, Burnaby, British Columbia
	Analyst	Metals, Burnaby, British Columbia

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	*Description*
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical Results

Sub-Matrix: **Water**
(Matrix: **Water**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	SQU US 1	SQU DS 1	----	----	----
					Client sampling date / time	06-May-2024 10:07	06-May-2024 10:35	----	----	----
						VA24A9833-001	VA24A9833-002	--------	--------	--------
						Result	Result	----	----	----
Field Tests										
Conductivity, field	----	EF001/VA	0.10	µS/cm		43.000	40.000	----	----	----
pH, field	----	EF001/VA	0.10	pH units		7.57	7.47	----	----	----
Temperature, field	----	EF001/VA	0.10	°C		5.90	6.40	----	----	----
Physical Tests										
Hardness (as CaCO3), dissolved	----	EC100/VA	0.60	mg/L		12.0	11.7	----	----	----
Hardness (as CaCO3), from total Ca/Mg	----	EC100A/VA	0.60	mg/L		13.6	13.3	----	----	----
Solids, total dissolved [TDS]	----	E162/VA	10	mg/L		37	31	----	----	----
Solids, total suspended [TSS]	----	E160/VA	3.0	mg/L		8.9	7.7	----	----	----
Alkalinity, total (as CaCO3)	----	E290/VA	2.0	mg/L		12.4	11.7	----	----	----
Anions and Nutrients										
Ammonia, total (as N)	7664-41-7	E298/VA	0.0050	mg/L		0.171	0.0823	----	----	----
Bromide	24959-67-9	E235.Br-L/VA	0.050	mg/L		<0.050	<0.050	----	----	----
Chloride	16887-00-6	E235.Cl/VA	0.50	mg/L		1.18	1.18	----	----	----
Fluoride	16984-48-8	E235.F/VA	0.020	mg/L		<0.020	<0.020	----	----	----
Nitrate (as N)	14797-55-8	E235.NO3-L/VA	0.0050	mg/L		0.0310	0.0326	----	----	----
Nitrite (as N)	14797-65-0	E235.NO2-L/VA	0.0010	mg/L		0.0012	<0.0010	----	----	----
Nitrogen, total	7727-37-9	E366/VA	0.030	mg/L		0.275	0.196	----	----	----
Phosphorus, total	7723-14-0	E372-U/VA	0.0020	mg/L		0.0409	0.0274	----	----	----
Sulfate (as SO4)	14808-79-8	E235.SO4/VA	0.30	mg/L		3.21	3.12	----	----	----
Organic / Inorganic Carbon										
Carbon, dissolved organic [DOC]	----	E358-L/VA	0.50	mg/L		2.43	2.58	----	----	----
Total Sulfides										
Sulfide, total (as S)	18496-25-8	E395/VA	0.0015	mg/L		<0.0015	<0.0015	----	----	----
Sulfide, un-ionized (as H2S), from total	7783-06-4	EC395/VA	0.0015	mg/L		<0.0015	<0.0015	----	----	----
Sulfide, total (as H2S)	7783-06-4	E395/VA	0.0016	mg/L		<0.0016	<0.0016	----	----	----
Total Metals										
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L		0.366	0.399	----	----	----
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----

Analytical Results

Sub-Matrix: **Water**
(Matrix: **Water**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	SQU US 1	SQU DS 1	----	----	----
					Client sampling date / time	06-May-2024 10:07	06-May-2024 10:35	----	----	----
						VA24A9833-001	VA24A9833-002	--------	--------	--------
						Result	Result	----	----	----
Total Metals										
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L		0.00016	0.00017	----	----	----
Barium, total	7440-39-3	E420/VA	0.00010	mg/L		0.00847	0.00912	----	----	----
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L		<0.000100	<0.000100	----	----	----
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Boron, total	7440-42-8	E420/VA	0.010	mg/L		<0.010	<0.010	----	----	----
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L		0.0000093	0.0000104	----	----	----
Calcium, total	7440-70-2	E420/VA	0.050	mg/L		4.53	4.41	----	----	----
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L		0.000020	0.000024	----	----	----
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L		0.00015	0.00017	----	----	----
Copper, total	7440-50-8	E420/VA	0.00050	mg/L		0.00148	0.00155	----	----	----
Iron, total	7439-89-6	E420/VA	0.010	mg/L		0.318	0.354	----	----	----
Lead, total	7439-92-1	E420/VA	0.000050	mg/L		0.000082	0.000093	----	----	----
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L		<0.0010	<0.0010	----	----	----
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L		0.565	0.549	----	----	----
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L		0.00996	0.0105	----	----	----
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L		<0.0000050	<0.0000050	----	----	----
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L		0.000422	0.000417	----	----	----
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L		<0.050	<0.050	----	----	----
Potassium, total	7440-09-7	E420/VA	0.050	mg/L		0.475	0.591	----	----	----
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L		0.00078	0.00081	----	----	----
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Silicon, total	7440-21-3	E420/VA	0.10	mg/L		3.87	3.68	----	----	----
Silver, total	7440-22-4	E420/VA	0.000010	mg/L		<0.000010	0.000015	----	----	----
Sodium, total	7440-23-5	E420/VA	0.050	mg/L		1.58	1.47	----	----	----
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L		0.0285	0.0282	----	----	----
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L		0.73	0.85	----	----	----
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----

Analytical Results

Sub-Matrix: Water (Matrix: Water)					Client sample ID	SQU US 1	SQU DS 1	----	----	----
					Client sampling date / time	06-May-2024 10:07	06-May-2024 10:35	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit		VA24A9833-001	VA24A9833-002	--------	--------	--------
						Result	Result	----	----	----
Total Metals										
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Tin, total	7440-31-5	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L		0.0104	0.0136	----	----	----
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L		0.000049	0.000049	----	----	----
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L		0.00135	0.00140	----	----	----
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L		<0.0030	<0.0030	----	----	----
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----
Dissolved Metals										
Aluminum, dissolved	7429-90-5	E421/VA	0.0010	mg/L		0.0662	0.0652	----	----	----
Antimony, dissolved	7440-36-0	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Arsenic, dissolved	7440-38-2	E421/VA	0.00010	mg/L		<0.00010	0.00012	----	----	----
Barium, dissolved	7440-39-3	E421/VA	0.00010	mg/L		0.00556	0.00591	----	----	----
Beryllium, dissolved	7440-41-7	E421/VA	0.000100	mg/L		<0.000100	<0.000100	----	----	----
Bismuth, dissolved	7440-69-9	E421/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Boron, dissolved	7440-42-8	E421/VA	0.010	mg/L		<0.010	<0.010	----	----	----
Cadmium, dissolved	7440-43-9	E421/VA	0.0000050	mg/L		0.0000076	0.0000076	----	----	----
Calcium, dissolved	7440-70-2	E421/VA	0.050	mg/L		4.06	3.95	----	----	----
Cesium, dissolved	7440-46-2	E421/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Chromium, dissolved	7440-47-3	E421/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Cobalt, dissolved	7440-48-4	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Copper, dissolved	7440-50-8	E421/VA	0.00020	mg/L		0.00087	0.00083	----	----	----
Iron, dissolved	7439-89-6	E421/VA	0.010	mg/L		0.046	0.044	----	----	----
Lead, dissolved	7439-92-1	E421/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Lithium, dissolved	7439-93-2	E421/VA	0.0010	mg/L		<0.0010	<0.0010	----	----	----
Magnesium, dissolved	7439-95-4	E421/VA	0.0050	mg/L		0.459	0.447	----	----	----
Manganese, dissolved	7439-96-5	E421/VA	0.00010	mg/L		0.00348	0.00361	----	----	----
Mercury, dissolved	7439-97-6	E509/VA	0.0000050	mg/L		<0.0000050	<0.0000050	----	----	----
Molybdenum, dissolved	7439-98-7	E421/VA	0.000050	mg/L		0.000383	0.000402	----	----	----
Nickel, dissolved	7440-02-0	E421/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----

Analytical Results

Sub-Matrix: **Water**
(Matrix: **Water**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	SQU US 1	SQU DS 1	----	----	----
					Client sampling date / time	06-May-2024 10:07	06-May-2024 10:35	----	----	----
						VA24A9833-001	VA24A9833-002	--------	--------	--------
						Result	Result	----	----	----
Dissolved Metals										
Phosphorus, dissolved	7723-14-0	E421/VA	0.050	mg/L		<0.050	<0.050	----	----	----
Potassium, dissolved	7440-09-7	E421/VA	0.050	mg/L		0.410	0.402	----	----	----
Rubidium, dissolved	7440-17-7	E421/VA	0.00020	mg/L		0.00065	0.00063	----	----	----
Selenium, dissolved	7782-49-2	E421/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Silicon, dissolved	7440-21-3	E421/VA	0.050	mg/L		3.10	2.92	----	----	----
Silver, dissolved	7440-22-4	E421/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Sodium, dissolved	7440-23-5	E421/VA	0.050	mg/L		1.55	1.41	----	----	----
Strontium, dissolved	7440-24-6	E421/VA	0.00020	mg/L		0.0256	0.0253	----	----	----
Sulfur, dissolved	7704-34-9	E421/VA	0.50	mg/L		0.81	0.67	----	----	----
Tellurium, dissolved	13494-80-9	E421/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L		0.00064	0.00082	----	----	----
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L		0.000032	0.000035	----	----	----
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L		0.00078	0.00076	----	----	----
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L		0.0014	<0.0010	----	----	----
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----
Dissolved mercury filtration location	----	EP509/VA	-	-		Field	Field	----	----	----
Dissolved metals filtration location	----	EP421/VA	-	-		Field	Field	----	----	----
Speciated Metals										
Chromium, hexavalent [Cr VI], total	18540-29-9	E532/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Chromium, trivalent [Cr III], total	16065-83-1	EC535/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

ALS Canada Ltd.

QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: **VA24A9833**	Page	: 1 of 15
Client	: **Triton Environmental Consultants Ltd.**	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address		Address	
Telephone		Telephone	
Project	: 11964	Date Samples Received	: 06-May-2024 13:00
PO	: 11964 - Task 20- Phase 3C-4C	Issue Date	: 14-May-2024 12:28
C-O-C number	: ----		
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012 _V2		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
DQO: Data Quality Objective.
LOR: Limit of Reporting (detection limit).
RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Duplicate outliers occur.
- No Matrix Spike outliers occur.
- Method Blank value outliers occur - please see following pages for full details.
- Laboratory Control Sample (LCS) outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.

Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **Water**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Method Blank (MB) Values								
Total Metals	QC-1430346-001	----	Silver, total	7440-22-4	E420	0.000017 B mg/L	0.00001 mg/L	Blank result exceeds permitted value

Result Qualifiers

Qualifier	Description
B	*Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.*

Laboratory Control Sample (LCS) Recoveries								
Total Metals	QC-1430346-002	----	Iron, total	7439-89-6	E420	125 % MES	80.0-120%	Recovery greater than upper control limit

Result Qualifiers

Qualifier	Description
MES	*Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).*

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (sulfuric acid) SQU DS 1	E298	06-May-2024	08-May-2024	28 days	2 days	✓	09-May-2024	28 days	3 days	✓
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (sulfuric acid) SQU US 1	E298	06-May-2024	08-May-2024	28 days	2 days	✓	09-May-2024	28 days	3 days	✓
Anions and Nutrients : Bromide in Water by IC (Low Level)										
HDPE SQU DS 1	E235.Br-L	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Anions and Nutrients : Bromide in Water by IC (Low Level)										
HDPE SQU US 1	E235.Br-L	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE SQU US 1	E235.Cl	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE SQU DS 1	E235.Cl	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	3 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE SQU DS 1	E235.F	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Anions and Nutrients : Fluoride in Water by IC										
HDPE SQU US 1	E235.F	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE SQU DS 1	E235.NO3-L	06-May-2024	07-May-2024	3 days	1 days	✓	07-May-2024	3 days	1 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE SQU US 1	E235.NO3-L	06-May-2024	07-May-2024	3 days	1 days	✓	07-May-2024	3 days	1 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE SQU DS 1	E235.NO2-L	06-May-2024	07-May-2024	3 days	1 days	✓	07-May-2024	3 days	1 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE SQU US 1	E235.NO2-L	06-May-2024	07-May-2024	3 days	1 days	✓	07-May-2024	3 days	1 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE SQU DS 1	E235.SO4	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE SQU US 1	E235.SO4	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (sulfuric acid) SQU DS 1	E366	06-May-2024	08-May-2024	28 days	2 days	✓	09-May-2024	28 days	3 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (sulfuric acid) SQU US 1	E366	06-May-2024	08-May-2024	28 days	2 days	✓	09-May-2024	28 days	3 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid)										
SQU DS 1	E372-U	06-May-2024	08-May-2024	28 days	2 days	✓	09-May-2024	28 days	3 days	✓
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid)										
SQU US 1	E372-U	06-May-2024	08-May-2024	28 days	2 days	✓	09-May-2024	28 days	3 days	✓
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial - dissolved (lab preserved)										
SQU DS 1	E509	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial - dissolved (lab preserved)										
SQU US 1	E509	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
SQU DS 1	E421	06-May-2024	07-May-2024	180 days	1 days	✓	08-May-2024	180 days	2 days	✓
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
SQU US 1	E421	06-May-2024	07-May-2024	180 days	1 days	✓	08-May-2024	180 days	2 days	✓
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine										
Glass vial - total (lab preserved)										
SQU DS 1	EF001	06-May-2024	----	----	----		07-May-2024	----	1 days	
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine										
Glass vial - total (lab preserved)										
SQU US 1	EF001	06-May-2024	----	----	----		07-May-2024	----	1 days	
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)										
Amber glass dissolved (sulfuric acid)										
SQU DS 1	E358-L	06-May-2024	08-May-2024	28 days	2 days	✓	08-May-2024	28 days	2 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)										
Amber glass dissolved (sulfuric acid)										
SQU US 1	E358-L	06-May-2024	08-May-2024	28 days	2 days	✓	08-May-2024	28 days	2 days	✓
Physical Tests : Alkalinity Species by Titration										
HDPE										
SQU DS 1	E290	06-May-2024	07-May-2024	14 days	1 days	✓	07-May-2024	14 days	1 days	✓
Physical Tests : Alkalinity Species by Titration										
HDPE										
SQU US 1	E290	06-May-2024	07-May-2024	14 days	1 days	✓	07-May-2024	14 days	1 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
SQU DS 1	E162	06-May-2024	----	----	----		10-May-2024	7 days	4 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
SQU US 1	E162	06-May-2024	----	----	----		10-May-2024	7 days	4 days	✓
Physical Tests : TSS by Gravimetry										
HDPE										
SQU DS 1	E160	06-May-2024	----	----	----		10-May-2024	7 days	4 days	✓
Physical Tests : TSS by Gravimetry										
HDPE										
SQU US 1	E160	06-May-2024	----	----	----		10-May-2024	7 days	4 days	✓
Speciated Metals : Total Hexavalent Chromium (Cr VI) by IC										
UV-inhibited HDPE - total (sodium hydroxide)										
SQU DS 1	E532	06-May-2024	----	----	----		07-May-2024	28 days	2 days	✓
Speciated Metals : Total Hexavalent Chromium (Cr VI) by IC										
UV-inhibited HDPE - total (sodium hydroxide)										
SQU US 1	E532	06-May-2024	----	----	----		07-May-2024	28 days	2 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved)										
SQU DS 1	E508	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved)										
SQU US 1	E508	06-May-2024	07-May-2024	28 days	1 days	✓	07-May-2024	28 days	1 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
SQU DS 1	E420	06-May-2024	07-May-2024	180 days	1 days	✓	07-May-2024	180 days	1 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
SQU US 1	E420	06-May-2024	07-May-2024	180 days	1 days	✓	07-May-2024	180 days	1 days	✓
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide)										
SQU DS 1	E395	06-May-2024	----	----	----		10-May-2024	7 days	4 days	✓
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide)										
SQU US 1	E395	06-May-2024	----	----	----		10-May-2024	7 days	4 days	✓

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).

Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Water**

Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	*Method*	*QC Lot #*	*QC*	*Regular*	*Actual*	*Expected*	*Evaluation*
Laboratory Duplicates (DUP)							
Alkalinity Species by Titration	E290	1430731	1	10	10.0	5.0	✓
Ammonia by Fluorescence	E298	1432496	1	20	5.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1430726	1	13	7.6	5.0	✓
Chloride in Water by IC	E235.Cl	1430723	1	19	5.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1432318	1	12	8.3	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1430310	1	18	5.5	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1432493	1	20	5.0	5.0	✓
Fluoride in Water by IC	E235.F	1430724	1	19	5.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1430729	1	9	11.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1430727	1	19	5.2	5.0	✓
Sulfate in Water by IC	E235.SO4	1430725	1	19	5.2	5.0	✓
TDS by Gravimetry	E162	1436348	1	17	5.8	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1432420	1	20	5.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1432206	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1430346	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1432498	1	2	50.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1432495	1	20	5.0	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1436762	1	17	5.8	5.0	✓
TSS by Gravimetry	E160	1436366	1	17	5.8	5.0	✓
Laboratory Control Samples (LCS)							
Alkalinity Species by Titration	E290	1430731	1	10	10.0	5.0	✓
Ammonia by Fluorescence	E298	1432496	1	20	5.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1430726	1	13	7.6	5.0	✓
Chloride in Water by IC	E235.Cl	1430723	1	19	5.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1432318	1	12	8.3	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1430310	1	18	5.5	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1432493	1	20	5.0	5.0	✓
Fluoride in Water by IC	E235.F	1430724	1	19	5.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1430729	1	9	11.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1430727	1	19	5.2	5.0	✓
Sulfate in Water by IC	E235.SO4	1430725	1	19	5.2	5.0	✓
TDS by Gravimetry	E162	1436348	1	17	5.8	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1432420	1	20	5.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1432206	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1430346	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1432498	1	2	50.0	5.0	✓

Matrix: **Water**

Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	*Method*	*QC Lot #*	*QC*	*Regular*	*Actual*	*Expected*	*Evaluation*
Laboratory Control Samples (LCS) - Continued							
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1432495	1	20	5.0	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1436762	1	17	5.8	5.0	✓
TSS by Gravimetry	E160	1436366	1	17	5.8	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1430731	1	10	10.0	5.0	✓
Ammonia by Fluorescence	E298	1432496	1	20	5.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1430726	1	13	7.6	5.0	✓
Chloride in Water by IC	E235.Cl	1430723	1	19	5.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1432318	1	12	8.3	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1430310	1	18	5.5	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1432493	1	20	5.0	5.0	✓
Fluoride in Water by IC	E235.F	1430724	1	19	5.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1430729	1	9	11.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1430727	1	19	5.2	5.0	✓
Sulfate in Water by IC	E235.SO4	1430725	1	19	5.2	5.0	✓
TDS by Gravimetry	E162	1436348	1	17	5.8	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1432420	1	20	5.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1432206	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1430346	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1432498	1	2	50.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1432495	1	20	5.0	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1436762	1	17	5.8	5.0	✓
TSS by Gravimetry	E160	1436366	1	17	5.8	5.0	✓
Matrix Spikes (MS)							
Ammonia by Fluorescence	E298	1432496	1	20	5.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1430726	1	13	7.6	5.0	✓
Chloride in Water by IC	E235.Cl	1430723	1	19	5.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1432318	1	12	8.3	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1430310	1	18	5.5	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1432493	1	20	5.0	5.0	✓
Fluoride in Water by IC	E235.F	1430724	1	19	5.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1430729	1	9	11.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1430727	1	19	5.2	5.0	✓
Sulfate in Water by IC	E235.SO4	1430725	1	19	5.2	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1432420	1	20	5.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1432206	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1430346	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1432498	1	2	50.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1432495	1	20	5.0	5.0	✓

Matrix: **Water**

Evaluation: × = *QC frequency outside specification*; ✓ = *QC frequency within specification.*

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	*Method*	*QC Lot #*	*QC*	*Regular*	*Actual*	*Expected*	*Evaluation*
Matrix Spikes (MS) - Continued							
Total Sulfide by Colourimetry (Automated Flow)	E395	1436762	1	17	5.8	5.0	✓

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
TSS by Gravimetry	E160 ALS Environmental - Vancouver	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the filtered solids. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
TDS by Gravimetry	E162 ALS Environmental - Vancouver	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at 180 ± 2°C for 16 hours or to constant weight, with gravimetric measurement of the residue.
Bromide in Water by IC (Low Level)	E235.Br-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Chloride in Water by IC	E235.Cl ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Fluoride in Water by IC	E235.F ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC (Low Level)	E235.NO2-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrate in Water by IC (Low Level)	E235.NO3-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Sulfate in Water by IC	E235.SO4 ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Alkalinity Species by Titration	E290 ALS Environmental - Vancouver	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Ammonia by Fluorescence	E298 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	Ammonia in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021)
Dissolved Organic Carbon by Combustion (Low Level)	E358-L ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and purged to remove inorganic carbon (IC). Analysis is by high temperature combustion with infrared detection of CO2. NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of DC (dissolved carbon) is comprised of IC (which is common), this method is more accurate and more reliable than the DOC by subtraction method (i.e. DC minus DIC).
Total Nitrogen by Colourimetry	E366 ALS Environmental - Vancouver	Water	Chinchilla Scientific Nitrate Method, 2011	Following digestion, total nitrogen is is determined colourimetrically using a discrete analyzer utilizing the vanadium chloride reduction method. This method of analysis is approved under US EPA 40 CFR Part 136 (May 2021).
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U ALS Environmental - Vancouver	Water	APHA 4500-P E (mod).	Total Phosphorus is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
Total Sulfide by Colourimetry (Automated Flow)	E395 ALS Environmental - Vancouver	Water	APHA 4500 -S E-Auto-Colorimetry	Sulfide is determined using the gas dialysis automated methlyene blue colourimetric method. Results expressed "as H2S" if reported represent the maximum possible H2S concentration based on the total sulfide concentration in the sample. The H2S calculation converts Total Sulphide as (S2-) and reports it as Total Sulphide as (H2S)
Total Metals in Water by CRC ICPMS	E420 ALS Environmental - Vancouver	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508 ALS Environmental - Vancouver	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
Dissolved Mercury in Water by CVAAS	E509 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Hexavalent Chromium (Cr VI) by IC	E532 ALS Environmental - Vancouver	Water	APHA 3500-Cr C (Ion Chromatography)	Hexavalent Chromium is measured by Ion chromatography-Post column reaction and UV detection. Results are based on an un-filtered, field-preserved sample.
Dissolved Hardness (Calculated)	EC100 ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Un-ionized Total Hydrogen Sulfide (calculated)	EC395 ALS Environmental - Vancouver	Water	APHA 4500 -S H	Un-ionized sulfide is calculated using results from total sulfide analysis, pH, temperature, and ionic strength of the sample. Calculation of un-ionized sulfide using total sulfide concentrations may be biased high due to particulate forms of sulfide measured during total sulfide testing.
Total Trivalent Chromium (Cr III) by Calculation	EC535 ALS Environmental - Vancouver	Water	APHA 3030B/6020A/EPA 7196A (mod)	Chromium (III)-Total is calculated as the difference between the total chromium and the total hexavalent chromium (Cr(VI)) results.The Limit of Reporting for Chromium (III) varies as a function of the test results.
Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine	EF001 ALS Environmental - Vancouver	Water	Field Measurement (Client Supplied)	Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3 or Chloramine measurements provided by client and recorded on ALS report may affect the validity of results.

Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298 ALS Environmental - Vancouver	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.
Preparation for Dissolved Organic Carbon for Combustion	EP358 ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
Digestion for Total Nitrogen in water	EP366 ALS Environmental - Vancouver	Water	APHA 4500-P J (mod)	Samples for total nitrogen analysis are digested using a heated persulfate digestion. Nitrogen compounds are converted to nitrate in this digestion.
Digestion for Total Phosphorus in water	EP372 ALS Environmental - Vancouver	Water	APHA 4500-P E (mod).	Samples are heated with a persulfate digestion reagent.

Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Metals Water Filtration	EP421 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
Dissolved Mercury Water Filtration	EP509 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.

QUALITY CONTROL REPORT

Work Order	: **VA24A9833**	Page	: 1 of 17
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	:
Address		Address	:
Telephone		Telephone	:
Project	: 11964	Date Samples Received	: 06-May-2024 13:00
PO	: 11964 - Task 20- Phase 3C-4C	Date Analysis Commenced	: 07-May-2024
C-O-C number	: ----	Issue Date	: 14-May-2024 12:28
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012 _V2		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	*Position*	*Laboratory Department*
	Production/Validation Manager	Vancouver Administration, Burnaby, British Columbia
		Vancouver Metals, Burnaby, British Columbia
	Supervisor - Inorganic	Vancouver Inorganics, Burnaby, British Columbia
	Department Manager - Metals	Vancouver Inorganics, Burnaby, British Columbia
	Department Manager - Metals	Vancouver Metals, Burnaby, British Columbia
	Department Manager - Inorganics	Vancouver Inorganics, Burnaby, British Columbia
	Analyst	Vancouver Metals, Burnaby, British Columbia

General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.
CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
DQO = Data Quality Objective.
LOR = Limit of Reporting (detection limit).
RPD = Relative Percent Difference
# = Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 1430731)											
VA24A9791-008	Anonymous	Alkalinity, total (as CaCO3)	----	E290	1.0	mg/L	89.2	89.3	0.113%	20%	----
Physical Tests (QC Lot: 1436348)											
FJ2401239-004	Anonymous	Solids, total dissolved [TDS]	----	E162	10	mg/L	<10	<10	0	Diff <2x LOR	----
Physical Tests (QC Lot: 1436366)											
FJ2401239-004	Anonymous	Solids, total suspended [TSS]	----	E160	3.0	mg/L	<3.0	<3.0	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1430723)											
VA24A9791-004	Anonymous	Chloride	16887-00-6	E235.Cl	2.50	mg/L	24.3	24.1	0.18	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1430724)											
VA24A9791-004	Anonymous	Fluoride	16984-48-8	E235.F	0.100	mg/L	<0.100	<0.100	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1430725)											
VA24A9791-004	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	1.50	mg/L	179	178	0.758%	20%	----
Anions and Nutrients (QC Lot: 1430726)											
VA24A9791-004	Anonymous	Bromide	24959-67-9	E235.Br-L	0.250	mg/L	<0.250	<0.250	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1430727)											
VA24A9791-004	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1430729)											
VA24A9817-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	0.0437	0.0412	0.0024	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1432495)											
VA24A9833-001	SQU US 1	Phosphorus, total	7723-14-0	E372-U	0.0020	mg/L	0.0409	0.0388	5.35%	20%	----
Anions and Nutrients (QC Lot: 1432496)											
VA24A9833-001	SQU US 1	Ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.171	0.176	2.78%	20%	----
Anions and Nutrients (QC Lot: 1432498)											
VA24A9833-001	SQU US 1	Nitrogen, total	7727-37-9	E366	0.030	mg/L	0.275	0.278	0.003	Diff <2x LOR	----
Organic / Inorganic Carbon (QC Lot: 1432493)											
VA24A9833-001	SQU US 1	Carbon, dissolved organic [DOC]	----	E358-L	0.50	mg/L	2.43	2.62	0.19	Diff <2x LOR	----
Total Sulfides (QC Lot: 1436762)											
CG2405847-001	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	<0.0015	0	Diff <2x LOR	----
Total Metals (QC Lot: 1430346)											
VA24A9726-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0100	mg/L	<0.0100	<0.0100	0	Diff <2x LOR	----
		Antimony, total	7440-36-0	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Total Metals (QC Lot: 1430346) - continued											
VA24A9726-001	Anonymous	Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00800	0.00796	0.455%	20%	----
		Barium, total	7440-39-3	E420	0.0200	mg/L	0.0233	0.0235	0.00014	Diff <2x LOR	----
		Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	----
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Boron, total	7440-42-8	E420	0.100	mg/L	1.18	1.18	0.0786%	20%	----
		Cadmium, total	7440-43-9	E420	0.000200	mg/L	<0.000200	<0.000200	0	Diff <2x LOR	----
		Calcium, total	7440-70-2	E420	0.100	mg/L	42.8	42.8	0.0777%	20%	----
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.000010	0.000010	0.0000003	Diff <2x LOR	----
		Chromium, total	7440-47-3	E420	0.00200	mg/L	<0.00200	<0.00200	0	Diff <2x LOR	----
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Copper, total	7440-50-8	E420	0.00100	mg/L	0.0259	0.0286	9.97%	20%	----
		Iron, total	7439-89-6	E420	0.030	mg/L	0.728	0.732	0.550%	20%	----
		Lead, total	7439-92-1	E420	0.000500	mg/L	<0.000500	<0.000500	0	Diff <2x LOR	----
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.0020	0.0019	0.00004	Diff <2x LOR	----
		Magnesium, total	7439-95-4	E420	0.100	mg/L	53.4	54.0	1.06%	20%	----
		Manganese, total	7439-96-5	E420	0.00200	mg/L	0.0354	0.0356	0.691%	20%	----
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00726	0.00726	0.114%	20%	----
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00080	0.00079	0.000009	Diff <2x LOR	----
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Potassium, total	7440-09-7	E420	0.100	mg/L	5.19	5.23	0.692%	20%	----
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00112	0.00112	0.000007	Diff <2x LOR	----
		Selenium, total	7782-49-2	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	----
		Silicon, total	7440-21-3	E420	0.10	mg/L	10.5	10.4	0.658%	20%	----
		Sodium, total	7440-23-5	E420	2.00	mg/L	23.3	23.6	1.22%	20%	----
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.529	0.533	0.777%	20%	----
		Sulfur, total	7704-34-9	E420	0.50	mg/L	57.4	57.6	0.338%	20%	----
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	----
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Uranium, total	7440-61-1	E420	0.000100	mg/L	0.00120	0.00122	2.34%	20%	----
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Total Metals (QC Lot: 1430346) - continued											
VA24A9726-001	Anonymous	Zinc, total	7440-66-6	E420	0.0500	mg/L	<0.0500	<0.0500	0	Diff <2x LOR	----
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
Total Metals (QC Lot: 1432206)											
FJ2401225-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	----
Dissolved Metals (QC Lot: 1430310)											
VA24A9833-001	SQU US 1	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0662	0.0665	0.489%	20%	----
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	<0.00010	0.00012	0.00002	Diff <2x LOR	----
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.00556	0.00558	0.373%	20%	----
		Beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	----
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	----
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0000076	0.0000082	0.0000007	Diff <2x LOR	----
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	4.06	4.08	0.448%	20%	----
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.00087	0.00087	0.000005	Diff <2x LOR	----
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.046	0.047	0.0010	Diff <2x LOR	----
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	0.459	0.461	0.534%	20%	----
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.00348	0.00335	3.79%	20%	----
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.000383	0.000409	0.000026	Diff <2x LOR	----
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	0.410	0.402	0.008	Diff <2x LOR	----
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00065	0.00062	0.00002	Diff <2x LOR	----
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	3.10	3.03	2.28%	20%	----
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	1.55	1.50	3.37%	20%	----
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.0256	0.0260	1.52%	20%	----
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	0.81	0.84	0.03	Diff <2x LOR	----

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Dissolved Metals (QC Lot: 1430310) - continued											
VA24A9833-001	SQU US 1	Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	0.00064	0.00072	0.00008	Diff <2x LOR	----
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000032	0.000030	0.000002	Diff <2x LOR	----
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	0.00078	0.00078	0.000003	Diff <2x LOR	----
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0014	0.0012	0.0002	Diff <2x LOR	----
		Zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
Dissolved Metals (QC Lot: 1432318)											
VA24A9833-001	SQU US 1	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	----
Speciated Metals (QC Lot: 1432420)											
VA24A9791-006	Anonymous	Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.00050	mg/L	0.00051	<0.00050	0.000009	Diff <2x LOR	----

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1430731)						
Alkalinity, total (as CaCO3)	----	E290	1	mg/L	<1.0	----
Physical Tests (QCLot: 1436348)						
Solids, total dissolved [TDS]	----	E162	10	mg/L	<10	----
Physical Tests (QCLot: 1436366)						
Solids, total suspended [TSS]	----	E160	3	mg/L	<3.0	----
Anions and Nutrients (QCLot: 1430723)						
Chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	----
Anions and Nutrients (QCLot: 1430724)						
Fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 1430725)						
Sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	<0.30	----
Anions and Nutrients (QCLot: 1430726)						
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	<0.050	----
Anions and Nutrients (QCLot: 1430727)						
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	<0.0010	----
Anions and Nutrients (QCLot: 1430729)						
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	<0.0050	----
Anions and Nutrients (QCLot: 1432495)						
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	<0.0020	----
Anions and Nutrients (QCLot: 1432496)						
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	----
Anions and Nutrients (QCLot: 1432498)						
Nitrogen, total	7727-37-9	E366	0.03	mg/L	<0.030	----
Organic / Inorganic Carbon (QCLot: 1432493)						
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	<0.50	----
Total Sulfides (QCLot: 1436762)						
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	----
Total Metals (QCLot: 1430346)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	----
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	----
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	----
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	----

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1430346) - continued						
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	----
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	----
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	----
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	----
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	----
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	----
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	----
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	----
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	----
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	----
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	----
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	----
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	----
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	----
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	----
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	----
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	----
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	----
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	----
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	----
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	----
Silver, total	7440-22-4	E420	0.00001	mg/L	# 0.000017	B
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	----
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	----
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	----
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	----
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	----
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	----
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	----
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	----
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	----
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	----
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	----
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	----
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	----

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1432206)						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	----
Dissolved Metals (QCLot: 1430310)						
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	----
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	----
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	----
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	----
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	----
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	----
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	----
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.0000050	----
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	----
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	----
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	----
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	----
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	----
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	----
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	----
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	----
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	----
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	----
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	----
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	----
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	----
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	----
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	----
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	----
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	----
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	----
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	----
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	----
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	----
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	----
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	----
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	----
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	----

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1430310) - continued						
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	----
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	----
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	----
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	----
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	----
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	----
Dissolved Metals (QCLot: 1432318)						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	----
Speciated Metals (QCLot: 1432420)						
Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.0005	mg/L	<0.00050	----

Qualifiers

Qualifier	Description
B	*Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.*

Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: **Water**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1430731)									
Alkalinity, total (as CaCO3)	----	E290	1	mg/L	500 mg/L	107	85.0	115	----
Physical Tests (QCLot: 1436348)									
Solids, total dissolved [TDS]	----	E162	10	mg/L	1000 mg/L	104	85.0	115	----
Physical Tests (QCLot: 1436366)									
Solids, total suspended [TSS]	----	E160	3	mg/L	150 mg/L	91.5	85.0	115	----
Anions and Nutrients (QCLot: 1430723)									
Chloride	16887-00-6	E235.Cl	0.5	mg/L	100 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 1430724)									
Fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	99.6	90.0	110	----
Anions and Nutrients (QCLot: 1430725)									
Sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 1430726)									
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	0.5 mg/L	102	85.0	115	----
Anions and Nutrients (QCLot: 1430727)									
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	97.8	90.0	110	----
Anions and Nutrients (QCLot: 1430729)									
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	2.5 mg/L	101	90.0	110	----
Anions and Nutrients (QCLot: 1432495)									
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	0.05 mg/L	94.2	80.0	120	----
Anions and Nutrients (QCLot: 1432496)									
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	104	85.0	115	----
Anions and Nutrients (QCLot: 1432498)									
Nitrogen, total	7727-37-9	E366	0.03	mg/L	0.5 mg/L	104	75.0	125	----
Organic / Inorganic Carbon (QCLot: 1432493)									
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	8.57 mg/L	98.6	80.0	120	----
Total Sulfides (QCLot: 1436762)									
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	0.08 mg/L	107	80.0	120	----
Total Metals (QCLot: 1430346)									

Sub-Matrix: **Water**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1430346) - continued									
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	103	80.0	120	----
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	108	80.0	120	----
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	111	80.0	120	----
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	107	80.0	120	----
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	104	80.0	120	----
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	101	80.0	120	----
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	101	80.0	120	----
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	104	80.0	120	----
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	103	80.0	120	----
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	107	80.0	120	----
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	106	80.0	120	----
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	----
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	103	80.0	120	----
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	# 125	80.0	120	MES
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	104	80.0	120	----
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	107	80.0	120	----
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	103	80.0	120	----
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	----
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	104	80.0	120	----
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	103	80.0	120	----
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	103	80.0	120	----
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	109	80.0	120	----
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	107	80.0	120	----
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	108	80.0	120	----
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	114	80.0	120	----
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	102	80.0	120	----
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	105	80.0	120	----
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	107	80.0	120	----
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	94.8	80.0	120	----
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	108	80.0	120	----
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	107	80.0	120	----
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	100	80.0	120	----
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	107	80.0	120	----
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	94.8	80.0	120	----
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	105	80.0	120	----
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	108	80.0	120	----

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
					Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1430346) - continued									
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	104	80.0	120	----
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	105	80.0	120	----
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	103	80.0	120	----
Total Metals (QCLot: 1432206)									
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	95.3	80.0	120	----
Dissolved Metals (QCLot: 1430310)									
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	94.9	80.0	120	----
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	105	80.0	120	----
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	99.5	80.0	120	----
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	94.4	80.0	120	----
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	96.0	80.0	120	----
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	90.8	80.0	120	----
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	92.5	80.0	120	----
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	95.5	80.0	120	----
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	94.2	80.0	120	----
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	103	80.0	120	----
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	92.9	80.0	120	----
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	92.4	80.0	120	----
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	92.8	80.0	120	----
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	89.3	80.0	120	----
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	93.2	80.0	120	----
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	92.6	80.0	120	----
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	107	80.0	120	----
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	93.9	80.0	120	----
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	101	80.0	120	----
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	93.6	80.0	120	----
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	105	80.0	120	----
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	94.4	80.0	120	----
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	95.3	80.0	120	----
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	96.4	80.0	120	----
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	99.4	80.0	120	----
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	89.7	80.0	120	----
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	98.4	80.0	120	----
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	99.4	80.0	120	----
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	90.4	80.0	120	----

Sub-Matrix: **Water**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Dissolved Metals (QCLot: 1430310) - continued									
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	100	80.0	120	----
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	95.2	80.0	120	----
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	90.8	80.0	120	----
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	98.0	80.0	120	----
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	91.2	80.0	120	----
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	93.6	80.0	120	----
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	93.4	80.0	120	----
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	95.7	80.0	120	----
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	90.9	80.0	120	----
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	97.6	80.0	120	----
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	93.8	80.0	120	----
Speciated Metals (QCLot: 1432420)									
Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.0005	mg/L	0.25 mg/L	103	80.0	120	----

Qualifiers

Qualifier	Description
MES	*Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).*

Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: **Water**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Anions and Nutrients (QCLot: 1430723)										
VA24A9791-005	Anonymous	Chloride	16887-00-6	E235.Cl	2110 mg/L	2000 mg/L	105	75.0	125	----
Anions and Nutrients (QCLot: 1430724)										
VA24A9791-005	Anonymous	Fluoride	16984-48-8	E235.F	21.4 mg/L	20 mg/L	107	75.0	125	----
Anions and Nutrients (QCLot: 1430725)										
VA24A9791-005	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	2060 mg/L	2000 mg/L	103	75.0	125	----
Anions and Nutrients (QCLot: 1430726)										
VA24A9791-005	Anonymous	Bromide	24959-67-9	E235.Br-L	10.2 mg/L	10 mg/L	102	75.0	125	----
Anions and Nutrients (QCLot: 1430727)										
VA24A9791-005	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	10.3 mg/L	10 mg/L	103	75.0	125	----
Anions and Nutrients (QCLot: 1430729)										
VA24A9833-001	SQU US 1	Nitrate (as N)	14797-55-8	E235.NO3-L	2.62 mg/L	2.5 mg/L	105	75.0	125	----
Anions and Nutrients (QCLot: 1432495)										
VA24A9833-002	SQU DS 1	Phosphorus, total	7723-14-0	E372-U	0.0467 mg/L	0.05 mg/L	93.4	70.0	130	----
Anions and Nutrients (QCLot: 1432496)										
VA24A9833-002	SQU DS 1	Ammonia, total (as N)	7664-41-7	E298	0.104 mg/L	0.1 mg/L	104	75.0	125	----
Anions and Nutrients (QCLot: 1432498)										
VA24A9833-002	SQU DS 1	Nitrogen, total	7727-37-9	E366	0.396 mg/L	0.4 mg/L	99.1	70.0	130	----
Organic / Inorganic Carbon (QCLot: 1432493)										
VA24A9833-002	SQU DS 1	Carbon, dissolved organic [DOC]	----	E358-L	5.25 mg/L	5 mg/L	105	70.0	130	----
Total Sulfides (QCLot: 1436762)										
CG2405880-001	Anonymous	Sulfide, total (as S)	18496-25-8	E395	ND mg/L	----	N/A	75.0	125	----
Total Metals (QCLot: 1430346)										
VA24A9726-002	Anonymous	Aluminum, total	7429-90-5	E420	0.187 mg/L	0.2 mg/L	93.5	70.0	130	----
		Antimony, total	7440-36-0	E420	0.0196 mg/L	0.02 mg/L	98.1	70.0	130	----
		Arsenic, total	7440-38-2	E420	0.0202 mg/L	0.02 mg/L	101	70.0	130	----
		Barium, total	7440-39-3	E420	ND mg/L	----	ND	70.0	130	----
		Beryllium, total	7440-41-7	E420	0.0376 mg/L	0.04 mg/L	93.9	70.0	130	----
		Bismuth, total	7440-69-9	E420	0.00947 mg/L	0.01 mg/L	94.7	70.0	130	----
		Boron, total	7440-42-8	E420	0.085 mg/L	0.1 mg/L	85.4	70.0	130	----
		Cadmium, total	7440-43-9	E420	0.00393 mg/L	0.004 mg/L	98.2	70.0	130	----
		Calcium, total	7440-70-2	E420	ND mg/L	----	ND	70.0	130	----
		Cesium, total	7440-46-2	E420	0.00977 mg/L	0.01 mg/L	97.7	70.0	130	----
		Chromium, total	7440-47-3	E420	0.0383 mg/L	0.04 mg/L	95.7	70.0	130	----

Sub-Matrix: **Water**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QCLot: 1430346) - continued										
VA24A9726-002	Anonymous	Cobalt, total	7440-48-4	E420	0.0189 mg/L	0.02 mg/L	94.4	70.0	130	----
		Copper, total	7440-50-8	E420	ND mg/L	----	ND	70.0	130	----
		Iron, total	7439-89-6	E420	1.90 mg/L	2 mg/L	95.1	70.0	130	----
		Lead, total	7439-92-1	E420	0.0188 mg/L	0.02 mg/L	93.9	70.0	130	----
		Lithium, total	7439-93-2	E420	0.0920 mg/L	0.1 mg/L	92.0	70.0	130	----
		Magnesium, total	7439-95-4	E420	ND mg/L	----	ND	70.0	130	----
		Manganese, total	7439-96-5	E420	0.0183 mg/L	0.02 mg/L	91.4	70.0	130	----
		Molybdenum, total	7439-98-7	E420	0.0195 mg/L	0.02 mg/L	97.7	70.0	130	----
		Nickel, total	7440-02-0	E420	0.0376 mg/L	0.04 mg/L	94.0	70.0	130	----
		Phosphorus, total	7723-14-0	E420	9.09 mg/L	10 mg/L	90.9	70.0	130	----
		Potassium, total	7440-09-7	E420	3.71 mg/L	4 mg/L	92.7	70.0	130	----
		Rubidium, total	7440-17-7	E420	0.0195 mg/L	0.02 mg/L	97.4	70.0	130	----
		Selenium, total	7782-49-2	E420	0.0411 mg/L	0.04 mg/L	103	70.0	130	----
		Silicon, total	7440-21-3	E420	9.41 mg/L	10 mg/L	94.1	70.0	130	----
		Silver, total	7440-22-4	E420	0.00393 mg/L	0.004 mg/L	98.2	70.0	130	----
		Sodium, total	7440-23-5	E420	ND mg/L	----	ND	70.0	130	----
		Strontium, total	7440-24-6	E420	ND mg/L	----	ND	70.0	130	----
		Sulfur, total	7704-34-9	E420	18.9 mg/L	20 mg/L	94.6	70.0	130	----
		Tellurium, total	13494-80-9	E420	0.0389 mg/L	0.04 mg/L	97.3	70.0	130	----
		Thallium, total	7440-28-0	E420	0.00382 mg/L	0.004 mg/L	95.6	70.0	130	----
		Thorium, total	7440-29-1	E420	0.0196 mg/L	0.02 mg/L	97.9	70.0	130	----
		Tin, total	7440-31-5	E420	0.0196 mg/L	0.02 mg/L	98.1	70.0	130	----
		Titanium, total	7440-32-6	E420	0.0369 mg/L	0.04 mg/L	92.2	70.0	130	----
		Tungsten, total	7440-33-7	E420	0.0190 mg/L	0.02 mg/L	94.9	70.0	130	----
		Uranium, total	7440-61-1	E420	0.00386 mg/L	0.004 mg/L	96.5	70.0	130	----
		Vanadium, total	7440-62-2	E420	0.0964 mg/L	0.1 mg/L	96.4	70.0	130	----
		Zinc, total	7440-66-6	E420	0.369 mg/L	0.4 mg/L	92.3	70.0	130	----
		Zirconium, total	7440-67-7	E420	0.0384 mg/L	0.04 mg/L	96.0	70.0	130	----
Total Metals (QCLot: 1432206)										
KS2401581-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000957 mg/L	0 mg/L	95.7	70.0	130	----
Dissolved Metals (QCLot: 1430310)										
VA24A9833-002	SQU DS 1	Aluminum, dissolved	7429-90-5	E421	0.196 mg/L	0.2 mg/L	97.8	70.0	130	----
		Antimony, dissolved	7440-36-0	E421	0.0197 mg/L	0.02 mg/L	98.6	70.0	130	----
		Arsenic, dissolved	7440-38-2	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	----
		Barium, dissolved	7440-39-3	E421	0.0185 mg/L	0.02 mg/L	92.4	70.0	130	----
		Beryllium, dissolved	7440-41-7	E421	0.0385 mg/L	0.04 mg/L	96.3	70.0	130	----
		Bismuth, dissolved	7440-69-9	E421	0.00908 mg/L	0.01 mg/L	90.8	70.0	130	----
		Boron, dissolved	7440-42-8	E421	0.094 mg/L	0.1 mg/L	93.5	70.0	130	----
		Cadmium, dissolved	7440-43-9	E421	0.00397 mg/L	0.004 mg/L	99.2	70.0	130	----
		Calcium, dissolved	7440-70-2	E421	3.79 mg/L	4 mg/L	94.8	70.0	130	----
		Cesium, dissolved	7440-46-2	E421	0.0101 mg/L	0.01 mg/L	101	70.0	130	----
		Chromium, dissolved	7440-47-3	E421	0.0385 mg/L	0.04 mg/L	96.3	70.0	130	----
		Cobalt, dissolved	7440-48-4	E421	0.0195 mg/L	0.02 mg/L	97.4	70.0	130	----

Sub-Matrix: **Water**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals (QCLot: 1430310) - continued										
VA24A9833-002	SQU DS 1	Copper, dissolved	7440-50-8	E421	0.0191 mg/L	0.02 mg/L	95.7	70.0	130	----
		Iron, dissolved	7439-89-6	E421	1.96 mg/L	2 mg/L	97.8	70.0	130	----
		Lead, dissolved	7439-92-1	E421	0.0186 mg/L	0.02 mg/L	92.9	70.0	130	----
		Lithium, dissolved	7439-93-2	E421	0.0926 mg/L	0.1 mg/L	92.6	70.0	130	----
		Magnesium, dissolved	7439-95-4	E421	0.971 mg/L	1 mg/L	97.1	70.0	130	----
		Manganese, dissolved	7439-96-5	E421	0.0194 mg/L	0.02 mg/L	97.0	70.0	130	----
		Molybdenum, dissolved	7439-98-7	E421	0.0195 mg/L	0.02 mg/L	97.4	70.0	130	----
		Nickel, dissolved	7440-02-0	E421	0.0398 mg/L	0.04 mg/L	99.6	70.0	130	----
		Phosphorus, dissolved	7723-14-0	E421	9.73 mg/L	10 mg/L	97.3	70.0	130	----
		Potassium, dissolved	7440-09-7	E421	4.08 mg/L	4 mg/L	102	70.0	130	----
		Rubidium, dissolved	7440-17-7	E421	0.0200 mg/L	0.02 mg/L	100	70.0	130	----
		Selenium, dissolved	7782-49-2	E421	0.0388 mg/L	0.04 mg/L	97.1	70.0	130	----
		Silicon, dissolved	7440-21-3	E421	9.40 mg/L	10 mg/L	94.0	70.0	130	----
		Silver, dissolved	7440-22-4	E421	0.00388 mg/L	0.004 mg/L	97.0	70.0	130	----
		Sodium, dissolved	7440-23-5	E421	1.96 mg/L	2 mg/L	97.9	70.0	130	----
		Strontium, dissolved	7440-24-6	E421	ND mg/L	----	ND	70.0	130	----
		Sulfur, dissolved	7704-34-9	E421	19.1 mg/L	20 mg/L	95.3	70.0	130	----
		Tellurium, dissolved	13494-80-9	E421	0.0400 mg/L	0.04 mg/L	100	70.0	130	----
		Thallium, dissolved	7440-28-0	E421	0.00374 mg/L	0.004 mg/L	93.5	70.0	130	----
		Thorium, dissolved	7440-29-1	E421	0.0188 mg/L	0.02 mg/L	94.2	70.0	130	----
		Tin, dissolved	7440-31-5	E421	0.0195 mg/L	0.02 mg/L	97.7	70.0	130	----
		Titanium, dissolved	7440-32-6	E421	0.0397 mg/L	0.04 mg/L	99.2	70.0	130	----
		Tungsten, dissolved	7440-33-7	E421	0.0188 mg/L	0.02 mg/L	94.1	70.0	130	----
		Uranium, dissolved	7440-61-1	E421	0.00366 mg/L	0.004 mg/L	91.5	70.0	130	----
		Vanadium, dissolved	7440-62-2	E421	0.0995 mg/L	0.1 mg/L	99.5	70.0	130	----
		Zinc, dissolved	7440-66-6	E421	0.390 mg/L	0.4 mg/L	97.6	70.0	130	----
		Zirconium, dissolved	7440-67-7	E421	0.0387 mg/L	0.04 mg/L	96.7	70.0	130	----
Dissolved Metals (QCLot: 1432318)										
VA24A9833-002	SQU DS 1	Mercury, dissolved	7439-97-6	E509	0.0000938 mg/L	0 mg/L	93.8	70.0	130	----
Speciated Metals (QCLot: 1432420)										
VA24A9833-001	SQU US 1	Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.255 mg/L	0.25 mg/L	102	70.0	130	----

Chain of Custody (COC) / Analytical Request Form

ALS Environmental
www.alsglobal.com

Canada Toll Free: 1 800 668 9878

Affix ALS barcode label here (lab use only)

COC Number: 17 -

Page 1 of

Report To	Contact and company name below will appear on the final report	Report Format / Distribution	Select Service Level Below - Contact your AM to confirm all E&P TATs (surcharges may apply)
Company:	Triton Environmental	Select Report Format: ☑ PDF ☑ EXCEL ☐ EDD (DIGITAL)	Regular [R] ☑ Standard TAT if received by 3 pm - business days - no surcharges apply
Contact:		Quality Control (QC) Report with Report ☑ ☐ NO	PRIORITY (Business Days): 4 day [P4-20%] ☐ / 3 day [P3-25%] ☐ / 2 day [P2-50%] ☐
Phone:		☑ Compare Results to Criteria on Report - provide details below if box checked	EMERGENCY: 1 Business day [E1 - 100%] ☐ / Same Day, Weekend or Statutory holiday [E2 - 200% (Laboratory opening fees may apply)] ☐
	n the final report	Select Distribution: ☑ EMAIL ☐ MAIL ☐ FAX	
Street:		Email 1 or Fax	Date and Time Required for all E&P TATs: dd-mmm-yy hh:mm
City/Province:		Email 2	or tests that can not be performed according to the service level selected, you will be contacted.
Postal Code:		Email 3	

Invoice To	Same as Report To ☐ YES ☑ NO	Invoice Distribution	Analysis Request
	Copy of Invoice with Report ☐ YES ☑ NO	Select Invoice Distribution: ☑ EMAIL ☑ MAIL ☑ FAX	Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below
Company:		Email 1 or Fax	
Contact:		Email 2	

Project Information		Oil and Gas Required Fields (client use)	
ALS Account # / Quote #:	VA23-TRIT100-~~000~~ 018	AFE/Cost Center:	PO#
Job #:	11964	Major/Minor Code:	Routing Code:
PO / AFE:	11964 - Task 20 - Phase 3C-4C	Requisitioner:	
LSD:		Location:	
ALS Lab Work Order # (lab use only):		ALS Contact:	Sampler:

ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	Total metals + mercury	Dissolved metals + mercury	Total hexavalent chromium	Total trivalent chromium	TSS	TDS	Nutrients (ammonia, ammonium, total nitrogen, total phosphorus)	Total sulfide (as H2S), Unionized Sulfide (lab)	Anions scan (Br, Cl, F, NO2, NO3, SO4)	General parameters (alkalinity)	DOC					SAMPLES ON HOLD	Sample is hazardous (please provide further details	NUMBER OF CONTAINERS
						F					P	P			F/P							
	SQU US 1	06-May-24	10:07	Water	R	R	R	R	R	R	R	R	R	R	R						N	9
	pH: 7.57 cond: 43mS/cm temp: 5.9°C		~~10:35~~																			
	SQU DS 1	06-May-24	10:35	Water	R	R	R	R	R	R	R	R	R	R	R						N	9
	pH: 7.47 cond: 40mS/cm temp: 6.4°C																					
	Duplicate N/A			~~Water~~	R	R	R	R	R	R	R	R	R	R	R						N	0
	Field Blank N/A			~~Water~~	R	R	R	R	R	R	R	R	R	R	R						N	0
	Trip Blank N/A			~~Water~~	R		R	R	R	R	R	R	R	R							N	6

Environmental Division
Vancouver
Work Order Reference
VA24A9833

Telephone : +1 604 253 4188

Drinking Water (DW) Samples[1] (client use)	Special Instructions / Specify
Are samples taken from a Regulated DW System? ☐ ☑ NO	
Are samples for human consumption/ use? ☐ ☑ NO	Triton Project # 11964

own list below

SAMPLE CONDITION AS RECEIVED (lab use only)

Frozen ☐ SIF Observations Yes ☐ No ☐
Ice Packs ☑ Ice Cubes ☐ Custody seal intact Yes ☐ No ☐
Cooling Initiated ☐

INITIAL COOLER TEMPERATURES °C			FINAL COOLER TEMPERATURES °C			
			11			

SHIPMENT RELEASE (client use)			INITIAL SHIPMENT RECEPTION (lab use only)			FINAL SHIPMENT RECEPTION (lab use only)		
Released by:	May 06, 2024	Time: 13:00	Received by:	Date:	Time:	Received by: AS	Date: 5/6/23	Time: 1pm

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION WHITE - LABORATORY COPY YELLOW - CLIENT COPY SEPT 2017 FRONT

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

BCR Site Receiving Environment Field Notes and Logs

FortisBC Eagle Mountain-Woodfibre Gas Pipeline

Water Discharge Authorization Water Quality Monitoring

2024-5-6-Blanchard-4C5A0

Project Component:	Tunnel	**Site Name:**	Receiving Environment - Downstream of Discharge
Inspection Date:	05/06/2024	**Location:**	BC Rail Site
Triton QP:	Sam Blanchard	**Latitude/Longitude:**	49.725282 -123.165175
Temperature(c):	Low 6 High 12	**Permit:**	AE 111824
Weather Conditions:	Overcast	**Ground Conditions:**	Damp

Observations

Time: 10:36:00 **Flow Volume (visual):** high

Notes: Flow rate higher than normal.

Odour Detected?:	No	**Notes:**	
Unusual Colour?	Yes	**Notes:**	
Unusual Observations?	No	**Notes:**	River appeared moderately turbid.
Sheen on Water?	No	**Notes:**	

Samples Collected - Parameters

Total Metals + Mercury	Yes	**General Parameters (Alkalinity)**	Yes	**Other Sample:**	Total CrVI
Dissolved Metals + Mercury	Yes	**Total Sulfide, Unionized Sulfide**	Yes		
TSS	Yes	**Anions**	Yes		
TDS	Yes	**VOC/VPH**	N/A	**QA Samples:**	No
					Total CrVI
Nutrients	Yes	**EPH, PAH, LEPH/HEPH**	N/A		
DOC	Yes	**Trout LC50**	N/A		

Logger Maintenance

Logger Maintenance Performed?	Yes	**Photo of COC with Lab Signature?**	Yes

Describe Logger Maintenance

Wiped sensors and scrubbed inside logger casing.

Photos

Photo: 1

Location: SQU DS1

Description: Upstream view

Photo: 2

Location: SQU DS1

Description: Downstream view

Photos

Photo: 3

Location: SQU DS1

Description: Across view



Photo: 4

Location: SQU DS1

Description: CoC

Sign Off

Report Prepared By:	Sam Blanchard	**Report Reviewed:**	
Report Reviewer:		**Professional(s) of Record:**	
Name:			
Designation:			
Designation Number:			

FortisBC Eagle Mountain-Woodfibre Gas Pipeline

Water Discharge Authorization Water Quality Monitoring

2024-5-6-Blanchard-BEE16

Project Component:	Tunnel	**Site Name:**	Receiving Environment - Upstream of Discharge
Inspection Date:	05/06/2024	**Location:**	BC Rail Site
Triton QP:	Sam Blanchard	**Latitude/Longitude:**	49.726866 -123.163912
Temperature(c):	Low 6 High 12	**Permit:**	AE 111824
Weather Conditions:	Overcast	**Ground Conditions:**	Damp

Observations

Time: 10:07:00 **Flow Volume (visual):** high

Notes: Flow rate higher than normal

Odour Detected?:	No	**Notes:**	
Unusual Colour?	Yes	**Notes:**	
Unusual Observations?	No	**Notes:**	Water slightly turbid
Sheen on Water?	No	**Notes:**	

Samples Collected - Parameters

Total Metals + Mercury	Yes	**General Parameters (Alkalinity)**	Yes	**Other Sample:**	Total CrVI
Dissolved Metals + Mercury	Yes	**Total Sulfide, Unionized Sulfide**	Yes		
TSS	Yes	**Anions**	Yes		
TDS	Yes	**VOC/VPH**	N/A	**QA Samples:**	No
					Total CrVI
Nutrients	Yes	**EPH, PAH, LEPH/HEPH**	N/A		
DOC	Yes	**Trout LC50**	N/A		

Logger Maintenance

Logger Maintenance Performed?	Yes	**Photo of COC with Lab Signature?**	Yes

Describe Logger Maintenance

Cleaned sensor and scrubbed housing

Photos

Photo: 1

Location: SQU US1

Description: Upstream view

Photo: 2

Location: SQU US1

Description: Downstream view

Photos

Photo: 3

Location: SQU US1

Description: Upstream view



Photo: 4

Location: SQU US1

Description: CoC

Sign Off

Report Prepared By:	Sam Blanchard	**Report Reviewed:**	
Report Reviewer:		**Professional(s) of Record:**	
Name:			
Designation:			
Designation Number:			

Appendix C: Woodfibre Site Point of Discharge from Water Treatment Plant Documentation

Woodfibre Site Batch Sample Analysis

Woodfibre Site Batch Sample Lab Documentation

Woodfibre Site WTP Discharge Field Notes and Logs

Appendix D: Woodfibre Site Receiving Environment Documentation

Woodfibre Site Receiving Environment Sample Analysis

TRITON Environmental Consultants	Sample ID	Reviewed and signed off by:			Adam Goodwin R.P. Bio., MSc	WLNG US1 (Upstream)	WLNG DS 1 (Downstream)	Sample or value notes	BCWQ FAL - Short Term	BCWQ FAL - Long Term	BCWQ MAL - Short Term	BCWQ MAL - Long Term
	LAB ID					VA24B0042-002	VA24B0042-001					
	Date Sampled					07-May-2024	07-May-2024					
	Time Sampled					14:30	13:45					
Analyte	Units	BCAWWQG-FAL-LT [1,2]	BCAWWQG-FAL-ST [1,2]	BCAWWQG-MAL-ST [1]	BCAWWQG-MAL-LT [1,2]	Water	Water		Guideline notes			
						N/A	N/A					
In Situ Parameters												
pH (field)	pH units	6.5-9.0	6.5-9.0	7.0-8.7	7.0-8.7	6.97	7.09	The upstream location is below the short-term and long-term BCWG for MAL.	If natural pH < 6.5, no statisticaly significant decrease from background. No restriction in increase except in areas with unique flora or fauna. Unrestricted change permitted within range of 6.5 to 9.0. If natural pH > 9.0, no statistically significant increase from background. Refer to BC Water Quality Guidelines for more information.		Unrestricted change within this range (for protection of mollusc embryo development).	
Temperature (field)	°C	-	Max +/- from BKG 1°C, hourly rate of change <0.5°C [4]	Max +/- from BKG 1°C, hourly rate of change <0.5°C [4]	-	9.9	11.4		Guideline is species-dependent. Short-term daily temperature guideline is 19°C for streams with unknown fish distribution. Refer to footnote 4 for background temperature range for the Squamish River. Refer to BC Water Quality Guidelines for more information Hourly rate of change not to exceed 1°C. Calculation: BCR US value +/- 1 = guideline range		Guideline for marine waters are based on natural ambient conditions. Max and min. 1°C change from natural condition. Natural temperature cycle characteristic of the site should not be altered in amplitude or frequency by human activities. Max rate of any human-induced temperature change not to exceed 0.5°C hourly. treams with unknown fish distribution. Refer to footnote 4 for background temperature range for the Squamish River. Calculation: BCR US value +/- 1 = guideline range	
Conductivity (field)	µS/cm	-	-	-	-	22	24					
Turbidity (field)	NTU	Varies with background, see note Lowest value for guideline is 3 NTU	Varies with background, see note Lowest value for guideline is 9 NTU	Varies with background, see note Lowest value for guideline is 9 NTU	Varies with background, see note Lowest value for guideline is 3 NTU	1.66	1.56		Change from background of 8 NTU at any one time for a duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 8 = BCR DS guideline Change from background of 5 NTU at any time when background is 8 - 50 NTU during high flows or in turbid waters. Calculation: BCR US value + 5 = BCR DS guideline Change from background of 10% when background is > 50 NTU at any time during high flows or in turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 2 NTU at any one time for 30 days in clear flows. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.	Change from background of 8 NTU at any one time for a duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 8 = BCR DS guideline Change from background of 5 NTU at any time when background is 8 - 50 NTU during high flows or in turbid waters. Calculation: BCR US value + 5 = BCR DS guideline Change from background of 10% when background is > 50 NTU at any time during high flows or in turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 2 NTU at any one time for 30 days in clear flows. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.
Dissolved Oxygen (field)	mg/L	Varies with life stage, see note	Varies with life stage, see note	Varies with life stage, see note	Varies with life stage, see note	10.60	10.64		Buried embryo/alevin minimum 9 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embryo/alevin minimum 11 mg/L, all other life stages 8 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embryo/alevin minimum 9 mg/L, all other life stages 5 mg/L. Refer to BC Water Quality Guidelines for more information.	Buried embryo/alevin minimum 11 mg/L, all other life stages 8 mg/L. Refer to BC Water Quality Guidelines for more information.
General Parameters												
Hardness (as CaCO3) (total)	mg/L	-	-	-	-	5.48	6.37					
Total Dissolved Solids	mg/L	-	-	-	-	22	19					
Total Suspended Solids	mg/L	Varies with background, see note Lowest value for guideline is 6mg/L	Varies with background, see note Lowest value for guideline is 26mg/L	Varies with background, see note Lowest value for guideline is 26mg/L	Varies with background, see note Lowest value for guideline is 6mg/L	< 3.0	< 3.0		Change from background of 25 mg/L at any one time for duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 25 = BCR DS guideline Change from background of 10 mg/L at any one time when background 25-100 mg/L during high flows or turbid waters. Calculation: BCR US value + 10 = BCR DS guideline Change from background of 10% when background is > 100 mg/L at any time during high flows or turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 5 mg/L @ one time for a druation of 30 days in clear flow. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.	Change from background of 25 mg/L at any one time for duration of 24 h in all waters during clear flows or in clear waters. Calculation: BCR US value + 25 = BCR DS guideline Change from background of 10 mg/L at any one time when background 25-100 mg/L during high flows or turbid waters. Calculation: BCR US value + 10 = BCR DS guideline Change from background of 10% when background is > 100 mg/L at any time during high flows or turbid waters. Calculation: BCR US value + (BCR US value*0.1) = BCR DS guideline	Change from background of 5 mg/L @ one time for a druation of 30 days in clear flow. Note that a rolling average of BCR US values over a 30-day period is required to properly calculate this guideline. Guideline calculated in this spreadsheet using BCR US concentration at the time of sampling.
Dissolved Organic Carbon (DOC)	mg/L	-	-	-	-	2.24	2.07			Long-term (30-day) median within 20% of background median [3]		
Total Alkalinity ($CaCO_3$)	mg/L	Categorical	-	-	-	5.3	6	The upstream and downstream locations have high sensitivity to acid inputs (i.e. low buffering capacity).		Guideline is for alkalinity (as CaCO3) and categorizes the sensitivity of a water body to acid inputs. Alkalinity < 10 mg/L is considered highly sensitive to acid inputs; 10 - 20 mg/L is considered moderately sensitive to acid inputs; > 20 mg/L is considered low sensitivity.		
Total Sulfide (as S)	mg/L	-	-	-	-	< 0.0015	< 0.0015					
Total Sulfide (un-ionized as H2S)	mg/L	0.002	-	-	-	< 0.0015	< 0.0015			Working guideline		
Total Sulfide (as H2S)	mg/L	-	-	-	-	< 0.0016	< 0.0016					
Anions and Nutrients												
Ammonia	mg/L ammonia-N	Varies with pH and temperature. See note.	Varies with pH and temperature. See note.	Varies with pH, temperature and salinity. See note.	Varies with pH, temperature and salinity. See note.	< 0.0050	< 0.0050		Guideline for ammonia as N and is pH and temperature dependent. Refer to Table 27D in BC WQG for guideline values.	Guideline for ammonia as N and is pH and temperature dependent. Refer to Table 27C in BC WQG for guideline values.	Guideline for ammonia as N. Guideline is pH, temperature and salinity dependent. Refer to Table 27F in BC WQG for guideline values.	Guideline for ammonia as N. Guideline is pH, temperature and salinity dependent. Refer to Table 27E in BC WQG for guideline values.
Bromide	mg/L	-	-	-	-	< 0.050	< 0.050					
Chloride	mg/L	150	600	> 110% of background	< 90% of background	< 0.50	0.51				Human activities should not cause the chloride of marine and estuarine waters to fluctuate by more than 10% of the natural chloride expected at that time and depth.	Human activities should not cause the chloride of marine and estuarine waters to fluctuate by more than 10% of the natural chloride expected at that time and depth.
Fluoride	mg/L	-	Varies with hardness	1.5	-	< 0.020	0.021		Guideline has interim status. Guideline is calculated with the following equation: Guideline = [-51.73 + 92.57 log10 (hardness)] * 0.01			
Nitrate (as N)	mg/L	3	32.8	-	3.7	< 0.0050	0.0051					
Nitrite (as N)	mg/L	Varies with chloride. See note.	Varies with chloride. See note.	-	-	< 0.0010	< 0.0010		Varies with chloride. Refer to Table 27B in BC WQG for guideline values.	Varies with chloride. Refer to Table 27B in BC WQG for guideline values.		
Total Nitrogen	mg/L	-	-	-	-	0.057	0.059					
Total Phosphorous	mg/L	0.005 to 0.015	-	-	-	0.0049	0.0053			Guideline is for lakes, refer to BCWQ guideline for nutrients and algae for more information. Guideline does not apply to site.		
Sulfate (as SO4)	mg/L	Varies with hardness. See note.	-	-	-	1.65	1.92			Guidelines for hardness ranges below: Hardness 0 - 30: 128 Hardness 31 - 75: 218 Hardness 76 - 180: 309 Hardness 181 - 250: 429		
Total Metals												
Aluminum (Al)-Total	mg/L	Varies with pH, DOC, hardness	-	-	-	***0.078***	***0.0764***	**Note that the Upstream hardness value was below the limits of the LT guideline equation. The minimum hardness of 10 mg/L was used to calculate the guideline. As a result, the Upstream location exceeds the long-term BCWG for FAL. When entered in the 5-week rolling average LT excel spreadsheet, the upstream location remains exceeding the long-term BCWG for FAL.** However for the downstream location, even though the sample exceeds the long-term BCWG for FAL, when entered in the 5-week rolling average LT excel spreadsheet, the downstream location does not exceed the long-term BCWG for FAL. Discharge from WLNG has not begun full-time. These impacts are not attributable to WLNG discharge activities and may be characteristic of East Creek and the local geology.		Guideline varies with pH, hardness and Dissolved Organic Carbon (DOC). Guideline is calculated with the following equation: Guideline = (EXP((0.645 * LN(DOC)) + (2.255 * LN(hardness)) + (1.995 * pH) + (-0.284 * (LN(hardness) * pH))-9.898)/3/1000) If hardness or DOC is below the hardness range, the minimum hardness or DOC will be applied in the calculation.		
Antimony (Sb)-Total	mg/L	0.074	0.25	-	-	< 0.00010	< 0.00010					
Arsenic (As)-Total	mg/L	0.005	-	-	0.0125	0.00011	0.00011					Interim guideline status
Barium (Ba)-Total	mg/L	1	-	-	-	0.00249	0.00347			Working guideline status		
Beryllium (Be)-Total	mg/L	0.00013	-	-	0.100	< 0.000100	< 0.000100			Working guideline status		Working guideline status
Bismuth (Bi)-Total	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Boron (B)-Total	mg/L	1.2	-	-	1.2	< 0.010	< 0.010					
Cadmium (Cd)-Total	mg/L	-	-	-	0.00012	< 0.0000050	0.0000055					Working guideline status
Calcium (Ca)-Total	mg/L	-	-	-	-	1.86	2.19					
Cesium (Cs)-Total	mg/L	-	-	-	-	< 0.000010	< 0.000010					
Chromium (Cr) - Total	mg/L	-	-	-	-	< 0.00050	< 0.00050					
Chromium (Cr(III))-Total	mg/L	0.0089	-	-	0.056	< 0.00050	< 0.00050			Working guideline status		Working guideline status
Chromium (Cr(VI))-Total	mg/L	0.001	-	-	0.0015	< 0.00050	< 0.00050			Working guideline status		Working guideline status
Cobalt (Co)-Total	mg/L	0.004	0.11	-	-	< 0.00010	< 0.00010					
Copper (Cu)-Total	mg/L	-	-	0.003	0.002	0.00055	0.00052					
Iron (Fe)-Total	mg/L	-	1	-	-	0.036	0.041					
Lead (Pb)-Total	mg/L	Varies with hardness. See Note.	Varies with hardness. See Note.	0.14	0.002	< 0.000050	< 0.000050		Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline is 0.003 where hardness ≤8mg/L. Guideline uses equation EXP[1.273*on(hardness)-1.460] where hardness is 8-360 mg/L. Lowest value for guideline is 0.003 mg/L.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. Guideline equation EXP[1.273*on(hardness)-4.704] applies to samples with hardness 8-360 mg/L.		
Lithium (Li)-Total	mg/L	-	-	-	-	< 0.0010	< 0.0010					
Magnesium (Mg)-Total	mg/L	-	-	-	-	0.203	0.218					
Manganese (Mn)-Total	mg/L	Varies with hardness	Varies with hardness	-	-	0.00197	0.00206		Guideline varies with hardness. The guideline is calculated using the following equation: Guideline = (0.0044 * hardness + 0.605) Guideline applies to samples with hardness 25-259 mg/L. Lowest value for guideline is 0.77 mg/L. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.	Guideline varies with hardness, refer to BC Water Quality Guidelines for more information. The guideline is calculated using the following formula: Guideline = (0.01102 * hardness + 0.54) Guideline applies to samples with hardness 37-450 mg/L. Lowest value for guideline is 0.81 mg/L. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.		
Mercury (Hg)-Total	mg/L	Varies with methyl mercury	-	-	-	< 0.0000050	< 0.0000050			When MeHg ≤ 0.5% of total Hg, guideline is equal to 0.02 mg/L Guideline = 0.1/[MeHg/totalHg]. When MeHg ≤ 0.5% of total Hg, guideline is equal to 0.02 mg/L		
Molybdenum (Mo)-Total	mg/L	7.6	46	-	-	0.000366	0.000597					
Nickel (Ni)-Total	mg/L	Varies with hardness	-	-	0.0083	< 0.00050	< 0.00050			Working guideline status. Guideline varies with hardness. Refer to BC Water Quality Guidelines for more information. Hardness 0 ≤ 60: 0.025 Hardness > 60 ≤ 180: Guideline = (EXP((0.76 * (LN(hardness)) + 1.06))/1000) Hardness ≥ 180: 0.15		Working guideline status
Phosphorus (P)-Total	mg/L	0.005 to 0.015	-	-	-	< 0.050	< 0.050			Guideline only applies to lakes with salmonid species being the dominant fish species. Guideline is for reference only and does not apply to site.		
Potassium (K)-Total	mg/L	-	-	-	-	0.143	0.158					
Rubidium (Rb)-Total	mg/L	-	-	-	-	0.0002	0.0003					
Selenium (Se)-Total	mg/L	0.002	-	-	0.002	< 0.000050	< 0.000050			Guideline for freshwater aquatic life (water column). Alert concentration is 0.001 mg/L, with separate guideliens for sediment, invertebrate and fish tissue. Refer to BC Water Quality Guidelines for more information on guideliens and sampling guidance.		Guideline for marine aquatic life (water column). Alert concentration is 0.001 mg/L, with separate guideliens for sediment, invertebrate and fish tissue. Refer to BC Water Quality Guidelines for more information on guideliens and sampling guidance.
Silicon (Si)-Total	mg/L	-	-	-	-	4.09	4.19					
Silver (Ag)-Total	mg/L	Varies with hardness, see note	Varies with hardness, see note	0.003	0.0015	< 0.000010	< 0.000010		Varies with hardness Guideline ranges: Hardness ≤ 100: 0.0001 Hardness > 100: 0.003	Varies with hardness Guideline ranges: Hardness ≤ 100: 0.00005 Hardness > 100: 0.0015		Guideline applies to open coast and estuaries. Guideline is applicable to the EGP site.
Sodium (Na)-Total	mg/L	-	-	-	-	1.33	1.32					
Strontium (Sr)-Total	mg/L	-	-	-	-	0.0105	0.0107					
Sulfur (S)-Total	mg/L	-	-	-	-	< 0.50	< 0.50					
Tellurium (Te)-Total	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Thallium (Tl)-Total	mg/L	0.0008	-	-	-	< 0.000010	< 0.000010			30-day average, site-specific objective for the lower Columbia River, BC. Guideline is for reference only and does not apply to tnhe EGP site.		
Thorium (Th)-Total	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Tin (Sn)-Total	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Titanium (Ti)-Total	mg/L	-	-	-	-	0.00064	0.00076					
Tungsten (W)-Total	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Uranium (U)-Total	mg/L	0.0085	-	-	-	0.000078	0.000085			Working guideline status		
Vanadium (V)-Total	mg/L	-	-	-	0.050	< 0.00050	< 0.00050					Working guideline status
Zinc (Zn)-Total	mg/L	-	-	0.055	0.010	< 0.0030	< 0.0030					
Zirconium (Zr)-Total	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Dissolved Metals												
Aluminum (Al)-Dissolved	mg/L	-	-	-	-	0.0644	0.0612					
Antimony (Sb)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Arsenic (As)-Dissolved	mg/L	-	-	-	-	< 0.00010	0.0001					
Barium (Ba)-Dissolved	mg/L	-	-	-	-	0.00233	0.00352					
Beryllium (Be)-Dissolved	mg/L	-	-	-	-	< 0.000100	< 0.000100					
Bismuth (Bi)-Dissolved	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Boron (B)-Dissolved	mg/L	-	-	-	-	< 0.010	< 0.010					
Cadmium (Cd)-Dissolved	mg/L	Varies with hardness, see note	Varies with hardness, see note	-	-	0.000006	0.0000059		Guideline is hardness dependent. Guideline is appilcable to water hardness between 7.0 and 455 mg/L. Guideline is calculated with the following formula: Guideline = (EXP(1.03 * (LN(hardness)) - 5.274)/1000) Lowest value for guideline is 0.000018 mg/L. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.	Guideline is hardness dependent. Guideline is applicable to hardness between 3.4 and 285 mg/L. Guideline is calculated with the following formula: Guideline = (EXP(0.736 * (LN(hardness)) - 4.943)/1000) Lowest value for guiedeline is 0.00004. If hardness is below the hardness range, the minimum hardness will be applied in the calculation.		
Calcium (Ca)-Dissolved	mg/L	Categorical, see note	-	-	-	1.85	2.16	The upstream and downstream locations have high sensitivity to acid inputs (i.e. low buffering capacity).		Guideline categorizes the sensitivity of a water body to acid inputs (i.e. buffering capacity). Standard is 4 mg/L dissolved Ca for the most sensitive waterbodies,5 - 8 mg/L for waterbodies with moderate sensitivity to acid inputs. Waterbodies with dissolved calcium > 8mg/L are considered to have low sensitivity to acid inputs.		
Cesium (Cs)-Dissolved	mg/L	-	-	-	-	< 0.000010	< 0.000010					
Chromium (Cr)-Dissolved	mg/L	-	-	-	-	< 0.00050	< 0.00050					
Cobalt (Co)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Copper (Cu)-Dissolved	mg/L	Guideline varies with other parameters, see note	Guideline varies with other parameters, see note	-	-	***0.00052***	***0.00048***	**Upstream and downstream locations exceed the 5-week rolling average long-term BCWG for FAL. Discharge from WLNG has not begun full-time. These impacts are not attributable to WLNG discharge activities and may be characteristic of East Creek and the local geology.**	Guideline varies with other parameters and is calculated using BC BLM software. Simplified model: Temperature, pH, DOC and hardness Detailed model: Temperature, pH, DOC, humic acid content, total calcium, total magnesium, total sodium, total potassium, sulphate, chloride, and alkalinity Guideline calculated using values for parameters above taken at the specific site on each sampling date	Guideline varies with other parameters and is calculated using BC BLM software. Simplified model: Temperature, pH, DOC and hardness Detailed model: Temperature, pH, DOC, humic acid content, total calcium, total magnesium, total sodium, total potassium, sulphate, chloride, and alkalinity Guideline calculated using values for parameters above taken at the specific site on each sampling date		
Iron (Fe)-Dissolved	mg/L	-	0.35	-	-	0.022	0.025					
Lead (Pb)-Dissolved	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Lithium (Li)-Dissolved	mg/L	-	-	-	-	< 0.0010	< 0.0010					
Magnesium (Mg)-Dissolved	mg/L	-	-	-	-	0.201	0.216					
Manganese (Mn)-Dissolved	mg/L	-	-	-	-	0.00143	0.00166					
Mercury (Hg)-Dissolved	mg/L	-	-	-	-	< 0.0000050	< 0.0000050					
Molybdenum (Mo)-Dissolved	mg/L	-	-	-	-	0.000342	0.000592					
Nickel (Ni)-Dissolved	mg/L	-	-	-	-	< 0.00050	< 0.00050					
Phosphorus (P)-Dissolved	mg/L	-	-	-	-	< 0.050	< 0.050					
Potassium (K)-Dissolved	mg/L	-	-	-	-	0.143	0.164					
Rubidium (Rb)-Dissolved	mg/L	-	-	-	-	0.00021	0.00028					
Selenium (Se)-Dissolved	mg/L	-	-	-	-	< 0.000050	< 0.000050					
Silicon (Si)-Dissolved	mg/L	-	-	-	-	3.97	4.19					
Silver (Ag)-Dissolved	mg/L	-	-	-	-	< 0.000010	< 0.000010					
Sodium (Na)-Dissolved	mg/L	-	-	-	-	1.29	1.32					
Strontium (Sr)-Dissolved	mg/L	-	-	-	-	0.0102	0.0105					
Sulfur (S)-Dissolved	mg/L	-	-	-	-	< 0.50	< 0.50					
Tellurium (Te)-Dissolved	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Thallium (Tl)-Dissolved	mg/L	-	-	-	-	< 0.000010	< 0.000010					
Thorium (Th)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Tin (Sn)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Titanium (Ti)-Dissolved	mg/L	-	-	-	-	< 0.00030	< 0.00030					
Tungsten (W)-Dissolved	mg/L	-	-	-	-	< 0.00010	< 0.00010					
Uranium (U)-Dissolved	mg/L	-	-	-	-	0.000074	0.00008					
Vanadium (V)-Dissolved	mg/L	-	-	-	-	< 0.00050	< 0.00050					
Zinc (Zn)-Dissolved	mg/L	Varies with pH, DOC, hardness	Varies with DOC and hardness	-	-	0.0012	0.0016		Guideline varies with DOC and hardness. Guideline is calculated using the following formula: Guideline = (EXP((0.833 * (LN(hardness))) + (0.24 * (LN(DOC))) + 0.526)/2/1000) If hardness or DOC is below the hardness or DOC range, the minimum hardness or DOC will be applied in the calculation.	Guideline varies with pH, hardness and Dissolved Organic Carbon (DOC). Guideline is calculated using the following formula: Guideline = (EXP((0.974 * (LN(hardness))) - (0.815 * pH) + (0.398 * (LN(DOC))) + 4.625)/2/1000) Guideline only applies to water with pH between 6.5 and 8.13, DOC between 0.3 and 22.9 mg/L, anmd hardness between 23.4 and 399 mg/L. If hardness or DOC is below the hardness or DOC range, the minimum hardness or DOC will be applied in the calculation.		
Zirconium (Zr)-Dissolved	mg/L	-	-	-	-	< 0.00020	< 0.00020					
Applied Guideline:		**British Columbia Approved and Working Water Quality Guidelines (NOV 2023) - BCAWWQG - Freshwater Aquatic Life** **British Columbia Approved and Working Water Quality Guidelines (NOV 2023) - BCAWWQG - Marine Aquatic Life**										
Color Key:	Exceeds BCAWWQG Short and Long-Term Guideline	*Exceeds BCAWWQG Long term Guideline*	Exceeds BCAWWQG Short term Guideline	Exceeds BCAWWQG MAL Short term Guideline	*Exceeds BCAWWQG MAL Long term Guideline*							
Color Key:				Exceeds BCAWWQG MAL Short and Long-term Guidelines	Exceeds both BCAWWQG FAL and MAL Guidelines							

[1]BC MOECCS. 2023. BC Water Qualtiy Guidelines for the Protection of Aquatic Life, Wildlife & Agriculture. Accessed from: wqg_summary_aquaticlife_wildlife_agri.pdf (gov.bc.ca)
[2]BC MOECCS. 2021. BC Working Water Qualtiy Guidelines for the Protection of Aquatic Life, Widlife & Agriculture. Accessed from: bc_env_working_water_quality_guidelines.pdf (gov.bc.ca)
[3]Note that long-term guidelines apply to averaged data to account for chronic impacts to aquatic life. Ideally, five samples collected at evenly spaced intervals over 30 days is considered to be the minimum number needed to calculate the long-term average of any parameter, though this may vary by parameter and site conditions. Long-term guidelines applied here are for reference only and may not indicate chronic impacts to aquatic life if exceedances occur in the short term.
[4]Background temperature ranges: Dec-Feb: 2.0-4.0C; Mar-Apr: 4.0-6.0C; May-June: 6.0-12.0C; Jul-Sept: 9.0-12.0C; Oct-Nov: 3.0-5.0
Reference: Triton Environmental Consulants Ltd. 2023. Memo - Background water quality values for the BC Rail Discharge to Squamish River
For guidelines dependent on other parameters, when hardness, pH or DOC are below the range stated in the guideline, the lowest value in the range is used to calculate the guideline.

Parameters Used to Calculate Guidelines

Analyte	Units	BCAWWQG-FAL-LT [1,2]	BCAWWQG-FAL-ST [1,2]	BCAWWQG-MAL-ST [1]	BCAWWQG-MAL-LT [1,2]	Values: BCR US1	Values: BCR DS1
pH (field)	pH units	Field pH taken using handheld meters during sampling used in calculations				6.97	7.09
Temperature (field)	°C	Field temperature taken using handheld meters during sampling used in calculations				9.9	11.4
Turbidity (field)	NTU	Field turbidity taken using handheld meters during sampling used in calculations				1.66	1.56
Hardness (as CaCO3) (total)	mg/L	Laboratory tested total hardness taken at each respective sample site on the day of sampling used in guideline calculations				5.48	6.37
Dissolved Organic Carbon (DOC)	mg/L	Laboratory tested dissolved organic carbon tested at the lab used in guideline calculations				2.24	2.07
Total Alkalinity ($CaCO_3$)	mg/L	Laboratory tested total alkalinity used in calculations				5.3	6
Chloride	mg/L	Laboratory tested chloride taken at each respective sample site on the day of sampling used in guideline calculations				0.5	0.51

Woodfibre Site Receiving Environment Lab Documentation

ALS Canada Ltd.

right solutions. right partner.

CERTIFICATE OF ANALYSIS

Work Order	: **VA24B0042**	Page	: 1 of 6
Client	: **Triton Environmental Consultants Ltd.**	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address		Address	
Telephone		Telephone	
Project	: 11964	Date Samples Received	: 08-May-2024 10:03
PO	: 11964 - Task 20 - Phase 3C-4C	Date Analysis Commenced	: 09-May-2024
C-O-C number	: ----	Issue Date	: 15-May-2024 16:00
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012 _V2		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	*Position*	*Laboratory Department*
	Lab Assistant	Metals, Burnaby, British Columbia
	Analyst	Metals, Burnaby, British Columbia
	Account Manager Assistant	Administration, Burnaby, British Columbia
	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
	Department Manager - Metals	Inorganics, Burnaby, British Columbia
	Department Manager - Inorganics	Inorganics, Burnaby, British Columbia
	Analyst	Metals, Burnaby, British Columbia

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	*Description*
-	no units
°C	degrees celsius
µS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical Results

Sub-Matrix: **Water**
(Matrix: **Water**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	WLNG DS 1	WLNG US 1	----	----	----
					Client sampling date / time	07-May-2024 13:45	07-May-2024 14:30	----	----	----
						VA24B0042-001	VA24B0042-002	--------	--------	--------
						Result	Result	----	----	----
Field Tests										
Conductivity, field	----	EF001/VA	0.10	µS/cm		24.000	22.000	----	----	----
pH, field	----	EF001/VA	0.10	pH units		7.09	6.97	----	----	----
Temperature, field	----	EF001/VA	0.10	°C		11.4	9.90	----	----	----
Physical Tests										
Hardness (as CaCO3), dissolved	----	EC100/VA	0.60	mg/L		6.28	5.45	----	----	----
Hardness (as CaCO3), from total Ca/Mg	----	EC100A/VA	0.60	mg/L		6.37	5.48	----	----	----
Solids, total dissolved [TDS]	----	E162/VA	10	mg/L		19	22	----	----	----
Solids, total suspended [TSS]	----	E160/VA	3.0	mg/L		<3.0	<3.0	----	----	----
Alkalinity, total (as CaCO3)	----	E290/VA	2.0	mg/L		6.0	5.3	----	----	----
Anions and Nutrients										
Ammonia, total (as N)	7664-41-7	E298/VA	0.0050	mg/L		<0.0050	<0.0050	----	----	----
Ammonia, un-ionized (as N), field	7664-41-7	EC298A/VA	0.0010	mg/L		<0.0010	<0.0010	----	----	----
Bromide	24959-67-9	E235.Br-L/VA	0.050	mg/L		<0.050	<0.050	----	----	----
Chloride	16887-00-6	E235.Cl/VA	0.50	mg/L		0.51	<0.50	----	----	----
Fluoride	16984-48-8	E235.F/VA	0.020	mg/L		0.021	<0.020	----	----	----
Nitrate (as N)	14797-55-8	E235.NO3-L/VA	0.0050	mg/L		0.0051	<0.0050	----	----	----
Nitrite (as N)	14797-65-0	E235.NO2-L/VA	0.0010	mg/L		<0.0010	<0.0010	----	----	----
Nitrogen, total	7727-37-9	E366/VA	0.030	mg/L		0.059	0.057	----	----	----
Phosphorus, total	7723-14-0	E372-U/VA	0.0020	mg/L		0.0053	0.0049	----	----	----
Sulfate (as SO4)	14808-79-8	E235.SO4/VA	0.30	mg/L		1.92	1.65	----	----	----
Organic / Inorganic Carbon										
Carbon, dissolved organic [DOC]	----	E358-L/VA	0.50	mg/L		2.07	2.24	----	----	----
Total Sulfides										
Sulfide, total (as S)	18496-25-8	E395/VA	0.0015	mg/L		<0.0015	<0.0015	----	----	----
Sulfide, un-ionized (as H2S), from total	7783-06-4	EC395/VA	0.0015	mg/L		<0.0015	<0.0015	----	----	----
Sulfide, total (as H2S)	7783-06-4	E395/VA	0.0016	mg/L		<0.0016	<0.0016	----	----	----
Total Metals										
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L		0.0764	0.0780	----	----	----

Analytical Results

Sub-Matrix: **Water**
(Matrix: **Water**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	WLNG DS 1	WLNG US 1	----	----	----
					Client sampling date / time	07-May-2024 13:45	07-May-2024 14:30	----	----	----
						VA24B0042-001	VA24B0042-002	--------	--------	--------
						Result	Result	----	----	----
Total Metals										
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L		0.00011	0.00011	----	----	----
Barium, total	7440-39-3	E420/VA	0.00010	mg/L		0.00347	0.00249	----	----	----
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L		<0.000100	<0.000100	----	----	----
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Boron, total	7440-42-8	E420/VA	0.010	mg/L		<0.010	<0.010	----	----	----
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L		0.0000055	<0.0000050	----	----	----
Calcium, total	7440-70-2	E420/VA	0.050	mg/L		2.19	1.86	----	----	----
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Copper, total	7440-50-8	E420/VA	0.00050	mg/L		0.00052	0.00055	----	----	----
Iron, total	7439-89-6	E420/VA	0.010	mg/L		0.041	0.036	----	----	----
Lead, total	7439-92-1	E420/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L		<0.0010	<0.0010	----	----	----
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L		0.218	0.203	----	----	----
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L		0.00206	0.00197	----	----	----
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L		<0.0000050	<0.0000050	----	----	----
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L		0.000597	0.000366	----	----	----
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Phosphorus, total	7723-14-0	E420/VA	0.050	mg/L		<0.050	<0.050	----	----	----
Potassium, total	7440-09-7	E420/VA	0.050	mg/L		0.158	0.143	----	----	----
Rubidium, total	7440-17-7	E420/VA	0.00020	mg/L		0.00030	0.00020	----	----	----
Selenium, total	7782-49-2	E420/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Silicon, total	7440-21-3	E420/VA	0.10	mg/L		4.19	4.09	----	----	----
Silver, total	7440-22-4	E420/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Sodium, total	7440-23-5	E420/VA	0.050	mg/L		1.32	1.33	----	----	----
Strontium, total	7440-24-6	E420/VA	0.00020	mg/L		0.0107	0.0105	----	----	----
Sulfur, total	7704-34-9	E420/VA	0.50	mg/L		<0.50	<0.50	----	----	----
Tellurium, total	13494-80-9	E420/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----

Analytical Results

Sub-Matrix: **Water**
(Matrix: **Water**)

Analyte	CAS Number	Method/Lab	LOR	Unit	Client sample ID	WLNG DS 1	WLNG US 1	----	----	----
					Client sampling date / time	07-May-2024 13:45	07-May-2024 14:30	----	----	----
						VA24B0042-001	VA24B0042-002	--------	--------	--------
						Result	Result	----	----	----
Total Metals										
Thallium, total	7440-28-0	E420/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Thorium, total	7440-29-1	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Tin, total	7440-31-5	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Titanium, total	7440-32-6	E420/VA	0.00030	mg/L		0.00076	0.00064	----	----	----
Tungsten, total	7440-33-7	E420/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Uranium, total	7440-61-1	E420/VA	0.000010	mg/L		0.000085	0.000078	----	----	----
Vanadium, total	7440-62-2	E420/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L		<0.0030	<0.0030	----	----	----
Zirconium, total	7440-67-7	E420/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----
Dissolved Metals										
Aluminum, dissolved	7429-90-5	E421/VA	0.0010	mg/L		0.0612	0.0644	----	----	----
Antimony, dissolved	7440-36-0	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Arsenic, dissolved	7440-38-2	E421/VA	0.00010	mg/L		0.00010	<0.00010	----	----	----
Barium, dissolved	7440-39-3	E421/VA	0.00010	mg/L		0.00352	0.00233	----	----	----
Beryllium, dissolved	7440-41-7	E421/VA	0.000100	mg/L		<0.000100	<0.000100	----	----	----
Bismuth, dissolved	7440-69-9	E421/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Boron, dissolved	7440-42-8	E421/VA	0.010	mg/L		<0.010	<0.010	----	----	----
Cadmium, dissolved	7440-43-9	E421/VA	0.0000050	mg/L		0.0000059	0.0000060	----	----	----
Calcium, dissolved	7440-70-2	E421/VA	0.050	mg/L		2.16	1.85	----	----	----
Cesium, dissolved	7440-46-2	E421/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Chromium, dissolved	7440-47-3	E421/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Cobalt, dissolved	7440-48-4	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Copper, dissolved	7440-50-8	E421/VA	0.00020	mg/L		0.00048	0.00052	----	----	----
Iron, dissolved	7439-89-6	E421/VA	0.010	mg/L		0.025	0.022	----	----	----
Lead, dissolved	7439-92-1	E421/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Lithium, dissolved	7439-93-2	E421/VA	0.0010	mg/L		<0.0010	<0.0010	----	----	----
Magnesium, dissolved	7439-95-4	E421/VA	0.0050	mg/L		0.216	0.201	----	----	----
Manganese, dissolved	7439-96-5	E421/VA	0.00010	mg/L		0.00166	0.00143	----	----	----
Mercury, dissolved	7439-97-6	E509/VA	0.0000050	mg/L		<0.0000050	<0.0000050	----	----	----
Molybdenum, dissolved	7439-98-7	E421/VA	0.000050	mg/L		0.000592	0.000342	----	----	----

Analytical Results

Sub-Matrix: Water (Matrix: Water)					Client sample ID	WLNG DS 1	WLNG US 1	----	----	----
					Client sampling date / time	07-May-2024 13:45	07-May-2024 14:30	----	----	----
Analyte	CAS Number	Method/Lab	LOR	Unit		VA24B0042-001	VA24B0042-002	--------	--------	--------
						Result	Result	----	----	----
Dissolved Metals										
Nickel, dissolved	7440-02-0	E421/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Phosphorus, dissolved	7723-14-0	E421/VA	0.050	mg/L		<0.050	<0.050	----	----	----
Potassium, dissolved	7440-09-7	E421/VA	0.050	mg/L		0.164	0.143	----	----	----
Rubidium, dissolved	7440-17-7	E421/VA	0.00020	mg/L		0.00028	0.00021	----	----	----
Selenium, dissolved	7782-49-2	E421/VA	0.000050	mg/L		<0.000050	<0.000050	----	----	----
Silicon, dissolved	7440-21-3	E421/VA	0.050	mg/L		4.19	3.97	----	----	----
Silver, dissolved	7440-22-4	E421/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Sodium, dissolved	7440-23-5	E421/VA	0.050	mg/L		1.32	1.29	----	----	----
Strontium, dissolved	7440-24-6	E421/VA	0.00020	mg/L		0.0105	0.0102	----	----	----
Sulfur, dissolved	7704-34-9	E421/VA	0.50	mg/L		<0.50	<0.50	----	----	----
Tellurium, dissolved	13494-80-9	E421/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L		<0.000010	<0.000010	----	----	----
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L		<0.00030	<0.00030	----	----	----
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L		<0.00010	<0.00010	----	----	----
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L		0.000080	0.000074	----	----	----
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L		0.0016	0.0012	----	----	----
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L		<0.00020	<0.00020	----	----	----
Dissolved mercury filtration location	----	EP509/VA	-	-		Field	Field	----	----	----
Dissolved metals filtration location	----	EP421/VA	-	-		Field	Field	----	----	----
Speciated Metals										
Chromium, hexavalent [Cr VI], total	18540-29-9	E532/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----
Chromium, trivalent [Cr III], total	16065-83-1	EC535/VA	0.00050	mg/L		<0.00050	<0.00050	----	----	----

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

ALS Canada Ltd.

QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: **VA24B0042**	Page	: 1 of 15
Client	: **Triton Environmental Consultants Ltd.**	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	
Address		Address	
Telephone		Telephone	
Project	: 11964	Date Samples Received	: 08-May-2024 10:03
PO	: 11964 - Task 20 - Phase 3C-4C	Issue Date	: 15-May-2024 16:01
C-O-C number	: ----		
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012 _V2		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.
CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
DQO: Data Quality Objective.
LOR: Limit of Reporting (detection limit).
RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Matrix Spike outliers occur.
- Laboratory Control Sample (LCS) outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.

Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **Water**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Laboratory Control Sample (LCS) Recoveries								
Total Metals	QC-1433950-002	----	Iron, total	7439-89-6	E420	124 % MES	80.0-120%	Recovery greater than upper control limit

Result Qualifiers

Qualifier	Description
MES	*Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).*

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Water** Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (sulfuric acid) WLNG DS 1	E298	07-May-2024	14-May-2024	28 days	7 days	✓	14-May-2024	28 days	7 days	✓
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (sulfuric acid) WLNG US 1	E298	07-May-2024	14-May-2024	28 days	7 days	✓	14-May-2024	28 days	7 days	✓
Anions and Nutrients : Bromide in Water by IC (Low Level)										
HDPE WLNG DS 1	E235.Br-L	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓
Anions and Nutrients : Bromide in Water by IC (Low Level)										
HDPE WLNG US 1	E235.Br-L	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE WLNG DS 1	E235.Cl	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE WLNG US 1	E235.Cl	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE WLNG DS 1	E235.F	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Anions and Nutrients : Fluoride in Water by IC										
HDPE										
WLNG US 1	E235.F	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE										
WLNG DS 1	E235.NO3-L	07-May-2024	10-May-2024	3 days	3 days	✓	10-May-2024	3 days	3 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE										
WLNG US 1	E235.NO3-L	07-May-2024	10-May-2024	3 days	3 days	✓	10-May-2024	3 days	3 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE										
WLNG DS 1	E235.NO2-L	07-May-2024	10-May-2024	3 days	3 days	✓	10-May-2024	3 days	3 days	✓
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE										
WLNG US 1	E235.NO2-L	07-May-2024	10-May-2024	3 days	3 days	✓	10-May-2024	3 days	3 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE										
WLNG DS 1	E235.SO4	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE										
WLNG US 1	E235.SO4	07-May-2024	10-May-2024	28 days	3 days	✓	10-May-2024	28 days	3 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (sulfuric acid)										
WLNG DS 1	E366	07-May-2024	14-May-2024	28 days	7 days	✓	15-May-2024	28 days	8 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (sulfuric acid)										
WLNG US 1	E366	07-May-2024	14-May-2024	28 days	7 days	✓	15-May-2024	28 days	8 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid)										
WLNG DS 1	E372-U	07-May-2024	14-May-2024	28 days	7 days	✓	15-May-2024	28 days	8 days	✓
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid)										
WLNG US 1	E372-U	07-May-2024	14-May-2024	28 days	7 days	✓	15-May-2024	28 days	8 days	✓
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial - dissolved (lab preserved)										
WLNG DS 1	E509	07-May-2024	09-May-2024	28 days	2 days	✓	09-May-2024	28 days	2 days	✓
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial - dissolved (lab preserved)										
WLNG US 1	E509	07-May-2024	09-May-2024	28 days	2 days	✓	09-May-2024	28 days	2 days	✓
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
WLNG DS 1	E421	07-May-2024	09-May-2024	180 days	2 days	✓	10-May-2024	180 days	3 days	✓
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
WLNG US 1	E421	07-May-2024	09-May-2024	180 days	2 days	✓	10-May-2024	180 days	3 days	✓
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine										
Glass vial - total (lab preserved)										
WLNG DS 1	EF001	07-May-2024	----	----	----		09-May-2024	----	2 days	
Field Tests : Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine										
Glass vial - total (lab preserved)										
WLNG US 1	EF001	07-May-2024	----	----	----		09-May-2024	----	2 days	
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)										
Amber glass dissolved (sulfuric acid)										
WLNG DS 1	E358-L	07-May-2024	14-May-2024	28 days	7 days	✓	14-May-2024	28 days	7 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times Rec	Holding Times Actual	Eval	Analysis Date	Holding Times Rec	Holding Times Actual	Eval
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)										
Amber glass dissolved (sulfuric acid)										
WLNG US 1	E358-L	07-May-2024	14-May-2024	28 days	7 days	✓	14-May-2024	28 days	7 days	✓
Physical Tests : Alkalinity Species by Titration										
HDPE										
WLNG DS 1	E290	07-May-2024	10-May-2024	14 days	3 days	✓	10-May-2024	14 days	3 days	✓
Physical Tests : Alkalinity Species by Titration										
HDPE										
WLNG US 1	E290	07-May-2024	10-May-2024	14 days	3 days	✓	10-May-2024	14 days	3 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
WLNG DS 1	E162	07-May-2024	----	----	----		14-May-2024	7 days	7 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
WLNG US 1	E162	07-May-2024	----	----	----		14-May-2024	7 days	7 days	✓
Physical Tests : TSS by Gravimetry										
HDPE										
WLNG DS 1	E160	07-May-2024	----	----	----		14-May-2024	7 days	7 days	✓
Physical Tests : TSS by Gravimetry										
HDPE										
WLNG US 1	E160	07-May-2024	----	----	----		14-May-2024	7 days	7 days	✓
Speciated Metals : Total Hexavalent Chromium (Cr VI) by IC										
UV-inhibited HDPE - total (sodium hydroxide)										
WLNG DS 1	E532	07-May-2024	----	----	----		09-May-2024	28 days	1 days	✓
Speciated Metals : Total Hexavalent Chromium (Cr VI) by IC										
UV-inhibited HDPE - total (sodium hydroxide)										
WLNG US 1	E532	07-May-2024	----	----	----		09-May-2024	28 days	1 days	✓

Matrix: **Water**

Evaluation: × = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method / Container / Client Sample ID(s)	*Method*	*Sampling Date*	*Extraction / Preparation*				*Analysis*			
			Preparation Date	*Holding Times* Rec	*Holding Times* Actual	*Eval*	*Analysis Date*	*Holding Times* Rec	*Holding Times* Actual	*Eval*
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved)										
WLNG DS 1	E508	07-May-2024	09-May-2024	28 days	2 days	✓	09-May-2024	28 days	2 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial - total (lab preserved)										
WLNG US 1	E508	07-May-2024	09-May-2024	28 days	2 days	✓	09-May-2024	28 days	2 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
WLNG DS 1	E420	07-May-2024	09-May-2024	180 days	2 days	✓	10-May-2024	180 days	3 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
WLNG US 1	E420	07-May-2024	09-May-2024	180 days	2 days	✓	10-May-2024	180 days	3 days	✓
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide)										
WLNG DS 1	E395	07-May-2024	----	----	----		14-May-2024	7 days	7 days	✓
Total Sulfides : Total Sulfide by Colourimetry (Automated Flow)										
HDPE total (zinc acetate+sodium hydroxide)										
WLNG US 1	E395	07-May-2024	----	----	----		14-May-2024	7 days	7 days	✓

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).

Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Water**

Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	*Method*	*QC Lot #*	*QC*	*Regular*	*Actual*	*Expected*	*Evaluation*
Laboratory Duplicates (DUP)							
Alkalinity Species by Titration	E290	1436326	1	16	6.2	5.0	✓
Ammonia by Fluorescence	E298	1441471	1	11	9.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1436322	1	4	25.0	5.0	✓
Chloride in Water by IC	E235.Cl	1436321	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1435856	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1434213	1	17	5.8	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1441671	1	3	33.3	5.0	✓
Fluoride in Water by IC	E235.F	1436320	1	16	6.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1436323	1	20	5.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1436324	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1436325	1	16	6.2	5.0	✓
TDS by Gravimetry	E162	1442492	1	14	7.1	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1434410	1	4	25.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1435441	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1433950	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1441672	1	5	20.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1441467	1	20	5.0	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1441370	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1442489	1	14	7.1	5.0	✓
Laboratory Control Samples (LCS)							
Alkalinity Species by Titration	E290	1436326	1	16	6.2	5.0	✓
Ammonia by Fluorescence	E298	1441471	1	11	9.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1436322	1	4	25.0	5.0	✓
Chloride in Water by IC	E235.Cl	1436321	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1435856	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1434213	1	17	5.8	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1441671	1	3	33.3	5.0	✓
Fluoride in Water by IC	E235.F	1436320	1	16	6.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1436323	1	20	5.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1436324	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1436325	1	16	6.2	5.0	✓
TDS by Gravimetry	E162	1442492	1	14	7.1	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1434410	1	4	25.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1435441	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1433950	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1441672	1	5	20.0	5.0	✓

Matrix: **Water**

Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	*Method*	*QC Lot #*	*QC*	*Regular*	*Actual*	*Expected*	*Evaluation*
Laboratory Control Samples (LCS) - Continued							
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1441467	1	20	5.0	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1441370	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1442489	1	14	7.1	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1436326	1	16	6.2	5.0	✓
Ammonia by Fluorescence	E298	1441471	1	11	9.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1436322	1	4	25.0	5.0	✓
Chloride in Water by IC	E235.Cl	1436321	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1435856	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1434213	1	17	5.8	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1441671	1	3	33.3	5.0	✓
Fluoride in Water by IC	E235.F	1436320	1	16	6.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1436323	1	20	5.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1436324	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1436325	1	16	6.2	5.0	✓
TDS by Gravimetry	E162	1442492	1	14	7.1	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1434410	1	4	25.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1435441	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1433950	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1441672	1	5	20.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1441467	1	20	5.0	5.0	✓
Total Sulfide by Colourimetry (Automated Flow)	E395	1441370	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1442489	1	14	7.1	5.0	✓
Matrix Spikes (MS)							
Ammonia by Fluorescence	E298	1441471	1	11	9.0	5.0	✓
Bromide in Water by IC (Low Level)	E235.Br-L	1436322	1	4	25.0	5.0	✓
Chloride in Water by IC	E235.Cl	1436321	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1435856	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1434213	1	17	5.8	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1441671	1	3	33.3	5.0	✓
Fluoride in Water by IC	E235.F	1436320	1	16	6.2	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	1436323	1	20	5.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1436324	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1436325	1	16	6.2	5.0	✓
Total Hexavalent Chromium (Cr VI) by IC	E532	1434410	1	4	25.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1435441	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1433950	1	20	5.0	5.0	✓
Total Nitrogen by Colourimetry	E366	1441672	1	5	20.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1441467	1	20	5.0	5.0	✓

Matrix: **Water**

Evaluation: × = *QC frequency outside specification*; ✓ = *QC frequency within specification.*

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	*Method*	*QC Lot #*	*QC*	*Regular*	*Actual*	*Expected*	*Evaluation*
Matrix Spikes (MS) - Continued							
Total Sulfide by Colourimetry (Automated Flow)	E395	1441370	1	20	5.0	5.0	✓

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
TSS by Gravimetry	E160 ALS Environmental - Vancouver	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the filtered solids. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
TDS by Gravimetry	E162 ALS Environmental - Vancouver	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at 180 ± 2°C for 16 hours or to constant weight, with gravimetric measurement of the residue.
Bromide in Water by IC (Low Level)	E235.Br-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Chloride in Water by IC	E235.Cl ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Fluoride in Water by IC	E235.F ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC (Low Level)	E235.NO2-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrate in Water by IC (Low Level)	E235.NO3-L ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Sulfate in Water by IC	E235.SO4 ALS Environmental - Vancouver	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Alkalinity Species by Titration	E290 ALS Environmental - Vancouver	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Ammonia by Fluorescence	E298 ALS Environmental - Vancouver	Water	Method Fialab 100, 2018	Ammonia in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021)
Dissolved Organic Carbon by Combustion (Low Level)	E358-L ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and purged to remove inorganic carbon (IC). Analysis is by high temperature combustion with infrared detection of CO2. NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of DC (dissolved carbon) is comprised of IC (which is common), this method is more accurate and more reliable than the DOC by subtraction method (i.e. DC minus DIC).
Total Nitrogen by Colourimetry	E366 ALS Environmental - Vancouver	Water	Chinchilla Scientific Nitrate Method, 2011	Following digestion, total nitrogen is is determined colourimetrically using a discrete analyzer utilizing the vanadium chloride reduction method. This method of analysis is approved under US EPA 40 CFR Part 136 (May 2021).
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U ALS Environmental - Vancouver	Water	APHA 4500-P E (mod).	Total Phosphorus is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
Total Sulfide by Colourimetry (Automated Flow)	E395 ALS Environmental - Vancouver	Water	APHA 4500 -S E-Auto-Colorimetry	Sulfide is determined using the gas dialysis automated methlyene blue colourimetric method. Results expressed "as H2S" if reported represent the maximum possible H2S concentration based on the total sulfide concentration in the sample. The H2S calculation converts Total Sulphide as (S2-) and reports it as Total Sulphide as (H2S)
Total Metals in Water by CRC ICPMS	E420 ALS Environmental - Vancouver	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508 ALS Environmental - Vancouver	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
Dissolved Mercury in Water by CVAAS	E509 ALS Environmental - Vancouver	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Hexavalent Chromium (Cr VI) by IC	E532 ALS Environmental - Vancouver	Water	APHA 3500-Cr C (Ion Chromatography)	Hexavalent Chromium is measured by Ion chromatography-Post column reaction and UV detection. Results are based on an un-filtered, field-preserved sample.
Dissolved Hardness (Calculated)	EC100 ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Un-ionized and Ionized Ammonia (Calculation) (Field Temperature and pH)	EC298A ALS Environmental - Vancouver	Water	CCME CWQG Ammonia	Un-ionized ammonia is calculated from test results for total ammonia, field temperature and pH, and is expressed in units of mg/L "as N".
Un-ionized Total Hydrogen Sulfide (calculated)	EC395 ALS Environmental - Vancouver	Water	APHA 4500 -S H	Un-ionized sulfide is calculated using results from total sulfide analysis, pH, temperature, and ionic strength of the sample. Calculation of un-ionized sulfide using total sulfide concentrations may be biased high due to particulate forms of sulfide measured during total sulfide testing.
Total Trivalent Chromium (Cr III) by Calculation	EC535 ALS Environmental - Vancouver	Water	APHA 3030B/6020A/EPA 7196A (mod)	Chromium (III)-Total is calculated as the difference between the total chromium and the total hexavalent chromium (Cr(VI)) results.The Limit of Reporting for Chromium (III) varies as a function of the test results.
Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3,Chloramine	EF001 ALS Environmental - Vancouver	Water	Field Measurement (Client Supplied)	Field pH,EC,Salinity,Cl2,ClO2,ORP,DO, Turbidity,T,T-P,o-PO4,NH3 or Chloramine measurements provided by client and recorded on ALS report may affect the validity of results.

Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298 ALS Environmental - Vancouver	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.
Preparation for Dissolved Organic Carbon for Combustion	EP358 ALS Environmental - Vancouver	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
Digestion for Total Nitrogen in water	EP366 ALS Environmental - Vancouver	Water	APHA 4500-P J (mod)	Samples for total nitrogen analysis are digested using a heated persulfate digestion. Nitrogen compounds are converted to nitrate in this digestion.

Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Digestion for Total Phosphorus in water	EP372 ALS Environmental - Vancouver	Water	APHA 4500-P E (mod).	Samples are heated with a persulfate digestion reagent.
Dissolved Metals Water Filtration	EP421 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
Dissolved Mercury Water Filtration	EP509 ALS Environmental - Vancouver	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.

ALS Canada Ltd.

QUALITY CONTROL REPORT

Work Order	: **VA24B0042**	Page	: 1 of 17
Client	: Triton Environmental Consultants Ltd.	Laboratory	: ALS Environmental - Vancouver
Contact		Account Manager	:
Address		Address	:
Telephone		Telephone	:
Project	: 11964	Date Samples Received	: 08-May-2024 10:03
PO	: 11964 - Task 20 - Phase 3C-4C	Date Analysis Commenced	: 09-May-2024
C-O-C number	: ----	Issue Date	: 15-May-2024 16:00
Sampler	: ----		
Site	: Water Analysis		
Quote number	: VA23-TRIT100-012 _V2		
No. of samples received	: 2		
No. of samples analysed	: 2		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	*Position*	*Laboratory Department*
	Lab Assistant	Vancouver Metals, Burnaby, British Columbia
	Analyst	Vancouver Metals, Burnaby, British Columbia
	Account Manager Assistant	Vancouver Administration, Burnaby, British Columbia
	Supervisor - Inorganic	Vancouver Inorganics, Burnaby, British Columbia
	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
	Department Manager - Metals	Vancouver Inorganics, Burnaby, British Columbia
	Department Manager - Inorganics	Vancouver Inorganics, Burnaby, British Columbia
	Analyst	Vancouver Metals, Burnaby, British Columbia

General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.
CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
DQO = Data Quality Objective.
LOR = Limit of Reporting (detection limit).
RPD = Relative Percent Difference
# = Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Physical Tests (QC Lot: 1436326)											
VA24B0051-001	Anonymous	Alkalinity, total (as CaCO3)	----	E290	1.0	mg/L	1.0	<1.0	0	Diff <2x LOR	----
Physical Tests (QC Lot: 1442489)											
KS2401614-001	Anonymous	Solids, total suspended [TSS]	----	E160	3.0	mg/L	<3.0	<3.0	0	Diff <2x LOR	----
Physical Tests (QC Lot: 1442492)											
KS2401614-001	Anonymous	Solids, total dissolved [TDS]	----	E162	20	mg/L	846	834	1.43%	20%	----
Anions and Nutrients (QC Lot: 1436320)											
VA24B0042-001	WLNG DS 1	Fluoride	16984-48-8	E235.F	0.020	mg/L	0.021	0.020	0.0006	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1436321)											
VA24B0042-001	WLNG DS 1	Chloride	16887-00-6	E235.Cl	0.50	mg/L	0.51	0.51	0.005	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1436322)											
VA24B0042-001	WLNG DS 1	Bromide	24959-67-9	E235.Br-L	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1436323)											
VA24B0042-001	WLNG DS 1	Nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	0.0051	0.0050	0.00006	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1436324)											
VA24B0042-001	WLNG DS 1	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1436325)											
VA24B0042-001	WLNG DS 1	Sulfate (as SO4)	14808-79-8	E235.SO4	0.30	mg/L	1.92	1.92	0.007	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1441467)											
VA24B0128-001	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0020	mg/L	0.0246	0.0242	1.60%	20%	----
Anions and Nutrients (QC Lot: 1441471)											
VA24B0042-001	WLNG DS 1	Ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 1441672)											
VA24B0042-001	WLNG DS 1	Nitrogen, total	7727-37-9	E366	0.030	mg/L	0.059	0.058	0.0004	Diff <2x LOR	----
Organic / Inorganic Carbon (QC Lot: 1441671)											
VA24B0042-001	WLNG DS 1	Carbon, dissolved organic [DOC]	----	E358-L	0.50	mg/L	2.07	2.94	0.86	Diff <2x LOR	----
Total Sulfides (QC Lot: 1441370)											
CG2405933-001	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	<0.0015	0	Diff <2x LOR	----
Total Metals (QC Lot: 1433950)											
FJ2401246-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.0457	0.0458	0.243%	20%	----
		Antimony, total	7440-36-0	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Total Metals (QC Lot: 1433950) - continued											
FJ2401246-001	Anonymous	Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00015	0.00014	0.00001	Diff <2x LOR	----
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.412	0.418	1.58%	20%	----
		Beryllium, total	7440-41-7	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	----
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Boron, total	7440-42-8	E420	0.010	mg/L	0.031	0.031	0.0005	Diff <2x LOR	----
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.0000847	0.0000858	1.38%	20%	----
		Calcium, total	7440-70-2	E420	0.050	mg/L	108	109	1.14%	20%	----
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.000018	0.000018	0.00000003	Diff <2x LOR	----
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	0.00010	0.00011	0.000003	Diff <2x LOR	----
		Copper, total	7440-50-8	E420	0.00050	mg/L	0.00069	0.00069	0.000003	Diff <2x LOR	----
		Iron, total	7439-89-6	E420	0.010	mg/L	0.119	0.124	4.10%	20%	----
		Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.0656	0.0661	0.748%	20%	----
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	24.1	24.1	0.0894%	20%	----
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.301	0.301	0.137%	20%	----
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.000409	0.000405	0.000004	Diff <2x LOR	----
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00534	0.00528	1.05%	20%	----
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Potassium, total	7440-09-7	E420	0.050	mg/L	1.40	1.40	0.150%	20%	----
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00070	0.00067	0.00003	Diff <2x LOR	----
		Selenium, total	7782-49-2	E420	0.000050	mg/L	0.000126	0.000141	0.000015	Diff <2x LOR	----
		Silicon, total	7440-21-3	E420	0.10	mg/L	3.67	3.67	0.159%	20%	----
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Sodium, total	7440-23-5	E420	0.050	mg/L	104	104	0.0903%	20%	----
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.172	0.172	0.215%	20%	----
		Sulfur, total	7704-34-9	E420	0.50	mg/L	34.5	33.3	3.60%	20%	----
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Titanium, total	7440-32-6	E420	0.00030	mg/L	0.00037	0.00061	0.00024	Diff <2x LOR	----
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.00172	0.00173	0.521%	20%	----

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Total Metals (QC Lot: 1433950) - continued											
FJ2401246-001	Anonymous	Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0030	<0.0030	0	Diff <2x LOR	----
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
Total Metals (QC Lot: 1435441)											
KS2401605-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	----
Dissolved Metals (QC Lot: 1434213)											
VA24B0042-001	WLNG DS 1	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0612	0.0582	5.02%	20%	----
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.00010	<0.00010	0.000001	Diff <2x LOR	----
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.00352	0.00350	0.552%	20%	----
		Beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	----
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	----
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0000059	0.0000054	0.0000005	Diff <2x LOR	----
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	2.16	2.16	0.0164%	20%	----
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.00048	0.00050	0.00002	Diff <2x LOR	----
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.025	0.025	0.00007	Diff <2x LOR	----
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	----
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	0.216	0.212	2.12%	20%	----
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.00166	0.00160	3.94%	20%	----
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.000592	0.000577	2.67%	20%	----
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	0.164	0.162	0.002	Diff <2x LOR	----
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00028	0.00030	0.00002	Diff <2x LOR	----
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	----
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	4.19	4.15	0.977%	20%	----
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	1.32	1.30	1.91%	20%	----
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.0105	0.0104	0.587%	20%	----

Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	*Client sample ID*	*Analyte*	*CAS Number*	*Method*	*LOR*	*Unit*	*Original Result*	*Duplicate Result*	*RPD(%) or Difference*	*Duplicate Limits*	*Qualifier*
Dissolved Metals (QC Lot: 1434213) - continued											
VA24B0042-001	WLNG DS 1	Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR	----
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	----
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000080	0.000079	0.0000005	Diff <2x LOR	----
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0016	0.0016	0.00006	Diff <2x LOR	----
		Zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
Dissolved Metals (QC Lot: 1435856)											
KS2401613-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	----
Speciated Metals (QC Lot: 1434410)											
VA24B0042-001	WLNG DS 1	Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1436326)						
Alkalinity, total (as CaCO3)	----	E290	1	mg/L	<1.0	----
Physical Tests (QCLot: 1442489)						
Solids, total suspended [TSS]	----	E160	3	mg/L	<3.0	----
Physical Tests (QCLot: 1442492)						
Solids, total dissolved [TDS]	----	E162	10	mg/L	<10	----
Anions and Nutrients (QCLot: 1436320)						
Fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 1436321)						
Chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	----
Anions and Nutrients (QCLot: 1436322)						
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	<0.050	----
Anions and Nutrients (QCLot: 1436323)						
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	<0.0050	----
Anions and Nutrients (QCLot: 1436324)						
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	<0.0010	----
Anions and Nutrients (QCLot: 1436325)						
Sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	<0.30	----
Anions and Nutrients (QCLot: 1441467)						
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	<0.0020	----
Anions and Nutrients (QCLot: 1441471)						
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	----
Anions and Nutrients (QCLot: 1441672)						
Nitrogen, total	7727-37-9	E366	0.03	mg/L	<0.030	----
Organic / Inorganic Carbon (QCLot: 1441671)						
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	<0.50	----
Total Sulfides (QCLot: 1441370)						
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	<0.0015	----
Total Metals (QCLot: 1433950)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	----
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	----
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	----
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	----

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1433950) - continued						
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	----
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	----
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	----
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	----
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	----
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	----
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	----
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	----
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	----
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	----
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	----
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	----
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	----
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	----
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	----
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	----
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	----
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	----
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	----
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	----
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	----
Silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	----
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	----
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	----
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	----
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	----
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	----
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	----
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	----
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	----
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	----
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	----
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	----
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	----
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	----

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1435441)						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	----
Dissolved Metals (QCLot: 1434213)						
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	----
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	----
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	----
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	----
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	----
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	----
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	----
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.0000050	----
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	----
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	----
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	----
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	----
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	----
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	----
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	----
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	----
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	----
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	----
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	----
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	----
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	----
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	----
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	----
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	----
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	----
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	----
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	----
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	----
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	----
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	----
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	----
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	----
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	----

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1434213) - continued						
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	----
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	----
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	----
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	----
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	----
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	----
Dissolved Metals (QCLot: 1435856)						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	----
Speciated Metals (QCLot: 1434410)						
Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.0005	mg/L	<0.00050	----

Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: **Water**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1436326)									
Alkalinity, total (as CaCO3)	----	E290	1	mg/L	500 mg/L	110	85.0	115	----
Physical Tests (QCLot: 1442489)									
Solids, total suspended [TSS]	----	E160	3	mg/L	150 mg/L	87.5	85.0	115	----
Physical Tests (QCLot: 1442492)									
Solids, total dissolved [TDS]	----	E162	10	mg/L	1000 mg/L	96.1	85.0	115	----
Anions and Nutrients (QCLot: 1436320)									
Fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	103	90.0	110	----
Anions and Nutrients (QCLot: 1436321)									
Chloride	16887-00-6	E235.Cl	0.5	mg/L	100 mg/L	101	90.0	110	----
Anions and Nutrients (QCLot: 1436322)									
Bromide	24959-67-9	E235.Br-L	0.05	mg/L	0.5 mg/L	104	85.0	115	----
Anions and Nutrients (QCLot: 1436323)									
Nitrate (as N)	14797-55-8	E235.NO3-L	0.005	mg/L	2.5 mg/L	101	90.0	110	----
Anions and Nutrients (QCLot: 1436324)									
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	104	90.0	110	----
Anions and Nutrients (QCLot: 1436325)									
Sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 1441467)									
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	0.05 mg/L	98.4	80.0	120	----
Anions and Nutrients (QCLot: 1441471)									
Ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	99.3	85.0	115	----
Anions and Nutrients (QCLot: 1441672)									
Nitrogen, total	7727-37-9	E366	0.03	mg/L	0.5 mg/L	109	75.0	125	----
Organic / Inorganic Carbon (QCLot: 1441671)									
Carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	8.57 mg/L	105	80.0	120	----
Total Sulfides (QCLot: 1441370)									
Sulfide, total (as S)	18496-25-8	E395	0.0015	mg/L	0.08 mg/L	103	80.0	120	----
Total Metals (QCLot: 1433950)									

Sub-Matrix: **Water**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1433950) - continued									
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	107	80.0	120	----
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	105	80.0	120	----
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	109	80.0	120	----
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	106	80.0	120	----
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	104	80.0	120	----
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	101	80.0	120	----
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	106	80.0	120	----
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	103	80.0	120	----
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	104	80.0	120	----
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	105	80.0	120	----
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	104	80.0	120	----
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	105	80.0	120	----
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	102	80.0	120	----
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	# 124	80.0	120	MES
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	101	80.0	120	----
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	105	80.0	120	----
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	105	80.0	120	----
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	----
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	107	80.0	120	----
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	102	80.0	120	----
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	115	80.0	120	----
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	112	80.0	120	----
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120	----
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	101	80.0	120	----
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	114	80.0	120	----
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	102	80.0	120	----
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	107	80.0	120	----
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	108	80.0	120	----
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	106	80.0	120	----
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120	----
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	100	80.0	120	----
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	97.6	80.0	120	----
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	104	80.0	120	----
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	102	80.0	120	----
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	103	80.0	120	----
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	99.8	80.0	120	----

Sub-Matrix: **Water**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1433950) - continued									
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	106	80.0	120	----
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	106	80.0	120	----
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	107	80.0	120	----
Total Metals (QCLot: 1435441)									
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	101	80.0	120	----
Dissolved Metals (QCLot: 1434213)									
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	99.5	80.0	120	----
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	100	80.0	120	----
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	106	80.0	120	----
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	100	80.0	120	----
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	97.2	80.0	120	----
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	96.7	80.0	120	----
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	97.8	80.0	120	----
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	99.9	80.0	120	----
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	97.5	80.0	120	----
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	101	80.0	120	----
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	98.0	80.0	120	----
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	97.8	80.0	120	----
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	99.0	80.0	120	----
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	120	80.0	120	----
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	98.5	80.0	120	----
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	95.4	80.0	120	----
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	99.0	80.0	120	----
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	98.8	80.0	120	----
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	102	80.0	120	----
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	98.7	80.0	120	----
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	109	80.0	120	----
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	103	80.0	120	----
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	96.5	80.0	120	----
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	107	80.0	120	----
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	103	80.0	120	----
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	93.6	80.0	120	----
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	100	80.0	120	----
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	101	80.0	120	----
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	92.4	80.0	120	----

Sub-Matrix: **Water**

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Dissolved Metals (QCLot: 1434213) - continued									
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	105	80.0	120	----
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	98.8	80.0	120	----
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	93.0	80.0	120	----
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	101	80.0	120	----
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	95.7	80.0	120	----
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	100	80.0	120	----
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	98.2	80.0	120	----
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	100	80.0	120	----
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	105	80.0	120	----
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	100	80.0	120	----
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	102	80.0	120	----
Speciated Metals (QCLot: 1434410)									
Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.0005	mg/L	0.25 mg/L	103	80.0	120	----

Qualifiers

Qualifier	Description
MES	*Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).*

Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: **Water**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Anions and Nutrients (QCLot: 1436320)										
VA24B0042-002	WLNG US 1	Fluoride	16984-48-8	E235.F	1.07 mg/L	1 mg/L	107	75.0	125	----
Anions and Nutrients (QCLot: 1436321)										
VA24B0042-002	WLNG US 1	Chloride	16887-00-6	E235.Cl	104 mg/L	100 mg/L	104	75.0	125	----
Anions and Nutrients (QCLot: 1436322)										
VA24B0042-002	WLNG US 1	Bromide	24959-67-9	E235.Br-L	0.540 mg/L	0.5 mg/L	108	75.0	125	----
Anions and Nutrients (QCLot: 1436323)										
VA24B0042-002	WLNG US 1	Nitrate (as N)	14797-55-8	E235.NO3-L	2.61 mg/L	2.5 mg/L	104	75.0	125	----
Anions and Nutrients (QCLot: 1436324)										
VA24B0042-002	WLNG US 1	Nitrite (as N)	14797-65-0	E235.NO2-L	0.538 mg/L	0.5 mg/L	108	75.0	125	----
Anions and Nutrients (QCLot: 1436325)										
VA24B0042-002	WLNG US 1	Sulfate (as SO4)	14808-79-8	E235.SO4	105 mg/L	100 mg/L	105	75.0	125	----
Anions and Nutrients (QCLot: 1441467)										
VA24B0128-002	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0531 mg/L	0.05 mg/L	106	70.0	130	----
Anions and Nutrients (QCLot: 1441471)										
VA24B0042-002	WLNG US 1	Ammonia, total (as N)	7664-41-7	E298	0.101 mg/L	0.1 mg/L	101	75.0	125	----
Anions and Nutrients (QCLot: 1441672)										
VA24B0042-002	WLNG US 1	Nitrogen, total	7727-37-9	E366	0.411 mg/L	0.4 mg/L	103	70.0	130	----
Organic / Inorganic Carbon (QCLot: 1441671)										
VA24B0042-002	WLNG US 1	Carbon, dissolved organic [DOC]	----	E358-L	4.84 mg/L	5 mg/L	96.8	70.0	130	----
Total Sulfides (QCLot: 1441370)										
CG2405933-002	Anonymous	Sulfide, total (as S)	18496-25-8	E395	0.235 mg/L	0.2 mg/L	117	75.0	125	----
Total Metals (QCLot: 1433950)										
KS2401605-001	Anonymous	Aluminum, total	7429-90-5	E420	0.195 mg/L	0.2 mg/L	97.6	70.0	130	----
		Antimony, total	7440-36-0	E420	0.0203 mg/L	0.02 mg/L	101	70.0	130	----
		Arsenic, total	7440-38-2	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130	----
		Barium, total	7440-39-3	E420	ND mg/L	----	ND	70.0	130	----
		Beryllium, total	7440-41-7	E420	0.0383 mg/L	0.04 mg/L	95.7	70.0	130	----
		Bismuth, total	7440-69-9	E420	0.00950 mg/L	0.01 mg/L	95.0	70.0	130	----
		Boron, total	7440-42-8	E420	0.098 mg/L	0.1 mg/L	97.6	70.0	130	----
		Cadmium, total	7440-43-9	E420	0.00392 mg/L	0.004 mg/L	97.9	70.0	130	----
		Calcium, total	7440-70-2	E420	ND mg/L	----	ND	70.0	130	----
		Cesium, total	7440-46-2	E420	0.0100 mg/L	0.01 mg/L	100	70.0	130	----
		Chromium, total	7440-47-3	E420	0.0390 mg/L	0.04 mg/L	97.5	70.0	130	----

Sub-Matrix: **Water**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QCLot: 1433950) - continued										
KS2401605-001	Anonymous	Cobalt, total	7440-48-4	E420	0.0192 mg/L	0.02 mg/L	95.9	70.0	130	----
		Copper, total	7440-50-8	E420	0.0182 mg/L	0.02 mg/L	91.3	70.0	130	----
		Iron, total	7439-89-6	E420	1.95 mg/L	2 mg/L	97.3	70.0	130	----
		Lead, total	7439-92-1	E420	0.0186 mg/L	0.02 mg/L	93.0	70.0	130	----
		Lithium, total	7439-93-2	E420	0.0945 mg/L	0.1 mg/L	94.5	70.0	130	----
		Magnesium, total	7439-95-4	E420	ND mg/L	----	ND	70.0	130	----
		Manganese, total	7439-96-5	E420	ND mg/L	----	ND	70.0	130	----
		Molybdenum, total	7439-98-7	E420	0.0203 mg/L	0.02 mg/L	102	70.0	130	----
		Nickel, total	7440-02-0	E420	0.0374 mg/L	0.04 mg/L	93.6	70.0	130	----
		Phosphorus, total	7723-14-0	E420	10.4 mg/L	10 mg/L	104	70.0	130	----
		Potassium, total	7440-09-7	E420	3.78 mg/L	4 mg/L	94.5	70.0	130	----
		Rubidium, total	7440-17-7	E420	0.0190 mg/L	0.02 mg/L	94.9	70.0	130	----
		Selenium, total	7782-49-2	E420	0.0396 mg/L	0.04 mg/L	99.0	70.0	130	----
		Silicon, total	7440-21-3	E420	9.66 mg/L	10 mg/L	96.6	70.0	130	----
		Silver, total	7440-22-4	E420	0.00402 mg/L	0.004 mg/L	100	70.0	130	----
		Sodium, total	7440-23-5	E420	ND mg/L	----	ND	70.0	130	----
		Strontium, total	7440-24-6	E420	ND mg/L	----	ND	70.0	130	----
		Sulfur, total	7704-34-9	E420	ND mg/L	----	ND	70.0	130	----
		Tellurium, total	13494-80-9	E420	0.0388 mg/L	0.04 mg/L	97.1	70.0	130	----
		Thallium, total	7440-28-0	E420	0.00377 mg/L	0.004 mg/L	94.2	70.0	130	----
		Thorium, total	7440-29-1	E420	0.0194 mg/L	0.02 mg/L	96.8	70.0	130	----
		Tin, total	7440-31-5	E420	0.0200 mg/L	0.02 mg/L	100	70.0	130	----
		Titanium, total	7440-32-6	E420	0.0397 mg/L	0.04 mg/L	99.3	70.0	130	----
		Tungsten, total	7440-33-7	E420	0.0199 mg/L	0.02 mg/L	99.6	70.0	130	----
		Uranium, total	7440-61-1	E420	0.00370 mg/L	0.004 mg/L	92.5	70.0	130	----
		Vanadium, total	7440-62-2	E420	0.102 mg/L	0.1 mg/L	102	70.0	130	----
		Zinc, total	7440-66-6	E420	0.383 mg/L	0.4 mg/L	95.6	70.0	130	----
		Zirconium, total	7440-67-7	E420	0.0406 mg/L	0.04 mg/L	102	70.0	130	----
Total Metals (QCLot: 1435441)										
KS2401613-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000858 mg/L	0 mg/L	85.8	70.0	130	----
Dissolved Metals (QCLot: 1434213)										
VA24B0042-002	WLNG US 1	Aluminum, dissolved	7429-90-5	E421	0.191 mg/L	0.2 mg/L	95.3	70.0	130	----
		Antimony, dissolved	7440-36-0	E421	0.0197 mg/L	0.02 mg/L	98.4	70.0	130	----
		Arsenic, dissolved	7440-38-2	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	----
		Barium, dissolved	7440-39-3	E421	0.0195 mg/L	0.02 mg/L	97.6	70.0	130	----
		Beryllium, dissolved	7440-41-7	E421	0.0394 mg/L	0.04 mg/L	98.5	70.0	130	----
		Bismuth, dissolved	7440-69-9	E421	0.00979 mg/L	0.01 mg/L	97.9	70.0	130	----
		Boron, dissolved	7440-42-8	E421	0.096 mg/L	0.1 mg/L	95.6	70.0	130	----
		Cadmium, dissolved	7440-43-9	E421	0.00392 mg/L	0.004 mg/L	97.9	70.0	130	----
		Calcium, dissolved	7440-70-2	E421	3.93 mg/L	4 mg/L	98.3	70.0	130	----
		Cesium, dissolved	7440-46-2	E421	0.00993 mg/L	0.01 mg/L	99.3	70.0	130	----
		Chromium, dissolved	7440-47-3	E421	0.0395 mg/L	0.04 mg/L	98.8	70.0	130	----
		Cobalt, dissolved	7440-48-4	E421	0.0202 mg/L	0.02 mg/L	101	70.0	130	----

Sub-Matrix: **Water**

					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals (QCLot: 1434213) - continued										
VA24B0042-002	WLNG US 1	Copper, dissolved	7440-50-8	E421	0.0196 mg/L	0.02 mg/L	97.8	70.0	130	----
		Iron, dissolved	7439-89-6	E421	1.96 mg/L	2 mg/L	98.1	70.0	130	----
		Lead, dissolved	7439-92-1	E421	0.0193 mg/L	0.02 mg/L	96.4	70.0	130	----
		Lithium, dissolved	7439-93-2	E421	0.0968 mg/L	0.1 mg/L	96.8	70.0	130	----
		Magnesium, dissolved	7439-95-4	E421	0.973 mg/L	1 mg/L	97.3	70.0	130	----
		Manganese, dissolved	7439-96-5	E421	0.0195 mg/L	0.02 mg/L	97.6	70.0	130	----
		Molybdenum, dissolved	7439-98-7	E421	0.0198 mg/L	0.02 mg/L	98.8	70.0	130	----
		Nickel, dissolved	7440-02-0	E421	0.0398 mg/L	0.04 mg/L	99.5	70.0	130	----
		Phosphorus, dissolved	7723-14-0	E421	10.2 mg/L	10 mg/L	102	70.0	130	----
		Potassium, dissolved	7440-09-7	E421	4.19 mg/L	4 mg/L	105	70.0	130	----
		Rubidium, dissolved	7440-17-7	E421	0.0194 mg/L	0.02 mg/L	97.1	70.0	130	----
		Selenium, dissolved	7782-49-2	E421	0.0389 mg/L	0.04 mg/L	97.2	70.0	130	----
		Silicon, dissolved	7440-21-3	E421	9.96 mg/L	10 mg/L	99.6	70.0	130	----
		Silver, dissolved	7440-22-4	E421	0.00404 mg/L	0.004 mg/L	101	70.0	130	----
		Sodium, dissolved	7440-23-5	E421	1.94 mg/L	2 mg/L	97.2	70.0	130	----
		Strontium, dissolved	7440-24-6	E421	0.0195 mg/L	0.02 mg/L	97.4	70.0	130	----
		Sulfur, dissolved	7704-34-9	E421	20.2 mg/L	20 mg/L	101	70.0	130	----
		Tellurium, dissolved	13494-80-9	E421	0.0392 mg/L	0.04 mg/L	98.0	70.0	130	----
		Thallium, dissolved	7440-28-0	E421	0.00386 mg/L	0.004 mg/L	96.6	70.0	130	----
		Thorium, dissolved	7440-29-1	E421	0.0192 mg/L	0.02 mg/L	95.9	70.0	130	----
		Tin, dissolved	7440-31-5	E421	0.0196 mg/L	0.02 mg/L	98.2	70.0	130	----
		Titanium, dissolved	7440-32-6	E421	0.0403 mg/L	0.04 mg/L	101	70.0	130	----
		Tungsten, dissolved	7440-33-7	E421	0.0193 mg/L	0.02 mg/L	96.6	70.0	130	----
		Uranium, dissolved	7440-61-1	E421	0.00378 mg/L	0.004 mg/L	94.5	70.0	130	----
		Vanadium, dissolved	7440-62-2	E421	0.0993 mg/L	0.1 mg/L	99.3	70.0	130	----
		Zinc, dissolved	7440-66-6	E421	0.408 mg/L	0.4 mg/L	102	70.0	130	----
		Zirconium, dissolved	7440-67-7	E421	0.0396 mg/L	0.04 mg/L	98.9	70.0	130	----
Dissolved Metals (QCLot: 1435856)										
KS2401613-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.000100 mg/L	0 mg/L	100	70.0	130	----
Speciated Metals (QCLot: 1434410)										
VA24B0042-002	WLNG US 1	Chromium, hexavalent [Cr VI], total	18540-29-9	E532	0.259 mg/L	0.25 mg/L	104	70.0	130	----

Chain of Custody (COC) / Analytical Request Form

ALS Environmental
www.alsglobal.com

Canada Toll Free: 1 800 668 9878

Affix ALS barcode label here (lab use only)

COC Number: 17 -

Page

Environmental Division Vancouver
Work Order Reference
VA24B0042

Telephone : +1 604 253 4188

Report To	Contact and company name below will appear on the final report
Company:	Triton Environmental
Contact:	
Phone:	
	in the final report
Street:	
City/Province:	
Postal Code:	

Report Format / Distribution

Select Report Format: ☑ ☑ EXCEL ☐ EDD (DIGITAL)
Quality Control (QC) Report with Report ☑ YES ☐ NO
☑ Compare Results to Criteria on Report - provide details below if box checked
Select Distribution: ☑ EMAIL ☐ MAIL ☐ FAX
Email 1 or Fax
Email 2
Email 3

Select Service Level Below - Contact your AM to confi

Regular [R] ☑ Standard TAT if received by 3 pm - bu

PRIORITY (Business Days)
4 day [P4-20%] ☐
3 day [P3-25%] ☐
2 day [P2-50%] ☐

EMERGENCY
1 Business day
Same Day, Weel
200% (Laborato

Date and Time Required for all E&P TATs:

or tests that can not be performed according to the service level selected,

Analysis Requ

Invoice To	Same as Report To ☐ YES ☑ NO
	Copy of Invoice with Report ☐ YES ☑ NO
Company:	
Contact:	

Invoice Distribution

Select Invoice Distribution: ☑ EMAIL ☑ MAIL ☑ FAX
Email 1 or Fax
Email 2

Project Information

ALS Account # / Quote #:	VA23-TRIT100-~~000~~ 012
Job #:	11964
PO / AFE:	11964 - Task 20 - Phase 3C-4C
LSD:	
ALS Lab Work Order # (lab use only):	

Oil and Gas Required Fields (client use)

AFE/Cost Center:	PO#
Major/Minor Code:	Routing Code:
Requisitioner:	
Location:	
ALS Contact:	Sampler:

Indicate Filtered (F), Preserved (P) or Filtered and Pre

ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	Total metals + mercury	Dissolved metals + mercury	Total hexavalent chromium	Total trivalent chromium	TSS	TDS	Nutrients (ammonia, ammonium, total nitrogen, total phosphorus)	Total sulfide (as H2S), Unionized Sulfide (low)	Anions scan (Br, Cl, F, NO2, NO3, SO4)	General parameters (alkalinity)	DOC						SAMPLES ON HOLD	Sample is hazardous (please provide further	NUMBER OF CONTAINERS
						F					P	P			F/P								
	WLNG DS 1	07-May-24	13:45	Water	R	R	R	R	R	R	R	R	R	R	R							N	9
	pH: 7.09 cond: 24mS/cm temp: 11.4°C																						
	WLNG US 1	07-May-24	14:30	Water	R	R	R	R	R	R	R	R	R	R	R							N	9
	pH: 6.97 cond: 22mS/cm temp: 9.9°C																						
	Duplicate N/A			~~Water~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~								~~N~~	~~9~~
	Field Blank N/A			~~Water~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~	~~R~~								~~N~~	~~9~~
	Trip Blank N/A			~~Water~~	~~R~~	R	R	R	R	R	R	R	R	R									~~N~~	~~6~~

Drinking Water (DW) Samples[1] (client use)

Are samples taken from a Regulated DW System?
☐ ☑ NO

Are samples for human consumption/ use?
☐ ☑ NO

Special Instructions / Specify Criteria to add on report by clicking on the drop-down list below (electronic COC only)

Triton project # 11964

SAMPLE CONDITION AS RECEIVED (lab use only)

Frozen ☐ SIF Observations Yes ☐ No ☐
Ice Packs ☑ Ice Cubes ☐ Custody seal intact Yes ☐ No ☐
Cooling Initiated ☐

INITIAL COOLER TEMPERATURES °C				FINAL COOLER TEMPERATURES °C			
				11			

SHIPMENT RELEASE (client use)

Released by:		Time:
	May 7, 2024	18:00

INITIAL SHIPMENT RECEPTION (lab use only)

Received by:	Date:	Time:

FINAL SHIPMENT RECEPTION (lab use only)

Received by:	Date:	Time:
RJ	MAY-7	1815

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY YELLOW - CLIENT COPY

SEPT 2017 FRONT

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

Woodfibre Site Receiving Environment Field Notes and Logs

FortisBC Eagle Mountain-Woodfibre Gas Pipeline

Water Discharge Authorization Water Quality Monitoring

2024-5-7-Blanchard-05EA0

Project Component:	Tunnel	**Site Name:**	Receiving Environment - Downstream of Discharge
Inspection Date:	05/07/2024	**Location:**	WLNG
Triton QP:	Sam Blanchard	**Latitude/Longitude:**	49.6683 -123.247958
Temperature(c):	Low 4 High 15	**Permit:**	PE 110136
Weather Conditions:	Clear	**Ground Conditions:**	Dry

Observations

Time: 13:45:00 **Flow Volume (visual):** moderate

Notes: Logger setup relocated slightly downstream of the permanent culvert at the portal. Avoids influence of watercourse 317.

Odour Detected?:	No	**Notes:**	
Unusual Colour?	No	**Notes:**	
Unusual Observations?	No	**Notes:**	
Sheen on Water?	No	**Notes:**	

Samples Collected - Parameters

Total Metals + Mercury	Yes	**General Parameters (Alkalinity)**	Yes	**Other Sample:**	Total CrVI
Dissolved Metals + Mercury	Yes	**Total Sulfide, Unionized Sulfide**	Yes		
TSS	Yes	**Anions**	Yes		
TDS	Yes	**VOC/VPH**	N/A	**QA Samples:**	No
					Total CrVI
Nutrients	Yes	**EPH, PAH, LEPH/HEPH**	N/A		
DOC	Yes	**Trout LC50**	N/A		

Logger Maintenance

Logger Maintenance Performed?	Yes	**Photo of COC with Lab Signature?**	Yes

Describe Logger Maintenance

Calibrated for pH and wiped sensors.

Photos

Photo: 1

Location: EAS DS1

Description: Logger setup relocated just downstream of the permanent culvert.

Photo: 2

Location: EAS DS1

Description: US View

Photos

Photo: 3

Location: EAS DS1

Description: DS View

Photo: 4

Location: EAS DS1

Description: Across View

Photos



Photo: 5

Location: EAS DS1

Description: Lab CoC

Sign Off

Report Prepared By:	Sam Blanchard	**Report Reviewed:**	
Report Reviewer:		**Professional(s) of Record:**	
Name:			
Designation:			
Designation Number:			

FortisBC Eagle Mountain-Woodfibre Gas Pipeline

Water Discharge Authorization Water Quality Monitoring

2024-5-7-Blanchard-96667

Project Component:	Tunnel	**Site Name:**	Receiving Environment - Upstream of Discharge
Inspection Date:	05/07/2024	**Location:**	WLNG
Triton QP:	Sam Blanchard	**Latitude/Longitude:**	49.669455 -123.25087
Temperature(c):	Low 4 High 15	**Permit:**	PE 110136
Weather Conditions:	Clear	**Ground Conditions:**	Dry

Observations

Time: 14:30:00 **Flow Volume (visual):** moderate

Notes:

Odour Detected?:	No	**Notes:**	
Unusual Colour?	No	**Notes:**	
Unusual Observations?	No	**Notes:**	
Sheen on Water?	No	**Notes:**	

Samples Collected - Parameters

Total Metals + Mercury	Yes	**General Parameters (Alkalinity)**	Yes	**Other Sample:**	Total CrVI
Dissolved Metals + Mercury	Yes	**Total Sulfide, Unionized Sulfide**	Yes		
TSS	Yes	**Anions**	Yes		
TDS	Yes	**VOC/VPH**	N/A	**QA Samples:**	No
					Total CrVI
Nutrients	Yes	**EPH, PAH, LEPH/HEPH**	N/A		
DOC	Yes	**Trout LC50**	N/A		

Logger Maintenance

Logger Maintenance Performed?	Yes	**Photo of COC with Lab Signature?**	Yes

Describe Logger Maintenance

Calibrated for pH and wiped sensors.

Photos

Photo: 1

Location: EAS US1

Description: US View

Photo: 2

Location: EAS US1

Description: DS View

Photos

Photo: 3

Location: EAS US1

Description: Across View



Photo: 4

Location: EAS US1

Description: Lab CoC

Sign Off

Report Prepared By:	Sam Blanchard	**Report Reviewed:**	
Report Reviewer:		**Professional(s) of Record:**	
Name:			
Designation:			
Designation Number:			