

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Page           | 1 of 12                       |

# Eagle Mountain – Woodfibre Gas Pipeline Project

## BCER Waste Discharge Permit Weekly Report

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Page           | 2 of 12                       |

Contents

Preamble ..... 3

Introduction ..... 3

Sampling Methodology ..... 3

Summary-BC Rail Site ..... 5

Site Activities ..... 5

Discharge from Water Treatment Plant..... 5

Receiving Environment Monitoring-Squamish River ..... 5

Site Activities ..... 5

Exceedances..... 6

Discharge from Water Treatment Plant..... 6

Receiving Environment Monitoring-East Creek..... 6

July 2026 BC Chronic Guideline Comparison ..... 7

Total Aluminum (T-Al) and Dissolved Aluminum (D-Al) ..... 7

Total Suspended Solids (TSS) ..... 8

Appendix A: BC Rail Point of Discharge from Water Treatment System Documentation

Appendix B: BC Rail Receiving Environment Documentation

Appendix C: Woodfibre Point of Discharge from Water Treatment System Documentation

Appendix D: Woodfibre Receiving Environment Documentation

Appendix E: Lab Documentation

M0012-REG-REP-2001

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Page           | 3 of 12                       |

## Preamble

This weekly report for the British Columbia Energy Regulator (BCER) Waste Discharge Permit (BCER number PE-110163) for the FortisBC Eagle Mountain – Woodfibre Gas Pipeline (EGP) Project includes the results of water quality monitoring and sampling of the receiving environments (upstream and downstream) and points of discharge during the reporting period.

FortisBC has retained Hatfield Consultants as the Qualified Professional to implement and oversee the monitoring and sampling programs. The data represented below, including laboratory reported exceedances, represent conditions measured from final discharge points and the associated receiving environments, as required under the Waste Discharge Permit.

## Introduction

The results provided in this document have been submitted to BCER by FortisBC as per the requirements listed in Section 4.2 of the Waste Discharge Permit PE-110163:

The Permittee shall summarize the results of the discharge and receiving environment compliance sampling and monitoring program in a report that shall be submitted weekly over the term of this permit. The sampling and monitoring results shall be suitably tabulated and include comparison to the respective British Columbia Approved and Working Water Quality Guidelines for Freshwater & Marine Aquatic Life, as published by the Ministry of Environment & Climate Change Strategy. Any exceedance of regulatory guidelines shall be clearly highlighted, and any missed sampling events/missing data shall be identified with an explanation provided. Reporting frequency may be reduced upon a history of compliance and by written confirmation from the BCER. These reports shall be submitted to [Waste.Management@bc-er.ca](mailto:Waste.Management@bc-er.ca). A copy of the reports shall be provided to each First Nation consulted with regarding the subject permit, and also made publicly available on the FortisBC Eagle Mountain-Woodfibre Gas Pipeline Project | Talking Energy webpage.

## Sampling Methodology

The monitoring and sampling has been carried out in accordance with the procedures described in the most recent edition of the “British Columbia Field Sampling Manual” using field equipment and laboratory samples to meet daily and real-time requirements for the Waste Discharge Permit.

In the receiving environments, real-time and daily readings were monitored at the same time with one piece of equipment, allowing real-time daily readings. Visible sheen was monitored through visual inspections during times of discharge or sampling.

At the point of discharges, parameters are monitored using field equipment and water quality sondes, as well as discrete weekly water quality sampling events for laboratory analyses. Table 1 and Table 2 below describe this monitoring.



**Eagle Mountain – Woodfibre Gas Pipeline Project  
Waste Discharge Permit PE-110163 Report**

Reporting Week

July 27 to  
August 02, 2026

Report #

123

Page

4 of 12

**Table 1. Monitor Details for the Point of Discharge from the Water Treatment System-BC Rail and Woodfibre**

| Permit Frequency                     | Parameters                | Details                                                                 |
|--------------------------------------|---------------------------|-------------------------------------------------------------------------|
| During discharges                    | Visible Sheen             | In field inspection                                                     |
| Daily (or per batch)                 | DO                        | Monitoring using YSI ProDSS                                             |
|                                      | ORP                       | Monitoring using YSI ProDSS                                             |
|                                      | Salinity                  | Monitoring using YSI ProDSS                                             |
| Real-time (or per batch)             | pH                        | Monitoring using GF Dryloc pH Series NPT                                |
|                                      | Temperature               | Monitoring using LevelPro PT100 Temperature and Signet 2350 Temp sensor |
|                                      | NTU                       | Monitoring using Observer NEP9504GPI                                    |
|                                      | Electrical Conductivity   | Monitoring using ProCon C450                                            |
| Weekly (or per batch)<br>Lab Samples | List prescribed in permit | Lab samples*                                                            |

\*Indicates that weekly lab samples are currently only collected at the Woodfibre site, as approved by BCER, given that there is currently no discharge from the BC Rail site.

**Table 2. Monitor Details for the Receiving Environment (upstream and downstream)-BC Rail and Woodfibre**

| Permit Frequency   | Parameters                | Details                                          |
|--------------------|---------------------------|--------------------------------------------------|
| During discharges  | Visible Sheen             | In field inspection                              |
| Daily              | DO                        | Monitoring using Sonde- AquaTROLL 600 datalogger |
|                    | ORP                       | Monitoring using Sonde- AquaTROLL 600 datalogger |
|                    | Salinity                  | Monitoring using Sonde- AquaTROLL 600 datalogger |
| Real-time          | pH                        | Monitoring using Sonde- AquaTROLL 600 datalogger |
|                    | Temperature               | Monitoring using Sonde- AquaTROLL 600 datalogger |
|                    | NTU                       | Monitoring using Sonde- AquaTROLL 600 datalogger |
|                    | Electrical Conductivity   | Monitoring using Sonde- AquaTROLL 600 datalogger |
| Weekly Lab Samples | List prescribed in permit | Lab samples*                                     |

\*Indicates that weekly lab samples are currently only collected at the Woodfibre site, as approved by BCER, given that there is currently no discharge from the BC Rail site.



## Eagle Mountain – Woodfibre Gas Pipeline Project Waste Discharge Permit PE-110163 Report

Reporting Week

July 27 to  
August 02, 2026

Report #

123

Page

5 of 12

## Summary-BC Rail Site

### Site Activities

- The soft ground tunnel has been completed and FortisBC is in the process of demobilizing equipment and preparations for pipe stringing.

### Discharge from Water Treatment Plant

- There was no discharge this week from the BC Rail Site.

### Receiving Environment Monitoring-Squamish River

Tables 3 and 4 below provide information on water quality monitoring. Lab sampling has been put on hold with permission from BCER as there are currently no discharges. Appendix B includes a full set of results with real-time data. The receiving environment is being monitored as outlined in the permit and confirmed by BCER, with additional oversight by the QP.

**Table 3. Upstream Monitoring Information**

| Location                | Date of Lab Sample | Real-time Monitored | Results                                                                 |
|-------------------------|--------------------|---------------------|-------------------------------------------------------------------------|
| Squamish River Upstream | N/A                | Yes *               | Full set of real time monitoring results are provided in Appendix B. ** |

**Table 4. Downstream Monitoring Information**

| Location                  | Date of Lab Sample | Real-time Monitored | Results                                                                 |
|---------------------------|--------------------|---------------------|-------------------------------------------------------------------------|
| Squamish River Downstream | N/A                | Yes *               | Full set of real time monitoring results are provided in Appendix B. ** |

\* Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 15-minute intervals.

\*\* Data gaps in available in-situ continuous monitoring data, included:

- SQU US
  - 2026/07/30 at 14:15 to 2026/08/02 at 23:45: Due to sonde maintenance, no data available.
- SQU DS
  - No data gaps observed. Summary-Woodfibre Site

### Site Activities

- Weekly upstream, downstream, and end of pipe water quality sampling performed by the QP.
- On-going tunnelling at WLNG and grouting works to mitigate water ingress.

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Page           | 6 of 12                       |

## Exceedances

There were no reportable exceedance identified during the July 28 to August 2, 2026 reporting period.

## Discharge from Water Treatment Plant

Appendix C includes volume information and real-time/field samples from the discharge.

## Receiving Environment Monitoring-East Creek

Tables 5 and 6 below provide information on water quality monitoring. Appendix D includes a full set of results with real-time data. The receiving environment is being monitored as outlined in the permit with additional oversight by the QP.

**Table 5. Upstream Monitoring Information**

| Location            | Date of Lab Sample | Real-time Monitored | Results                                           |
|---------------------|--------------------|---------------------|---------------------------------------------------|
| East Creek Upstream | 2026-07-28         | Yes *               | Full set of results are provided in Appendix D.** |

**Table 6. Downstream Monitoring Information**

| Location              | Date of Lab Sample | Real-time Monitored | Results                                           |
|-----------------------|--------------------|---------------------|---------------------------------------------------|
| East Creek Downstream | 2026-07-28         | Yes *               | Full set of results are provided in Appendix D.** |

\* Sondes set up to log temperature, specific conductivity, salinity (in PSU), pH, ORP, DO (mg/L), and turbidity (NTU) at 15-minute intervals.

\*\*Data gaps in available in-situ continuous monitoring data, included:

- EAS US
  - 2026/07/30 at 13:15 to 2026/08/01 at 08:15 and 08:45: Temperature, specific conductivity, ORP, pH, DO, turbidity and salinity data were missing.
  - 2026/08/01 at 09:00 to 2026/08/02 at 23:45: Sone sensor set to 60-minute recording interval rather than 15-minute recording interval, therefore creating three data gaps an hour.
- EAS DS
  - 2026/07/28: specific conductivity, ORP, pH, DO, turbidity and salinity data were missing at 12:00 and 12:15.
  - 2026/07/29 at 10:00 to 2026/07/30 at 08:00 and 2026/07/30 at 08:30 to 11:45: specific conductivity, ORP, pH, DO, turbidity and salinity data were missing.
  - 2026/07/30: Temperature, specific conductivity, ORP, pH, DO, turbidity and salinity data were missing at 08:15, 12:00 to 14:00.

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Page           | 7 of 12                       |

July 2026 BC Chronic Guideline Comparison

Consistent with recommendations outlined in Hatfield (2024)<sup>1</sup>, the applicable guideline at the WLNG EOP is the short-term freshwater guideline for protection of aquatic life. Additionally, as outlined in Hatfield (2024), an assessment is provided below in figures detailing trends in concentrations of constituents determined to exceed monthly average BC chronic water quality guidelines for the protection of aquatic life during at least one weekly sampling event in July at the WLNG DS station. Given that chronic BC WQGPAL are designed to be applied over a monthly period and include conservative assumptions in their derivation (e.g., safety factors), the below interpretation is provided to put these identified exceedance events into context from an ecological risk perspective. A summary of the July monthly chronic guideline comparisons are provided in Table 7.

Total Aluminum (T-Al) and Dissolved Aluminum (D-Al)

- The mean monthly T-Al concentration at the downstream WLNG DS (0.179 mg/L) station was above the mean sample-specific calculated BC long-term (LT) WQGPAL (freshwater) of 0.0788 mg/L by a factor of 2.3 times (See Figure 1); however, it met the T-Al Federal WQG of 0.236 mg/L, suggesting limited risk to aquatic life. The Federal WQG was developed using a robust species sensitivity distribution involving IC10 (inhibitory concentration eliciting a 10% effect) values from sensitive aquatic species (reproduced in Figure 4). The BC WQGPAL was derived by applying a 3-fold safety factor to the Federal WQG based on conservative BC WQG development policies; however, as outlined in Section 4.4.6 of BC ENV (2023)<sup>2</sup> Protocol 1 *Detailed Risk Assessment* guidance, risk to aquatic life should be evaluated based on EC20 values. Given that the federal WQG was derived using the 5<sup>th</sup> percentile from a species sensitivity distribution approach that involved the use of IC10 values, the lack of exceedances of the Federal WQG at WLNG DS suggests limited risk to aquatic life in East Creek during the month of July.
- It should also be acknowledged that most of the aluminum from WLNG DS was particulate aluminum, which would be expected to be less bioavailable to aquatic life. The mean dissolved aluminum concentration measured at WLNG DS was 0.0987 mg/L, which only marginally exceeded the conservative BC WQGPAL, while remaining less than the federal WQG (See Figure 2). Therefore, these results suggest low risk to downstream aquatic life from the WLNG DS T-Al and D-AL mean concentrations determined for the month of July 2026.
- It should also be noted that average T-Al concentrations at the upstream WLNG US station in July (0.291 mg/L) was actually greater than both the monthly average T-Al concentrations at the WLNG EOP (0.188 mg/L) and WLNG DS (0.179 mg/L) stations, indicating that background levels of T-Al can be elevated at times above both BC and federal WQGs in East Creek independent of the WLNG discharge. This understanding supports the above description of risk described at WLNG DS and

<sup>1</sup> Hatfield Consultants LLP. 2024. EGP Effluent Discharge Permit Condition Review, FORTIS11234. Dated December 18, 2024.

<sup>2</sup> [BC ENV] British Columbia Ministry of Environment and Climate Strategy. 2023. Protocol 1 for Contaminated Sites. Detailed Risk Assessment. Version 4.0. Date: March 20, 2023.



**Eagle Mountain – Woodfibre Gas Pipeline Project  
Waste Discharge Permit PE-110163 Report**

Reporting Week

July 27 to  
August 02, 2026

Report #

123

Page

8 of 12

highlights that conservative BC WQGs are not appropriate management targets in East Creek from an ecological risk perspective given that regional baseline conditions outlined in Figure 1 for reference monitoring stations in both East Creek (WLNG US) and the Squamish River (SQU US) have shown repeated exceedances of conservative BC WQGPAL during monitoring over the past two years.

#### Total Suspended Solids (TSS)

- The mean TSS concentrations at the WLNG EOP (2.7 mg/L) and downstream WLNG DS (1.2 mg/L) stations were both below the mean sample-specific calculated BC LT WQGPAL (freshwater) of 8.5 mg/L for the month of July 2026 (See Figure 3).
- These results suggest negligible risk to downstream aquatic life from the WLNG DS TSS mean concentration for the month of July 2026 given that it was less than the mean BC LT WQGPAL (freshwater).

**Table 7. July 2026 Monthly Chronic Guidelines Comparison in East Creek.**

| Analyte | Date       | Measured Concentration at WLNG DS (mg/L) | Monthly Mean Value at WLNG DS (mg/L) | Monthly Mean BC WQG Chronic at WLNG DS (mg/L) | Monthly Mean Federal WQGPAL Chronic at WLNG DS (mg/L) |
|---------|------------|------------------------------------------|--------------------------------------|-----------------------------------------------|-------------------------------------------------------|
| T-Al    | 2026/07/07 | 0.5                                      | 0.179                                | 0.0788                                        | 0.236                                                 |
| T-Al    | 2026/07/14 | 0.0267                                   |                                      |                                               |                                                       |
| T-Al    | 2026/07/21 | 0.0968                                   |                                      |                                               |                                                       |
| T-Al    | 2026/07/28 | 0.0927                                   |                                      |                                               |                                                       |
| D-Al    | 2026/07/07 | 0.282                                    | 0.0987                               | 0.0788                                        | 0.236                                                 |
| D-Al    | 2026/07/14 | 0.0207                                   |                                      |                                               |                                                       |
| D-Al    | 2026/07/21 | 0.0451                                   |                                      |                                               |                                                       |
| D-Al    | 2026/07/28 | 0.047                                    |                                      |                                               |                                                       |
| TSS     | 2026/07/07 | 1                                        | 1.2                                  | 8.5                                           | 8.5                                                   |
| TSS     | 2026/07/14 | 1                                        |                                      |                                               |                                                       |
| TSS     | 2026/07/21 | 1                                        |                                      |                                               |                                                       |
| TSS     | 2026/07/28 | 1.6                                      |                                      |                                               |                                                       |

Figure 1: Total Aluminium (T-Al)




Figure 2: Dissolved Aluminum




Figure 3: Total Suspended Solids (TSS)





Figure 4: Species sensitivity distribution used to derive the federal water quality guideline for aluminum (reproduce from ECCC 2022<sup>3</sup>)



FWQG model averaged species sensitivity distribution (SSD) for aluminium in freshwater for an example site (pH7.5, DOC 0.5 mg/L, hardness 50 mg/L). The 5<sup>th</sup> percentile is 170 µg Al/L.

<sup>3</sup> [ECCC] Environment and Climate Change Canada. 2022. Federal Environmental Quality Guidelines: Aluminum. Government of Canada. August 2022.

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix A     | A-1                           |

Appendix A:  
BCR Site Point of Discharge from Water  
Treatment Plant Documentation

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix A     | A-2                           |

BCR Site Batch Sample Analysis

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix A     | A-3                           |

BCR Site WTP Discharge Field Notes and Logs

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix B     | B-1                           |

Appendix B:  
BCR Site Receiving Environment Documentation

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix B     | B-2                           |

BCR Site Receiving Environment Sample Analysis

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix B     | B-3                           |

BCR Site Receiving Environment  
Field Notes and Logs

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-27 00:00:00 | 10.81           | 12.17                         | 0.55    | 7.34          | 10.30                   | 4.80            | 0.00           |
| SQU-DS         | 2026-07-27 00:15:00 | 10.78           | 12.08                         | 0.54    | 7.33          | 10.31                   | 4.55            | 0.00           |
| SQU-DS         | 2026-07-27 00:30:00 | 10.77           | 12.19                         | 0.54    | 7.34          | 10.31                   | 3.90            | 0.00           |
| SQU-DS         | 2026-07-27 00:45:00 | 10.75           | 12.06                         | 0.54    | 7.34          | 10.32                   | 0.37            | 0.00           |
| SQU-DS         | 2026-07-27 01:00:00 | 10.73           | 12.05                         | 0.54    | 7.33          | 10.32                   | 3.91            | 0.00           |
| SQU-DS         | 2026-07-27 01:15:00 | 10.71           | 12.08                         | 0.54    | 7.37          | 10.32                   | 3.15            | 0.00           |
| SQU-DS         | 2026-07-27 01:30:00 | 10.68           | 11.99                         | 0.54    | 7.34          | 10.33                   | 3.26            | 0.00           |
| SQU-DS         | 2026-07-27 01:45:00 | 10.67           | 11.97                         | 0.54    | 7.38          | 10.31                   | 0.00            | 0.00           |
| SQU-DS         | 2026-07-27 02:00:00 | 10.65           | 11.92                         | 0.54    | 7.31          | 10.32                   | 4.09            | 0.00           |
| SQU-DS         | 2026-07-27 02:15:00 | 10.62           | 11.93                         | 0.54    | 7.36          | 10.33                   | 4.22            | 0.00           |
| SQU-DS         | 2026-07-27 02:30:00 | 10.60           | 11.87                         | 0.53    | 7.38          | 10.32                   | 1.55            | 0.00           |
| SQU-DS         | 2026-07-27 02:45:00 | 10.58           | 11.90                         | 0.54    | 7.33          | 10.33                   | 7.07            | 0.00           |
| SQU-DS         | 2026-07-27 03:00:00 | 10.57           | 11.89                         | 0.53    | 7.39          | 10.33                   | 1.66            | 0.00           |
| SQU-DS         | 2026-07-27 03:15:00 | 10.55           | 11.92                         | 0.54    | 7.31          | 10.35                   | 5.06            | 0.00           |
| SQU-DS         | 2026-07-27 03:30:00 | 10.53           | 11.86                         | 0.53    | 7.36          | 10.34                   | 4.73            | 0.00           |
| SQU-DS         | 2026-07-27 03:45:00 | 10.51           | 11.88                         | 0.54    | 7.33          | 10.34                   | 6.43            | 0.00           |
| SQU-DS         | 2026-07-27 04:00:00 | 10.50           | 11.85                         | 0.53    | 7.35          | 10.33                   | 2.96            | 0.00           |
| SQU-DS         | 2026-07-27 04:15:00 | 10.49           | 11.83                         | 0.53    | 7.32          | 10.34                   | 5.61            | 0.00           |
| SQU-DS         | 2026-07-27 04:30:00 | 10.47           | 11.83                         | 0.53    | 7.37          | 10.34                   | 2.51            | 0.00           |
| SQU-DS         | 2026-07-27 04:45:00 | 10.45           | 11.74                         | 0.53    | 7.36          | 10.34                   | 4.62            | 0.00           |
| SQU-DS         | 2026-07-27 05:00:00 | 10.44           | 11.76                         | 0.53    | 7.34          | 10.36                   | 6.61            | 0.00           |
| SQU-DS         | 2026-07-27 05:15:00 | 10.43           | 11.80                         | 0.53    | 7.35          | 10.35                   | 6.57            | 0.00           |
| SQU-DS         | 2026-07-27 05:30:00 | 10.41           | 11.85                         | 0.53    | 7.34          | 10.35                   | 8.14            | 0.00           |
| SQU-DS         | 2026-07-27 05:45:00 | 10.40           | 11.71                         | 0.53    | 7.35          | 10.35                   | 5.45            | 0.00           |
| SQU-DS         | 2026-07-27 06:00:00 | 10.39           | 11.82                         | 0.53    | 7.34          | 10.36                   | 5.20            | 0.00           |
| SQU-DS         | 2026-07-27 06:15:00 | 10.37           | 11.72                         | 0.53    | 7.35          | 10.36                   | 6.09            | 0.00           |
| SQU-DS         | 2026-07-27 06:30:00 | 10.36           | 11.72                         | 0.53    | 7.31          | 10.36                   | 5.29            | 0.00           |
| SQU-DS         | 2026-07-27 06:45:00 | 10.34           | 11.70                         | 0.53    | 7.31          | 10.36                   | 4.66            | 0.00           |
| SQU-DS         | 2026-07-27 07:00:00 | 10.33           | 11.75                         | 0.54    | 7.29          | 10.35                   | 8.17            | 0.00           |
| SQU-DS         | 2026-07-27 07:15:00 | 10.31           | 11.69                         | 0.53    | 7.38          | 10.37                   | 3.39            | 0.00           |
| SQU-DS         | 2026-07-27 07:30:00 | 10.29           | 11.58                         | 0.53    | 7.32          | 10.37                   | 3.60            | 0.00           |
| SQU-DS         | 2026-07-27 07:45:00 | 10.28           | 11.68                         | 0.54    | 7.28          | 10.36                   | 8.55            | 0.00           |
| SQU-DS         | 2026-07-27 08:00:00 | 10.27           | 11.71                         | 0.53    | 7.33          | 10.38                   | 6.57            | 0.00           |
| SQU-DS         | 2026-07-27 08:15:00 | 10.27           | 11.63                         | 0.53    | 7.31          | 10.38                   | 6.28            | 0.00           |
| SQU-DS         | 2026-07-27 08:30:00 | 10.26           | 11.76                         | 0.53    | 7.32          | 10.38                   | 8.73            | 0.00           |
| SQU-DS         | 2026-07-27 08:45:00 | 10.25           | 11.65                         | 0.53    | 7.35          | 10.39                   | 7.24            | 0.00           |
| SQU-DS         | 2026-07-27 09:00:00 | 10.25           | 11.92                         | 0.53    | 7.30          | 10.37                   | 10.51           | 0.00           |
| SQU-DS         | 2026-07-27 09:15:00 | 10.23           | 11.95                         | 0.53    | 7.31          | 10.39                   | 10.51           | 0.00           |
| SQU-DS         | 2026-07-27 09:30:00 | 10.22           | 11.77                         | 0.53    | 7.39          | 10.38                   | 5.22            | 0.00           |
| SQU-DS         | 2026-07-27 09:45:00 | 10.22           | 11.93                         | 0.53    | 7.39          | 10.39                   | 6.13            | 0.00           |
| SQU-DS         | 2026-07-27 10:00:00 | 10.21           | 11.89                         | 0.53    | 7.40          | 10.40                   | 7.28            | 0.00           |
| SQU-DS         | 2026-07-27 10:15:00 | 10.22           | 12.08                         | 0.53    | 7.34          | 10.41                   | 8.27            | 0.00           |
| SQU-DS         | 2026-07-27 10:30:00 | 10.23           | 12.27                         | 0.53    | 7.35          | 10.40                   | 12.03           | 0.00           |
| SQU-DS         | 2026-07-27 10:45:00 | 10.22           | 12.14                         | 0.53    | 7.36          | 10.42                   | 10.47           | 0.00           |
| SQU-DS         | 2026-07-27 11:00:00 | 10.23           | 12.23                         | 0.53    | 7.31          | 10.41                   | 10.41           | 0.00           |
| SQU-DS         | 2026-07-27 11:15:00 | 10.26           | 12.28                         | 0.53    | 7.34          | 10.41                   | 8.96            | 0.00           |
| SQU-DS         | 2026-07-27 11:30:00 | 10.27           | 12.30                         | 0.53    | 7.33          | 10.41                   | 10.57           | 0.00           |
| SQU-DS         | 2026-07-27 11:45:00 | 10.28           | 12.33                         | 0.53    | 7.33          | 10.43                   | 9.72            | 0.00           |
| SQU-DS         | 2026-07-27 12:00:00 | 10.29           | 12.40                         | 0.53    | 7.37          | 10.43                   | 11.51           | 0.00           |
| SQU-DS         | 2026-07-27 12:15:00 | 10.30           | 12.36                         | 0.53    | 7.32          | 10.43                   | 11.87           | 0.00           |
| SQU-DS         | 2026-07-27 12:30:00 | 10.31           | 12.48                         | 0.53    | 7.36          | 10.43                   | 9.54            | 0.00           |
| SQU-DS         | 2026-07-27 12:45:00 | 10.32           | 12.31                         | 0.53    | 7.38          | 10.43                   | 8.36            | 0.00           |
| SQU-DS         | 2026-07-27 13:00:00 | 10.33           | 12.36                         | 0.53    | 7.37          | 10.43                   | 7.32            | 0.00           |
| SQU-DS         | 2026-07-27 13:15:00 | 10.36           | 12.41                         | 0.52    | 7.38          | 10.41                   | 11.84           | 0.00           |
| SQU-DS         | 2026-07-27 13:30:00 | 10.36           | 12.38                         | 0.53    | 7.38          | 10.41                   | 9.47            | 0.00           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-27 13:45:00 | 10.38           | 12.44                         | 0.53    | 7.31          | 10.41                   | 13.75           | 0.00           |
| SQU-DS         | 2026-07-27 14:00:00 | 10.37           | 11.99                         | 0.53    | 7.36          | 10.42                   | 10.42           | 0.00           |
| SQU-DS         | 2026-07-27 14:15:00 | 10.40           | 12.44                         | 0.53    | 7.34          | 10.43                   | 11.31           | 0.00           |
| SQU-DS         | 2026-07-27 14:30:00 | 10.41           | 12.09                         | 0.52    | 7.42          | 10.41                   | 9.37            | 0.00           |
| SQU-DS         | 2026-07-27 14:45:00 | 10.43           | 12.40                         | 0.52    | 7.38          | 10.43                   | 10.63           | 0.00           |
| SQU-DS         | 2026-07-27 15:00:00 | 10.47           | 12.30                         | 0.52    | 7.40          | 10.42                   | 11.04           | 0.00           |
| SQU-DS         | 2026-07-27 15:15:00 | 10.51           | 12.44                         | 0.53    | 7.35          | 10.42                   | 14.22           | 0.00           |
| SQU-DS         | 2026-07-27 15:30:00 | 10.55           | 12.69                         | 0.53    | 7.35          | 10.40                   | 10.51           | 0.00           |
| SQU-DS         | 2026-07-27 15:45:00 | 10.56           | 12.26                         | 0.52    | 7.41          | 10.41                   | 14.09           | 0.00           |
| SQU-DS         | 2026-07-27 16:00:00 | 10.60           | 12.52                         | 0.52    | 7.34          | 10.40                   | 15.80           | 0.00           |
| SQU-DS         | 2026-07-27 16:15:00 | 10.63           | 12.55                         | 0.52    | 7.36          | 10.39                   | 13.95           | 0.00           |
| SQU-DS         | 2026-07-27 16:30:00 | 10.65           | 10.17                         | 0.52    | 7.41          | 10.39                   | 10.40           | 0.00           |
| SQU-DS         | 2026-07-27 16:45:00 | 10.64           | 9.99                          | 0.52    | 7.41          | 10.38                   | 9.50            | 0.00           |
| SQU-DS         | 2026-07-27 17:00:00 | 10.67           | 9.93                          | 0.52    | 7.38          | 10.37                   | 14.55           | 0.00           |
| SQU-DS         | 2026-07-27 17:15:00 | 10.68           | 10.18                         | 0.52    | 7.37          | 10.38                   | 15.29           | 0.00           |
| SQU-DS         | 2026-07-27 17:30:00 | 10.70           | 10.14                         | 0.52    | 7.48          | 10.35                   | 4.99            | 0.00           |
| SQU-DS         | 2026-07-27 17:45:00 | 10.70           | 10.01                         | 0.52    | 7.41          | 10.37                   | 13.13           | 0.00           |
| SQU-DS         | 2026-07-27 18:00:00 | 10.70           | 10.24                         | 0.52    | 7.39          | 10.36                   | 13.67           | 0.00           |
| SQU-DS         | 2026-07-27 18:15:00 | 10.71           | 10.04                         | 0.52    | 7.44          | 10.35                   | 5.18            | 0.00           |
| SQU-DS         | 2026-07-27 18:30:00 | 10.73           | 9.78                          | 0.52    | 7.47          | 10.33                   | 5.06            | 0.00           |
| SQU-DS         | 2026-07-27 18:45:00 | 10.72           | 9.75                          | 0.52    | 7.41          | 10.33                   | 9.19            | 0.00           |
| SQU-DS         | 2026-07-27 19:00:00 | 10.73           | 9.85                          | 0.52    | 7.42          | 10.33                   | 11.28           | 0.00           |
| SQU-DS         | 2026-07-27 19:15:00 | 10.74           | 9.93                          | 0.52    | 7.40          | 10.32                   | 7.75            | 0.00           |
| SQU-DS         | 2026-07-27 19:30:00 | 10.76           | 10.07                         | 0.52    | 7.40          | 10.31                   | 7.51            | 0.00           |
| SQU-DS         | 2026-07-27 19:45:00 | 10.77           | 10.09                         | 0.52    | 7.42          | 10.30                   | 10.36           | 0.00           |
| SQU-DS         | 2026-07-27 20:00:00 | 10.79           | 9.97                          | 0.52    | 7.41          | 10.29                   | 9.72            | 0.00           |
| SQU-DS         | 2026-07-27 20:15:00 | 10.79           | 10.13                         | 0.53    | 7.38          | 10.30                   | 10.93           | 0.00           |
| SQU-DS         | 2026-07-27 20:30:00 | 10.80           | 10.22                         | 0.52    | 7.40          | 10.29                   | 10.14           | 0.00           |
| SQU-DS         | 2026-07-27 20:45:00 | 10.81           | 10.33                         | 0.53    | 7.37          | 10.28                   | 10.34           | 0.00           |
| SQU-DS         | 2026-07-27 21:00:00 | 10.81           | 10.16                         | 0.52    | 7.42          | 10.28                   | 8.23            | 0.00           |
| SQU-DS         | 2026-07-27 21:15:00 | 10.83           | 10.26                         | 0.52    | 7.42          | 10.26                   | 7.59            | 0.00           |
| SQU-DS         | 2026-07-27 21:30:00 | 10.83           | 10.14                         | 0.53    | 7.38          | 10.26                   | 9.07            | 0.00           |
| SQU-DS         | 2026-07-27 21:45:00 | 10.82           | 10.27                         | 0.52    | 7.42          | 10.26                   | 5.85            | 0.00           |
| SQU-DS         | 2026-07-27 22:00:00 | 10.81           | 10.34                         | 0.52    | 7.40          | 10.27                   | 9.17            | 0.00           |
| SQU-DS         | 2026-07-27 22:15:00 | 10.82           | 10.48                         | 0.53    | 7.35          | 10.26                   | 10.78           | 0.00           |
| SQU-DS         | 2026-07-27 22:30:00 | 10.78           | 10.28                         | 0.52    | 7.44          | 10.26                   | 8.20            | 0.00           |
| SQU-DS         | 2026-07-27 22:45:00 | 10.76           | 10.38                         | 0.53    | 7.37          | 10.27                   | 13.02           | 0.00           |
| SQU-DS         | 2026-07-27 23:00:00 | 10.74           | 10.32                         | 0.53    | 7.42          | 10.27                   | 11.38           | 0.00           |
| SQU-DS         | 2026-07-27 23:15:00 | 10.72           | 10.46                         | 0.53    | 7.36          | 10.26                   | 11.18           | 0.00           |
| SQU-DS         | 2026-07-27 23:30:00 | 10.70           | 10.40                         | 0.52    | 7.44          | 10.26                   | 9.53            | 0.00           |
| SQU-DS         | 2026-07-27 23:45:00 | 10.68           | 10.34                         | 0.53    | 7.40          | 10.28                   | 11.00           | 0.00           |
| SQU-DS         | 2026-07-28 00:00:00 | 10.65           | 10.36                         | 0.53    | 7.36          | 10.27                   | 13.76           | 0.00           |
| SQU-DS         | 2026-07-28 00:15:00 | 10.64           | 10.39                         | 0.52    | 7.44          | 10.27                   | 10.08           | 0.00           |
| SQU-DS         | 2026-07-28 00:30:00 | 10.62           | 10.42                         | 0.53    | 7.35          | 10.28                   | 13.72           | 0.00           |
| SQU-DS         | 2026-07-28 00:45:00 | 10.59           | 10.12                         | 0.53    | 7.38          | 10.27                   | 13.20           | 0.00           |
| SQU-DS         | 2026-07-28 01:00:00 | 10.58           | 10.36                         | 0.53    | 7.32          | 10.27                   | 13.82           | 0.00           |
| SQU-DS         | 2026-07-28 01:15:00 | 10.55           | 10.20                         | 0.53    | 7.34          | 10.28                   | 10.82           | 0.00           |
| SQU-DS         | 2026-07-28 01:30:00 | 10.54           | 10.23                         | 0.53    | 7.42          | 10.28                   | 10.27           | 0.00           |
| SQU-DS         | 2026-07-28 01:45:00 | 10.51           | 10.19                         | 0.53    | 7.32          | 10.28                   | 10.45           | 0.00           |
| SQU-DS         | 2026-07-28 02:00:00 | 10.49           | 10.25                         | 0.53    | 7.42          | 10.28                   | 10.01           | 0.00           |
| SQU-DS         | 2026-07-28 02:15:00 | 10.47           | 10.17                         | 0.53    | 7.41          | 10.30                   | 7.11            | 0.00           |
| SQU-DS         | 2026-07-28 02:30:00 | 10.46           | 10.18                         | 0.53    | 7.40          | 10.29                   | 12.18           | 0.00           |
| SQU-DS         | 2026-07-28 02:45:00 | 10.44           | 10.14                         | 0.53    | 7.43          | 10.28                   | 9.31            | 0.00           |
| SQU-DS         | 2026-07-28 03:00:00 | 10.42           | 10.04                         | 0.53    | 7.43          | 10.28                   | 6.97            | 0.00           |
| SQU-DS         | 2026-07-28 03:15:00 | 10.41           | 10.18                         | 0.53    | 7.40          | 10.29                   | 7.28            | 0.00           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-28 03:30:00 | 10.40           | 10.08                         | 0.53    | 7.40          | 10.29                   | 6.87            | 0.00           |
| SQU-DS         | 2026-07-28 03:45:00 | 10.38           | 10.05                         | 0.53    | 7.39          | 10.29                   | 6.42            | 0.00           |
| SQU-DS         | 2026-07-28 04:00:00 | 10.37           | 10.02                         | 0.53    | 7.34          | 10.27                   | 10.61           | 0.00           |
| SQU-DS         | 2026-07-28 04:15:00 | 10.36           | 10.06                         | 0.53    | 7.39          | 10.29                   | 4.49            | 0.00           |
| SQU-DS         | 2026-07-28 04:30:00 | 10.35           | 10.08                         | 0.53    | 7.34          | 10.28                   | 3.85            | 0.00           |
| SQU-DS         | 2026-07-28 04:45:00 | 10.34           | 10.06                         | 0.53    | 7.38          | 10.29                   | 2.85            | 0.00           |
| SQU-DS         | 2026-07-28 05:00:00 | 10.33           | 9.96                          | 0.53    | 7.40          | 10.28                   | 2.68            | 0.00           |
| SQU-DS         | 2026-07-28 05:15:00 | 10.32           | 10.03                         | 0.54    | 7.34          | 10.28                   | 1.91            | 0.00           |
| SQU-DS         | 2026-07-28 05:30:00 | 10.32           | 10.05                         | 0.53    | 7.37          | 10.29                   | 3.42            | 0.00           |
| SQU-DS         | 2026-07-28 05:45:00 | 10.31           | 10.00                         | 0.53    | 7.37          | 10.28                   | 2.08            | 0.00           |
| SQU-DS         | 2026-07-28 06:00:00 | 10.31           | 10.10                         | 0.53    | 7.41          | 10.28                   | 0.52            | 0.00           |
| SQU-DS         | 2026-07-28 06:15:00 | 10.30           | 10.13                         | 0.53    | 7.42          | 10.28                   | 3.73            | 0.00           |
| SQU-DS         | 2026-07-28 06:30:00 | 10.29           | 10.10                         | 0.53    | 7.43          | 10.29                   | 1.15            | 0.00           |
| SQU-DS         | 2026-07-28 06:45:00 | 10.28           | 10.07                         | 0.53    | 7.40          | 10.27                   | 0.33            | 0.00           |
| SQU-DS         | 2026-07-28 07:00:00 | 10.27           | 9.99                          | 0.53    | 7.39          | 10.27                   | 0.00            | 0.00           |
| SQU-DS         | 2026-07-28 07:15:00 | 10.26           | 10.07                         | 0.54    | 7.33          | 10.28                   | 4.27            | 0.00           |
| SQU-DS         | 2026-07-28 07:30:00 | 10.26           | 10.08                         | 0.54    | 7.32          | 10.28                   | 2.63            | 0.00           |
| SQU-DS         | 2026-07-28 07:45:00 | 10.26           | 10.19                         | 0.54    | 7.32          | 10.27                   | 6.19            | 0.00           |
| SQU-DS         | 2026-07-28 08:00:00 | 10.26           | 10.24                         | 0.53    | 7.40          | 10.27                   | 3.87            | 0.00           |
| SQU-DS         | 2026-07-28 08:15:00 | 10.26           | 10.13                         | 0.53    | 7.37          | 10.27                   | 0.71            | 0.00           |
| SQU-DS         | 2026-07-28 08:30:00 | 10.27           | 9.98                          | 0.53    | 7.33          | 10.28                   | 3.37            | 0.00           |
| SQU-DS         | 2026-07-28 08:45:00 | 10.27           | 10.15                         | 0.53    | 7.37          | 10.27                   | 1.81            | 0.00           |
| SQU-DS         | 2026-07-28 09:00:00 | 10.28           | 10.13                         | 0.53    | 7.40          | 10.27                   | 2.12            | 0.00           |
| SQU-DS         | 2026-07-28 09:15:00 | 10.29           | 10.13                         | 0.53    | 7.36          | 10.28                   | 2.53            | 0.00           |
| SQU-DS         | 2026-07-28 09:30:00 | 10.30           | 10.12                         | 0.53    | 7.37          | 10.27                   | 3.75            | 0.00           |
| SQU-DS         | 2026-07-28 09:45:00 | 10.32           | 10.17                         | 0.53    | 7.32          | 10.27                   | 2.19            | 0.00           |
| SQU-DS         | 2026-07-28 10:00:00 | 10.32           | 10.10                         | 0.53    | 7.35          | 10.27                   | 1.56            | 0.00           |
| SQU-DS         | 2026-07-28 10:15:00 | 10.32           | 10.10                         | 0.53    | 7.36          | 10.28                   | 2.61            | 0.00           |
| SQU-DS         | 2026-07-28 10:30:00 | 10.32           | 10.18                         | 0.53    | 7.37          | 10.28                   | 4.80            | 0.00           |
| SQU-DS         | 2026-07-28 10:45:00 | 10.33           | 10.12                         | 0.53    | 7.41          | 10.28                   | 1.53            | 0.00           |
| SQU-DS         | 2026-07-28 11:00:00 | 10.34           | 10.23                         | 0.53    | 7.39          | 10.29                   | 3.32            | 0.00           |
| SQU-DS         | 2026-07-28 11:15:00 | 10.36           | 10.04                         | 0.53    | 7.32          | 10.29                   | 2.16            | 0.00           |
| SQU-DS         | 2026-07-28 11:30:00 | 10.39           | 10.18                         | 0.53    | 7.33          | 10.28                   | 3.06            | 0.00           |
| SQU-DS         | 2026-07-28 11:45:00 | 10.45           | 10.06                         | 0.53    | 7.40          | 10.29                   | 1.41            | 0.00           |
| SQU-DS         | 2026-07-28 12:00:00 | 10.50           | 10.04                         | 0.53    | 7.35          | 10.30                   | 3.64            | 0.00           |
| SQU-DS         | 2026-07-28 12:15:00 | 10.53           | 10.12                         | 0.53    | 7.30          | 10.31                   | 5.42            | 0.00           |
| SQU-DS         | 2026-07-28 12:30:00 | 10.57           | 10.25                         | 0.53    | 7.37          | 10.30                   | 3.23            | 0.00           |
| SQU-DS         | 2026-07-28 12:45:00 | 10.67           | 10.25                         | 0.53    | 7.36          | 10.28                   | 2.44            | 0.00           |
| SQU-DS         | 2026-07-28 13:00:00 | 10.78           | 10.54                         | 0.53    | 7.37          | 10.26                   | 6.05            | 0.00           |
| SQU-DS         | 2026-07-28 13:15:00 | 10.88           | 10.62                         | 0.52    | 7.40          | 10.25                   | 4.76            | 0.00           |
| SQU-DS         | 2026-07-28 13:30:00 | 10.97           | 10.65                         | 0.52    | 7.36          | 10.26                   | 5.93            | 0.00           |
| SQU-DS         | 2026-07-28 13:45:00 | 11.04           | 10.63                         | 0.53    | 7.36          | 10.26                   | 6.50            | 0.00           |
| SQU-DS         | 2026-07-28 14:00:00 | 11.13           | 10.92                         | 0.52    | 7.37          | 10.25                   | 8.01            | 0.00           |
| SQU-DS         | 2026-07-28 14:15:00 | 11.14           | 10.84                         | 0.52    | 7.49          | 10.25                   | 3.44            | 0.00           |
| SQU-DS         | 2026-07-28 14:30:00 | 11.22           | 10.95                         | 0.52    | 7.43          | 10.25                   | 9.61            | 0.00           |
| SQU-DS         | 2026-07-28 14:45:00 | 11.28           | 11.13                         | 0.52    | 7.43          | 10.27                   | 13.78           | 0.00           |
| SQU-DS         | 2026-07-28 15:00:00 | 11.35           | 11.09                         | 0.51    | 7.50          | 10.26                   | 12.44           | 0.00           |
| SQU-DS         | 2026-07-28 15:15:00 | 11.44           | 11.17                         | 0.51    | 7.47          | 10.24                   | 16.58           | 0.00           |
| SQU-DS         | 2026-07-28 15:30:00 | 11.49           | 11.12                         | 0.51    | 7.46          | 10.23                   | 14.78           | 0.00           |
| SQU-DS         | 2026-07-28 15:45:00 | 11.51           | 11.34                         | 0.52    | 7.42          | 10.23                   | 18.06           | 0.00           |
| SQU-DS         | 2026-07-28 16:00:00 | 11.52           | 11.35                         | 0.51    | 7.50          | 10.25                   | 16.75           | 0.00           |
| SQU-DS         | 2026-07-28 16:15:00 | 11.52           | 11.11                         | 0.51    | 7.49          | 10.24                   | 18.38           | 0.00           |
| SQU-DS         | 2026-07-28 16:30:00 | 11.53           | 11.30                         | 0.51    | 7.43          | 10.25                   | 29.06           | 0.00           |
| SQU-DS         | 2026-07-28 16:45:00 | 11.53           | 11.11                         | 0.51    | 7.50          | 10.25                   | 25.97           | 0.00           |
| SQU-DS         | 2026-07-28 17:00:00 | 11.53           | 11.24                         | 0.51    | 7.44          | 10.25                   | 54.95           | 0.00           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-28 17:15:00 | 11.52           | 11.37                         | 0.50    | 7.52          | 10.24                   | 42.81           | 0.00           |
| SQU-DS         | 2026-07-28 17:30:00 | 11.52           | 11.32                         | 0.50    | 7.49          | 10.24                   | 56.68           | 0.00           |
| SQU-DS         | 2026-07-28 17:45:00 | 11.54           | 11.22                         | 0.49    | 7.60          | 10.22                   | 30.50           | 0.00           |
| SQU-DS         | 2026-07-28 18:00:00 | 11.51           | 11.45                         | 0.49    | 7.54          | 10.23                   | 63.83           | 0.00           |
| SQU-DS         | 2026-07-28 18:15:00 | 11.52           | 11.30                         | 0.49    | 7.57          | 10.22                   | 38.90           | 0.00           |
| SQU-DS         | 2026-07-28 18:30:00 | 11.50           | 11.33                         | 0.49    | 7.49          | 10.22                   | 50.55           | 0.00           |
| SQU-DS         | 2026-07-28 18:45:00 | 11.48           | 11.35                         | 0.49    | 7.47          | 10.22                   | 68.72           | 0.00           |
| SQU-DS         | 2026-07-28 19:00:00 | 11.46           | 11.25                         | 0.49    | 7.46          | 10.21                   | 58.73           | 0.00           |
| SQU-DS         | 2026-07-28 19:15:00 | 11.47           | 10.91                         | 0.49    | 7.45          | 10.19                   | 56.29           | 0.00           |
| SQU-DS         | 2026-07-28 19:30:00 | 11.46           | 11.11                         | 0.49    | 7.42          | 10.19                   | 65.37           | 0.00           |
| SQU-DS         | 2026-07-28 19:45:00 | 11.47           | 11.08                         | 0.49    | 7.43          | 10.18                   | 67.82           | 0.00           |
| SQU-DS         | 2026-07-28 20:00:00 | 11.46           | 11.08                         | 0.49    | 7.51          | 10.17                   | 55.02           | 0.00           |
| SQU-DS         | 2026-07-28 20:15:00 | 11.45           | 11.01                         | 0.49    | 7.45          | 10.17                   | 64.29           | 0.00           |
| SQU-DS         | 2026-07-28 20:30:00 | 11.42           | 11.03                         | 0.50    | 7.38          | 10.17                   | 60.76           | 0.00           |
| SQU-DS         | 2026-07-28 20:45:00 | 11.36           | 10.96                         | 0.49    | 7.52          | 10.18                   | 66.82           | 0.00           |
| SQU-DS         | 2026-07-28 21:00:00 | 11.34           | 10.93                         | 0.49    | 7.53          | 10.17                   | 48.90           | 0.00           |
| SQU-DS         | 2026-07-28 21:15:00 | 11.32           | 11.06                         | 0.49    | 7.48          | 10.17                   | 59.61           | 0.00           |
| SQU-DS         | 2026-07-28 21:30:00 | 11.28           | 10.81                         | 0.49    | 7.46          | 10.17                   | 44.25           | 0.00           |
| SQU-DS         | 2026-07-28 21:45:00 | 11.24           | 10.81                         | 0.49    | 7.48          | 10.17                   | 57.43           | 0.00           |
| SQU-DS         | 2026-07-28 22:00:00 | 11.21           | 10.55                         | 0.50    | 7.37          | 10.18                   | 57.49           | 0.00           |
| SQU-DS         | 2026-07-28 22:15:00 | 11.16           | 10.78                         | 0.50    | 7.33          | 10.19                   | 66.87           | 0.00           |
| SQU-DS         | 2026-07-28 22:30:00 | 11.10           | 10.83                         | 0.49    | 7.49          | 10.21                   | 58.80           | 0.00           |
| SQU-DS         | 2026-07-28 22:45:00 | 11.04           | 10.75                         | 0.50    | 7.48          | 10.22                   | 85.25           | 0.00           |
| SQU-DS         | 2026-07-28 23:00:00 | 10.98           | 11.17                         | 0.51    | 7.24          | 10.22                   | 98.84           | 0.00           |
| SQU-DS         | 2026-07-28 23:15:00 | 10.93           | 11.19                         | 0.51    | 7.34          | 10.23                   | 89.56           | 0.00           |
| SQU-DS         | 2026-07-28 23:30:00 | 10.88           | 11.12                         | 0.50    | 7.38          | 10.25                   | 83.97           | 0.00           |
| SQU-DS         | 2026-07-28 23:45:00 | 10.84           | 11.55                         | 0.51    | 7.30          | 10.25                   | 93.95           | 0.00           |
| SQU-DS         | 2026-07-29 00:00:00 | 10.78           | 11.24                         | 0.51    | 7.33          | 10.27                   | 99.37           | 0.00           |
| SQU-DS         | 2026-07-29 00:15:00 | 10.73           | 11.01                         | 0.51    | 7.35          | 10.26                   | 88.43           | 0.00           |
| SQU-DS         | 2026-07-29 00:30:00 | 10.69           | 11.35                         | 0.51    | 7.35          | 10.26                   | 81.88           | 0.00           |
| SQU-DS         | 2026-07-29 00:45:00 | 10.65           | 11.19                         | 0.51    | 7.30          | 10.27                   | 82.39           | 0.00           |
| SQU-DS         | 2026-07-29 01:00:00 | 10.61           | 11.28                         | 0.52    | 7.24          | 10.28                   | 96.20           | 0.00           |
| SQU-DS         | 2026-07-29 01:15:00 | 10.59           | 11.19                         | 0.50    | 7.55          | 10.28                   | 72.92           | 0.00           |
| SQU-DS         | 2026-07-29 01:30:00 | 10.56           | 11.06                         | 0.51    | 7.45          | 10.27                   | 67.36           | 0.00           |
| SQU-DS         | 2026-07-29 01:45:00 | 10.53           | 11.24                         | 0.51    | 7.45          | 10.28                   | 51.98           | 0.00           |
| SQU-DS         | 2026-07-29 02:00:00 | 10.48           | 10.86                         | 0.51    | 7.44          | 10.29                   | 50.18           | 0.00           |
| SQU-DS         | 2026-07-29 02:15:00 | 10.46           | 11.15                         | 0.51    | 7.37          | 10.29                   | 73.41           | 0.00           |
| SQU-DS         | 2026-07-29 02:30:00 | 10.42           | 11.10                         | 0.51    | 7.33          | 10.29                   | 72.33           | 0.00           |
| SQU-DS         | 2026-07-29 02:45:00 | 10.41           | 11.24                         | 0.50    | 7.51          | 10.30                   | 61.19           | 0.00           |
| SQU-DS         | 2026-07-29 03:00:00 | 10.38           | 11.18                         | 0.52    | 7.31          | 10.31                   | 62.63           | 0.00           |
| SQU-DS         | 2026-07-29 03:15:00 | 10.36           | 11.03                         | 0.50    | 7.52          | 10.31                   | 63.60           | 0.00           |
| SQU-DS         | 2026-07-29 03:30:00 | 10.33           | 10.99                         | 0.51    | 7.45          | 10.31                   | 46.54           | 0.00           |
| SQU-DS         | 2026-07-29 03:45:00 | 10.31           | 10.96                         | 0.50    | 7.54          | 10.31                   | 57.51           | 0.00           |
| SQU-DS         | 2026-07-29 04:00:00 | 10.27           | 11.03                         | 0.51    | 7.40          | 10.31                   | 60.73           | 0.00           |
| SQU-DS         | 2026-07-29 04:15:00 | 10.26           | 11.02                         | 0.51    | 7.50          | 10.31                   | 48.13           | 0.00           |
| SQU-DS         | 2026-07-29 04:30:00 | 10.23           | 10.78                         | 0.51    | 7.55          | 10.32                   | 42.62           | 0.00           |
| SQU-DS         | 2026-07-29 04:45:00 | 10.20           | 10.91                         | 0.51    | 7.52          | 10.32                   | 34.70           | 0.00           |
| SQU-DS         | 2026-07-29 05:00:00 | 10.17           | 10.88                         | 0.51    | 7.50          | 10.33                   | 40.48           | 0.00           |
| SQU-DS         | 2026-07-29 05:15:00 | 10.15           | 10.91                         | 0.51    | 7.49          | 10.32                   | 35.67           | 0.00           |
| SQU-DS         | 2026-07-29 05:30:00 | 10.11           | 10.65                         | 0.51    | 7.51          | 10.32                   | 36.83           | 0.00           |
| SQU-DS         | 2026-07-29 05:45:00 | 10.09           | 10.88                         | 0.51    | 7.49          | 10.33                   | 31.54           | 0.00           |
| SQU-DS         | 2026-07-29 06:00:00 | 10.07           | 10.74                         | 0.51    | 7.50          | 10.34                   | 28.04           | 0.00           |
| SQU-DS         | 2026-07-29 06:15:00 | 10.04           | 10.88                         | 0.52    | 7.40          | 10.33                   | 26.84           | 0.00           |
| SQU-DS         | 2026-07-29 06:30:00 | 10.02           | 10.85                         | 0.51    | 7.51          | 10.34                   | 24.90           | 0.00           |
| SQU-DS         | 2026-07-29 06:45:00 | 10.00           | 10.95                         | 0.51    | 7.48          | 10.34                   | 34.15           | 0.00           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-29 07:00:00 | 9.98            | 10.99                         | 0.51    | 7.51          | 10.34                   | 34.96           | 0.00           |
| SQU-DS         | 2026-07-29 07:15:00 | 9.95            | 10.93                         | 0.52    | 7.45          | 10.35                   | 23.98           | 0.00           |
| SQU-DS         | 2026-07-29 07:30:00 | 9.94            | 10.81                         | 0.52    | 7.46          | 10.36                   | 20.88           | 0.00           |
| SQU-DS         | 2026-07-29 07:45:00 | 9.93            | 11.02                         | 0.52    | 7.45          | 10.35                   | 16.89           | 0.00           |
| SQU-DS         | 2026-07-29 08:00:00 | 9.93            | 11.05                         | 0.52    | 7.47          | 10.36                   | 19.31           | 0.00           |
| SQU-DS         | 2026-07-29 08:15:00 | 9.92            | 11.05                         | 0.52    | 7.44          | 10.35                   | 15.97           | 0.00           |
| SQU-DS         | 2026-07-29 08:30:00 | 9.92            | 10.99                         | 0.52    | 7.43          | 10.36                   | 17.88           | 0.00           |
| SQU-DS         | 2026-07-29 08:45:00 | 9.93            | 11.12                         | 0.52    | 7.44          | 10.36                   | 23.06           | 0.00           |
| SQU-DS         | 2026-07-29 09:00:00 | 9.94            | 11.18                         | 0.52    | 7.39          | 10.37                   | 20.86           | 0.00           |
| SQU-DS         | 2026-07-29 09:15:00 | 9.96            | 11.11                         | 0.52    | 7.44          | 10.37                   | 16.36           | 0.00           |
| SQU-DS         | 2026-07-29 09:30:00 | 9.98            | 11.06                         | 0.52    | 7.40          | 10.36                   | 13.99           | 0.00           |
| SQU-DS         | 2026-07-29 09:45:00 | 10.01           | 11.04                         | 0.52    | 7.43          | 10.36                   | 8.44            | 0.00           |
| SQU-DS         | 2026-07-29 10:00:00 | 10.05           | 10.98                         | 0.52    | 7.36          | 10.37                   | 10.58           | 0.00           |
| SQU-DS         | 2026-07-29 10:15:00 | 10.08           | 10.83                         | 0.52    | 7.42          | 10.37                   | 8.44            | 0.00           |
| SQU-DS         | 2026-07-29 10:30:00 | 10.13           | 10.75                         | 0.52    | 7.42          | 10.37                   | 10.35           | 0.00           |
| SQU-DS         | 2026-07-29 10:45:00 | 10.17           | 10.63                         | 0.52    | 7.40          | 10.37                   | 9.03            | 0.00           |
| SQU-DS         | 2026-07-29 11:00:00 | 10.22           | 10.58                         | 0.52    | 7.33          | 10.36                   | 10.86           | 0.00           |
| SQU-DS         | 2026-07-29 11:15:00 | 10.29           | 10.48                         | 0.52    | 7.38          | 10.35                   | 9.25            | 0.00           |
| SQU-DS         | 2026-07-29 11:30:00 | 10.35           | 10.40                         | 0.52    | 7.42          | 10.35                   | 4.69            | 0.00           |
| SQU-DS         | 2026-07-29 11:45:00 | 10.40           | 10.26                         | 0.52    | 7.41          | 10.35                   | 6.45            | 0.00           |
| SQU-DS         | 2026-07-29 12:00:00 | 10.46           | 10.09                         | 0.52    | 7.41          | 10.34                   | 2.28            | 0.00           |
| SQU-DS         | 2026-07-29 12:15:00 | 10.53           | 9.99                          | 0.52    | 7.43          | 10.34                   | 2.50            | 0.00           |
| SQU-DS         | 2026-07-29 12:30:00 | 10.60           | 9.95                          | 0.52    | 7.42          | 10.32                   | 2.72            | 0.00           |
| SQU-DS         | 2026-07-29 12:45:00 | 10.68           | 9.84                          | 0.52    | 7.43          | 10.31                   | 2.31            | 0.00           |
| SQU-DS         | 2026-07-29 13:00:00 | 10.77           | 9.82                          | 0.52    | 7.40          | 10.30                   | 0.02            | 0.00           |
| SQU-DS         | 2026-07-29 13:15:00 | 10.83           | 9.81                          | 0.52    | 7.42          | 10.30                   | 3.69            | 0.00           |
| SQU-DS         | 2026-07-29 13:30:00 | 10.91           | 9.88                          | 0.53    | 7.39          | 10.29                   | 5.59            | 0.00           |
| SQU-DS         | 2026-07-29 13:45:00 | 10.98           | 9.88                          | 0.52    | 7.42          | 10.28                   | 3.14            | 0.00           |
| SQU-DS         | 2026-07-29 14:00:00 | 11.05           | 9.89                          | 0.52    | 7.44          | 10.27                   | 2.05            | 0.00           |
| SQU-DS         | 2026-07-29 14:15:00 | 11.13           | 9.93                          | 0.52    | 7.44          | 10.25                   | 0.89            | 0.00           |
| SQU-DS         | 2026-07-29 14:30:00 | 11.19           | 9.98                          | 0.53    | 7.42          | 10.24                   | 2.35            | 0.00           |
| SQU-DS         | 2026-07-29 14:45:00 | 11.26           | 10.03                         | 0.53    | 7.43          | 10.22                   | 4.23            | 0.00           |
| SQU-DS         | 2026-07-29 15:00:00 | 11.32           | 10.08                         | 0.53    | 7.44          | 10.23                   | 2.00            | 0.00           |
| SQU-DS         | 2026-07-29 15:15:00 | 11.41           | 10.15                         | 0.53    | 7.43          | 10.20                   | 1.86            | 0.00           |
| SQU-DS         | 2026-07-29 15:30:00 | 11.49           | 10.20                         | 0.53    | 7.40          | 10.18                   | 3.33            | 0.00           |
| SQU-DS         | 2026-07-29 15:45:00 | 11.56           | 10.36                         | 0.53    | 7.44          | 10.17                   | 2.74            | 0.00           |
| SQU-DS         | 2026-07-29 16:00:00 | 11.64           | 10.42                         | 0.53    | 7.42          | 10.15                   | 3.87            | 0.00           |
| SQU-DS         | 2026-07-29 16:15:00 | 11.71           | 10.45                         | 0.53    | 7.42          | 10.15                   | 3.57            | 0.00           |
| SQU-DS         | 2026-07-29 16:30:00 | 11.78           | 10.50                         | 0.53    | 7.42          | 10.12                   | 3.15            | 0.00           |
| SQU-DS         | 2026-07-29 16:45:00 | 11.83           | 10.56                         | 0.53    | 7.42          | 10.12                   | 2.08            | 0.00           |
| SQU-DS         | 2026-07-29 17:00:00 | 11.90           | 10.63                         | 0.53    | 7.44          | 10.09                   | 2.86            | 0.00           |
| SQU-DS         | 2026-07-29 17:15:00 | 11.97           | 10.72                         | 0.53    | 7.45          | 10.05                   | 1.90            | 0.00           |
| SQU-DS         | 2026-07-29 17:30:00 | 11.99           | 10.73                         | 0.53    | 7.47          | 10.06                   | 2.72            | 0.00           |
| SQU-DS         | 2026-07-29 17:45:00 | 12.03           | 10.80                         | 0.53    | 7.46          | 10.04                   | 1.02            | 0.00           |
| SQU-DS         | 2026-07-29 18:00:00 | 12.06           | 10.88                         | 0.53    | 7.47          | 10.03                   | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 18:15:00 | 12.07           | 10.83                         | 0.53    | 7.48          | 10.01                   | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 18:30:00 | 12.09           | 10.82                         | 0.53    | 7.49          | 9.99                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 18:45:00 | 12.10           | 10.86                         | 0.53    | 7.47          | 10.01                   | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 19:00:00 | 12.12           | 10.94                         | 0.53    | 7.44          | 9.97                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 19:15:00 | 12.12           | 10.97                         | 0.53    | 7.41          | 9.95                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 19:30:00 | 12.13           | 11.04                         | 0.54    | 7.41          | 9.92                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 19:45:00 | 12.12           | 11.08                         | 0.54    | 7.41          | 9.90                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 20:00:00 | 12.10           | 11.14                         | 0.54    | 7.39          | 9.87                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 20:15:00 | 12.10           | 11.19                         | 0.54    | 7.40          | 9.87                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 20:30:00 | 12.09           | 11.23                         | 0.54    | 7.40          | 9.85                    | 0.00            | 0.00           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-29 20:45:00 | 12.09           | 11.29                         | 0.54    | 7.39          | 9.85                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 21:00:00 | 12.08           | 11.33                         | 0.54    | 7.40          | 9.83                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 21:15:00 | 12.07           | 11.33                         | 0.54    | 7.39          | 9.83                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 21:30:00 | 12.06           | 11.34                         | 0.54    | 7.38          | 9.81                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 21:45:00 | 12.05           | 11.30                         | 0.54    | 7.40          | 9.79                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 22:00:00 | 12.03           | 11.31                         | 0.54    | 7.41          | 9.79                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 22:15:00 | 12.02           | 11.32                         | 0.54    | 7.39          | 9.78                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 22:30:00 | 12.00           | 11.31                         | 0.54    | 7.40          | 9.77                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 22:45:00 | 11.97           | 11.32                         | 0.54    | 7.39          | 9.75                    | 0.00            | 0.00           |
| SQU-DS         | 2026-07-29 23:00:00 | 11.95           | 11.38                         | 0.54    | 7.40          | 9.75                    | 0.22            | 0.00           |
| SQU-DS         | 2026-07-29 23:15:00 | 11.93           | 11.46                         | 0.54    | 7.41          | 9.76                    | 1.63            | 0.00           |
| SQU-DS         | 2026-07-29 23:30:00 | 11.89           | 11.51                         | 0.54    | 7.39          | 9.73                    | 2.17            | 0.00           |
| SQU-DS         | 2026-07-29 23:45:00 | 11.86           | 11.51                         | 0.54    | 7.36          | 9.75                    | 2.80            | 0.00           |
| SQU-DS         | 2026-07-30 00:00:00 | 11.82           | 11.51                         | 0.54    | 7.38          | 9.76                    | 2.75            | 0.00           |
| SQU-DS         | 2026-07-30 00:15:00 | 11.77           | 11.52                         | 0.54    | 7.37          | 9.76                    | 2.45            | 0.00           |
| SQU-DS         | 2026-07-30 00:30:00 | 11.73           | 11.56                         | 0.54    | 7.39          | 9.76                    | 2.91            | 0.00           |
| SQU-DS         | 2026-07-30 00:45:00 | 11.70           | 11.65                         | 0.54    | 7.36          | 9.76                    | 4.16            | 0.00           |
| SQU-DS         | 2026-07-30 01:00:00 | 11.64           | 11.66                         | 0.54    | 7.38          | 9.79                    | 3.64            | 0.00           |
| SQU-DS         | 2026-07-30 01:15:00 | 11.60           | 11.64                         | 0.54    | 7.33          | 9.78                    | 3.50            | 0.00           |
| SQU-DS         | 2026-07-30 01:30:00 | 11.56           | 11.65                         | 0.54    | 7.39          | 9.79                    | 2.96            | 0.00           |
| SQU-DS         | 2026-07-30 01:45:00 | 11.52           | 11.68                         | 0.53    | 7.42          | 9.82                    | 4.39            | 0.00           |
| SQU-DS         | 2026-07-30 02:00:00 | 11.47           | 11.71                         | 0.53    | 7.42          | 9.83                    | 4.62            | 0.00           |
| SQU-DS         | 2026-07-30 02:15:00 | 11.42           | 11.68                         | 0.53    | 7.41          | 9.85                    | 3.99            | 0.00           |
| SQU-DS         | 2026-07-30 02:30:00 | 11.37           | 11.74                         | 0.54    | 7.39          | 9.84                    | 3.42            | 0.00           |
| SQU-DS         | 2026-07-30 02:45:00 | 11.33           | 11.72                         | 0.54    | 7.36          | 9.85                    | 3.47            | 0.00           |
| SQU-DS         | 2026-07-30 03:00:00 | 11.28           | 11.76                         | 0.54    | 7.37          | 9.87                    | 4.22            | 0.00           |
| SQU-DS         | 2026-07-30 03:15:00 | 11.24           | 11.81                         | 0.53    | 7.38          | 9.88                    | 4.35            | 0.00           |
| SQU-DS         | 2026-07-30 03:30:00 | 11.20           | 11.80                         | 0.53    | 7.38          | 9.89                    | 3.93            | 0.00           |
| SQU-DS         | 2026-07-30 03:45:00 | 11.16           | 11.79                         | 0.53    | 7.39          | 9.90                    | 3.63            | 0.00           |
| SQU-DS         | 2026-07-30 04:00:00 | 11.12           | 11.81                         | 0.53    | 7.39          | 9.91                    | 3.86            | 0.00           |
| SQU-DS         | 2026-07-30 04:15:00 | 11.09           | 11.75                         | 0.53    | 7.41          | 9.92                    | 2.88            | 0.00           |
| SQU-DS         | 2026-07-30 04:30:00 | 11.06           | 11.82                         | 0.53    | 7.40          | 9.92                    | 3.24            | 0.00           |
| SQU-DS         | 2026-07-30 04:45:00 | 11.02           | 11.75                         | 0.53    | 7.50          | 9.94                    | 2.31            | 0.00           |
| SQU-DS         | 2026-07-30 05:00:00 | 11.00           | 11.70                         | 0.53    | 7.51          | 9.94                    | 2.37            | 0.00           |
| SQU-DS         | 2026-07-30 05:15:00 | 10.97           | 11.69                         | 0.53    | 7.46          | 9.94                    | 1.54            | 0.00           |
| SQU-DS         | 2026-07-30 05:30:00 | 10.95           | 11.65                         | 0.53    | 7.46          | 9.94                    | 1.75            | 0.00           |
| SQU-DS         | 2026-07-30 05:45:00 | 10.92           | 11.64                         | 0.53    | 7.50          | 9.95                    | 1.43            | 0.00           |
| SQU-DS         | 2026-07-30 06:00:00 | 10.91           | 11.71                         | 0.53    | 7.44          | 9.95                    | 2.21            | 0.00           |
| SQU-DS         | 2026-07-30 06:15:00 | 10.89           | 11.67                         | 0.53    | 7.50          | 9.95                    | 1.76            | 0.00           |
| SQU-DS         | 2026-07-30 06:30:00 | 10.87           | 11.70                         | 0.53    | 7.48          | 9.95                    | 1.57            | 0.00           |
| SQU-DS         | 2026-07-30 06:45:00 | 10.85           | 11.79                         | 0.53    | 7.47          | 9.96                    | 1.99            | 0.00           |
| SQU-DS         | 2026-07-30 07:00:00 | 10.84           | 11.83                         | 0.53    | 7.45          | 9.95                    | 2.21            | 0.00           |
| SQU-DS         | 2026-07-30 07:15:00 | 10.84           | 11.99                         | 0.53    | 7.43          | 9.95                    | 4.08            | 0.00           |
| SQU-DS         | 2026-07-30 07:30:00 | 10.85           | 11.99                         | 0.53    | 7.40          | 9.95                    | 4.14            | 0.00           |
| SQU-DS         | 2026-07-30 07:45:00 | 10.86           | 12.03                         | 0.53    | 7.38          | 9.95                    | 3.46            | 0.00           |
| SQU-DS         | 2026-07-30 08:00:00 | 10.87           | 11.99                         | 0.53    | 7.38          | 9.96                    | 4.09            | 0.00           |
| SQU-DS         | 2026-07-30 08:15:00 | 10.88           | 11.94                         | 0.54    | 7.34          | 9.98                    | 3.86            | 0.00           |
| SQU-DS         | 2026-07-30 08:30:00 | 10.89           | 12.10                         | 0.54    | 7.32          | 9.96                    | 5.10            | 0.00           |
| SQU-DS         | 2026-07-30 08:45:00 | 10.91           | 12.07                         | 0.54    | 7.30          | 9.98                    | 6.23            | 0.00           |
| SQU-DS         | 2026-07-30 09:00:00 | 10.93           | 12.04                         | 0.53    | 7.34          | 9.98                    | 4.81            | 0.00           |
| SQU-DS         | 2026-07-30 09:15:00 | 10.95           | 12.08                         | 0.53    | 7.37          | 9.98                    | 5.02            | 0.00           |
| SQU-DS         | 2026-07-30 09:30:00 | 10.98           | 12.13                         | 0.53    | 7.41          | 9.99                    | 4.42            | 0.00           |
| SQU-DS         | 2026-07-30 09:45:00 | 11.00           | 12.13                         | 0.53    | 7.40          | 9.99                    | 5.16            | 0.00           |
| SQU-DS         | 2026-07-30 10:00:00 | 11.04           | 12.21                         | 0.53    | 7.40          | 10.00                   | 5.17            | 0.00           |
| SQU-DS         | 2026-07-30 10:15:00 | 11.08           | 12.22                         | 0.53    | 7.39          | 10.00                   | 4.56            | 0.00           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-30 10:30:00 | 11.14           | 12.20                         | 0.53    | 7.40          | 10.01                   | 4.09            | 0.00           |
| SQU-DS         | 2026-07-30 10:45:00 | 11.21           | 12.23                         | 0.53    | 7.40          | 10.02                   | 4.36            | 0.00           |
| SQU-DS         | 2026-07-30 11:00:00 | 11.26           | 12.20                         | 0.53    | 7.42          | 10.00                   | 3.76            | 0.00           |
| SQU-DS         | 2026-07-30 11:15:00 | 11.32           | 12.22                         | 0.53    | 7.41          | 10.00                   | 3.11            | 0.00           |
| SQU-DS         | 2026-07-30 11:30:00 | 11.38           | 12.23                         | 0.53    | 7.40          | 10.01                   | 3.02            | 0.00           |
| SQU-DS         | 2026-07-30 11:45:00 | 11.43           | 12.24                         | 0.53    | 7.39          | 10.01                   | 4.26            | 0.00           |
| SQU-DS         | 2026-07-30 12:00:00 | 11.49           | 12.27                         | 0.53    | 7.39          | 10.01                   | 4.12            | 0.00           |
| SQU-DS         | 2026-07-30 12:15:00 | 11.56           | 12.28                         | 0.53    | 7.40          | 10.00                   | 3.39            | 0.00           |
| SQU-DS         | 2026-07-30 12:30:00 | 11.64           | 12.47                         | 0.53    | 7.39          | 9.99                    | 4.93            | 0.00           |
| SQU-DS         | 2026-07-30 12:45:00 | 11.70           | 12.44                         | 0.53    | 7.40          | 9.98                    | 3.27            | 0.00           |
| SQU-DS         | 2026-07-30 13:00:00 | 11.76           | 12.50                         | 0.53    | 7.43          | 9.99                    | 4.16            | 0.00           |
| SQU-DS         | 2026-07-30 13:15:00 | 11.83           | 12.44                         | 0.53    | 7.43          | 9.98                    | 3.33            | 0.00           |
| SQU-DS         | 2026-07-30 13:30:00 | 11.90           | 12.58                         | 0.53    | 7.41          | 9.97                    | 3.64            | 0.00           |
| SQU-DS         | 2026-07-30 13:45:00 | 11.98           | 12.64                         | 0.53    | 7.43          | 9.94                    | 3.06            | 0.00           |
| SQU-DS         | 2026-07-30 14:00:00 | 12.07           | 12.63                         | 0.53    | 7.40          | 9.93                    | 2.94            | 0.00           |
| SQU-DS         | 2026-07-30 14:15:00 | 12.14           | 12.74                         | 0.53    | 7.40          | 9.92                    | 2.79            | 0.00           |
| SQU-DS         | 2026-07-30 14:30:00 | 12.21           | 12.77                         | 0.53    | 7.40          | 9.92                    | 3.53            | 0.00           |
| SQU-DS         | 2026-07-30 14:45:00 | 12.28           | 27.18                         | 0.53    | 7.35          | 9.90                    | 41.08           | 0.01           |
| SQU-DS         | 2026-07-30 15:00:00 | 12.35           | 27.52                         | 0.53    | 7.37          | 9.87                    | 32.96           | 0.01           |
| SQU-DS         | 2026-07-30 15:15:00 | 12.42           | 26.93                         | 0.53    | 7.39          | 9.90                    | 28.11           | 0.01           |
| SQU-DS         | 2026-07-30 15:30:00 | 12.48           | 27.03                         | 0.53    | 7.40          | 9.85                    | 26.14           | 0.01           |
| SQU-DS         | 2026-07-30 15:45:00 | 12.51           | 26.94                         | 0.53    | 7.39          | 9.85                    | 24.28           | 0.01           |
| SQU-DS         | 2026-07-30 16:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-DS         | 2026-07-30 16:15:00 | 12.55           | 27.09                         | 0.53    | 7.28          | 9.86                    | 36.42           | 0.01           |
| SQU-DS         | 2026-07-30 16:30:00 | 12.59           | 26.68                         | 0.53    | 7.25          | 9.86                    | 36.38           | 0.01           |
| SQU-DS         | 2026-07-30 16:45:00 | 12.63           | 26.48                         | 0.53    | 7.33          | 9.85                    | 33.54           | 0.01           |
| SQU-DS         | 2026-07-30 17:00:00 | 12.65           | 26.32                         | 0.53    | 7.35          | 9.85                    | 35.46           | 0.01           |
| SQU-DS         | 2026-07-30 17:15:00 | 12.68           | 26.23                         | 0.53    | 7.22          | 9.85                    | 32.55           | 0.01           |
| SQU-DS         | 2026-07-30 17:30:00 | 12.70           | 26.13                         | 0.53    | 7.37          | 9.85                    | 31.86           | 0.01           |
| SQU-DS         | 2026-07-30 17:45:00 | 12.72           | 26.44                         | 0.53    | 7.33          | 9.83                    | 32.99           | 0.01           |
| SQU-DS         | 2026-07-30 18:00:00 | 12.73           | 26.48                         | 0.53    | 7.38          | 9.82                    | 29.56           | 0.01           |
| SQU-DS         | 2026-07-30 18:15:00 | 12.74           | 26.46                         | 0.53    | 7.38          | 9.83                    | 30.04           | 0.01           |
| SQU-DS         | 2026-07-30 18:30:00 | 12.76           | 26.53                         | 0.52    | 7.43          | 9.82                    | 22.52           | 0.01           |
| SQU-DS         | 2026-07-30 18:45:00 | 12.77           | 26.23                         | 0.52    | 7.47          | 9.82                    | 19.30           | 0.01           |
| SQU-DS         | 2026-07-30 19:00:00 | 12.78           | 26.37                         | 0.52    | 7.48          | 9.81                    | 15.13           | 0.01           |
| SQU-DS         | 2026-07-30 19:15:00 | 12.79           | 26.76                         | 0.52    | 7.50          | 9.79                    | 8.59            | 0.01           |
| SQU-DS         | 2026-07-30 19:30:00 | 12.79           | 26.57                         | 0.52    | 7.50          | 9.79                    | 5.58            | 0.01           |
| SQU-DS         | 2026-07-30 19:45:00 | 12.78           | 27.43                         | 0.52    | 7.50          | 9.76                    | 0.23            | 0.01           |
| SQU-DS         | 2026-07-30 20:00:00 | 12.79           | 28.28                         | 0.52    | 7.51          | 9.74                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-30 20:15:00 | 12.79           | 28.21                         | 0.52    | 7.51          | 9.72                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-30 20:30:00 | 12.79           | 28.00                         | 0.52    | 7.50          | 9.70                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-30 20:45:00 | 12.79           | 27.95                         | 0.53    | 7.50          | 9.68                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-30 21:00:00 | 12.79           | 28.16                         | 0.53    | 7.51          | 9.66                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-30 21:15:00 | 12.79           | 27.39                         | 0.53    | 7.51          | 9.63                    | 2.76            | 0.01           |
| SQU-DS         | 2026-07-30 21:30:00 | 12.80           | 27.27                         | 0.53    | 7.50          | 9.61                    | 2.48            | 0.01           |
| SQU-DS         | 2026-07-30 21:45:00 | 12.78           | 26.83                         | 0.53    | 7.47          | 9.59                    | 1.86            | 0.01           |
| SQU-DS         | 2026-07-30 22:00:00 | 12.77           | 25.83                         | 0.53    | 7.44          | 9.57                    | 7.69            | 0.01           |
| SQU-DS         | 2026-07-30 22:15:00 | 12.75           | 24.83                         | 0.53    | 7.41          | 9.56                    | 9.62            | 0.01           |
| SQU-DS         | 2026-07-30 22:30:00 | 12.73           | 23.94                         | 0.53    | 7.40          | 9.54                    | 10.46           | 0.01           |
| SQU-DS         | 2026-07-30 22:45:00 | 12.71           | 23.81                         | 0.53    | 7.37          | 9.55                    | 14.25           | 0.01           |
| SQU-DS         | 2026-07-30 23:00:00 | 12.68           | 23.36                         | 0.53    | 7.34          | 9.54                    | 14.24           | 0.01           |
| SQU-DS         | 2026-07-30 23:15:00 | 12.65           | 22.90                         | 0.53    | 7.32          | 9.54                    | 17.12           | 0.01           |
| SQU-DS         | 2026-07-30 23:30:00 | 12.62           | 23.57                         | 0.53    | 7.32          | 9.55                    | 19.84           | 0.01           |
| SQU-DS         | 2026-07-30 23:45:00 | 12.58           | 23.92                         | 0.53    | 7.30          | 9.55                    | 21.44           | 0.01           |
| SQU-DS         | 2026-07-31 00:00:00 | 12.53           | 25.06                         | 0.54    | 7.24          | 9.57                    | 26.56           | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-31 00:15:00 | 12.47           | 26.05                         | 0.53    | 7.30          | 9.57                    | 26.69           | 0.01           |
| SQU-DS         | 2026-07-31 00:30:00 | 12.42           | 26.12                         | 0.53    | 7.34          | 9.60                    | 26.45           | 0.01           |
| SQU-DS         | 2026-07-31 00:45:00 | 12.35           | 26.53                         | 0.53    | 7.31          | 9.61                    | 27.42           | 0.01           |
| SQU-DS         | 2026-07-31 01:00:00 | 12.29           | 27.34                         | 0.53    | 7.33          | 9.62                    | 27.93           | 0.01           |
| SQU-DS         | 2026-07-31 01:15:00 | 12.23           | 27.34                         | 0.53    | 7.33          | 9.62                    | 27.11           | 0.01           |
| SQU-DS         | 2026-07-31 01:30:00 | 12.17           | 27.26                         | 0.54    | 7.29          | 9.64                    | 29.86           | 0.01           |
| SQU-DS         | 2026-07-31 01:45:00 | 12.12           | 27.47                         | 0.53    | 7.34          | 9.65                    | 29.23           | 0.01           |
| SQU-DS         | 2026-07-31 02:00:00 | 12.07           | 27.33                         | 0.53    | 7.34          | 9.66                    | 30.94           | 0.01           |
| SQU-DS         | 2026-07-31 02:15:00 | 12.02           | 27.41                         | 0.53    | 7.31          | 9.66                    | 30.40           | 0.01           |
| SQU-DS         | 2026-07-31 02:30:00 | 11.98           | 27.33                         | 0.53    | 7.32          | 9.68                    | 30.41           | 0.01           |
| SQU-DS         | 2026-07-31 02:45:00 | 11.93           | 27.12                         | 0.53    | 7.32          | 9.70                    | 29.01           | 0.01           |
| SQU-DS         | 2026-07-31 03:00:00 | 11.88           | 27.30                         | 0.54    | 7.30          | 9.71                    | 31.25           | 0.01           |
| SQU-DS         | 2026-07-31 03:15:00 | 11.83           | 26.99                         | 0.54    | 7.30          | 9.72                    | 27.52           | 0.01           |
| SQU-DS         | 2026-07-31 03:30:00 | 11.79           | 26.96                         | 0.53    | 7.35          | 9.74                    | 27.27           | 0.01           |
| SQU-DS         | 2026-07-31 03:45:00 | 11.74           | 26.95                         | 0.54    | 7.30          | 9.74                    | 30.08           | 0.01           |
| SQU-DS         | 2026-07-31 04:00:00 | 11.70           | 26.99                         | 0.53    | 7.36          | 9.75                    | 26.72           | 0.01           |
| SQU-DS         | 2026-07-31 04:15:00 | 11.66           | 27.06                         | 0.53    | 7.33          | 9.75                    | 28.99           | 0.01           |
| SQU-DS         | 2026-07-31 04:30:00 | 11.61           | 26.77                         | 0.53    | 7.35          | 9.78                    | 28.04           | 0.01           |
| SQU-DS         | 2026-07-31 04:45:00 | 11.58           | 26.82                         | 0.54    | 7.33          | 9.77                    | 26.92           | 0.01           |
| SQU-DS         | 2026-07-31 05:00:00 | 11.54           | 26.73                         | 0.53    | 7.36          | 9.79                    | 24.74           | 0.01           |
| SQU-DS         | 2026-07-31 05:15:00 | 11.51           | 26.80                         | 0.54    | 7.30          | 9.78                    | 24.04           | 0.01           |
| SQU-DS         | 2026-07-31 05:30:00 | 11.48           | 26.62                         | 0.53    | 7.36          | 9.80                    | 23.49           | 0.01           |
| SQU-DS         | 2026-07-31 05:45:00 | 11.44           | 26.22                         | 0.54    | 7.33          | 9.81                    | 22.18           | 0.01           |
| SQU-DS         | 2026-07-31 06:00:00 | 11.41           | 26.27                         | 0.54    | 7.33          | 9.82                    | 25.01           | 0.01           |
| SQU-DS         | 2026-07-31 06:15:00 | 11.38           | 25.82                         | 0.54    | 7.34          | 9.83                    | 20.10           | 0.01           |
| SQU-DS         | 2026-07-31 06:30:00 | 11.34           | 26.01                         | 0.53    | 7.35          | 9.84                    | 18.76           | 0.01           |
| SQU-DS         | 2026-07-31 06:45:00 | 11.32           | 25.74                         | 0.53    | 7.36          | 9.85                    | 16.82           | 0.01           |
| SQU-DS         | 2026-07-31 07:00:00 | 11.29           | 25.18                         | 0.54    | 7.35          | 9.85                    | 17.80           | 0.01           |
| SQU-DS         | 2026-07-31 07:15:00 | 11.28           | 24.57                         | 0.54    | 7.33          | 9.86                    | 22.53           | 0.01           |
| SQU-DS         | 2026-07-31 07:30:00 | 11.28           | 24.41                         | 0.54    | 7.33          | 9.87                    | 20.97           | 0.01           |
| SQU-DS         | 2026-07-31 07:45:00 | 11.29           | 23.96                         | 0.54    | 7.34          | 9.87                    | 26.14           | 0.01           |
| SQU-DS         | 2026-07-31 08:00:00 | 11.30           | 24.38                         | 0.54    | 7.32          | 9.86                    | 23.26           | 0.01           |
| SQU-DS         | 2026-07-31 08:15:00 | 11.31           | 24.62                         | 0.53    | 7.35          | 9.86                    | 24.07           | 0.01           |
| SQU-DS         | 2026-07-31 08:30:00 | 11.32           | 25.14                         | 0.54    | 7.28          | 9.87                    | 25.34           | 0.01           |
| SQU-DS         | 2026-07-31 08:45:00 | 11.34           | 25.02                         | 0.54    | 7.34          | 9.89                    | 23.36           | 0.01           |
| SQU-DS         | 2026-07-31 09:00:00 | 11.38           | 25.36                         | 0.54    | 7.29          | 9.86                    | 26.56           | 0.01           |
| SQU-DS         | 2026-07-31 09:15:00 | 11.41           | 25.34                         | 0.54    | 7.30          | 9.87                    | 24.63           | 0.01           |
| SQU-DS         | 2026-07-31 09:30:00 | 11.44           | 25.47                         | 0.53    | 7.34          | 9.87                    | 24.90           | 0.01           |
| SQU-DS         | 2026-07-31 09:45:00 | 11.48           | 25.57                         | 0.54    | 7.32          | 9.88                    | 23.84           | 0.01           |
| SQU-DS         | 2026-07-31 10:00:00 | 11.54           | 25.94                         | 0.53    | 7.33          | 9.86                    | 26.43           | 0.01           |
| SQU-DS         | 2026-07-31 10:15:00 | 11.61           | 25.96                         | 0.54    | 7.31          | 9.87                    | 26.04           | 0.01           |
| SQU-DS         | 2026-07-31 10:30:00 | 11.68           | 25.94                         | 0.54    | 7.32          | 9.86                    | 26.17           | 0.01           |
| SQU-DS         | 2026-07-31 10:45:00 | 11.75           | 25.92                         | 0.53    | 7.35          | 9.87                    | 26.20           | 0.01           |
| SQU-DS         | 2026-07-31 11:00:00 | 11.82           | 25.88                         | 0.53    | 7.33          | 9.87                    | 24.04           | 0.01           |
| SQU-DS         | 2026-07-31 11:15:00 | 11.86           | 25.88                         | 0.53    | 7.34          | 9.87                    | 24.69           | 0.01           |
| SQU-DS         | 2026-07-31 11:30:00 | 11.93           | 26.03                         | 0.53    | 7.35          | 9.87                    | 26.04           | 0.01           |
| SQU-DS         | 2026-07-31 11:45:00 | 12.00           | 26.17                         | 0.54    | 7.31          | 9.87                    | 23.49           | 0.01           |
| SQU-DS         | 2026-07-31 12:00:00 | 12.06           | 26.09                         | 0.53    | 7.37          | 9.87                    | 25.10           | 0.01           |
| SQU-DS         | 2026-07-31 12:15:00 | 12.14           | 25.95                         | 0.53    | 7.32          | 9.86                    | 23.31           | 0.01           |
| SQU-DS         | 2026-07-31 12:30:00 | 12.21           | 25.59                         | 0.53    | 7.34          | 9.86                    | 26.66           | 0.01           |
| SQU-DS         | 2026-07-31 12:45:00 | 12.30           | 25.52                         | 0.53    | 7.31          | 9.86                    | 24.96           | 0.01           |
| SQU-DS         | 2026-07-31 13:00:00 | 12.37           | 25.54                         | 0.53    | 7.34          | 9.86                    | 23.27           | 0.01           |
| SQU-DS         | 2026-07-31 13:15:00 | 12.44           | 25.71                         | 0.53    | 7.38          | 9.85                    | 26.16           | 0.01           |
| SQU-DS         | 2026-07-31 13:30:00 | 12.53           | 25.45                         | 0.53    | 7.39          | 9.85                    | 21.48           | 0.01           |
| SQU-DS         | 2026-07-31 13:45:00 | 12.61           | 25.56                         | 0.53    | 7.39          | 9.83                    | 25.05           | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-07-31 14:00:00 | 12.69           | 25.37                         | 0.53    | 7.38          | 9.84                    | 23.78           | 0.01           |
| SQU-DS         | 2026-07-31 14:15:00 | 12.76           | 25.22                         | 0.53    | 7.37          | 9.82                    | 26.08           | 0.01           |
| SQU-DS         | 2026-07-31 14:30:00 | 12.82           | 25.19                         | 0.53    | 7.36          | 9.82                    | 21.74           | 0.01           |
| SQU-DS         | 2026-07-31 14:45:00 | 12.91           | 25.23                         | 0.53    | 7.35          | 9.81                    | 22.86           | 0.01           |
| SQU-DS         | 2026-07-31 15:00:00 | 13.01           | 25.16                         | 0.53    | 7.32          | 9.81                    | 22.97           | 0.01           |
| SQU-DS         | 2026-07-31 15:15:00 | 13.11           | 25.28                         | 0.53    | 7.37          | 9.80                    | 22.71           | 0.01           |
| SQU-DS         | 2026-07-31 15:30:00 | 13.19           | 25.51                         | 0.53    | 7.36          | 9.77                    | 25.41           | 0.01           |
| SQU-DS         | 2026-07-31 15:45:00 | 13.26           | 25.51                         | 0.53    | 7.40          | 9.77                    | 21.16           | 0.01           |
| SQU-DS         | 2026-07-31 16:00:00 | 13.34           | 25.23                         | 0.53    | 7.35          | 9.76                    | 20.83           | 0.01           |
| SQU-DS         | 2026-07-31 16:15:00 | 13.40           | 25.34                         | 0.53    | 7.40          | 9.74                    | 22.65           | 0.01           |
| SQU-DS         | 2026-07-31 16:30:00 | 13.45           | 25.34                         | 0.53    | 7.41          | 9.74                    | 22.98           | 0.01           |
| SQU-DS         | 2026-07-31 16:45:00 | 13.50           | 25.10                         | 0.53    | 7.41          | 9.73                    | 21.86           | 0.01           |
| SQU-DS         | 2026-07-31 17:00:00 | 13.53           | 25.02                         | 0.53    | 7.40          | 9.72                    | 20.98           | 0.01           |
| SQU-DS         | 2026-07-31 17:15:00 | 13.56           | 24.82                         | 0.53    | 7.38          | 9.70                    | 21.25           | 0.01           |
| SQU-DS         | 2026-07-31 17:30:00 | 13.59           | 24.70                         | 0.53    | 7.36          | 9.68                    | 24.06           | 0.01           |
| SQU-DS         | 2026-07-31 17:45:00 | 13.61           | 24.48                         | 0.53    | 7.38          | 9.68                    | 22.79           | 0.01           |
| SQU-DS         | 2026-07-31 18:00:00 | 13.61           | 24.35                         | 0.53    | 7.42          | 9.68                    | 19.56           | 0.01           |
| SQU-DS         | 2026-07-31 18:15:00 | 13.61           | 24.05                         | 0.53    | 7.42          | 9.67                    | 17.99           | 0.01           |
| SQU-DS         | 2026-07-31 18:30:00 | 13.61           | 23.79                         | 0.53    | 7.43          | 9.66                    | 21.45           | 0.01           |
| SQU-DS         | 2026-07-31 18:45:00 | 13.59           | 23.81                         | 0.53    | 7.42          | 9.65                    | 19.57           | 0.01           |
| SQU-DS         | 2026-07-31 19:00:00 | 13.55           | 17.42                         | 0.53    | 7.43          | 9.65                    | 11.06           | 0.01           |
| SQU-DS         | 2026-07-31 19:15:00 | 13.51           | 16.86                         | 0.52    | 7.51          | 9.65                    | 5.57            | 0.01           |
| SQU-DS         | 2026-07-31 19:30:00 | 13.46           | 16.41                         | 0.52    | 7.58          | 9.64                    | 4.20            | 0.01           |
| SQU-DS         | 2026-07-31 19:45:00 | 13.39           | 16.27                         | 0.52    | 7.59          | 9.63                    | 1.50            | 0.01           |
| SQU-DS         | 2026-07-31 20:00:00 | 13.35           | 16.31                         | 0.52    | 7.60          | 9.63                    | 0.02            | 0.01           |
| SQU-DS         | 2026-07-31 20:15:00 | 13.32           | 16.37                         | 0.52    | 7.57          | 9.60                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 20:30:00 | 13.29           | 16.44                         | 0.52    | 7.57          | 9.58                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 20:45:00 | 13.26           | 18.39                         | 0.53    | 7.55          | 9.59                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 21:00:00 | 13.25           | 17.78                         | 0.53    | 7.54          | 9.58                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 21:15:00 | 13.24           | 18.12                         | 0.53    | 7.54          | 9.56                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 21:30:00 | 13.25           | 17.90                         | 0.53    | 7.51          | 9.54                    | 0.67            | 0.01           |
| SQU-DS         | 2026-07-31 21:45:00 | 13.26           | 17.90                         | 0.53    | 7.50          | 9.52                    | 1.11            | 0.01           |
| SQU-DS         | 2026-07-31 22:00:00 | 13.27           | 17.93                         | 0.53    | 7.50          | 9.50                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 22:15:00 | 13.27           | 18.14                         | 0.53    | 7.50          | 9.50                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 22:30:00 | 13.26           | 18.24                         | 0.53    | 7.49          | 9.50                    | 0.00            | 0.01           |
| SQU-DS         | 2026-07-31 22:45:00 | 13.26           | 17.95                         | 0.53    | 7.49          | 9.49                    | 1.89            | 0.01           |
| SQU-DS         | 2026-07-31 23:00:00 | 13.26           | 17.98                         | 0.54    | 7.47          | 9.47                    | 5.00            | 0.01           |
| SQU-DS         | 2026-07-31 23:15:00 | 13.25           | 17.92                         | 0.54    | 7.46          | 9.46                    | 6.17            | 0.01           |
| SQU-DS         | 2026-07-31 23:30:00 | 13.23           | 17.89                         | 0.54    | 7.45          | 9.46                    | 8.66            | 0.01           |
| SQU-DS         | 2026-07-31 23:45:00 | 13.21           | 18.43                         | 0.54    | 7.42          | 9.45                    | 13.51           | 0.01           |
| SQU-DS         | 2026-08-01 00:00:00 | 13.18           | 17.94                         | 0.53    | 7.41          | 9.47                    | 11.94           | 0.01           |
| SQU-DS         | 2026-08-01 00:15:00 | 13.15           | 17.86                         | 0.53    | 7.41          | 9.46                    | 12.88           | 0.01           |
| SQU-DS         | 2026-08-01 00:30:00 | 13.11           | 17.52                         | 0.53    | 7.41          | 9.46                    | 15.06           | 0.01           |
| SQU-DS         | 2026-08-01 00:45:00 | 13.07           | 17.79                         | 0.53    | 7.39          | 9.47                    | 13.24           | 0.01           |
| SQU-DS         | 2026-08-01 01:00:00 | 13.02           | 17.98                         | 0.54    | 7.36          | 9.49                    | 14.51           | 0.01           |
| SQU-DS         | 2026-08-01 01:15:00 | 12.97           | 18.84                         | 0.54    | 7.26          | 9.50                    | 15.34           | 0.01           |
| SQU-DS         | 2026-08-01 01:30:00 | 12.93           | 19.40                         | 0.53    | 7.38          | 9.50                    | 14.77           | 0.01           |
| SQU-DS         | 2026-08-01 01:45:00 | 12.89           | 20.21                         | 0.54    | 7.36          | 9.51                    | 15.96           | 0.01           |
| SQU-DS         | 2026-08-01 02:00:00 | 12.85           | 21.06                         | 0.54    | 7.34          | 9.52                    | 16.65           | 0.01           |
| SQU-DS         | 2026-08-01 02:15:00 | 12.81           | 22.17                         | 0.53    | 7.40          | 9.52                    | 16.14           | 0.01           |
| SQU-DS         | 2026-08-01 02:30:00 | 12.77           | 23.05                         | 0.54    | 7.37          | 9.53                    | 14.88           | 0.01           |
| SQU-DS         | 2026-08-01 02:45:00 | 12.72           | 22.99                         | 0.54    | 7.35          | 9.55                    | 15.70           | 0.01           |
| SQU-DS         | 2026-08-01 03:00:00 | 12.68           | 23.05                         | 0.53    | 7.40          | 9.55                    | 14.73           | 0.01           |
| SQU-DS         | 2026-08-01 03:15:00 | 12.63           | 23.20                         | 0.54    | 7.32          | 9.56                    | 20.39           | 0.01           |
| SQU-DS         | 2026-08-01 03:30:00 | 12.58           | 23.19                         | 0.54    | 7.27          | 9.57                    | 18.33           | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-08-01 03:45:00 | 12.53           | 22.64                         | 0.53    | 7.40          | 9.59                    | 16.78           | 0.01           |
| SQU-DS         | 2026-08-01 04:00:00 | 12.48           | 23.34                         | 0.53    | 7.39          | 9.58                    | 17.62           | 0.01           |
| SQU-DS         | 2026-08-01 04:15:00 | 12.44           | 22.66                         | 0.54    | 7.36          | 9.60                    | 16.41           | 0.01           |
| SQU-DS         | 2026-08-01 04:30:00 | 12.40           | 22.87                         | 0.53    | 7.40          | 9.61                    | 15.46           | 0.01           |
| SQU-DS         | 2026-08-01 04:45:00 | 12.36           | 23.07                         | 0.54    | 7.38          | 9.63                    | 17.48           | 0.01           |
| SQU-DS         | 2026-08-01 05:00:00 | 12.33           | 22.61                         | 0.53    | 7.38          | 9.63                    | 15.87           | 0.01           |
| SQU-DS         | 2026-08-01 05:15:00 | 12.29           | 21.73                         | 0.53    | 7.41          | 9.65                    | 14.87           | 0.01           |
| SQU-DS         | 2026-08-01 05:30:00 | 12.26           | 22.15                         | 0.54    | 7.34          | 9.65                    | 15.39           | 0.01           |
| SQU-DS         | 2026-08-01 05:45:00 | 12.22           | 21.64                         | 0.53    | 7.40          | 9.66                    | 14.33           | 0.01           |
| SQU-DS         | 2026-08-01 06:00:00 | 12.18           | 21.08                         | 0.53    | 7.41          | 9.68                    | 15.05           | 0.01           |
| SQU-DS         | 2026-08-01 06:15:00 | 12.14           | 20.63                         | 0.54    | 7.35          | 9.69                    | 13.82           | 0.01           |
| SQU-DS         | 2026-08-01 06:30:00 | 12.08           | 18.78                         | 0.54    | 7.35          | 9.69                    | 12.34           | 0.01           |
| SQU-DS         | 2026-08-01 06:45:00 | 12.03           | 17.99                         | 0.53    | 7.38          | 9.71                    | 12.69           | 0.01           |
| SQU-DS         | 2026-08-01 07:00:00 | 11.98           | 17.92                         | 0.53    | 7.46          | 9.72                    | 11.90           | 0.01           |
| SQU-DS         | 2026-08-01 07:15:00 | 11.93           | 18.08                         | 0.53    | 7.50          | 9.73                    | 10.25           | 0.01           |
| SQU-DS         | 2026-08-01 07:30:00 | 11.90           | 17.42                         | 0.53    | 7.45          | 9.74                    | 9.14            | 0.01           |
| SQU-DS         | 2026-08-01 07:45:00 | 11.88           | 16.85                         | 0.53    | 7.46          | 9.75                    | 9.82            | 0.01           |
| SQU-DS         | 2026-08-01 08:00:00 | 11.85           | 16.64                         | 0.53    | 7.41          | 9.76                    | 8.82            | 0.01           |
| SQU-DS         | 2026-08-01 08:15:00 | 11.83           | 16.35                         | 0.53    | 7.47          | 9.76                    | 7.36            | 0.01           |
| SQU-DS         | 2026-08-01 08:30:00 | 11.82           | 16.57                         | 0.53    | 7.41          | 9.76                    | 9.10            | 0.01           |
| SQU-DS         | 2026-08-01 08:45:00 | 11.81           | 16.32                         | 0.53    | 7.44          | 9.77                    | 9.65            | 0.01           |
| SQU-DS         | 2026-08-01 09:00:00 | 11.82           | 16.28                         | 0.53    | 7.42          | 9.76                    | 9.70            | 0.01           |
| SQU-DS         | 2026-08-01 09:15:00 | 11.84           | 16.55                         | 0.53    | 7.41          | 9.77                    | 8.60            | 0.01           |
| SQU-DS         | 2026-08-01 09:30:00 | 11.85           | 16.60                         | 0.53    | 7.38          | 9.78                    | 8.73            | 0.01           |
| SQU-DS         | 2026-08-01 09:45:00 | 11.88           | 17.93                         | 0.54    | 7.34          | 9.78                    | 8.76            | 0.01           |
| SQU-DS         | 2026-08-01 10:00:00 | 11.92           | 18.62                         | 0.53    | 7.43          | 9.81                    | 9.89            | 0.01           |
| SQU-DS         | 2026-08-01 10:15:00 | 11.98           | 20.32                         | 0.54    | 7.34          | 9.81                    | 10.58           | 0.01           |
| SQU-DS         | 2026-08-01 10:30:00 | 12.04           | 20.39                         | 0.53    | 7.38          | 9.81                    | 10.54           | 0.01           |
| SQU-DS         | 2026-08-01 10:45:00 | 12.09           | 20.07                         | 0.54    | 7.33          | 9.81                    | 11.02           | 0.01           |
| SQU-DS         | 2026-08-01 11:00:00 | 12.12           | 20.37                         | 0.54    | 7.34          | 9.81                    | 10.64           | 0.01           |
| SQU-DS         | 2026-08-01 11:15:00 | 12.19           | 20.38                         | 0.53    | 7.42          | 9.84                    | 12.45           | 0.01           |
| SQU-DS         | 2026-08-01 11:30:00 | 12.27           | 20.72                         | 0.54    | 7.34          | 9.83                    | 12.61           | 0.01           |
| SQU-DS         | 2026-08-01 11:45:00 | 12.35           | 21.07                         | 0.53    | 7.39          | 9.82                    | 9.92            | 0.01           |
| SQU-DS         | 2026-08-01 12:00:00 | 12.42           | 20.89                         | 0.53    | 7.41          | 9.83                    | 11.78           | 0.01           |
| SQU-DS         | 2026-08-01 12:15:00 | 12.47           | 21.03                         | 0.53    | 7.43          | 9.83                    | 11.32           | 0.01           |
| SQU-DS         | 2026-08-01 12:30:00 | 12.49           | 20.96                         | 0.54    | 7.34          | 9.85                    | 11.46           | 0.01           |
| SQU-DS         | 2026-08-01 12:45:00 | 12.52           | 18.82                         | 0.53    | 7.45          | 9.85                    | 12.21           | 0.01           |
| SQU-DS         | 2026-08-01 13:00:00 | 12.55           | 20.12                         | 0.53    | 7.38          | 9.87                    | 13.12           | 0.01           |
| SQU-DS         | 2026-08-01 13:15:00 | 12.57           | 20.09                         | 0.54    | 7.34          | 9.86                    | 12.06           | 0.01           |
| SQU-DS         | 2026-08-01 13:30:00 | 12.59           | 18.66                         | 0.53    | 7.43          | 9.86                    | 8.81            | 0.01           |
| SQU-DS         | 2026-08-01 13:45:00 | 12.61           | 18.06                         | 0.53    | 7.42          | 9.87                    | 9.70            | 0.01           |
| SQU-DS         | 2026-08-01 14:00:00 | 12.59           | 17.04                         | 0.53    | 7.47          | 9.87                    | 6.89            | 0.01           |
| SQU-DS         | 2026-08-01 14:15:00 | 12.56           | 15.93                         | 0.52    | 7.57          | 9.87                    | 7.28            | 0.01           |
| SQU-DS         | 2026-08-01 14:30:00 | 12.57           | 15.26                         | 0.53    | 7.52          | 9.87                    | 6.33            | 0.01           |
| SQU-DS         | 2026-08-01 14:45:00 | 12.60           | 15.05                         | 0.52    | 7.58          | 9.85                    | 4.41            | 0.01           |
| SQU-DS         | 2026-08-01 15:00:00 | 12.59           | 14.59                         | 0.52    | 7.59          | 9.84                    | 4.36            | 0.01           |
| SQU-DS         | 2026-08-01 15:15:00 | 12.56           | 14.77                         | 0.52    | 7.56          | 9.81                    | 2.36            | 0.01           |
| SQU-DS         | 2026-08-01 15:30:00 | 12.57           | 14.70                         | 0.52    | 7.53          | 9.79                    | 1.64            | 0.01           |
| SQU-DS         | 2026-08-01 15:45:00 | 12.58           | 14.81                         | 0.52    | 7.52          | 9.75                    | 0.52            | 0.01           |
| SQU-DS         | 2026-08-01 16:00:00 | 12.50           | 14.61                         | 0.53    | 7.49          | 9.73                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 16:15:00 | 12.42           | 14.62                         | 0.52    | 7.50          | 9.72                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 16:30:00 | 12.35           | 15.07                         | 0.53    | 7.46          | 9.71                    | 0.53            | 0.01           |
| SQU-DS         | 2026-08-01 16:45:00 | 12.32           | 14.72                         | 0.53    | 7.47          | 9.74                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 17:00:00 | 12.31           | 16.55                         | 0.53    | 7.46          | 9.83                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 17:15:00 | 12.33           | 18.11                         | 0.53    | 7.45          | 9.92                    | 0.00            | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-08-01 17:30:00 | 12.36           | 17.99                         | 0.53    | 7.46          | 9.94                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 17:45:00 | 12.36           | 18.41                         | 0.53    | 7.41          | 9.95                    | 10.95           | 0.01           |
| SQU-DS         | 2026-08-01 18:00:00 | 12.35           | 19.74                         | 0.52    | 7.49          | 9.95                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 18:15:00 | 12.34           | 19.52                         | 0.53    | 7.45          | 9.96                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 18:30:00 | 12.34           | 19.90                         | 0.52    | 7.44          | 9.95                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-01 18:45:00 | 12.35           | 19.51                         | 0.52    | 7.43          | 9.95                    | 1.87            | 0.01           |
| SQU-DS         | 2026-08-01 19:00:00 | 12.39           | 19.83                         | 0.52    | 7.43          | 9.95                    | 15.83           | 0.01           |
| SQU-DS         | 2026-08-01 19:15:00 | 12.43           | 19.47                         | 0.52    | 7.44          | 9.94                    | 17.77           | 0.01           |
| SQU-DS         | 2026-08-01 19:30:00 | 12.44           | 19.11                         | 0.52    | 7.43          | 9.94                    | 21.30           | 0.01           |
| SQU-DS         | 2026-08-01 19:45:00 | 12.43           | 19.26                         | 0.53    | 7.42          | 9.93                    | 42.89           | 0.01           |
| SQU-DS         | 2026-08-01 20:00:00 | 12.40           | 19.17                         | 0.53    | 7.40          | 9.93                    | 27.52           | 0.01           |
| SQU-DS         | 2026-08-01 20:15:00 | 12.33           | 17.73                         | 0.52    | 7.43          | 9.94                    | 17.15           | 0.01           |
| SQU-DS         | 2026-08-01 20:30:00 | 12.27           | 16.44                         | 0.52    | 7.41          | 9.96                    | 27.73           | 0.01           |
| SQU-DS         | 2026-08-01 20:45:00 | 12.20           | 16.48                         | 0.53    | 7.39          | 9.97                    | 34.92           | 0.01           |
| SQU-DS         | 2026-08-01 21:00:00 | 12.11           | 16.39                         | 0.52    | 7.41          | 9.97                    | 16.09           | 0.01           |
| SQU-DS         | 2026-08-01 21:15:00 | 12.04           | 16.97                         | 0.53    | 7.39          | 9.98                    | 24.03           | 0.01           |
| SQU-DS         | 2026-08-01 21:30:00 | 11.96           | 16.58                         | 0.53    | 7.37          | 10.01                   | 30.86           | 0.01           |
| SQU-DS         | 2026-08-01 21:45:00 | 11.89           | 16.36                         | 0.52    | 7.41          | 10.00                   | 33.97           | 0.01           |
| SQU-DS         | 2026-08-01 22:00:00 | 11.82           | 17.65                         | 0.52    | 7.46          | 10.01                   | 35.85           | 0.01           |
| SQU-DS         | 2026-08-01 22:15:00 | 11.78           | 17.73                         | 0.52    | 7.42          | 10.03                   | 30.92           | 0.01           |
| SQU-DS         | 2026-08-01 22:30:00 | 11.73           | 17.08                         | 0.52    | 7.42          | 10.02                   | 23.22           | 0.01           |
| SQU-DS         | 2026-08-01 22:45:00 | 11.67           | 16.59                         | 0.52    | 7.43          | 10.03                   | 7.06            | 0.01           |
| SQU-DS         | 2026-08-01 23:00:00 | 11.63           | 17.37                         | 0.52    | 7.43          | 10.04                   | 47.58           | 0.01           |
| SQU-DS         | 2026-08-01 23:15:00 | 11.59           | 18.17                         | 0.52    | 7.46          | 10.04                   | 19.27           | 0.01           |
| SQU-DS         | 2026-08-01 23:30:00 | 11.54           | 17.90                         | 0.52    | 7.48          | 10.06                   | 1.65            | 0.01           |
| SQU-DS         | 2026-08-01 23:45:00 | 11.50           | 18.11                         | 0.52    | 7.47          | 10.05                   | 15.28           | 0.01           |
| SQU-DS         | 2026-08-02 00:00:00 | 11.47           | 18.81                         | 0.52    | 7.44          | 10.08                   | 26.96           | 0.01           |
| SQU-DS         | 2026-08-02 00:15:00 | 11.42           | 19.05                         | 0.52    | 7.43          | 10.07                   | 31.55           | 0.01           |
| SQU-DS         | 2026-08-02 00:30:00 | 11.38           | 19.63                         | 0.52    | 7.45          | 10.08                   | 22.31           | 0.01           |
| SQU-DS         | 2026-08-02 00:45:00 | 11.33           | 19.12                         | 0.52    | 7.45          | 10.09                   | 14.86           | 0.01           |
| SQU-DS         | 2026-08-02 01:00:00 | 11.28           | 19.34                         | 0.53    | 7.40          | 10.10                   | 28.73           | 0.01           |
| SQU-DS         | 2026-08-02 01:15:00 | 11.24           | 19.73                         | 0.52    | 7.44          | 10.13                   | 23.00           | 0.01           |
| SQU-DS         | 2026-08-02 01:30:00 | 11.19           | 19.53                         | 0.53    | 7.41          | 10.13                   | 28.90           | 0.01           |
| SQU-DS         | 2026-08-02 01:45:00 | 11.14           | 19.10                         | 0.53    | 7.41          | 10.14                   | 17.80           | 0.01           |
| SQU-DS         | 2026-08-02 02:00:00 | 11.10           | 19.81                         | 0.53    | 7.40          | 10.15                   | 4.63            | 0.01           |
| SQU-DS         | 2026-08-02 02:15:00 | 11.06           | 20.12                         | 0.53    | 7.42          | 10.16                   | 8.80            | 0.01           |
| SQU-DS         | 2026-08-02 02:30:00 | 11.02           | 20.35                         | 0.53    | 7.41          | 10.17                   | 12.09           | 0.01           |
| SQU-DS         | 2026-08-02 02:45:00 | 10.98           | 20.23                         | 0.53    | 7.40          | 10.17                   | 22.48           | 0.01           |
| SQU-DS         | 2026-08-02 03:00:00 | 10.93           | 19.62                         | 0.53    | 7.41          | 10.19                   | 23.87           | 0.01           |
| SQU-DS         | 2026-08-02 03:15:00 | 10.87           | 19.36                         | 0.53    | 7.40          | 10.20                   | 20.82           | 0.01           |
| SQU-DS         | 2026-08-02 03:30:00 | 10.82           | 19.08                         | 0.53    | 7.39          | 10.21                   | 30.12           | 0.01           |
| SQU-DS         | 2026-08-02 03:45:00 | 10.76           | 18.90                         | 0.53    | 7.38          | 10.22                   | 16.65           | 0.01           |
| SQU-DS         | 2026-08-02 04:00:00 | 10.70           | 18.40                         | 0.53    | 7.39          | 10.23                   | 8.21            | 0.01           |
| SQU-DS         | 2026-08-02 04:15:00 | 10.64           | 18.49                         | 0.53    | 7.37          | 10.25                   | 25.41           | 0.01           |
| SQU-DS         | 2026-08-02 04:30:00 | 10.59           | 18.47                         | 0.53    | 7.37          | 10.27                   | 26.75           | 0.01           |
| SQU-DS         | 2026-08-02 04:45:00 | 10.55           | 18.47                         | 0.53    | 7.36          | 10.27                   | 38.97           | 0.01           |
| SQU-DS         | 2026-08-02 05:00:00 | 10.51           | 18.64                         | 0.53    | 7.35          | 10.28                   | 31.21           | 0.01           |
| SQU-DS         | 2026-08-02 05:15:00 | 10.47           | 18.52                         | 0.53    | 7.39          | 10.31                   | 23.45           | 0.01           |
| SQU-DS         | 2026-08-02 05:30:00 | 10.42           | 18.21                         | 0.53    | 7.35          | 10.32                   | 17.02           | 0.01           |
| SQU-DS         | 2026-08-02 05:45:00 | 10.39           | 18.56                         | 0.53    | 7.37          | 10.32                   | 32.80           | 0.01           |
| SQU-DS         | 2026-08-02 06:00:00 | 10.34           | 18.17                         | 0.53    | 7.38          | 10.34                   | 31.37           | 0.01           |
| SQU-DS         | 2026-08-02 06:15:00 | 10.30           | 18.25                         | 0.53    | 7.34          | 10.35                   | 46.52           | 0.01           |
| SQU-DS         | 2026-08-02 06:30:00 | 10.26           | 18.23                         | 0.53    | 7.35          | 10.36                   | 34.25           | 0.01           |
| SQU-DS         | 2026-08-02 06:45:00 | 10.21           | 17.99                         | 0.53    | 7.37          | 10.39                   | 30.35           | 0.01           |
| SQU-DS         | 2026-08-02 07:00:00 | 10.17           | 18.34                         | 0.53    | 7.35          | 10.39                   | 27.01           | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-08-02 07:15:00 | 10.13           | 18.03                         | 0.53    | 7.37          | 10.41                   | 23.22           | 0.01           |
| SQU-DS         | 2026-08-02 07:30:00 | 10.09           | 18.15                         | 0.53    | 7.35          | 10.42                   | 15.94           | 0.01           |
| SQU-DS         | 2026-08-02 07:45:00 | 10.05           | 18.55                         | 0.53    | 7.37          | 10.43                   | 28.70           | 0.01           |
| SQU-DS         | 2026-08-02 08:00:00 | 10.02           | 18.49                         | 0.53    | 7.35          | 10.45                   | 29.18           | 0.01           |
| SQU-DS         | 2026-08-02 08:15:00 | 9.99            | 18.44                         | 0.53    | 7.37          | 10.46                   | 27.28           | 0.01           |
| SQU-DS         | 2026-08-02 08:30:00 | 9.97            | 18.70                         | 0.54    | 7.35          | 10.46                   | 26.47           | 0.01           |
| SQU-DS         | 2026-08-02 08:45:00 | 9.94            | 18.92                         | 0.53    | 7.36          | 10.48                   | 21.89           | 0.01           |
| SQU-DS         | 2026-08-02 09:00:00 | 9.95            | 19.12                         | 0.53    | 7.35          | 10.48                   | 26.39           | 0.01           |
| SQU-DS         | 2026-08-02 09:15:00 | 9.97            | 19.33                         | 0.53    | 7.37          | 10.48                   | 14.79           | 0.01           |
| SQU-DS         | 2026-08-02 09:30:00 | 10.01           | 19.34                         | 0.53    | 7.35          | 10.49                   | 13.51           | 0.01           |
| SQU-DS         | 2026-08-02 09:45:00 | 10.06           | 19.45                         | 0.53    | 7.35          | 10.48                   | 1.19            | 0.01           |
| SQU-DS         | 2026-08-02 10:00:00 | 10.07           | 19.60                         | 0.53    | 7.35          | 10.49                   | 22.88           | 0.01           |
| SQU-DS         | 2026-08-02 10:15:00 | 10.04           | 19.77                         | 0.53    | 7.35          | 10.50                   | 0.02            | 0.01           |
| SQU-DS         | 2026-08-02 10:30:00 | 10.02           | 19.37                         | 0.53    | 7.35          | 10.49                   | 9.78            | 0.01           |
| SQU-DS         | 2026-08-02 10:45:00 | 10.00           | 19.27                         | 0.53    | 7.36          | 10.49                   | 0.11            | 0.01           |
| SQU-DS         | 2026-08-02 11:00:00 | 10.01           | 18.84                         | 0.53    | 7.36          | 10.48                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 11:15:00 | 10.05           | 18.68                         | 0.53    | 7.36          | 10.47                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 11:30:00 | 10.11           | 17.88                         | 0.53    | 7.36          | 10.47                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 11:45:00 | 10.13           | 17.12                         | 0.53    | 7.36          | 10.46                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 12:00:00 | 10.14           | 17.29                         | 0.53    | 7.37          | 10.46                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 12:15:00 | 10.16           | 17.30                         | 0.53    | 7.38          | 10.47                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 12:30:00 | 10.21           | 17.78                         | 0.53    | 7.35          | 10.47                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 12:45:00 | 10.29           | 18.16                         | 0.53    | 7.35          | 10.46                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 13:00:00 | 10.36           | 18.83                         | 0.53    | 7.37          | 10.44                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 13:15:00 | 10.35           | 20.12                         | 0.53    | 7.36          | 10.45                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 13:30:00 | 10.33           | 20.08                         | 0.53    | 7.36          | 10.44                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 13:45:00 | 10.37           | 20.59                         | 0.53    | 7.38          | 10.43                   | 7.19            | 0.01           |
| SQU-DS         | 2026-08-02 14:00:00 | 10.41           | 20.93                         | 0.53    | 7.36          | 10.42                   | 9.67            | 0.01           |
| SQU-DS         | 2026-08-02 14:15:00 | 10.46           | 21.19                         | 0.53    | 7.36          | 10.41                   | 9.23            | 0.01           |
| SQU-DS         | 2026-08-02 14:30:00 | 10.51           | 21.18                         | 0.53    | 7.37          | 10.40                   | 9.29            | 0.01           |
| SQU-DS         | 2026-08-02 14:45:00 | 10.51           | 21.34                         | 0.53    | 7.37          | 10.40                   | 9.87            | 0.01           |
| SQU-DS         | 2026-08-02 15:00:00 | 10.60           | 21.56                         | 0.53    | 7.36          | 10.39                   | 12.23           | 0.01           |
| SQU-DS         | 2026-08-02 15:15:00 | 10.69           | 21.65                         | 0.53    | 7.36          | 10.38                   | 14.42           | 0.01           |
| SQU-DS         | 2026-08-02 15:30:00 | 10.71           | 21.83                         | 0.53    | 7.35          | 10.35                   | 16.74           | 0.01           |
| SQU-DS         | 2026-08-02 15:45:00 | 10.73           | 21.79                         | 0.53    | 7.35          | 10.36                   | 8.78            | 0.01           |
| SQU-DS         | 2026-08-02 16:00:00 | 10.81           | 21.96                         | 0.53    | 7.34          | 10.36                   | 12.01           | 0.01           |
| SQU-DS         | 2026-08-02 16:15:00 | 10.93           | 22.25                         | 0.53    | 7.35          | 10.33                   | 8.00            | 0.01           |
| SQU-DS         | 2026-08-02 16:30:00 | 11.03           | 22.36                         | 0.53    | 7.36          | 10.31                   | 9.98            | 0.01           |
| SQU-DS         | 2026-08-02 16:45:00 | 11.07           | 22.56                         | 0.53    | 7.35          | 10.30                   | 9.24            | 0.01           |
| SQU-DS         | 2026-08-02 17:00:00 | 11.06           | 22.75                         | 0.53    | 7.35          | 10.28                   | 11.83           | 0.01           |
| SQU-DS         | 2026-08-02 17:15:00 | 11.03           | 22.83                         | 0.53    | 7.34          | 10.26                   | 11.14           | 0.01           |
| SQU-DS         | 2026-08-02 17:30:00 | 11.02           | 22.72                         | 0.53    | 7.31          | 10.27                   | 11.50           | 0.01           |
| SQU-DS         | 2026-08-02 17:45:00 | 11.10           | 22.65                         | 0.53    | 7.32          | 10.25                   | 12.86           | 0.01           |
| SQU-DS         | 2026-08-02 18:00:00 | 11.16           | 22.85                         | 0.53    | 7.35          | 10.24                   | 11.43           | 0.01           |
| SQU-DS         | 2026-08-02 18:15:00 | 11.21           | 23.12                         | 0.53    | 7.34          | 10.23                   | 11.42           | 0.01           |
| SQU-DS         | 2026-08-02 18:30:00 | 11.22           | 23.01                         | 0.53    | 7.32          | 10.23                   | 10.30           | 0.01           |
| SQU-DS         | 2026-08-02 18:45:00 | 11.23           | 22.74                         | 0.53    | 7.33          | 10.22                   | 9.60            | 0.01           |
| SQU-DS         | 2026-08-02 19:00:00 | 11.25           | 22.96                         | 0.53    | 7.35          | 10.20                   | 6.45            | 0.01           |
| SQU-DS         | 2026-08-02 19:15:00 | 11.27           | 22.74                         | 0.53    | 7.35          | 10.18                   | 9.90            | 0.01           |
| SQU-DS         | 2026-08-02 19:30:00 | 11.27           | 22.79                         | 0.53    | 7.37          | 10.17                   | 11.47           | 0.01           |
| SQU-DS         | 2026-08-02 19:45:00 | 11.28           | 22.90                         | 0.53    | 7.35          | 10.15                   | 4.62            | 0.01           |
| SQU-DS         | 2026-08-02 20:00:00 | 11.28           | 22.01                         | 0.53    | 7.35          | 10.14                   | 4.09            | 0.01           |
| SQU-DS         | 2026-08-02 20:15:00 | 11.29           | 21.52                         | 0.53    | 7.39          | 10.14                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 20:30:00 | 11.31           | 21.11                         | 0.53    | 7.36          | 10.12                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 20:45:00 | 11.34           | 21.37                         | 0.53    | 7.38          | 10.10                   | 0.00            | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-DS         | 2026-08-02 21:00:00 | 11.37           | 22.25                         | 0.53    | 7.36          | 10.09                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 21:15:00 | 11.40           | 22.81                         | 0.53    | 7.37          | 10.07                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 21:30:00 | 11.42           | 22.89                         | 0.53    | 7.37          | 10.06                   | 3.47            | 0.01           |
| SQU-DS         | 2026-08-02 21:45:00 | 11.43           | 23.67                         | 0.53    | 7.36          | 10.05                   | 10.97           | 0.01           |
| SQU-DS         | 2026-08-02 22:00:00 | 11.44           | 24.34                         | 0.53    | 7.36          | 10.03                   | 9.77            | 0.01           |
| SQU-DS         | 2026-08-02 22:15:00 | 11.44           | 23.77                         | 0.53    | 7.36          | 10.02                   | 9.98            | 0.01           |
| SQU-DS         | 2026-08-02 22:30:00 | 11.45           | 24.34                         | 0.53    | 7.38          | 10.01                   | 10.24           | 0.01           |
| SQU-DS         | 2026-08-02 22:45:00 | 11.45           | 24.49                         | 0.53    | 7.38          | 10.00                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 23:00:00 | 11.44           | 24.82                         | 0.53    | 7.40          | 9.98                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 23:15:00 | 11.44           | 23.35                         | 0.53    | 7.40          | 10.00                   | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 23:30:00 | 11.42           | 23.87                         | 0.53    | 7.37          | 9.98                    | 0.00            | 0.01           |
| SQU-DS         | 2026-08-02 23:45:00 | 11.41           | 24.18                         | 0.53    | 7.37          | 9.98                    | 0.12            | 0.01           |
| SQU-US         | 2026-07-27 00:00:00 | 10.99           | 23.73                         | 496.94  | 7.27          | 11.25                   | 557.01          | 0.01           |
| SQU-US         | 2026-07-27 00:15:00 | 10.97           | 23.86                         | 501.16  | 7.19          | 11.24                   | 508.40          | 0.01           |
| SQU-US         | 2026-07-27 00:30:00 | 10.94           | 23.10                         | 499.86  | 7.22          | 11.25                   | 500.58          | 0.01           |
| SQU-US         | 2026-07-27 00:45:00 | 10.91           | 22.76                         | 499.67  | 7.25          | 11.25                   | 1234.77         | 0.01           |
| SQU-US         | 2026-07-27 01:00:00 | 10.90           | 23.35                         | 498.66  | 7.23          | 11.25                   | 1199.83         | 0.01           |
| SQU-US         | 2026-07-27 01:15:00 | 10.87           | 22.83                         | 499.33  | 7.22          | 11.25                   | 1156.42         | 0.01           |
| SQU-US         | 2026-07-27 01:30:00 | 10.86           | 23.19                         | 499.17  | 7.23          | 11.25                   | 1187.22         | 0.01           |
| SQU-US         | 2026-07-27 01:45:00 | 10.82           | 22.43                         | 499.56  | 7.23          | 11.25                   | 478.17          | 0.01           |
| SQU-US         | 2026-07-27 02:00:00 | 10.81           | 22.62                         | 498.40  | 7.25          | 11.24                   | 433.31          | 0.01           |
| SQU-US         | 2026-07-27 02:15:00 | 10.79           | 22.94                         | 502.39  | 7.18          | 11.26                   | 397.29          | 0.01           |
| SQU-US         | 2026-07-27 02:30:00 | 10.76           | 22.14                         | 502.57  | 7.18          | 11.26                   | 416.83          | 0.01           |
| SQU-US         | 2026-07-27 02:45:00 | 10.74           | 22.67                         | 500.19  | 7.23          | 11.26                   | 1107.18         | 0.01           |
| SQU-US         | 2026-07-27 03:00:00 | 10.73           | 22.64                         | 500.04  | 7.21          | 11.26                   | 1051.15         | 0.01           |
| SQU-US         | 2026-07-27 03:15:00 | 10.72           | 23.00                         | 499.96  | 7.22          | 11.27                   | 1066.87         | 0.01           |
| SQU-US         | 2026-07-27 03:30:00 | 10.69           | 22.76                         | 499.65  | 7.21          | 11.27                   | 1120.85         | 0.01           |
| SQU-US         | 2026-07-27 03:45:00 | 10.67           | 22.67                         | 500.14  | 7.20          | 11.28                   | 416.65          | 0.01           |
| SQU-US         | 2026-07-27 04:00:00 | 10.66           | 22.59                         | 497.62  | 7.24          | 11.27                   | 381.24          | 0.01           |
| SQU-US         | 2026-07-27 04:15:00 | 10.64           | 22.57                         | 498.28  | 7.23          | 11.28                   | 363.90          | 0.01           |
| SQU-US         | 2026-07-27 04:30:00 | 10.63           | 22.75                         | 499.75  | 7.22          | 11.26                   | 350.22          | 0.01           |
| SQU-US         | 2026-07-27 04:45:00 | 10.60           | 21.60                         | 499.92  | 7.24          | 11.28                   | 1295.99         | 0.01           |
| SQU-US         | 2026-07-27 05:00:00 | 10.60           | 22.28                         | 500.97  | 7.20          | 11.27                   | 1245.63         | 0.01           |
| SQU-US         | 2026-07-27 05:15:00 | 10.58           | 21.86                         | 498.56  | 7.24          | 11.28                   | 1203.19         | 0.01           |
| SQU-US         | 2026-07-27 05:30:00 | 10.56           | 21.95                         | 501.09  | 7.19          | 11.28                   | 1216.43         | 0.01           |
| SQU-US         | 2026-07-27 05:45:00 | 10.55           | 22.07                         | 500.04  | 7.19          | 11.29                   | 358.99          | 0.01           |
| SQU-US         | 2026-07-27 06:00:00 | 10.53           | 21.96                         | 499.24  | 7.21          | 11.29                   | 367.65          | 0.01           |
| SQU-US         | 2026-07-27 06:15:00 | 10.52           | 22.46                         | 499.33  | 7.20          | 11.29                   | 322.25          | 0.01           |
| SQU-US         | 2026-07-27 06:30:00 | 10.50           | 21.90                         | 499.60  | 7.20          | 11.28                   | 327.49          | 0.01           |
| SQU-US         | 2026-07-27 06:45:00 | 10.49           | 21.78                         | 499.20  | 7.24          | 11.28                   | 988.67          | 0.01           |
| SQU-US         | 2026-07-27 07:00:00 | 10.48           | 21.71                         | 499.91  | 7.21          | 11.28                   | 981.86          | 0.01           |
| SQU-US         | 2026-07-27 07:15:00 | 10.46           | 21.95                         | 500.01  | 7.21          | 11.28                   | 1061.17         | 0.01           |
| SQU-US         | 2026-07-27 07:30:00 | 10.44           | 20.82                         | 501.23  | 7.19          | 11.28                   | 912.37          | 0.01           |
| SQU-US         | 2026-07-27 07:45:00 | 10.44           | 21.90                         | 500.55  | 7.19          | 11.29                   | 336.06          | 0.01           |
| SQU-US         | 2026-07-27 08:00:00 | 10.43           | 22.19                         | 499.39  | 7.20          | 11.29                   | 321.67          | 0.01           |
| SQU-US         | 2026-07-27 08:15:00 | 10.43           | 21.58                         | 496.01  | 7.25          | 11.29                   | 293.27          | 0.01           |
| SQU-US         | 2026-07-27 08:30:00 | 10.44           | 22.97                         | 500.50  | 7.16          | 11.28                   | 303.44          | 0.01           |
| SQU-US         | 2026-07-27 08:45:00 | 10.41           | 21.41                         | 500.01  | 7.18          | 11.30                   | 647.09          | 0.01           |
| SQU-US         | 2026-07-27 09:00:00 | 10.40           | 21.59                         | 497.76  | 7.21          | 11.30                   | 644.35          | 0.01           |
| SQU-US         | 2026-07-27 09:15:00 | 10.40           | 22.04                         | 500.69  | 7.16          | 11.30                   | 642.10          | 0.01           |
| SQU-US         | 2026-07-27 09:30:00 | 10.40           | 22.10                         | 500.27  | 7.17          | 11.30                   | 657.13          | 0.01           |
| SQU-US         | 2026-07-27 09:45:00 | 10.42           | 23.44                         | 497.22  | 7.21          | 11.29                   | 299.20          | 0.01           |
| SQU-US         | 2026-07-27 10:00:00 | 10.39           | 22.04                         | 497.99  | 7.19          | 11.32                   | 292.31          | 0.01           |
| SQU-US         | 2026-07-27 10:15:00 | 10.40           | 22.30                         | 496.94  | 7.19          | 11.31                   | 276.79          | 0.01           |
| SQU-US         | 2026-07-27 10:30:00 | 10.40           | 22.39                         | 494.47  | 7.23          | 11.33                   | 260.10          | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-27 10:45:00 | 10.43           | 23.45                         | 495.38  | 7.20          | 11.32                   | 549.92          | 0.01           |
| SQU-US         | 2026-07-27 11:00:00 | 10.44           | 22.95                         | 494.99  | 7.19          | 11.33                   | 617.31          | 0.01           |
| SQU-US         | 2026-07-27 11:15:00 | 10.45           | 22.45                         | 490.20  | 7.27          | 11.33                   | 654.23          | 0.01           |
| SQU-US         | 2026-07-27 11:30:00 | 10.48           | 22.77                         | 491.39  | 7.23          | 11.32                   | 672.13          | 0.01           |
| SQU-US         | 2026-07-27 11:45:00 | 10.50           | 22.85                         | 490.75  | 7.21          | 11.34                   | 264.70          | 0.01           |
| SQU-US         | 2026-07-27 12:00:00 | 10.52           | 22.91                         | 489.90  | 7.19          | 11.33                   | 258.28          | 0.01           |
| SQU-US         | 2026-07-27 12:15:00 | 10.54           | 22.71                         | 487.22  | 7.22          | 11.31                   | 242.73          | 0.01           |
| SQU-US         | 2026-07-27 12:30:00 | 10.53           | 21.84                         | 487.58  | 7.21          | 11.32                   | 254.78          | 0.01           |
| SQU-US         | 2026-07-27 12:45:00 | 10.55           | 21.94                         | 487.90  | 7.21          | 11.31                   | 672.96          | 0.01           |
| SQU-US         | 2026-07-27 13:00:00 | 10.58           | 22.19                         | 489.81  | 7.14          | 11.33                   | 681.32          | 0.01           |
| SQU-US         | 2026-07-27 13:15:00 | 10.59           | 22.00                         | 487.07  | 7.18          | 11.32                   | 670.03          | 0.01           |
| SQU-US         | 2026-07-27 13:30:00 | 10.61           | 22.79                         | 486.06  | 7.20          | 11.31                   | 680.12          | 0.01           |
| SQU-US         | 2026-07-27 13:45:00 | 10.59           | 21.53                         | 484.67  | 7.22          | 11.31                   | 245.48          | 0.01           |
| SQU-US         | 2026-07-27 14:00:00 | 10.60           | 21.69                         | 485.73  | 7.19          | 11.31                   | 218.37          | 0.01           |
| SQU-US         | 2026-07-27 14:15:00 | 10.63           | 22.11                         | 484.49  | 7.20          | 11.32                   | 226.35          | 0.01           |
| SQU-US         | 2026-07-27 14:30:00 | 10.65           | 22.55                         | 487.50  | 7.15          | 11.32                   | 231.45          | 0.01           |
| SQU-US         | 2026-07-27 14:45:00 | 10.66           | 21.97                         | 483.97  | 7.21          | 11.32                   | 548.74          | 0.01           |
| SQU-US         | 2026-07-27 15:00:00 | 10.69           | 21.68                         | 482.55  | 7.23          | 11.32                   | 553.68          | 0.01           |
| SQU-US         | 2026-07-27 15:15:00 | 10.75           | 22.26                         | 483.97  | 7.20          | 11.31                   | 529.17          | 0.01           |
| SQU-US         | 2026-07-27 15:30:00 | 10.79           | 22.74                         | 484.77  | 7.19          | 11.30                   | 574.68          | 0.01           |
| SQU-US         | 2026-07-27 15:45:00 | 10.82           | 22.88                         | 484.05  | 7.20          | 11.29                   | 241.21          | 0.01           |
| SQU-US         | 2026-07-27 16:00:00 | 10.81           | 21.59                         | 482.40  | 7.22          | 11.31                   | 239.32          | 0.01           |
| SQU-US         | 2026-07-27 16:15:00 | 10.84           | 21.48                         | 481.72  | 7.24          | 11.29                   | 230.10          | 0.01           |
| SQU-US         | 2026-07-27 16:30:00 | 10.88           | 23.21                         | 486.25  | 7.18          | 11.28                   | 240.77          | 0.01           |
| SQU-US         | 2026-07-27 16:45:00 | 10.88           | 22.27                         | 485.16  | 7.21          | 11.28                   | 408.23          | 0.01           |
| SQU-US         | 2026-07-27 17:00:00 | 10.89           | 22.53                         | 485.70  | 7.22          | 11.28                   | 425.53          | 0.01           |
| SQU-US         | 2026-07-27 17:15:00 | 10.91           | 22.72                         | 486.21  | 7.22          | 11.28                   | 445.69          | 0.01           |
| SQU-US         | 2026-07-27 17:30:00 | 10.92           | 22.75                         | 485.98  | 7.24          | 11.26                   | 431.80          | 0.01           |
| SQU-US         | 2026-07-27 17:45:00 | 10.93           | 23.08                         | 490.16  | 7.19          | 11.24                   | 250.38          | 0.01           |
| SQU-US         | 2026-07-27 18:00:00 | 10.93           | 23.08                         | 487.59  | 7.23          | 11.24                   | 249.03          | 0.01           |
| SQU-US         | 2026-07-27 18:15:00 | 10.95           | 23.43                         | 488.93  | 7.22          | 11.23                   | 277.45          | 0.01           |
| SQU-US         | 2026-07-27 18:30:00 | 10.95           | 23.43                         | 487.66  | 7.26          | 11.23                   | 234.48          | 0.01           |
| SQU-US         | 2026-07-27 18:45:00 | 10.96           | 23.19                         | 489.65  | 7.24          | 11.22                   | 500.32          | 0.01           |
| SQU-US         | 2026-07-27 19:00:00 | 10.99           | 23.83                         | 488.86  | 7.26          | 11.21                   | 499.89          | 0.01           |
| SQU-US         | 2026-07-27 19:15:00 | 10.98           | 23.28                         | 492.24  | 7.22          | 11.20                   | 511.20          | 0.01           |
| SQU-US         | 2026-07-27 19:30:00 | 11.01           | 23.66                         | 490.47  | 7.26          | 11.20                   | 561.73          | 0.01           |
| SQU-US         | 2026-07-27 19:45:00 | 11.01           | 23.60                         | 492.24  | 7.24          | 11.18                   | 241.95          | 0.01           |
| SQU-US         | 2026-07-27 20:00:00 | 11.04           | 24.43                         | 491.31  | 7.26          | 11.18                   | 243.46          | 0.01           |
| SQU-US         | 2026-07-27 20:15:00 | 11.04           | 24.40                         | 492.01  | 7.26          | 11.18                   | 271.22          | 0.01           |
| SQU-US         | 2026-07-27 20:30:00 | 11.03           | 24.11                         | 494.18  | 7.23          | 11.17                   | 258.70          | 0.01           |
| SQU-US         | 2026-07-27 20:45:00 | 11.04           | 23.91                         | 493.23  | 7.26          | 11.17                   | 407.55          | 0.01           |
| SQU-US         | 2026-07-27 21:00:00 | 11.05           | 24.00                         | 493.88  | 7.27          | 11.16                   | 434.49          | 0.01           |
| SQU-US         | 2026-07-27 21:15:00 | 11.06           | 24.40                         | 495.26  | 7.25          | 11.16                   | 432.25          | 0.01           |
| SQU-US         | 2026-07-27 21:30:00 | 11.05           | 24.49                         | 496.79  | 7.24          | 11.14                   | 439.53          | 0.01           |
| SQU-US         | 2026-07-27 21:45:00 | 11.05           | 24.73                         | 496.77  | 7.24          | 11.15                   | 235.21          | 0.01           |
| SQU-US         | 2026-07-27 22:00:00 | 11.04           | 24.56                         | 498.12  | 7.23          | 11.15                   | 255.84          | 0.01           |
| SQU-US         | 2026-07-27 22:15:00 | 11.00           | 23.56                         | 498.71  | 7.22          | 11.15                   | 250.16          | 0.01           |
| SQU-US         | 2026-07-27 22:30:00 | 10.98           | 23.84                         | 497.67  | 7.25          | 11.16                   | 261.66          | 0.01           |
| SQU-US         | 2026-07-27 22:45:00 | 10.97           | 23.78                         | 499.18  | 7.24          | 11.16                   | 408.02          | 0.01           |
| SQU-US         | 2026-07-27 23:00:00 | 10.95           | 23.91                         | 500.32  | 7.23          | 11.15                   | 437.91          | 0.01           |
| SQU-US         | 2026-07-27 23:15:00 | 10.92           | 23.16                         | 500.21  | 7.24          | 11.16                   | 461.35          | 0.01           |
| SQU-US         | 2026-07-27 23:30:00 | 10.91           | 23.54                         | 502.57  | 7.20          | 11.15                   | 484.15          | 0.01           |
| SQU-US         | 2026-07-27 23:45:00 | 10.88           | 23.24                         | 502.18  | 7.23          | 11.16                   | 261.01          | 0.01           |
| SQU-US         | 2026-07-28 00:00:00 | 10.85           | 22.45                         | 502.62  | 7.22          | 11.16                   | 267.92          | 0.01           |
| SQU-US         | 2026-07-28 00:15:00 | 10.84           | 23.07                         | 503.93  | 7.21          | 11.16                   | 246.11          | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-28 00:30:00 | 10.82           | 23.00                         | 502.82  | 7.23          | 11.16                   | 232.97          | 0.01           |
| SQU-US         | 2026-07-28 00:45:00 | 10.78           | 22.41                         | 503.77  | 7.23          | 11.16                   | 423.29          | 0.01           |
| SQU-US         | 2026-07-28 01:00:00 | 10.78           | 22.86                         | 503.68  | 7.23          | 11.16                   | 417.69          | 0.01           |
| SQU-US         | 2026-07-28 01:15:00 | 10.76           | 22.99                         | 504.69  | 7.21          | 11.17                   | 446.45          | 0.01           |
| SQU-US         | 2026-07-28 01:30:00 | 10.73           | 22.41                         | 504.25  | 7.24          | 11.17                   | 435.10          | 0.01           |
| SQU-US         | 2026-07-28 01:45:00 | 10.73           | 23.25                         | 505.61  | 7.22          | 11.16                   | 236.44          | 0.01           |
| SQU-US         | 2026-07-28 02:00:00 | 10.69           | 22.22                         | 507.57  | 7.18          | 11.17                   | 233.19          | 0.01           |
| SQU-US         | 2026-07-28 02:15:00 | 10.69           | 23.03                         | 505.81  | 7.20          | 11.17                   | 235.93          | 0.01           |
| SQU-US         | 2026-07-28 02:30:00 | 10.66           | 22.77                         | 507.17  | 7.19          | 11.18                   | 226.10          | 0.01           |
| SQU-US         | 2026-07-28 02:45:00 | 10.64           | 22.40                         | 506.34  | 7.21          | 11.18                   | 443.52          | 0.01           |
| SQU-US         | 2026-07-28 03:00:00 | 10.62           | 22.54                         | 507.49  | 7.19          | 11.18                   | 442.81          | 0.01           |
| SQU-US         | 2026-07-28 03:15:00 | 10.60           | 22.34                         | 508.18  | 7.18          | 11.19                   | 456.70          | 0.01           |
| SQU-US         | 2026-07-28 03:30:00 | 10.58           | 22.21                         | 507.23  | 7.20          | 11.19                   | 475.39          | 0.01           |
| SQU-US         | 2026-07-28 03:45:00 | 10.56           | 22.04                         | 508.21  | 7.19          | 11.19                   | 220.63          | 0.01           |
| SQU-US         | 2026-07-28 04:00:00 | 10.56           | 22.37                         | 509.02  | 7.18          | 11.19                   | 215.22          | 0.01           |
| SQU-US         | 2026-07-28 04:15:00 | 10.55           | 22.34                         | 508.09  | 7.20          | 11.18                   | 200.48          | 0.01           |
| SQU-US         | 2026-07-28 04:30:00 | 10.54           | 22.61                         | 508.47  | 7.20          | 11.18                   | 214.58          | 0.01           |
| SQU-US         | 2026-07-28 04:45:00 | 10.52           | 22.38                         | 507.34  | 7.23          | 11.18                   | 360.66          | 0.01           |
| SQU-US         | 2026-07-28 05:00:00 | 10.51           | 22.28                         | 510.13  | 7.18          | 11.18                   | 356.80          | 0.01           |
| SQU-US         | 2026-07-28 05:15:00 | 10.51           | 22.66                         | 511.09  | 7.17          | 11.18                   | 382.09          | 0.01           |
| SQU-US         | 2026-07-28 05:30:00 | 10.49           | 22.55                         | 507.75  | 7.21          | 11.17                   | 381.16          | 0.01           |
| SQU-US         | 2026-07-28 05:45:00 | 10.49           | 22.19                         | 507.10  | 7.17          | 11.17                   | 228.68          | 0.01           |
| SQU-US         | 2026-07-28 06:00:00 | 10.49           | 23.23                         | 508.91  | 7.13          | 11.16                   | 198.58          | 0.01           |
| SQU-US         | 2026-07-28 06:15:00 | 10.46           | 22.08                         | 507.77  | 7.14          | 11.17                   | 191.77          | 0.01           |
| SQU-US         | 2026-07-28 06:30:00 | 10.46           | 22.81                         | 503.62  | 7.21          | 11.17                   | 183.40          | 0.01           |
| SQU-US         | 2026-07-28 06:45:00 | 10.46           | 22.85                         | 505.57  | 7.16          | 11.15                   | 364.93          | 0.01           |
| SQU-US         | 2026-07-28 07:00:00 | 10.45           | 22.91                         | 505.55  | 7.16          | 11.16                   | 386.24          | 0.01           |
| SQU-US         | 2026-07-28 07:15:00 | 10.44           | 23.12                         | 503.45  | 7.17          | 11.15                   | 373.13          | 0.01           |
| SQU-US         | 2026-07-28 07:30:00 | 10.43           | 21.62                         | 500.39  | 7.18          | 11.16                   | 374.83          | 0.01           |
| SQU-US         | 2026-07-28 07:45:00 | 10.43           | 22.47                         | 495.69  | 7.19          | 11.16                   | 185.86          | 0.01           |
| SQU-US         | 2026-07-28 08:00:00 | 10.44           | 23.38                         | 496.15  | 7.16          | 11.16                   | 194.25          | 0.01           |
| SQU-US         | 2026-07-28 08:15:00 | 10.44           | 23.23                         | 495.10  | 7.17          | 11.16                   | 188.37          | 0.01           |
| SQU-US         | 2026-07-28 08:30:00 | 10.45           | 23.67                         | 495.47  | 7.16          | 11.15                   | 186.57          | 0.01           |
| SQU-US         | 2026-07-28 08:45:00 | 10.45           | 23.33                         | 494.15  | 7.11          | 11.16                   | 391.53          | 0.01           |
| SQU-US         | 2026-07-28 09:00:00 | 10.47           | 23.31                         | 486.82  | 7.19          | 11.15                   | 401.77          | 0.01           |
| SQU-US         | 2026-07-28 09:15:00 | 10.47           | 23.48                         | 485.61  | 7.17          | 11.16                   | 383.39          | 0.01           |
| SQU-US         | 2026-07-28 09:30:00 | 10.49           | 23.93                         | 483.34  | 7.16          | 11.15                   | 399.04          | 0.01           |
| SQU-US         | 2026-07-28 09:45:00 | 10.50           | 23.32                         | 481.49  | 7.17          | 11.15                   | 166.77          | 0.01           |
| SQU-US         | 2026-07-28 10:00:00 | 10.51           | 23.66                         | 481.98  | 7.15          | 11.16                   | 164.08          | 0.01           |
| SQU-US         | 2026-07-28 10:15:00 | 10.51           | 23.24                         | 480.43  | 7.19          | 11.15                   | 188.68          | 0.01           |
| SQU-US         | 2026-07-28 10:30:00 | 10.51           | 23.20                         | 481.85  | 7.16          | 11.17                   | 167.09          | 0.01           |
| SQU-US         | 2026-07-28 10:45:00 | 10.54           | 24.65                         | 481.11  | 7.16          | 11.16                   | 363.29          | 0.01           |
| SQU-US         | 2026-07-28 11:00:00 | 10.53           | 23.02                         | 480.49  | 7.18          | 11.18                   | 379.44          | 0.01           |
| SQU-US         | 2026-07-28 11:15:00 | 10.58           | 24.24                         | 479.72  | 7.18          | 11.18                   | 380.09          | 0.01           |
| SQU-US         | 2026-07-28 11:30:00 | 10.60           | 23.38                         | 478.93  | 7.19          | 11.19                   | 387.01          | 0.01           |
| SQU-US         | 2026-07-28 11:45:00 | 10.69           | 23.60                         | 479.62  | 7.16          | 11.19                   | 176.13          | 0.01           |
| SQU-US         | 2026-07-28 12:00:00 | 10.71           | 23.40                         | 476.13  | 7.20          | 11.21                   | 166.83          | 0.01           |
| SQU-US         | 2026-07-28 12:15:00 | 10.78           | 24.21                         | 475.18  | 7.21          | 11.19                   | 146.60          | 0.01           |
| SQU-US         | 2026-07-28 12:30:00 | 10.82           | 24.40                         | 474.29  | 7.21          | 11.20                   | 159.20          | 0.01           |
| SQU-US         | 2026-07-28 12:45:00 | 10.97           | 24.97                         | 473.83  | 7.20          | 11.16                   | 355.74          | 0.01           |
| SQU-US         | 2026-07-28 13:00:00 | 11.07           | 26.00                         | 472.43  | 7.20          | 11.13                   | 365.26          | 0.01           |
| SQU-US         | 2026-07-28 13:15:00 | 11.18           | 25.82                         | 470.44  | 7.20          | 11.13                   | 371.79          | 0.01           |
| SQU-US         | 2026-07-28 13:30:00 | 11.27           | 25.59                         | 467.89  | 7.20          | 11.13                   | 380.73          | 0.01           |
| SQU-US         | 2026-07-28 13:45:00 | 11.35           | 25.91                         | 467.82  | 7.17          | 11.13                   | 162.95          | 0.01           |
| SQU-US         | 2026-07-28 14:00:00 | 11.42           | 26.53                         | 463.01  | 7.20          | 11.12                   | 178.87          | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-28 14:15:00 | 11.50           | 27.03                         | 459.61  | 7.21          | 11.14                   | 183.51          | 0.01           |
| SQU-US         | 2026-07-28 14:30:00 | 11.53           | 26.67                         | 457.64  | 7.20          | 11.14                   | 196.53          | 0.01           |
| SQU-US         | 2026-07-28 14:45:00 | 11.62           | 27.00                         | 450.58  | 7.30          | 11.13                   | 404.42          | 0.01           |
| SQU-US         | 2026-07-28 15:00:00 | 11.73           | 27.56                         | 450.66  | 7.26          | 11.14                   | 370.95          | 0.01           |
| SQU-US         | 2026-07-28 15:15:00 | 11.81           | 28.69                         | 449.50  | 7.26          | 11.12                   | 392.32          | 0.01           |
| SQU-US         | 2026-07-28 15:30:00 | 11.85           | 27.91                         | 448.55  | 7.26          | 11.11                   | 385.74          | 0.01           |
| SQU-US         | 2026-07-28 15:45:00 | 11.87           | 28.68                         | 447.17  | 7.29          | 11.09                   | 282.27          | 0.01           |
| SQU-US         | 2026-07-28 16:00:00 | 11.83           | 27.74                         | 447.89  | 7.29          | 11.12                   | 269.95          | 0.01           |
| SQU-US         | 2026-07-28 16:15:00 | 11.84           | 27.66                         | 448.15  | 7.27          | 11.12                   | 283.78          | 0.01           |
| SQU-US         | 2026-07-28 16:30:00 | 11.79           | 26.11                         | 449.88  | 7.27          | 11.13                   | 367.53          | 0.01           |
| SQU-US         | 2026-07-28 16:45:00 | 11.83           | 27.22                         | 450.79  | 7.30          | 11.13                   | 533.02          | 0.01           |
| SQU-US         | 2026-07-28 17:00:00 | 11.82           | 27.45                         | 454.51  | 7.31          | 11.12                   | 543.57          | 0.01           |
| SQU-US         | 2026-07-28 17:15:00 | 11.83           | 28.84                         | 457.79  | 7.31          | 11.13                   | 577.80          | 0.01           |
| SQU-US         | 2026-07-28 17:30:00 | 11.86           | 30.09                         | 459.33  | 7.33          | 11.10                   | 576.87          | 0.01           |
| SQU-US         | 2026-07-28 17:45:00 | 11.85           | 28.27                         | 461.67  | 7.33          | 11.10                   | 529.85          | 0.01           |
| SQU-US         | 2026-07-28 18:00:00 | 11.86           | 27.64                         | 461.96  | 7.34          | 11.08                   | 528.85          | 0.01           |
| SQU-US         | 2026-07-28 18:15:00 | 11.82           | 27.35                         | 463.95  | 7.34          | 11.11                   | 536.79          | 0.01           |
| SQU-US         | 2026-07-28 18:30:00 | 11.82           | 27.21                         | 466.77  | 7.31          | 11.09                   | 496.35          | 0.01           |
| SQU-US         | 2026-07-28 18:45:00 | 11.81           | 26.43                         | 467.09  | 7.34          | 11.07                   | 728.07          | 0.01           |
| SQU-US         | 2026-07-28 19:00:00 | 11.82           | 26.09                         | 469.75  | 7.29          | 11.06                   | 782.86          | 0.01           |
| SQU-US         | 2026-07-28 19:15:00 | 11.79           | 24.96                         | 469.27  | 7.32          | 11.05                   | 812.11          | 0.01           |
| SQU-US         | 2026-07-28 19:30:00 | 11.82           | 25.03                         | 472.97  | 7.26          | 11.05                   | 726.80          | 0.01           |
| SQU-US         | 2026-07-28 19:45:00 | 11.84           | 25.01                         | 474.89  | 7.25          | 11.03                   | 565.16          | 0.01           |
| SQU-US         | 2026-07-28 20:00:00 | 11.78           | 24.02                         | 475.39  | 7.25          | 11.02                   | 596.24          | 0.01           |
| SQU-US         | 2026-07-28 20:15:00 | 11.77           | 23.90                         | 475.64  | 7.26          | 11.02                   | 553.04          | 0.01           |
| SQU-US         | 2026-07-28 20:30:00 | 11.76           | 24.13                         | 477.17  | 7.25          | 11.02                   | 537.98          | 0.01           |
| SQU-US         | 2026-07-28 20:45:00 | 11.69           | 23.64                         | 480.56  | 7.23          | 11.04                   | 621.88          | 0.01           |
| SQU-US         | 2026-07-28 21:00:00 | 11.65           | 23.08                         | 480.57  | 7.23          | 11.03                   | 630.41          | 0.01           |
| SQU-US         | 2026-07-28 21:15:00 | 11.61           | 23.31                         | 481.94  | 7.23          | 11.03                   | 676.02          | 0.01           |
| SQU-US         | 2026-07-28 21:30:00 | 11.58           | 23.46                         | 482.37  | 7.24          | 11.04                   | 628.47          | 0.01           |
| SQU-US         | 2026-07-28 21:45:00 | 11.55           | 23.45                         | 483.62  | 7.23          | 11.03                   | 510.06          | 0.01           |
| SQU-US         | 2026-07-28 22:00:00 | 11.49           | 23.31                         | 484.81  | 7.23          | 11.05                   | 483.30          | 0.01           |
| SQU-US         | 2026-07-28 22:15:00 | 11.46           | 23.70                         | 486.16  | 7.23          | 11.05                   | 563.88          | 0.01           |
| SQU-US         | 2026-07-28 22:30:00 | 11.40           | 23.70                         | 487.34  | 7.23          | 11.05                   | 627.32          | 0.01           |
| SQU-US         | 2026-07-28 22:45:00 | 11.33           | 23.52                         | 488.61  | 7.25          | 11.07                   | 676.03          | 0.01           |
| SQU-US         | 2026-07-28 23:00:00 | 11.28           | 23.70                         | 488.23  | 7.26          | 11.08                   | 684.61          | 0.01           |
| SQU-US         | 2026-07-28 23:15:00 | 11.25           | 24.30                         | 490.34  | 7.24          | 11.09                   | 672.13          | 0.01           |
| SQU-US         | 2026-07-28 23:30:00 | 11.20           | 24.57                         | 489.69  | 7.27          | 11.10                   | 639.97          | 0.01           |
| SQU-US         | 2026-07-28 23:45:00 | 11.16           | 24.67                         | 490.95  | 7.26          | 11.10                   | 575.50          | 0.01           |
| SQU-US         | 2026-07-29 00:00:00 | 11.06           | 23.82                         | 492.32  | 7.25          | 11.11                   | 621.77          | 0.01           |
| SQU-US         | 2026-07-29 00:15:00 | 11.04           | 24.08                         | 493.03  | 7.25          | 11.11                   | 606.69          | 0.01           |
| SQU-US         | 2026-07-29 00:30:00 | 10.98           | 23.62                         | 493.48  | 7.25          | 11.12                   | 735.11          | 0.01           |
| SQU-US         | 2026-07-29 00:45:00 | 10.97           | 24.46                         | 494.54  | 7.27          | 11.12                   | 633.08          | 0.01           |
| SQU-US         | 2026-07-29 01:00:00 | 10.92           | 24.34                         | 494.72  | 7.26          | 11.14                   | 551.50          | 0.01           |
| SQU-US         | 2026-07-29 01:15:00 | 10.87           | 24.04                         | 495.89  | 7.26          | 11.14                   | 598.57          | 0.01           |
| SQU-US         | 2026-07-29 01:30:00 | 10.84           | 24.41                         | 495.99  | 7.27          | 11.15                   | 531.85          | 0.01           |
| SQU-US         | 2026-07-29 01:45:00 | 10.77           | 23.40                         | 496.62  | 7.26          | 11.15                   | 606.30          | 0.01           |
| SQU-US         | 2026-07-29 02:00:00 | 10.78           | 24.23                         | 497.40  | 7.25          | 11.15                   | 457.82          | 0.01           |
| SQU-US         | 2026-07-29 02:15:00 | 10.75           | 24.36                         | 498.17  | 7.26          | 11.16                   | 461.75          | 0.01           |
| SQU-US         | 2026-07-29 02:30:00 | 10.70           | 23.94                         | 499.20  | 7.25          | 11.15                   | 484.27          | 0.01           |
| SQU-US         | 2026-07-29 02:45:00 | 10.66           | 23.57                         | 500.09  | 7.26          | 11.16                   | 459.73          | 0.01           |
| SQU-US         | 2026-07-29 03:00:00 | 10.65           | 24.13                         | 500.30  | 7.24          | 11.17                   | 435.25          | 0.01           |
| SQU-US         | 2026-07-29 03:15:00 | 10.60           | 23.60                         | 500.48  | 7.24          | 11.18                   | 432.11          | 0.01           |
| SQU-US         | 2026-07-29 03:30:00 | 10.56           | 23.36                         | 501.06  | 7.24          | 11.18                   | 453.92          | 0.01           |
| SQU-US         | 2026-07-29 03:45:00 | 10.54           | 23.45                         | 501.38  | 7.24          | 11.18                   | 371.23          | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-29 04:00:00 | 10.51           | 23.50                         | 502.24  | 7.23          | 11.20                   | 373.71          | 0.01           |
| SQU-US         | 2026-07-29 04:15:00 | 10.49           | 23.44                         | 503.29  | 7.22          | 11.19                   | 399.66          | 0.01           |
| SQU-US         | 2026-07-29 04:30:00 | 10.45           | 23.17                         | 503.25  | 7.23          | 11.20                   | 367.91          | 0.01           |
| SQU-US         | 2026-07-29 04:45:00 | 10.42           | 23.21                         | 505.08  | 7.23          | 11.20                   | 376.82          | 0.01           |
| SQU-US         | 2026-07-29 05:00:00 | 10.40           | 23.21                         | 505.06  | 7.21          | 11.19                   | 381.38          | 0.01           |
| SQU-US         | 2026-07-29 05:15:00 | 10.36           | 23.03                         | 505.29  | 7.22          | 11.20                   | 399.38          | 0.01           |
| SQU-US         | 2026-07-29 05:30:00 | 10.35           | 23.63                         | 506.32  | 7.21          | 11.20                   | 321.46          | 0.01           |
| SQU-US         | 2026-07-29 05:45:00 | 10.30           | 23.41                         | 506.77  | 7.20          | 11.20                   | 344.63          | 0.01           |
| SQU-US         | 2026-07-29 06:00:00 | 10.27           | 23.23                         | 506.73  | 7.21          | 11.21                   | 326.53          | 0.01           |
| SQU-US         | 2026-07-29 06:15:00 | 10.24           | 22.58                         | 507.32  | 7.21          | 11.21                   | 286.90          | 0.01           |
| SQU-US         | 2026-07-29 06:30:00 | 10.21           | 22.53                         | 507.48  | 7.21          | 11.22                   | 305.53          | 0.01           |
| SQU-US         | 2026-07-29 06:45:00 | 10.21           | 23.66                         | 509.74  | 7.19          | 11.20                   | 326.44          | 0.01           |
| SQU-US         | 2026-07-29 07:00:00 | 10.17           | 23.13                         | 509.08  | 7.19          | 11.22                   | 308.91          | 0.01           |
| SQU-US         | 2026-07-29 07:15:00 | 10.16           | 23.80                         | 508.60  | 7.19          | 11.22                   | 344.46          | 0.01           |
| SQU-US         | 2026-07-29 07:30:00 | 10.14           | 23.10                         | 507.73  | 7.20          | 11.23                   | 305.74          | 0.01           |
| SQU-US         | 2026-07-29 07:45:00 | 10.16           | 24.47                         | 507.45  | 7.18          | 11.22                   | 261.46          | 0.01           |
| SQU-US         | 2026-07-29 08:00:00 | 10.13           | 23.71                         | 506.34  | 7.18          | 11.20                   | 276.34          | 0.01           |
| SQU-US         | 2026-07-29 08:15:00 | 10.12           | 24.58                         | 503.87  | 7.20          | 11.23                   | 256.42          | 0.01           |
| SQU-US         | 2026-07-29 08:30:00 | 10.14           | 24.38                         | 503.15  | 7.18          | 11.22                   | 274.20          | 0.01           |
| SQU-US         | 2026-07-29 08:45:00 | 10.16           | 24.63                         | 504.62  | 7.18          | 11.22                   | 291.35          | 0.01           |
| SQU-US         | 2026-07-29 09:00:00 | 10.17           | 24.28                         | 500.30  | 7.18          | 11.22                   | 308.66          | 0.01           |
| SQU-US         | 2026-07-29 09:15:00 | 10.20           | 24.50                         | 498.43  | 7.19          | 11.22                   | 261.23          | 0.01           |
| SQU-US         | 2026-07-29 09:30:00 | 10.23           | 24.76                         | 497.20  | 7.18          | 11.23                   | 262.49          | 0.01           |
| SQU-US         | 2026-07-29 09:45:00 | 10.27           | 24.72                         | 498.19  | 7.17          | 11.22                   | 265.12          | 0.01           |
| SQU-US         | 2026-07-29 10:00:00 | 10.32           | 24.88                         | 493.68  | 7.18          | 11.21                   | 233.66          | 0.01           |
| SQU-US         | 2026-07-29 10:15:00 | 10.37           | 25.45                         | 492.83  | 7.17          | 11.22                   | 224.60          | 0.01           |
| SQU-US         | 2026-07-29 10:30:00 | 10.41           | 25.26                         | 490.68  | 7.18          | 11.22                   | 198.32          | 0.01           |
| SQU-US         | 2026-07-29 10:45:00 | 10.45           | 24.84                         | 490.61  | 7.17          | 11.21                   | 257.43          | 0.01           |
| SQU-US         | 2026-07-29 11:00:00 | 10.52           | 25.39                         | 487.86  | 7.17          | 11.21                   | 249.96          | 0.01           |
| SQU-US         | 2026-07-29 11:15:00 | 10.61           | 25.72                         | 486.25  | 7.18          | 11.20                   | 216.43          | 0.01           |
| SQU-US         | 2026-07-29 11:30:00 | 10.65           | 25.37                         | 484.47  | 7.19          | 11.20                   | 228.15          | 0.01           |
| SQU-US         | 2026-07-29 11:45:00 | 10.71           | 25.43                         | 483.06  | 7.19          | 11.20                   | 182.80          | 0.01           |
| SQU-US         | 2026-07-29 12:00:00 | 10.81           | 26.04                         | 482.81  | 7.19          | 11.19                   | 205.99          | 0.01           |
| SQU-US         | 2026-07-29 12:15:00 | 10.88           | 26.41                         | 481.83  | 7.17          | 11.17                   | 209.10          | 0.01           |
| SQU-US         | 2026-07-29 12:30:00 | 10.97           | 26.38                         | 481.97  | 7.17          | 11.16                   | 203.42          | 0.01           |
| SQU-US         | 2026-07-29 12:45:00 | 11.06           | 26.66                         | 482.78  | 7.18          | 11.15                   | 233.68          | 0.01           |
| SQU-US         | 2026-07-29 13:00:00 | 11.14           | 26.52                         | 479.65  | 7.19          | 11.14                   | 379.90          | 0.01           |
| SQU-US         | 2026-07-29 13:15:00 | 11.21           | 26.29                         | 479.75  | 7.18          | 11.13                   | 244.89          | 0.01           |
| SQU-US         | 2026-07-29 13:30:00 | 11.30           | 26.47                         | 478.66  | 7.18          | 11.13                   | 268.16          | 0.01           |
| SQU-US         | 2026-07-29 13:45:00 | 11.38           | 26.68                         | 478.78  | 7.17          | 11.10                   | 193.25          | 0.01           |
| SQU-US         | 2026-07-29 14:00:00 | 11.46           | 26.85                         | 478.81  | 7.18          | 11.09                   | 197.01          | 0.01           |
| SQU-US         | 2026-07-29 14:15:00 | 11.50           | 26.51                         | 478.79  | 7.19          | 11.08                   | 227.19          | 0.01           |
| SQU-US         | 2026-07-29 14:30:00 | 11.57           | 26.53                         | 479.07  | 7.19          | 11.06                   | 219.51          | 0.01           |
| SQU-US         | 2026-07-29 14:45:00 | 11.66           | 26.96                         | 482.07  | 7.19          | 11.05                   | 220.22          | 0.01           |
| SQU-US         | 2026-07-29 15:00:00 | 11.75           | 27.10                         | 474.86  | 7.19          | 11.01                   | 213.18          | 0.01           |
| SQU-US         | 2026-07-29 15:15:00 | 11.79           | 26.61                         | 474.01  | 7.18          | 11.03                   | 230.18          | 0.01           |
| SQU-US         | 2026-07-29 15:30:00 | 11.91           | 27.51                         | 473.38  | 7.18          | 11.01                   | 221.52          | 0.01           |
| SQU-US         | 2026-07-29 15:45:00 | 11.94           | 26.89                         | 473.42  | 7.18          | 10.98                   | 195.14          | 0.01           |
| SQU-US         | 2026-07-29 16:00:00 | 12.03           | 27.25                         | 473.25  | 7.17          | 10.95                   | 213.35          | 0.01           |
| SQU-US         | 2026-07-29 16:15:00 | 12.07           | 26.94                         | 473.30  | 7.17          | 10.95                   | 199.71          | 0.01           |
| SQU-US         | 2026-07-29 16:30:00 | 12.16           | 27.62                         | 473.00  | 7.19          | 10.93                   | 209.25          | 0.01           |
| SQU-US         | 2026-07-29 16:45:00 | 12.24           | 27.96                         | 475.09  | 7.19          | 10.92                   | 208.34          | 0.01           |
| SQU-US         | 2026-07-29 17:00:00 | 12.27           | 27.48                         | 474.97  | 7.18          | 10.90                   | 209.88          | 0.01           |
| SQU-US         | 2026-07-29 17:15:00 | 12.29           | 27.19                         | 475.45  | 7.20          | 10.87                   | 229.88          | 0.01           |
| SQU-US         | 2026-07-29 17:30:00 | 12.34           | 27.78                         | 475.29  | 7.21          | 10.87                   | 221.74          | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-29 17:45:00 | 12.35           | 27.05                         | 476.84  | 7.22          | 10.87                   | 197.97          | 0.01           |
| SQU-US         | 2026-07-29 18:00:00 | 12.36           | 27.06                         | 474.93  | 7.26          | 10.90                   | 189.36          | 0.01           |
| SQU-US         | 2026-07-29 18:15:00 | 12.34           | 26.79                         | 474.78  | 7.29          | 10.89                   | 198.91          | 0.01           |
| SQU-US         | 2026-07-29 18:30:00 | 12.36           | 26.85                         | 475.48  | 7.29          | 10.87                   | 196.94          | 0.01           |
| SQU-US         | 2026-07-29 18:45:00 | 12.35           | 26.87                         | 478.94  | 7.28          | 10.86                   | 244.53          | 0.01           |
| SQU-US         | 2026-07-29 19:00:00 | 12.37           | 27.77                         | 476.80  | 7.30          | 10.84                   | 231.55          | 0.01           |
| SQU-US         | 2026-07-29 19:15:00 | 12.35           | 27.13                         | 478.66  | 7.29          | 10.83                   | 232.87          | 0.01           |
| SQU-US         | 2026-07-29 19:30:00 | 12.33           | 26.94                         | 480.26  | 7.29          | 10.82                   | 213.80          | 0.01           |
| SQU-US         | 2026-07-29 19:45:00 | 12.32           | 27.73                         | 482.09  | 7.29          | 10.79                   | 193.97          | 0.01           |
| SQU-US         | 2026-07-29 20:00:00 | 12.30           | 28.17                         | 482.36  | 7.30          | 10.77                   | 187.03          | 0.01           |
| SQU-US         | 2026-07-29 20:15:00 | 12.30           | 28.56                         | 483.78  | 7.30          | 10.75                   | 213.77          | 0.01           |
| SQU-US         | 2026-07-29 20:30:00 | 12.30           | 29.21                         | 486.64  | 7.27          | 10.72                   | 222.48          | 0.01           |
| SQU-US         | 2026-07-29 20:45:00 | 12.28           | 28.42                         | 489.45  | 7.29          | 10.71                   | 215.06          | 0.01           |
| SQU-US         | 2026-07-29 21:00:00 | 12.27           | 28.81                         | 488.70  | 7.28          | 10.70                   | 223.60          | 0.01           |
| SQU-US         | 2026-07-29 21:15:00 | 12.28           | 29.49                         | 490.05  | 7.28          | 10.67                   | 236.93          | 0.01           |
| SQU-US         | 2026-07-29 21:30:00 | 12.26           | 28.92                         | 490.32  | 7.28          | 10.67                   | 222.08          | 0.01           |
| SQU-US         | 2026-07-29 21:45:00 | 12.26           | 29.50                         | 493.00  | 7.25          | 10.63                   | 198.54          | 0.01           |
| SQU-US         | 2026-07-29 22:00:00 | 12.25           | 29.54                         | 494.34  | 7.23          | 10.59                   | 225.62          | 0.01           |
| SQU-US         | 2026-07-29 22:15:00 | 12.25           | 30.09                         | 495.21  | 7.21          | 10.56                   | 206.36          | 0.01           |
| SQU-US         | 2026-07-29 22:30:00 | 12.22           | 29.53                         | 497.53  | 7.16          | 10.52                   | 210.35          | 0.01           |
| SQU-US         | 2026-07-29 22:45:00 | 12.21           | 29.94                         | 499.56  | 7.13          | 10.49                   | 227.70          | 0.01           |
| SQU-US         | 2026-07-29 23:00:00 | 12.19           | 30.29                         | 497.44  | 7.12          | 10.49                   | 238.77          | 0.01           |
| SQU-US         | 2026-07-29 23:15:00 | 12.16           | 30.27                         | 497.90  | 7.08          | 10.48                   | 247.31          | 0.01           |
| SQU-US         | 2026-07-29 23:30:00 | 12.11           | 29.51                         | 495.96  | 7.08          | 10.47                   | 266.85          | 0.01           |
| SQU-US         | 2026-07-29 23:45:00 | 12.08           | 30.02                         | 493.26  | 7.07          | 10.47                   | 273.09          | 0.01           |
| SQU-US         | 2026-07-30 00:00:00 | 12.03           | 29.70                         | 490.87  | 7.07          | 10.49                   | 264.74          | 0.01           |
| SQU-US         | 2026-07-30 00:15:00 | 11.99           | 29.58                         | 488.03  | 7.07          | 10.51                   | 260.63          | 0.01           |
| SQU-US         | 2026-07-30 00:30:00 | 11.95           | 29.43                         | 484.72  | 7.08          | 10.53                   | 271.10          | 0.01           |
| SQU-US         | 2026-07-30 00:45:00 | 11.90           | 29.37                         | 483.71  | 7.09          | 10.55                   | 236.41          | 0.01           |
| SQU-US         | 2026-07-30 01:00:00 | 11.85           | 28.75                         | 479.88  | 7.09          | 10.57                   | 219.39          | 0.01           |
| SQU-US         | 2026-07-30 01:15:00 | 11.80           | 28.60                         | 478.30  | 7.11          | 10.59                   | 205.36          | 0.01           |
| SQU-US         | 2026-07-30 01:30:00 | 11.76           | 28.57                         | 477.35  | 7.12          | 10.62                   | 189.47          | 0.01           |
| SQU-US         | 2026-07-30 01:45:00 | 11.71           | 28.28                         | 477.81  | 7.12          | 10.62                   | 179.89          | 0.01           |
| SQU-US         | 2026-07-30 02:00:00 | 11.66           | 28.31                         | 477.16  | 7.14          | 10.65                   | 170.28          | 0.01           |
| SQU-US         | 2026-07-30 02:15:00 | 11.61           | 28.08                         | 478.02  | 7.16          | 10.66                   | 183.14          | 0.01           |
| SQU-US         | 2026-07-30 02:30:00 | 11.56           | 27.77                         | 479.54  | 7.15          | 10.68                   | 155.04          | 0.01           |
| SQU-US         | 2026-07-30 02:45:00 | 11.50           | 27.45                         | 482.27  | 7.17          | 10.70                   | 203.30          | 0.01           |
| SQU-US         | 2026-07-30 03:00:00 | 11.45           | 27.42                         | 481.44  | 7.17          | 10.72                   | 204.75          | 0.01           |
| SQU-US         | 2026-07-30 03:15:00 | 11.41           | 27.87                         | 482.77  | 7.17          | 10.71                   | 195.10          | 0.01           |
| SQU-US         | 2026-07-30 03:30:00 | 11.37           | 27.96                         | 483.38  | 7.18          | 10.73                   | 196.77          | 0.01           |
| SQU-US         | 2026-07-30 03:45:00 | 11.33           | 27.81                         | 485.09  | 7.17          | 10.75                   | 214.09          | 0.01           |
| SQU-US         | 2026-07-30 04:00:00 | 11.29           | 27.70                         | 485.63  | 7.18          | 10.75                   | 171.86          | 0.01           |
| SQU-US         | 2026-07-30 04:15:00 | 11.25           | 27.41                         | 486.46  | 7.19          | 10.78                   | 172.61          | 0.01           |
| SQU-US         | 2026-07-30 04:30:00 | 11.22           | 27.62                         | 487.40  | 7.20          | 10.78                   | 186.45          | 0.01           |
| SQU-US         | 2026-07-30 04:45:00 | 11.18           | 27.62                         | 489.68  | 7.21          | 10.80                   | 180.17          | 0.01           |
| SQU-US         | 2026-07-30 05:00:00 | 11.15           | 27.39                         | 489.80  | 7.22          | 10.81                   | 197.46          | 0.01           |
| SQU-US         | 2026-07-30 05:15:00 | 11.12           | 27.14                         | 491.14  | 7.22          | 10.82                   | 189.41          | 0.01           |
| SQU-US         | 2026-07-30 05:30:00 | 11.09           | 27.41                         | 492.62  | 7.20          | 10.82                   | 194.02          | 0.01           |
| SQU-US         | 2026-07-30 05:45:00 | 11.06           | 27.57                         | 493.77  | 7.19          | 10.82                   | 171.46          | 0.01           |
| SQU-US         | 2026-07-30 06:00:00 | 11.04           | 27.82                         | 493.13  | 7.20          | 10.82                   | 164.46          | 0.01           |
| SQU-US         | 2026-07-30 06:15:00 | 11.01           | 27.89                         | 493.33  | 7.18          | 10.83                   | 206.37          | 0.01           |
| SQU-US         | 2026-07-30 06:30:00 | 11.00           | 28.15                         | 493.30  | 7.15          | 10.81                   | 181.29          | 0.01           |
| SQU-US         | 2026-07-30 06:45:00 | 10.98           | 28.14                         | 494.15  | 7.13          | 10.79                   | 212.23          | 0.01           |
| SQU-US         | 2026-07-30 07:00:00 | 10.96           | 28.26                         | 489.83  | 7.13          | 10.80                   | 203.51          | 0.01           |
| SQU-US         | 2026-07-30 07:15:00 | 10.97           | 28.66                         | 488.49  | 7.11          | 10.78                   | 196.21          | 0.01           |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-30 07:30:00 | 10.97           | 28.54                         | 486.54  | 7.10          | 10.80                   | 209.53          | 0.01           |
| SQU-US         | 2026-07-30 07:45:00 | 10.97           | 28.79                         | 483.57  | 7.10          | 10.80                   | 176.91          | 0.01           |
| SQU-US         | 2026-07-30 08:00:00 | 10.99           | 28.66                         | 481.22  | 7.10          | 10.80                   | 182.00          | 0.01           |
| SQU-US         | 2026-07-30 08:15:00 | 10.99           | 28.93                         | 480.09  | 7.11          | 10.81                   | 197.90          | 0.01           |
| SQU-US         | 2026-07-30 08:30:00 | 11.01           | 28.66                         | 479.62  | 7.10          | 10.81                   | 239.34          | 0.01           |
| SQU-US         | 2026-07-30 08:45:00 | 11.03           | 28.46                         | 479.25  | 7.11          | 10.83                   | 226.15          | 0.01           |
| SQU-US         | 2026-07-30 09:00:00 | 11.05           | 28.64                         | 476.44  | 7.13          | 10.84                   | 230.67          | 0.01           |
| SQU-US         | 2026-07-30 09:15:00 | 11.09           | 28.24                         | 475.98  | 7.14          | 10.84                   | 181.11          | 0.01           |
| SQU-US         | 2026-07-30 09:30:00 | 11.11           | 28.43                         | 475.54  | 7.15          | 10.86                   | 184.71          | 0.01           |
| SQU-US         | 2026-07-30 09:45:00 | 11.14           | 28.51                         | 476.75  | 7.13          | 10.87                   | 153.77          | 0.01           |
| SQU-US         | 2026-07-30 10:00:00 | 11.18           | 28.50                         | 475.34  | 7.16          | 10.87                   | 165.62          | 0.01           |
| SQU-US         | 2026-07-30 10:15:00 | 11.25           | 28.73                         | 475.25  | 7.16          | 10.89                   | 149.68          | 0.01           |
| SQU-US         | 2026-07-30 10:30:00 | 11.32           | 28.53                         | 475.50  | 7.16          | 10.89                   | 142.87          | 0.01           |
| SQU-US         | 2026-07-30 10:45:00 | 11.39           | 28.81                         | 476.11  | 7.17          | 10.89                   | 422.05          | 0.01           |
| SQU-US         | 2026-07-30 11:00:00 | 11.45           | 28.58                         | 474.81  | 7.17          | 10.90                   | 422.50          | 0.01           |
| SQU-US         | 2026-07-30 11:15:00 | 11.52           | 28.65                         | 475.02  | 7.16          | 10.89                   | 387.78          | 0.01           |
| SQU-US         | 2026-07-30 11:30:00 | 11.57           | 28.75                         | 474.39  | 7.18          | 10.89                   | 388.52          | 0.01           |
| SQU-US         | 2026-07-30 11:45:00 | 11.63           | 28.91                         | 474.14  | 7.18          | 10.90                   | 126.77          | 0.01           |
| SQU-US         | 2026-07-30 12:00:00 | 11.71           | 28.64                         | 473.53  | 7.18          | 10.90                   | 134.04          | 0.01           |
| SQU-US         | 2026-07-30 12:15:00 | 11.80           | 28.76                         | 473.02  | 7.19          | 10.89                   | 121.51          | 0.01           |
| SQU-US         | 2026-07-30 12:30:00 | 11.89           | 29.04                         | 472.93  | 7.18          | 10.87                   | 132.77          | 0.01           |
| SQU-US         | 2026-07-30 12:45:00 | 11.94           | 29.15                         | 473.08  | 7.19          | 10.87                   | 921.65          | 0.01           |
| SQU-US         | 2026-07-30 13:00:00 | 12.01           | 28.96                         | 471.57  | 7.18          | 10.87                   | 891.72          | 0.01           |
| SQU-US         | 2026-07-30 13:15:00 | 12.09           | 29.72                         | 470.77  | 7.18          | 10.86                   | 906.15          | 0.01           |
| SQU-US         | 2026-07-30 13:30:00 | 12.16           | 29.39                         | 469.75  | 7.19          | 10.83                   | 899.00          | 0.01           |
| SQU-US         | 2026-07-30 13:45:00 | 12.27           | 29.86                         | 469.84  | 7.17          | 10.81                   | 137.65          | 0.01           |
| SQU-US         | 2026-07-30 14:00:00 | 12.34           | 29.70                         | 467.84  | 7.19          | 10.81                   | 148.90          | 0.01           |
| SQU-US         | 2026-07-30 14:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 14:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 14:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 15:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 15:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 15:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 15:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 16:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 16:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 16:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 16:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 17:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 17:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 17:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 17:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 18:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 18:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 18:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 18:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 19:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 19:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 19:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 19:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 20:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 20:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 20:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 20:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 21:00:00 |                 |                               |         |               |                         |                 |                |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-30 21:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 21:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 21:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 22:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 22:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 22:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 22:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 23:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 23:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 23:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-30 23:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 00:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 00:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 00:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 00:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 01:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 01:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 01:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 01:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 02:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 02:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 02:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 02:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 03:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 03:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 03:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 03:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 04:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 04:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 04:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 04:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 05:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 05:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 05:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 05:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 06:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 06:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 06:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 06:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 07:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 07:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 07:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 07:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 08:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 08:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 08:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 08:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 09:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 09:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 09:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 09:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 10:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 10:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 10:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 10:45:00 |                 |                               |         |               |                         |                 |                |


| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-07-31 11:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 11:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 11:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 11:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 12:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 12:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 12:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 12:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 13:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 13:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 13:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 13:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 14:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 14:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 14:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 14:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 15:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 15:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 15:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 15:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 16:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 16:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 16:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 16:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 17:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 17:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 17:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 17:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 18:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 18:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 18:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 18:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 19:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 19:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 19:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 19:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 20:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 20:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 20:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 20:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 21:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 21:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 21:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 21:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 22:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 22:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 22:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 22:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 23:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 23:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 23:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-07-31 23:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 00:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 00:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 00:30:00 |                 |                               |         |               |                         |                 |                |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-08-01 00:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 01:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 01:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 01:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 01:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 02:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 02:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 02:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 02:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 03:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 03:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 03:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 03:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 04:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 04:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 04:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 04:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 05:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 05:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 05:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 05:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 06:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 06:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 06:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 06:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 07:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 07:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 07:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 07:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 08:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 08:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 08:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 08:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 09:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 09:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 09:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 09:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 10:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 10:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 10:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 10:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 11:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 11:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 11:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 11:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 12:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 12:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 12:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 12:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 13:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 13:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 13:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 13:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 14:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 14:15:00 |                 |                               |         |               |                         |                 |                |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-08-01 14:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 14:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 15:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 15:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 15:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 15:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 16:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 16:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 16:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 16:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 17:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 17:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 17:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 17:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 18:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 18:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 18:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 18:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 19:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 19:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 19:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 19:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 20:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 20:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 20:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 20:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 21:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 21:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 21:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 21:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 22:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 22:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 22:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 22:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 23:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 23:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 23:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-01 23:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 00:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 00:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 00:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 00:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 01:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 01:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 01:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 01:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 02:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 02:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 02:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 02:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 03:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 03:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 03:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 03:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 04:00:00 |                 |                               |         |               |                         |                 |                |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-08-02 04:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 04:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 04:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 05:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 05:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 05:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 05:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 06:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 06:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 06:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 06:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 07:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 07:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 07:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 07:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 08:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 08:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 08:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 08:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 09:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 09:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 09:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 09:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 10:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 10:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 10:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 10:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 11:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 11:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 11:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 11:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 12:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 12:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 12:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 12:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 13:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 13:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 13:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 13:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 14:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 14:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 14:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 14:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 15:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 15:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 15:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 15:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 16:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 16:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 16:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 16:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 17:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 17:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 17:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 17:45:00 |                 |                               |         |               |                         |                 |                |

| Squamish River |                     |                 |                               |         |               |                         |                 |                |
|----------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station        | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| SQU-US         | 2026-08-02 18:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 18:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 18:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 18:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 19:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 19:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 19:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 19:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 20:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 20:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 20:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 20:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 21:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 21:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 21:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 21:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 22:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 22:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 22:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 22:45:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 23:00:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 23:15:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 23:30:00 |                 |                               |         |               |                         |                 |                |
| SQU-US         | 2026-08-02 23:45:00 |                 |                               |         |               |                         |                 |                |



|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix C     | C-1                           |

Appendix C:  
Woodfibre Site Point of Discharge from Water  
Treatment Plant Documentation

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix C     | C-2                           |

Woodfibre Site Sample Analysis



| Analyte                                               | Unit     | Permit PE-110163<br>Discharge Limit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG EOP<br>2026-07-28<br>13:32:00 |
|-------------------------------------------------------|----------|-------------------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------|
| In situ Parameters                                    |          |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Field pH                                              | pH Units |                                     |                                                                                         | 6.5 - 9                                                                              |                                                                                        |                                                                                     | 7 - 8.7                                                                          |                                                                                    | 7.15                               |
| Field Temperature                                     | °C       |                                     | 18                                                                                      | 19                                                                                   |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 14.3                               |
| General Parameters                                    |          |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| pH                                                    | pH Units |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 7.18                               |
| Alkalinity (Total as CaCO <sub>3</sub> )              | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 50                                 |
| Alkalinity (PP as CaCO <sub>3</sub> )                 | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <1                                 |
| Hardness (CaCO <sub>3</sub> )-Total                   | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 65.5                               |
| Hardness (CaCO <sub>3</sub> )-Dissolved               | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 64.1                               |
| Sulphide-Total                                        | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0018                            |
| Sulphide (as H <sub>2</sub> S)                        | mg/L     |                                     |                                                                                         |                                                                                      | 0.002                                                                                  |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| Un-ionized Hydrogen Sulfide as H <sub>2</sub> S-Total | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0019                            |
| Un-ionized Hydrogen Sulfide as S-Total                | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0018                            |
| Anions and Nutrients                                  |          |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Ammonia (N)-Total                                     | mg/L     |                                     | 1.78                                                                                    | 16.9                                                                                 |                                                                                        | 20                                                                                  | 131                                                                              |                                                                                    | <0.015                             |
| Bicarbonate (HCO <sub>3</sub> )                       | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 61                                 |
| Carbonate (CO <sub>3</sub> )                          | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <1                                 |
| Hydroxide (OH)                                        | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <1                                 |
| Nitrate (N)                                           | mg/L     |                                     | 3                                                                                       | 32.8                                                                                 |                                                                                        | 3.7                                                                                 |                                                                                  |                                                                                    | 0.027                              |
| Nitrite (N)                                           | mg/L     |                                     | 0.2                                                                                     | 0.6                                                                                  |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.005                             |
| Nitrate plus Nitrite (N)                              | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.027                              |
| Nitrogen (N)-Total                                    | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.256                              |
| Phosphorus (P)-Total (4500-P)                         | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0021                             |
| Bromide (Br)                                          | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.01                              |
| Chloride (Cl)                                         | mg/L     |                                     | 150                                                                                     | 600                                                                                  |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 14                                 |
| Fluoride (F)                                          | mg/L     |                                     |                                                                                         | 1.163995                                                                             |                                                                                        |                                                                                     | 1.5                                                                              |                                                                                    | 0.38                               |
| Sulphate (SO <sub>4</sub> )-Dissolved                 | mg/L     |                                     | 218                                                                                     |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 16                                 |
| Total Metals                                          |          |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Aluminum (Al)-Total                                   | mg/L     |                                     | 0.0613298                                                                               |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <b>0.0833</b>                      |
| Antimony (Sb)-Total                                   | mg/L     |                                     | 0.074                                                                                   | 0.25                                                                                 |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000676                           |
| Arsenic (As)-Total                                    | mg/L     |                                     | 0.005                                                                                   |                                                                                      |                                                                                        | 0.0125                                                                              |                                                                                  |                                                                                    | 0.0008                             |
| Barium (Ba)-Total                                     | mg/L     |                                     |                                                                                         |                                                                                      | 1                                                                                      |                                                                                     |                                                                                  |                                                                                    | 0.00393                            |
| Beryllium (Be)-Total                                  | mg/L     |                                     |                                                                                         |                                                                                      | 0.00013                                                                                |                                                                                     |                                                                                  | 0.1                                                                                | <0.00001                           |
| Bismuth (Bi)-Total                                    | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.000005                          |
| Boron (B)-Total                                       | mg/L     |                                     | 1.2                                                                                     |                                                                                      |                                                                                        | 1.2                                                                                 |                                                                                  |                                                                                    | 0.011                              |
| Cadmium (Cd)-Total                                    | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  | 0.00012                                                                            | <0.000005                          |
| Calcium (Ca)-Total                                    | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 23.8                               |
| Cesium (Cs)-Total                                     | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Chromium (Cr)-Total                                   | mg/L     |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0001                            |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field),Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                      | Unit | Permit PE-110163<br>Discharge Limit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG EOP<br>2026-07-28<br>13:32:00 |
|------------------------------|------|-------------------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------|
| Total Metals (cont'd.)       |      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Chromium (Cr III)-Total      | mg/L |                                     |                                                                                         |                                                                                      | 0.0089                                                                                 |                                                                                     |                                                                                  | 0.056                                                                              | <0.00099                           |
| Chromium (Cr VI)-Total       | mg/L |                                     |                                                                                         |                                                                                      | 0.0025                                                                                 |                                                                                     |                                                                                  | 0.0015                                                                             | <0.00099                           |
| Cobalt (Co)-Total            | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000468                          |
| Copper (Cu)-Total            | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        | 0.002                                                                               | 0.003                                                                            |                                                                                    | 0.00006                            |
| Iron (Fe)-Total              | mg/L |                                     | 0.05                                                                                    | 1                                                                                    |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0269                             |
| Lead (Pb)-Total              | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        | 0.002                                                                               | 0.14                                                                             |                                                                                    | 0.0000147                          |
| Lithium (Li)-Total           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00763                            |
| Magnesium (Mg)-Total         | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 1.5                                |
| Manganese (Mn)-Total         | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  | 0.1                                                                                | 0.0276                             |
| Mercury (Hg)-Total           | mg/L |                                     | 0.00002                                                                                 |                                                                                      |                                                                                        | 0.0001                                                                              |                                                                                  |                                                                                    | <0.0000019                         |
| Molybdenum (Mo)-Total        | mg/L |                                     | 7.6                                                                                     | 46                                                                                   |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0444                             |
| Nickel (Ni)-Total            | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  | 0.0083                                                                             | 0.000137                           |
| Phosphorus (P)-Total (ICPMS) | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0026                             |
| Potassium (K)-Total          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 1.57                               |
| Rubidium (Rb)-Total          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00353                            |
| Selenium (Se)-Total          | mg/L |                                     | 0.002                                                                                   |                                                                                      |                                                                                        | 0.002                                                                               |                                                                                  |                                                                                    | 0.000042                           |
| Silicon (Si)-Total           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 6.95                               |
| Silver (Ag)-Total            | mg/L |                                     | 0.00012                                                                                 |                                                                                      |                                                                                        | 0.0005                                                                              | 0.0037                                                                           | 0.0005                                                                             | <0.000005                          |
| Sodium (Na)-Total            | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 7.2                                |
| Strontium (Sr)-Total         | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0469                             |
| Sulphur (S)-Total            | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 5.2                                |
| Tellurium (Te)-Total         | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00002                           |
| Thallium (Tl)-Total          | mg/L |                                     |                                                                                         |                                                                                      | 0.00003                                                                                |                                                                                     |                                                                                  |                                                                                    | 0.0000081                          |
| Thorium (Th)-Total           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Tin (Sn)-Total               | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0002                            |
| Titanium (Ti)-Total          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Uranium (U)-Total            | mg/L |                                     |                                                                                         | 0.0165                                                                               | 0.0075                                                                                 |                                                                                     |                                                                                  |                                                                                    | 0.000388                           |
| Vanadium (V)-Total           | mg/L |                                     |                                                                                         |                                                                                      | 0.06                                                                                   |                                                                                     |                                                                                  | 0.005                                                                              | <0.0002                            |
| Zinc (Zn)-Total              | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        | 0.01                                                                                | 0.055                                                                            |                                                                                    | 0.00251                            |
| Zirconium (Zr)-Total         | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0001                            |
| Dissolved Metals             |      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Aluminum (Al)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0386                             |
| Antimony (Sb)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000654                           |
| Arsenic (As)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000775                           |
| Barium (Ba)-Dissolved        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00336                            |
| Beryllium (Be)-Dissolved     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00001                           |
| Bismuth (Bi)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.000005                          |
| Boron (B)-Dissolved          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.012                              |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field), Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                      | Unit | Permit PE-110163<br>Discharge Limit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG EOP<br>2026-07-28<br>13:32:00 |
|------------------------------|------|-------------------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------|
| Dissolved Metals (cont'd.)   |      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Cadmium (Cd)-Dissolved       | mg/L |                                     | 0.0001549                                                                               | 0.0003804                                                                            |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.000005                          |
| Calcium (Ca)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 23.3                               |
| Cesium (Cs)-Dissolved        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Chromium (Cr)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0001                            |
| Cobalt (Co)-Dissolved        | mg/L |                                     | 0.0004279                                                                               |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000352                          |
| Copper (Cu)-Dissolved        | mg/L | 0.00366                             |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00007                            |
| Iron (Fe)-Dissolved          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0066                             |
| Lead (Pb)-Dissolved          | mg/L |                                     | 0.0017606                                                                               |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.000005                          |
| Lithium (Li)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00815                            |
| Manganese (Mn)-Dissolved     | mg/L |                                     | 0.245                                                                                   | 2.29547                                                                              |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.025                              |
| Magnesium (Mg)-Dissolved     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 1.44                               |
| Mercury (Hg)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0000019                         |
| Molybdenum (Mo)-Dissolved    | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0439                             |
| Nickel (Ni)-Dissolved        | mg/L |                                     | 0.0013                                                                                  | 0.0222                                                                               |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000158                           |
| Phosphorus (P)-Dissolved     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0035                             |
| Potassium (K)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 1.51                               |
| Rubidium (Rb)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00338                            |
| Selenium (Se)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00004                           |
| Silicon (Si)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 6.75                               |
| Silver (Ag)-Dissolved        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.000005                          |
| Sodium (Na)-Dissolved        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 6.9                                |
| Strontium (Sr)-Dissolved     | mg/L |                                     |                                                                                         |                                                                                      | 1.25                                                                                   |                                                                                     |                                                                                  |                                                                                    | 0.0464                             |
| Sulphur (S)-Dissolved        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 4.9                                |
| Tellurium (Te)-Dissolved     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00002                           |
| Thallium (Tl)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000077                          |
| Thorium (Th)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000069                          |
| Tin (Sn)-Dissolved           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0002                            |
| Titanium (Ti)-Dissolved      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Uranium (U)-Dissolved        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000349                           |
| Vanadium (V)-Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0002                            |
| Zinc (Zn)-Dissolved          | mg/L |                                     | 0.0074602                                                                               | 0.0266577                                                                            |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00225                            |
| Zirconium (Zr)-Dissolved     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0001                            |
| Inorganics                   |      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Organic Carbon (C)-Total     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.93                               |
| Organic Carbon (C)-Dissolved | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.87                               |
| Solids-Total Dissolved       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 100                                |
| Solids-Total Suspended       | mg/L |                                     | 14.2                                                                                    | 34.2                                                                                 |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2                                  |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field),Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                             | Unit | Permit PE-110163<br>Discharge Limit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG EOP<br>2026-07-28<br>13:32:00 |
|-------------------------------------|------|-------------------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------|
| Organics                            |      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| HEPH (C19-C32 less PAH)             | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.2                               |
| LEPH (C10-C19 less PAH)             | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.2                               |
| EPH (C10-C19)                       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.2                               |
| EPH (C19-C32)                       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.2                               |
| Ethylene Glycol                     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <3                                 |
| Diethylene Glycol                   | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <5                                 |
| Triethylene Glycol                  | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <5                                 |
| Propylene Glycol                    | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <5                                 |
| Acenaphthene                        | mg/L |                                     | 0.006                                                                                   |                                                                                      |                                                                                        | 0.006                                                                               |                                                                                  |                                                                                    | <0.00005                           |
| Acenaphthylene                      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Acridine                            | mg/L |                                     | 0.003                                                                                   |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Anthracene                          | mg/L |                                     | 0.004                                                                                   |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00001                           |
| Benzo(a)anthracene                  | mg/L |                                     | 0.0001                                                                                  |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00001                           |
| Benzo(a)pyrene                      | mg/L |                                     | 0.00001                                                                                 |                                                                                      |                                                                                        | 0.00001                                                                             |                                                                                  |                                                                                    | <0.000005                          |
| Benzo(b&j)fluoranthene              | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00003                           |
| Benzo(g,h,i)perylene                | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Benzo(k)fluoranthene                | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Chrysene                            | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        | 0.0001                                                                              |                                                                                  |                                                                                    | <0.00002                           |
| Dibenz(a,h)anthracene               | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.000003                          |
| Fluoranthene                        | mg/L |                                     | 0.004                                                                                   |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00002                           |
| Fluorene                            | mg/L |                                     | 0.012                                                                                   |                                                                                      |                                                                                        | 0.012                                                                               |                                                                                  |                                                                                    | <0.00005                           |
| Indeno(1,2,3-cd)pyrene              | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| 1-Methylnaphthalene                 | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        | 0.001                                                                               |                                                                                  |                                                                                    | <0.00005                           |
| 2-Methylnaphthalene                 | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        | 0.001                                                                               |                                                                                  |                                                                                    | <0.0001                            |
| Naphthalene                         | mg/L |                                     | 0.001                                                                                   | 0.001                                                                                |                                                                                        | 0.001                                                                               |                                                                                  |                                                                                    | <0.0001                            |
| Phenanthrene                        | mg/L |                                     | 0.0003                                                                                  |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Pyrene                              | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00002                           |
| Quinoline                           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00002                           |
| Low Molecular Weight PAH's          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0001                            |
| High Molecular Weight PAH's         | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                           |
| Total PAH                           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0001                            |
| VH C6-C10                           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.3                               |
| 1,1,1,2-Tetrachloroethane           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,1,1-Trichloroethane               | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,1,2,2-Tetrachloroethane           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,1,2Trichloro-1,2,2Trifluoroethane | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| 1,1,2-Trichloroethane               | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,1-Dichloroethane                  | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field),Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                       | Unit | Permit PE-110163<br>Discharge Limit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG EOP<br>2026-07-28<br>13:32:00 |
|-------------------------------|------|-------------------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------|
| Organics (cont'd.)            |      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| 1,1-Dichloroethene            | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,2,3-trichlorobenzene        | mg/L |                                     |                                                                                         |                                                                                      | 0.008                                                                                  |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| 1,2,4-trichlorobenzene        | mg/L |                                     |                                                                                         |                                                                                      | 0.024                                                                                  |                                                                                     |                                                                                  | 0.0054                                                                             | <0.002                             |
| 1,2-dibromoethane             | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0002                            |
| 1,2-Dichlorobenzene           | mg/L |                                     |                                                                                         |                                                                                      | 0.0007                                                                                 |                                                                                     |                                                                                  | 0.042                                                                              | <0.0005                            |
| 1,2-Dichloroethane            | mg/L |                                     |                                                                                         |                                                                                      | 0.1                                                                                    |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,2-Dichloropropane           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,3,5-trimethylbenzene        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| 1,3-Butadiene                 | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,3-Dichlorobenzene           | mg/L |                                     |                                                                                         |                                                                                      | 0.15                                                                                   |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| 1,3-dichloropropane           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| 1,4-Dichlorobenzene           | mg/L |                                     |                                                                                         |                                                                                      | 0.026                                                                                  |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Benzene                       | mg/L |                                     | 0.04                                                                                    |                                                                                      |                                                                                        | 0.11                                                                                |                                                                                  |                                                                                    | <0.0004                            |
| Bromobenzene                  | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| Bromodichloromethane          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Bromoform                     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Bromomethane                  | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Carbon tetrachloride          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Chlorobenzene                 | mg/L |                                     |                                                                                         |                                                                                      | 0.0013                                                                                 |                                                                                     |                                                                                  | 0.025                                                                              | <0.0005                            |
| Chloroethane                  | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Chloroform                    | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Chloromethane                 | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| cis-1,2-Dichloroethene        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| cis-1,3-Dichloropropene       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Dibromochloromethane          | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Dichlorodifluoromethane       | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| Dichloromethane               | mg/L |                                     |                                                                                         |                                                                                      | 0.0981                                                                                 |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| Ethylbenzene                  | mg/L |                                     | 0.2                                                                                     |                                                                                      |                                                                                        | 0.25                                                                                |                                                                                  |                                                                                    | <0.0004                            |
| Hexachlorobutadiene           | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Isopropylbenzene              | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.002                             |
| Methyl-tert-butylether (MTBE) | mg/L |                                     |                                                                                         | 3.4                                                                                  |                                                                                        |                                                                                     | 0.44                                                                             |                                                                                    | <0.004                             |
| Styrene                       | mg/L |                                     |                                                                                         |                                                                                      | 0.072                                                                                  |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Tetrachloroethene             | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Toluene                       | mg/L |                                     | 0.0005                                                                                  |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0004                            |
| trans-1,2-dichloroethene      | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| trans-1,3-dichloropropene     | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.001                             |
| Trichloroethene               | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| Trichlorofluoromethane        | mg/L |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.004                             |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field), Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                | Unit      | Permit PE-110163<br>Discharge Limit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG EOP<br>2026-07-28<br>13:32:00 |
|------------------------|-----------|-------------------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------|
| Organics (cont'd.)     |           |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Vinyl chloride         | mg/L      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0005                            |
| VPH (VH6 to 10 - BTEX) | mg/L      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.3                               |
| Xylenes (Total)        | mg/L      |                                     | 0.03                                                                                    |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0004                            |
| m & p-Xylene           | mg/L      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0004                            |
| o-Xylene               | mg/L      |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0004                            |
| Phenols                | mg/L      |                                     |                                                                                         | 0.05                                                                                 |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0015                            |
| Acute Toxicity         |           |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                    |
| Rainbow Trout LC50     | % vol/vol |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | >100%                              |
| Daphnia Magna LC50     | % vol/vol |                                     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | >100%                              |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field),Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix C     | C-3                           |

Woodfibre Site WTP Discharge  
Field Notes and Logs

# Water Quality Field Data Sheet



Project: FORTIS11234

## Location Information

|            |                            |          |                      |
|------------|----------------------------|----------|----------------------|
| Site ID:   | <u>WLNG EOP</u>            | Date:    | <u>July 28, 2026</u> |
| Site Name: | <u>East Creek</u>          | Time:    | <u>13:32</u>         |
| Site UTM:  | Zone: 10U E: <u>482030</u> | Crew:    | <u>JM + DS</u>       |
| (NAD83)    | N: <u>5501931</u>          | Weather: | <u>Rain</u>          |

## In Situ Parameters

|                |                  |           |                      |
|----------------|------------------|-----------|----------------------|
| pH:            | <u>7.15</u>      | DO:       | <u>9.6</u> (mg/L)    |
| Temp:          | <u>14.3</u> (°C) | Cond:     | <u>220.5</u> (us/cm) |
| Turbidity:     | <u>1.78</u> NTU  | Salinity: | <u>0.11</u> (ppt)    |
| Visible Sheen: | No               | ORP:      | <u>20.9</u> (mV)     |

Water Surface Condition: Clear

## Photo Record



## Observations

DO collected via winkler titration.

# Water Quality Field Data Sheet



Project: FORTIS11234

## Location Information

|            |                            |          |                      |
|------------|----------------------------|----------|----------------------|
| Site ID:   | <u>WLNG (EAS) DS</u>       | Date:    | <u>July 28, 2026</u> |
| Site Name: | <u>East Creek</u>          | Time:    | <u>8:52</u>          |
| Site UTM:  | Zone: 10U E: <u>482092</u> | Crew:    | <u>JM + DS</u>       |
| (NAD83)    | N: <u>5501875</u>          | Weather: | <u>Rain</u>          |

## In Situ Parameters

|                |                  |           |                      |
|----------------|------------------|-----------|----------------------|
| pH:            | <u>7.25</u>      | DO:       | <u>10.6</u> (mg/L)   |
| Temp:          | <u>13.8</u> (°C) | Cond:     | <u>202.9</u> (us/cm) |
| Turbidity:     | <u>1.8</u> NTU   | Salinity: | <u>0.10</u> (ppt)    |
| Visible Sheen: | <u>No</u>        | ORP:      | <u>109.6</u> (mV)    |

Water Surface Condition: Clear

## Photo Record



## Observations

DO collected via winkler titration.

|                                                                                   |                                         |                                                              |                               |
|-----------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------|-------------------------------|
|  |                                         | Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope |                               |
| Title                                                                             | Woodfibre Weekly Water Discharge Report | Revision:                                                    | 0                             |
| Data Range                                                                        | July 27, 2026 to August 2, 2026         | Prepared by:<br>Approved by:<br>Date:                        | BC1<br>BC2<br>August 10, 2026 |

### Table of Contents:

1. [Executive Summary and Field Notes](#)
2. [Daily Volume Summary](#)
3. [Portal Discharge Parameter Summary](#)
4. [CP2 Discharge Parameter Summary](#)
5. [In-situ Readings](#)
6. [WTP Calibration Log](#)

### **Appendices:**

[Appendix A- Portal WTP Data Log](#)

[Appendix B- CP2 WTP Data Log](#)

[Appendix C- Photos](#)

### **1. Executive Summary and Field Notes:**

Parameters, including temperature, NTU, pH, DO, salinity, conductivity, and oxidation-reduction potential (ORP), were monitored throughout the reporting period.

On July 27<sup>th</sup> and 28<sup>th</sup> there was a series of NTU misreadings recorded on the Check Point 2 Water Treatment Plant (CP2 WTP) data logs during low flows and while air and water siphoned through the instrumentation resulting in misreadings between 671 NTU and 997 NTU. These readings occurred when water was not in contact with the NTU probe. Readings of 0 uS/cm occurred at the same time as the NTU misreadings. The discharge water during the misreadings was between 0 NTU and 1 NTU and ~240 uS/cm. On August 1<sup>st</sup> at 05:15 a reading of 104 NTU was recorded when the NTU probe was being calibrated. The discharge water was 0 NTU at the time of the reading.

A temperature reading >19°C was recorded on July 27<sup>th</sup> at 20:00 on the Portal Water Treatment Plant (PWTP) data log due to stagnant water warming up within the slip stream at the probe due to ambient temperatures while the plant was idle. When the discharge pump turned on and flushed the stagnant water from the probe the discharge temperatures were <19°C.

During the last reporting period, on July 26<sup>th</sup> at 22:15 the PWTP lost programming of the Program Logic Control (PLC) due to the programing being compromised. Manual discharge occurred on July 27<sup>th</sup> between 00:00 and 11:30. A YSI meter and Hanna NTU meter were used to take the following readings during discharge while the PLC was not logging data:

|                                                                                   |                                                |                                                                     |                                                    |
|-----------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b> |                                                    |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                    | <b>0</b>                                           |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b>          | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

- July 27 00:47 YSI meter 14.8°C 7.37 pH 2.69 NTU
- July 27 01:41 YSI meter 15.0°C 7.26 pH 2.94 NTU
- July 27 02:28 YSI meter 15.0°C 7.29 pH 4.80 NTU
- July 27 03:46 YSI meter 15.5°C 7.27 pH 3.57 NTU
- July 27 03:46 Hanna NTU meter 4.09 NTU (to compare to YSI meter)
- July 27 04:29 YSI meter 15.3°C 7.30 pH 6.87 NTU
- July 27 05:43 YSI meter 15.8°C 7.28 pH 6.99 NTU
- July 27 06:37 YSI meter 15.6°C 7.30 pH 2.38 NTU
- July 27 07:27 YSI meter 15.3°C 7.33 pH 4.37 NTU
- July 27 08:27 YSI meter 15.4°C 7.37 pH 0.87 NTU
- July 27 11:11 YSI meter 15.5°C 7.41 pH 2.38 NTU
- July 27 12:34 YSI meter 15.8°C 7.32 pH 1.88 NTU
- July 27 13:42 YSI meter 16.6°C 7.35 pH 1.47 NTU

The PLC programming was restored on July 27<sup>th</sup> at 11:30. YSI readings were taken until confirmation the PLC was logging data. The PLC recorded data at 11:30, 11:45 and 12:00 but did not record a reading at 12:15. After 12:15 the PLC resumed logging data at 15 minute intervals.

No visible sheen was observed on the surface of the PWTP and CP2 WTP tanks or in the discharged water. All relevant parameters were measured using YSI instruments, Hanna NTU meters and WTP NTU, pH, conductivity and temperature probes.

The CP2 WTP received ~315 GPM (1.19m<sup>3</sup>/min) and the PWTP received ~219 GPM (0.83m<sup>3</sup>/min) from the tunnel.

The total discharge volume up to August 2<sup>nd</sup> was 1,666,859m<sup>3</sup>.

|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |

## 2. Daily Volume Summary:

**Table 1: Discharge Volumes Daily Summary**

| <b>Date</b>  | <b>Location</b> | <b>Volume (m3)</b> | <b>Comments</b> |
|--------------|-----------------|--------------------|-----------------|
| July 27      | Woodfibre (WF)  | 3,019              | None            |
| July 28      | WF              | 3,035              | None            |
| July 29      | WF              | 2,931              | None            |
| July 30      | WF              | 2,932              | None            |
| July 31      | WF              | 2,878              | None            |
| August 1     | WF              | 2,768              | None            |
| August 2     | WF              | 2,818              | None            |
| <b>Total</b> |                 | 20,381             | None            |

|                                                                                   |                                                |                                                                     |                                                    |
|-----------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b> |                                                    |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                    | <b>0</b>                                           |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b>          | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

### 3. Discharge Parameter Summary:

**Table 2: Portal Discharge Parameter Summary**

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/27/2026 | 11:45:00 | 7.5          | 1.6050                     | 0.2           | 1,421,207       | 16.2                       | 315                            |
| 7/27/2026 | 12:30:00 | 7.6          | 1.7526                     | 0.1           | 1,421,225       | 16.2                       | 315                            |
| 7/27/2026 | 13:45:00 | 7.5          | 1.6921                     | 0.4           | 1,421,259       | 16.1                       | 314                            |
| 7/27/2026 | 14:15:00 | 7.5          | 1.7602                     | 0.3           | 1,421,273       | 16.1                       | 315                            |
| 7/27/2026 | 14:45:00 | 7.5          | 1.7564                     | 0.2           | 1,421,287       | 16.3                       | 314                            |
| 7/27/2026 | 15:15:00 | 7.5          | 1.8246                     | 0.3           | 1,421,302       | 16.6                       | 314                            |
| 7/27/2026 | 17:00:00 | 7.5          | 1.7451                     | 0             | 1,421,354       | 17.1                       | 311                            |
| 7/27/2026 | 19:15:00 | 7.5          | 1.6504                     | 0             | 1,421,432       | 17.5                       | 312                            |
| 7/27/2026 | 20:00:00 | 7.4          | 1.6656                     | 0             | 1,421,435       | 21.2                       | 309                            |
| 7/27/2026 | 21:00:00 | 7.5          | 1.7299                     | 0             | 1,421,460       | 17.4                       | 314                            |
| 7/27/2026 | 21:30:00 | 7.5          | 1.7110                     | 0             | 1,421,467       | 17.9                       | 317                            |
| 7/27/2026 | 22:15:00 | 7.5          | 1.6883                     | 0             | 1,421,496       | 16.5                       | 310                            |
| 7/27/2026 | 23:45:00 | 7.5          | 1.7034                     | 0             | 1,421,530       | 16.7                       | 312                            |
| 7/28/2026 | 1:00:00  | 7.6          | 1.6504                     | 0.1           | 1,421,562       | 16.5                       | 322                            |
| 7/28/2026 | 1:30:00  | 7.6          | 1.6656                     | 0             | 1,421,586       | 16.4                       | 329                            |
| 7/28/2026 | 2:00:00  | 7.6          | 1.6883                     | 0.1           | 1,421,607       | 16.5                       | 334                            |
| 7/28/2026 | 2:30:00  | 7.6          | 1.6315                     | 0.1           | 1,421,631       | 16.2                       | 334                            |
| 7/28/2026 | 3:00:00  | 7.5          | 1.6202                     | 0.1           | 1,421,656       | 16                         | 329                            |
| 7/28/2026 | 3:30:00  | 7.5          | 1.6656                     | 0             | 1,421,676       | 16                         | 325                            |
| 7/28/2026 | 4:00:00  | 7.5          | 1.6618                     | 0.2           | 1,421,703       | 15.7                       | 319                            |
| 7/28/2026 | 4:30:00  | 7.5          | 1.6580                     | 0.1           | 1,421,731       | 15.6                       | 318                            |
| 7/28/2026 | 5:00:00  | 7.5          | 1.6656                     | 0             | 1,421,756       | 15.8                       | 319                            |
| 7/28/2026 | 5:30:00  | 7.5          | 1.6126                     | 0             | 1,421,785       | 15.6                       | 315                            |
| 7/28/2026 | 6:00:00  | 7.5          | 1.6391                     | 0             | 1,421,809       | 15.5                       | 316                            |
| 7/28/2026 | 6:45:00  | 7.5          | 1.6467                     | 0             | 1,421,839       | 15.5                       | 314                            |
| 7/28/2026 | 7:15:00  | 7.5          | 1.6467                     | 0.2           | 1,421,854       | 15.7                       | 315                            |
| 7/28/2026 | 7:45:00  | 7.5          | 1.6845                     | 0.2           | 1,421,872       | 15.8                       | 315                            |
| 7/28/2026 | 8:15:00  | 7.5          | 1.6202                     | 0             | 1,421,896       | 15.2                       | 309                            |
| 7/28/2026 | 9:00:00  | 7.4          | 1.6542                     | 0.1           | 1,421,919       | 15.1                       | 301                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/28/2026 | 9:15:00  | 7.4          | 1.6504                     | 0             | 1,421,944       | 14.8                       | 299                            |
| 7/28/2026 | 9:45:00  | 7.4          | 1.6315                     | 0.1           | 1,421,951       | 15.2                       | 298                            |
| 7/28/2026 | 10:45:00 | 7.6          | 0.8101                     | 10.1          | 1,421,991       | 15                         | 300                            |
| 7/28/2026 | 11:15:00 | 7.6          | 1.3135                     | 2.5           | 1,422,010       | 14.9                       | 304                            |
| 7/28/2026 | 11:30:00 | 7.6          | 1.4990                     | 1.9           | 1,422,030       | 14.9                       | 302                            |
| 7/28/2026 | 12:00:00 | 7.6          | 1.5028                     | 3.1           | 1,422,039       | 15.2                       | 305                            |
| 7/28/2026 | 12:30:00 | 7.6          | 1.5217                     | 0.6           | 1,422,065       | 15.1                       | 303                            |
| 7/28/2026 | 13:00:00 | 7.6          | 1.5407                     | 0.6           | 1,422,080       | 15.4                       | 304                            |
| 7/28/2026 | 13:30:00 | 7.6          | 1.5331                     | 0.5           | 1,422,100       | 15.3                       | 303                            |
| 7/28/2026 | 14:45:00 | 7.6          | 1.5293                     | 5.2           | 1,422,154       | 15.7                       | 304                            |
| 7/28/2026 | 15:15:00 | 7.6          | 1.5444                     | 4.6           | 1,422,172       | 15.8                       | 306                            |
| 7/28/2026 | 16:00:00 | 7.5          | 1.7337                     | 1.1           | 1,422,195       | 15.9                       | 306                            |
| 7/28/2026 | 16:15:00 | 7.5          | 1.8889                     | 1.1           | 1,422,196       | 16.3                       | 309                            |
| 7/28/2026 | 16:45:00 | 7.5          | 1.7791                     | 0.3           | 1,422,229       | 16.1                       | 306                            |
| 7/28/2026 | 17:15:00 | 7.5          | 1.8056                     | 0.2           | 1,422,254       | 16.1                       | 304                            |
| 7/28/2026 | 17:45:00 | 7.5          | 1.2870                     | 1.1           | 1,422,271       | 16.3                       | 308                            |
| 7/28/2026 | 18:15:00 | 7.5          | 1.8397                     | 0.9           | 1,422,295       | 16                         | 304                            |
| 7/28/2026 | 19:45:00 | 7.5          | 1.7867                     | 0.3           | 1,422,355       | 16                         | 304                            |
| 7/28/2026 | 20:15:00 | 7.5          | 1.8056                     | 0.3           | 1,422,371       | 15.9                       | 304                            |
| 7/28/2026 | 20:45:00 | 7.5          | 1.8662                     | 0.5           | 1,422,386       | 16                         | 306                            |
| 7/28/2026 | 21:15:00 | 7.5          | 1.2605                     | 0.9           | 1,422,402       | 16.3                       | 309                            |
| 7/28/2026 | 21:45:00 | 7.5          | 1.8511                     | 0.5           | 1,422,428       | 15.7                       | 306                            |
| 7/28/2026 | 23:00:00 | 7.5          | 1.7791                     | 1             | 1,422,452       | 15.4                       | 306                            |
| 7/29/2026 | 0:30:00  | 7.5          | 1.7867                     | 0.8           | 1,422,503       | 15.4                       | 311                            |
| 7/29/2026 | 2:15:00  | 7.5          | 1.7905                     | 0.4           | 1,422,537       | 15.1                       | 306                            |
| 7/29/2026 | 2:45:00  | 7.5          | 1.8132                     | 0.4           | 1,422,539       | 15.7                       | 309                            |
| 7/29/2026 | 3:45:00  | 7.5          | 1.8246                     | 0.5           | 1,422,578       | 15.3                       | 304                            |
| 7/29/2026 | 5:15:00  | 7.5          | 1.8246                     | 0.6           | 1,422,634       | 14.9                       | 301                            |
| 7/29/2026 | 5:45:00  | 7.5          | 1.8208                     | 0.6           | 1,422,649       | 14.9                       | 301                            |
| 7/29/2026 | 7:00:00  | 7.5          | 1.1659                     | 0.5           | 1,422,693       | 14.7                       | 296                            |
| 7/29/2026 | 7:30:00  | 7.4          | 1.7754                     | 0.3           | 1,422,722       | 14.6                       | 296                            |
| 7/29/2026 | 8:00:00  | 7.4          | 1.7943                     | 0.3           | 1,422,748       | 14.7                       | 292                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/29/2026 | 9:00:00  | 7.4          | 1.7640                     | 0             | 1,422,770       | 15.3                       | 291                            |
| 7/29/2026 | 9:30:00  | 7.4          | 1.7526                     | 0             | 1,422,784       | 15.4                       | 289                            |
| 7/29/2026 | 10:00:00 | 7.4          | 1.8284                     | 0             | 1,422,794       | 16.9                       | 287                            |
| 7/29/2026 | 10:45:00 | 7.4          | 1.7489                     | 0             | 1,422,832       | 15.6                       | 284                            |
| 7/29/2026 | 11:15:00 | 7.4          | 1.7981                     | 0             | 1,422,847       | 15.6                       | 288                            |
| 7/29/2026 | 11:45:00 | 7.4          | 1.7754                     | 0.2           | 1,422,862       | 15.9                       | 288                            |
| 7/29/2026 | 12:15:00 | 7.4          | 1.7791                     | 0             | 1,422,879       | 16.1                       | 289                            |
| 7/29/2026 | 12:45:00 | 7.4          | 1.8170                     | 0.2           | 1,422,896       | 16.5                       | 293                            |
| 7/29/2026 | 13:30:00 | 7.4          | 1.7602                     | 0.1           | 1,422,920       | 16.6                       | 293                            |
| 7/29/2026 | 14:00:00 | 7.4          | 1.8132                     | 0.2           | 1,422,936       | 17                         | 299                            |
| 7/29/2026 | 15:30:00 | 7.5          | 1.7867                     | 0.7           | 1,422,983       | 17                         | 299                            |
| 7/29/2026 | 16:00:00 | 7.4          | 1.7867                     | 0.6           | 1,422,995       | 17.2                       | 298                            |
| 7/29/2026 | 17:15:00 | 7.5          | 1.7829                     | 0             | 1,423,048       | 16.9                       | 298                            |
| 7/29/2026 | 17:45:00 | 7.5          | 1.1508                     | 0             | 1,423,063       | 16.8                       | 294                            |
| 7/29/2026 | 19:00:00 | 7.5          | 1.7413                     | 0             | 1,423,102       | 16.5                       | 292                            |
| 7/29/2026 | 19:30:00 | 7.5          | 1.7754                     | 0             | 1,423,116       | 16.4                       | 291                            |
| 7/29/2026 | 21:15:00 | 7.5          | 1.7754                     | 0.2           | 1,423,191       | 15.7                       | 298                            |
| 7/29/2026 | 21:30:00 | 7.4          | 1.7867                     | 0.3           | 1,423,194       | 16.2                       | 301                            |
| 7/29/2026 | 22:00:00 | 7.5          | 1.7337                     | 0.2           | 1,423,224       | 15.5                       | 299                            |
| 7/29/2026 | 22:30:00 | 7.5          | 1.7564                     | 0.2           | 1,423,253       | 15.4                       | 301                            |
| 7/29/2026 | 23:00:00 | 7.4          | 1.7224                     | 0.2           | 1,423,261       | 15.6                       | 301                            |
| 7/29/2026 | 23:30:00 | 7.4          | 1.5520                     | 0.3           | 1,423,283       | 15.5                       | 299                            |
| 7/29/2026 | 23:45:00 | 7.5          | 1.5255                     | 0.3           | 1,423,306       | 15.1                       | 298                            |
| 7/30/2026 | 0:00:00  | 7.4          | 1.6088                     | 0.4           | 1,423,307       | 15.7                       | 298                            |
| 7/30/2026 | 0:15:00  | 7.5          | 1.4952                     | 0.2           | 1,423,329       | 15                         | 296                            |
| 7/30/2026 | 0:45:00  | 7.5          | 1.4801                     | 0.1           | 1,423,346       | 15                         | 294                            |
| 7/30/2026 | 1:15:00  | 7.5          | 1.5255                     | 0.3           | 1,423,370       | 14.9                       | 293                            |
| 7/30/2026 | 1:45:00  | 7.4          | 1.5217                     | 0.3           | 1,423,390       | 14.8                       | 294                            |
| 7/30/2026 | 3:15:00  | 7.5          | 1.5066                     | 0.3           | 1,423,419       | 14.6                       | 296                            |
| 7/30/2026 | 3:30:00  | 7.4          | 1.5217                     | 0.4           | 1,423,422       | 14.9                       | 298                            |
| 7/30/2026 | 3:45:00  | 7.5          | 1.4915                     | 0.7           | 1,423,444       | 14.5                       | 298                            |
| 7/30/2026 | 4:15:00  | 7.5          | 1.4877                     | 1             | 1,423,456       | 14.5                       | 299                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/30/2026 | 4:45:00  | 7.4          | 1.5331                     | 1             | 1,423,467       | 14.6                       | 299                            |
| 7/30/2026 | 6:30:00  | 7.5          | 0.6057                     | 1.5           | 1,423,515       | 14.5                       | 310                            |
| 7/30/2026 | 7:15:00  | 7.5          | 1.5179                     | 0.9           | 1,423,527       | 15                         | 314                            |
| 7/30/2026 | 7:45:00  | 7.5          | 1.5482                     | 0             | 1,423,543       | 15.2                       | 312                            |
| 7/30/2026 | 9:00:00  | 7.4          | 1.4763                     | 0.6           | 1,423,575       | 16.7                       | 307                            |
| 7/30/2026 | 9:15:00  | 7.4          | 1.4385                     | 0             | 1,423,597       | 15.8                       | 304                            |
| 7/30/2026 | 9:45:00  | 7.4          | 1.4612                     | 0             | 1,423,607       | 16.2                       | 304                            |
| 7/30/2026 | 10:30:00 | 7.4          | 1.4952                     | 0             | 1,423,622       | 16.3                       | 304                            |
| 7/30/2026 | 11:15:00 | 7.4          | 1.5179                     | 0             | 1,423,639       | 16.5                       | 300                            |
| 7/30/2026 | 12:00:00 | 7.4          | 1.4915                     | 0.2           | 1,423,653       | 16                         | 302                            |
| 7/30/2026 | 12:30:00 | 7.4          | 1.4915                     | 0.4           | 1,423,668       | 16.2                       | 302                            |
| 7/30/2026 | 13:00:00 | 7.4          | 1.5142                     | 0.5           | 1,423,683       | 16.4                       | 301                            |
| 7/30/2026 | 13:30:00 | 7.4          | 1.5293                     | 0.3           | 1,423,698       | 16.6                       | 301                            |
| 7/30/2026 | 14:00:00 | 7.4          | 1.4990                     | 0.3           | 1,423,714       | 17.1                       | 299                            |
| 7/30/2026 | 16:15:00 | 7.4          | 1.4915                     | 0             | 1,423,763       | 17.2                       | 306                            |
| 7/30/2026 | 16:45:00 | 7.4          | 1.4687                     | 0             | 1,423,780       | 17.1                       | 303                            |
| 7/30/2026 | 18:00:00 | 7.4          | 1.5179                     | 0.1           | 1,423,795       | 17.3                       | 304                            |
| 7/30/2026 | 18:30:00 | 7.4          | 1.4915                     | 0.3           | 1,423,809       | 17.2                       | 304                            |
| 7/30/2026 | 19:00:00 | 7.4          | 1.4990                     | 0.2           | 1,423,826       | 17.1                       | 306                            |
| 7/30/2026 | 20:15:00 | 7.4          | 1.5142                     | 0.1           | 1,423,865       | 16.6                       | 304                            |
| 7/30/2026 | 20:45:00 | 7.4          | 1.5255                     | 0.1           | 1,423,876       | 16.3                       | 304                            |
| 7/30/2026 | 21:15:00 | 7.3          | 1.5142                     | 0.1           | 1,423,901       | 16                         | 299                            |
| 7/30/2026 | 21:45:00 | 7.3          | 1.4763                     | 0.2           | 1,423,927       | 15.8                       | 296                            |
| 7/30/2026 | 22:15:00 | 7.3          | 1.4801                     | 0.1           | 1,423,949       | 15.6                       | 294                            |
| 7/30/2026 | 22:45:00 | 7.3          | 1.4990                     | 0.2           | 1,423,969       | 15.5                       | 294                            |
| 7/30/2026 | 23:15:00 | 7.3          | 1.5217                     | 0.3           | 1,423,991       | 15.4                       | 294                            |
| 7/30/2026 | 23:30:00 | 7.3          | 1.5104                     | 0.5           | 1,424,013       | 15.3                       | 294                            |
| 7/31/2026 | 0:30:00  | 7.3          | 0.9350                     | 0.6           | 1,424,041       | 15.2                       | 293                            |
| 7/31/2026 | 1:15:00  | 7.3          | 0.9426                     | 0.7           | 1,424,061       | 15.2                       | 293                            |
| 7/31/2026 | 1:30:00  | 7.3          | 1.5369                     | 1             | 1,424,065       | 15.3                       | 293                            |
| 7/31/2026 | 1:45:00  | 7.3          | 1.4650                     | 1             | 1,424,088       | 15.1                       | 293                            |
| 7/31/2026 | 2:45:00  | 7.3          | 0.9312                     | 1.7           | 1,424,134       | 15                         | 296                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/31/2026 | 3:00:00  | 7.3          | 1.5104                     | 0.9           | 1,424,138       | 15.1                       | 298                            |
| 7/31/2026 | 3:45:00  | 7.4          | 1.4725                     | 1             | 1,424,166       | 14.9                       | 299                            |
| 7/31/2026 | 4:30:00  | 7.3          | 1.5104                     | 1.1           | 1,424,190       | 14.9                       | 301                            |
| 7/31/2026 | 5:00:00  | 7.3          | 0.9123                     | 1.3           | 1,424,214       | 14.9                       | 303                            |
| 7/31/2026 | 5:30:00  | 7.3          | 1.4763                     | 1.2           | 1,424,238       | 14.8                       | 303                            |
| 7/31/2026 | 6:30:00  | 7.3          | 0.9085                     | 2.1           | 1,424,274       | 14.8                       | 303                            |
| 7/31/2026 | 7:30:00  | 7.3          | 1.4195                     | 1.7           | 1,424,304       | 14.7                       | 300                            |
| 7/31/2026 | 7:45:00  | 7.3          | 1.4347                     | 1             | 1,424,324       | 14.6                       | 297                            |
| 7/31/2026 | 9:15:00  | 7.2          | 1.4460                     | 0             | 1,424,348       | 15.4                       | 292                            |
| 7/31/2026 | 10:30:00 | 7.2          | 1.5028                     | 1.2           | 1,424,372       | 15.3                       | 291                            |
| 7/31/2026 | 12:15:00 | 7.3          | 0.4126                     | 6.3           | 1,424,407       | 16.1                       | 294                            |
| 7/31/2026 | 12:30:00 | 7.2          | 0.7306                     | 5.3           | 1,424,423       | 15.9                       | 293                            |
| 7/31/2026 | 13:00:00 | 7.3          | 1.5028                     | 5.5           | 1,424,439       | 15.9                       | 291                            |
| 7/31/2026 | 13:30:00 | 7.3          | 1.6353                     | 5.5           | 1,424,454       | 16.1                       | 293                            |
| 7/31/2026 | 13:45:00 | 7.4          | 1.6202                     | 4.8           | 1,424,469       | 16.2                       | 294                            |
| 7/31/2026 | 15:00:00 | 7.4          | 1.5937                     | 5.7           | 1,424,490       | 16.5                       | 298                            |
| 7/31/2026 | 15:30:00 | 7.4          | 1.0675                     | 5.6           | 1,424,505       | 16.6                       | 294                            |
| 7/31/2026 | 16:00:00 | 7.4          | 1.6467                     | 5.3           | 1,424,509       | 16.9                       | 293                            |
| 7/31/2026 | 17:15:00 | 7.4          | 1.5672                     | 6.6           | 1,424,538       | 17.4                       | 291                            |
| 7/31/2026 | 18:45:00 | 7.4          | 1.6807                     | 5.3           | 1,424,585       | 16.3                       | 291                            |
| 7/31/2026 | 19:30:00 | 7.4          | 1.7261                     | 4.9           | 1,424,605       | 16.2                       | 292                            |
| 7/31/2026 | 20:00:00 | 7.4          | 0.6852                     | 4.4           | 1,424,619       | 16.2                       | 291                            |
| 7/31/2026 | 20:15:00 | 7.4          | 1.6769                     | 3.1           | 1,424,630       | 15.8                       | 290                            |
| 7/31/2026 | 20:45:00 | 7.4          | 1.0145                     | 0.8           | 1,424,642       | 15.4                       | 288                            |
| 7/31/2026 | 21:15:00 | 7.4          | 1.6012                     | 0.3           | 1,424,652       | 15.4                       | 288                            |
| 7/31/2026 | 21:30:00 | 7.4          | 1.0523                     | 0.1           | 1,424,661       | 15.2                       | 288                            |
| 7/31/2026 | 22:00:00 | 7.4          | 1.5899                     | 0.2           | 1,424,683       | 15.3                       | 290                            |
| 7/31/2026 | 22:30:00 | 7.3          | 1.5974                     | 0.2           | 1,424,694       | 15.4                       | 291                            |
| 7/31/2026 | 22:45:00 | 7.3          | 1.5482                     | 0.1           | 1,424,717       | 15.3                       | 293                            |
| 7/31/2026 | 23:30:00 | 7.3          | 1.5823                     | 0.5           | 1,424,748       | 15.3                       | 298                            |
| 8/1/2026  | 0:00:00  | 7.3          | 1.5785                     | 0.2           | 1,424,770       | 15.3                       | 301                            |
| 8/1/2026  | 0:45:00  | 7.3          | 1.5482                     | 0.3           | 1,424,792       | 15.4                       | 306                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/1/2026 | 1:30:00  | 7.3          | 1.5672                     | 0.3           | 1,424,814       | 15.1                       | 303                            |
| 8/1/2026 | 1:45:00  | 7.3          | 1.4763                     | 0.2           | 1,424,824       | 15.3                       | 304                            |
| 8/1/2026 | 2:00:00  | 7.2          | 1.1356                     | 0.3           | 1,424,838       | 14.9                       | 299                            |
| 8/1/2026 | 2:30:00  | 7.2          | 1.6012                     | 0.3           | 1,424,844       | 15                         | 296                            |
| 8/1/2026 | 2:45:00  | 7.2          | 1.0448                     | 0.1           | 1,424,866       | 14.8                       | 296                            |
| 8/1/2026 | 3:30:00  | 7.2          | 1.0448                     | 0.2           | 1,424,886       | 14.8                       | 296                            |
| 8/1/2026 | 4:00:00  | 7.2          | 1.5785                     | 0.1           | 1,424,910       | 14.8                       | 296                            |
| 8/1/2026 | 5:00:00  | 7.2          | 1.0334                     | 0             | 1,424,938       | 15                         | 296                            |
| 8/1/2026 | 5:45:00  | 7.2          | 1.0523                     | 0             | 1,424,967       | 15                         | 294                            |
| 8/1/2026 | 6:15:00  | 7.2          | 1.5937                     | 0             | 1,424,992       | 15.2                       | 294                            |
| 8/1/2026 | 6:45:00  | 7.2          | 1.5634                     | 0             | 1,425,016       | 15.5                       | 296                            |
| 8/1/2026 | 7:30:00  | 7.2          | 1.5974                     | 0.1           | 1,425,038       | 15.4                       | 296                            |
| 8/1/2026 | 7:45:00  | 7.3          | 1.5634                     | 0             | 1,425,062       | 15.2                       | 296                            |
| 8/1/2026 | 8:15:00  | 7.3          | 1.5407                     | 0             | 1,425,074       | 15.3                       | 296                            |
| 8/1/2026 | 8:45:00  | 7.3          | 1.0107                     | 0             | 1,425,092       | 15.4                       | 297                            |
| 8/1/2026 | 9:15:00  | 7.2          | 1.6656                     | 0             | 1,425,118       | 15.3                       | 296                            |
| 8/1/2026 | 10:15:00 | 7.3          | 1.0902                     | 1             | 1,425,140       | 15.6                       | 296                            |
| 8/1/2026 | 11:30:00 | 7.3          | 1.6542                     | 0             | 1,425,178       | 16.4                       | 294                            |
| 8/1/2026 | 12:15:00 | 7.3          | 1.6429                     | 0             | 1,425,223       | 16.2                       | 296                            |
| 8/1/2026 | 13:15:00 | 7.3          | 0.9199                     | 1.6           | 1,425,251       | 16.7                       | 297                            |
| 8/1/2026 | 13:45:00 | 7.3          | 1.5974                     | 0             | 1,425,261       | 16.6                       | 297                            |
| 8/1/2026 | 14:15:00 | 7.3          | 0.6435                     | 2.1           | 1,425,280       | 17.3                       | 296                            |
| 8/1/2026 | 14:30:00 | 7.3          | 1.5974                     | 0.3           | 1,425,304       | 16.5                       | 299                            |
| 8/1/2026 | 15:00:00 | 7.3          | 1.6012                     | 0.2           | 1,425,318       | 16.7                       | 299                            |
| 8/1/2026 | 15:15:00 | 7.3          | 1.5482                     | 0.4           | 1,425,324       | 16.6                       | 301                            |
| 8/1/2026 | 15:30:00 | 7.3          | 0.9880                     | 0.7           | 1,425,345       | 16.8                       | 301                            |
| 8/1/2026 | 16:00:00 | 7.3          | 1.5861                     | 0             | 1,425,363       | 16.8                       | 298                            |
| 8/1/2026 | 16:30:00 | 7.3          | 1.5672                     | 0             | 1,425,387       | 16.7                       | 299                            |
| 8/1/2026 | 17:00:00 | 7.2          | 1.0372                     | 0             | 1,425,398       | 18                         | 298                            |
| 8/1/2026 | 17:30:00 | 7.2          | 1.5369                     | 0.5           | 1,425,418       | 17.3                       | 298                            |
| 8/1/2026 | 18:00:00 | 7.3          | 1.5558                     | 0.7           | 1,425,440       | 16.5                       | 294                            |
| 8/1/2026 | 18:30:00 | 7.3          | 1.0258                     | 1             | 1,425,457       | 16.5                       | 299                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/1/2026 | 18:45:00 | 7.3          | 1.5444                     | 0.2           | 1,425,478       | 16.1                       | 298                            |
| 8/1/2026 | 19:15:00 | 7.3          | 0.6587                     | 0.3           | 1,425,499       | 15.8                       | 296                            |
| 8/1/2026 | 19:45:00 | 7.3          | 1.4385                     | 0.4           | 1,425,519       | 15.8                       | 298                            |
| 8/1/2026 | 20:30:00 | 7.3          | 1.4157                     | 0.9           | 1,425,529       | 15.3                       | 296                            |
| 8/1/2026 | 20:45:00 | 7.3          | 0.8328                     | 0.9           | 1,425,547       | 15.2                       | 296                            |
| 8/1/2026 | 21:15:00 | 7.3          | 1.3665                     | 0.6           | 1,425,566       | 15.1                       | 296                            |
| 8/1/2026 | 21:30:00 | 7.3          | 0.7230                     | 0.7           | 1,425,584       | 15.1                       | 296                            |
| 8/1/2026 | 22:00:00 | 7.3          | 1.4574                     | 0.4           | 1,425,602       | 15                         | 298                            |
| 8/1/2026 | 22:30:00 | 7.3          | 1.4877                     | 0.3           | 1,425,630       | 15.1                       | 303                            |
| 8/1/2026 | 23:00:00 | 7.3          | 0.8934                     | 0.4           | 1,425,646       | 15.4                       | 309                            |
| 8/1/2026 | 23:30:00 | 7.4          | 1.4536                     | 0.6           | 1,425,671       | 15.4                       | 313                            |
| 8/1/2026 | 23:45:00 | 7.3          | 0.8782                     | 1             | 1,425,690       | 15.6                       | 313                            |
| 8/2/2026 | 0:30:00  | 7.4          | 0.8479                     | 1.1           | 1,425,694       | 15.2                       | 309                            |
| 8/2/2026 | 1:00:00  | 7.3          | 1.4195                     | 1             | 1,425,704       | 15.7                       | 308                            |
| 8/2/2026 | 1:15:00  | 7.4          | 0.8176                     | 1.4           | 1,425,722       | 15.4                       | 309                            |
| 8/2/2026 | 1:30:00  | 7.4          | 1.3249                     | 1.1           | 1,425,741       | 15.2                       | 308                            |
| 8/2/2026 | 1:45:00  | 7.3          | 1.3703                     | 1.1           | 1,425,745       | 15.6                       | 309                            |
| 8/2/2026 | 2:00:00  | 7.4          | 0.7874                     | 5.4           | 1,425,762       | 15.4                       | 309                            |
| 8/2/2026 | 2:15:00  | 7.4          | 1.2757                     | 8.7           | 1,425,780       | 15.2                       | 309                            |
| 8/2/2026 | 2:30:00  | 7.4          | 1.2568                     | 1.2           | 1,425,798       | 15.2                       | 311                            |
| 8/2/2026 | 2:45:00  | 7.4          | 1.1091                     | 2.8           | 1,425,804       | 15.1                       | 313                            |
| 8/2/2026 | 3:15:00  | 7.4          | 1.5331                     | 1.3           | 1,425,833       | 15                         | 310                            |
| 8/2/2026 | 4:00:00  | 7.4          | 1.5634                     | 1.2           | 1,425,869       | 14.8                       | 310                            |
| 8/2/2026 | 4:15:00  | 7.4          | 1.0069                     | 2             | 1,425,889       | 14.8                       | 310                            |
| 8/2/2026 | 4:45:00  | 7.4          | 1.5217                     | 2.5           | 1,425,894       | 14.9                       | 309                            |
| 8/2/2026 | 5:00:00  | 7.4          | 1.0486                     | 2.5           | 1,425,915       | 14.8                       | 309                            |
| 8/2/2026 | 5:30:00  | 7.3          | 1.5142                     | 0.7           | 1,425,939       | 14.7                       | 304                            |
| 8/2/2026 | 5:45:00  | 7.3          | 1.0069                     | 0.5           | 1,425,960       | 14.7                       | 301                            |
| 8/2/2026 | 6:15:00  | 7.3          | 1.5596                     | 0.1           | 1,425,983       | 14.7                       | 299                            |
| 8/2/2026 | 6:45:00  | 7.2          | 1.5407                     | 0.1           | 1,426,007       | 14.8                       | 297                            |
| 8/2/2026 | 7:00:00  | 7.2          | 1.5407                     | 0.1           | 1,426,030       | 14.7                       | 297                            |
| 8/2/2026 | 7:30:00  | 7.2          | 1.5558                     | 0.1           | 1,426,045       | 14.7                       | 296                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/2/2026 | 8:15:00  | 7.2          | 1.5255                     | 0.1           | 1,426,081       | 14.5                       | 292                            |
| 8/2/2026 | 9:15:00  | 7.1          | 1.4877                     | 0.3           | 1,426,128       | 14.6                       | 291                            |
| 8/2/2026 | 9:45:00  | 7.1          | 1.5066                     | 0.6           | 1,426,149       | 14.8                       | 291                            |
| 8/2/2026 | 10:00:00 | 7.2          | 1.4422                     | 0.7           | 1,426,171       | 14.8                       | 293                            |
| 8/2/2026 | 10:45:00 | 7.2          | 1.4498                     | 0.8           | 1,426,197       | 14.9                       | 296                            |
| 8/2/2026 | 11:15:00 | 7.2          | 1.4687                     | 1.1           | 1,426,219       | 15                         | 298                            |
| 8/2/2026 | 11:30:00 | 7.2          | 1.4650                     | 1.1           | 1,426,241       | 15                         | 298                            |
| 8/2/2026 | 12:00:00 | 7.2          | 1.4915                     | 1.1           | 1,426,259       | 15                         | 299                            |
| 8/2/2026 | 12:15:00 | 7.2          | 1.4801                     | 1             | 1,426,267       | 15                         | 299                            |
| 8/2/2026 | 12:45:00 | 7.2          | 1.4952                     | 0.5           | 1,426,287       | 15.4                       | 303                            |
| 8/2/2026 | 13:30:00 | 7.2          | 1.4915                     | 0.3           | 1,426,326       | 15.7                       | 303                            |
| 8/2/2026 | 14:00:00 | 7.2          | 1.0410                     | 1.6           | 1,426,342       | 16.3                       | 304                            |
| 8/2/2026 | 14:15:00 | 7.3          | 1.4763                     | 0.6           | 1,426,364       | 15.9                       | 304                            |
| 8/2/2026 | 14:45:00 | 7.2          | 1.0523                     | 1.3           | 1,426,383       | 16.2                       | 304                            |
| 8/2/2026 | 15:15:00 | 7.3          | 1.4725                     | 1.3           | 1,426,407       | 16.1                       | 306                            |
| 8/2/2026 | 15:45:00 | 7.2          | 1.5293                     | 1.5           | 1,426,425       | 16.6                       | 306                            |
| 8/2/2026 | 16:00:00 | 7.3          | 1.4990                     | 1.6           | 1,426,448       | 16.1                       | 308                            |
| 8/2/2026 | 16:45:00 | 7.2          | 1.5142                     | 1             | 1,426,471       | 16.5                       | 307                            |
| 8/2/2026 | 17:15:00 | 7.5          | 1.5028                     | 0             | 1,426,491       | 17                         | 308                            |
| 8/2/2026 | 17:30:00 | 7.3          | 1.4877                     | 1.7           | 1,426,513       | 16.2                       | 304                            |
| 8/2/2026 | 18:00:00 | 7.2          | 1.5028                     | 2.6           | 1,426,531       | 16.3                       | 304                            |
| 8/2/2026 | 18:15:00 | 7.2          | 1.4839                     | 2             | 1,426,554       | 16.3                       | 305                            |
| 8/2/2026 | 18:45:00 | 7.2          | 1.4877                     | 2.3           | 1,426,578       | 16.3                       | 304                            |
| 8/2/2026 | 19:30:00 | 7.2          | 1.4801                     | 1.6           | 1,426,615       | 16.1                       | 304                            |
| 8/2/2026 | 20:15:00 | 7.3          | 1.5558                     | 1.2           | 1,426,639       | 15.7                       | 301                            |
| 8/2/2026 | 20:45:00 | 7.2          | 1.1886                     | 5.1           | 1,426,659       | 15.9                       | 693                            |
| 8/2/2026 | 21:15:00 | 7.4          | 1.8019                     | 2.8           | 1,426,690       | 15.3                       | 395                            |
| 8/2/2026 | 21:30:00 | 7.4          | 1.3211                     | 3             | 1,426,714       | 15.3                       | 360                            |
| 8/2/2026 | 21:45:00 | 7.3          | 1.6732                     | 10.6          | 1,426,716       | 15.6                       | 370                            |
| 8/2/2026 | 22:15:00 | 7.4          | 1.5937                     | 1.5           | 1,426,744       | 15.3                       | 329                            |
| 8/2/2026 | 23:00:00 | 7.4          | 1.6315                     | 1.5           | 1,426,772       | 15.6                       | 334                            |
| 8/2/2026 | 23:45:00 | 7.4          | 1.6012                     | 1.1           | 1,426,819       | 15.3                       | 325                            |

|                                                                                   |                                                |                                                                     |                                                    |
|-----------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b> |                                                    |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                    | <b>0</b>                                           |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b>          | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

#### 4. CP2 Discharge Parameter Summary:

**Table 3: CP2 Discharge Parameter Summary**

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/27/2026 | 0:00:00 | 7            | 2.0025                     | 0             | 225369          | 13.7                       | 235                            |
| 7/27/2026 | 0:15:00 | 6.97         | 2.3015                     | 0             | 225402          | 13.7                       | 232                            |
| 7/27/2026 | 0:30:00 | 6.96         | 2.2788                     | 0             | 225436          | 13.7                       | 231                            |
| 7/27/2026 | 0:45:00 | 6.95         | 2.2788                     | 0             | 225467          | 13.7                       | 231                            |
| 7/27/2026 | 1:00:00 | 6.96         | 2.1766                     | 0             | 225501          | 13.7                       | 232                            |
| 7/27/2026 | 1:15:00 | 6.96         | 2.1615                     | 0             | 225531          | 13.7                       | 231                            |
| 7/27/2026 | 1:30:00 | 6.97         | 1.0940                     | 0             | 225560          | 13.7                       | 230                            |
| 7/27/2026 | 1:45:00 | 6.97         | 0.8441                     | 0             | 225572          | 13.7                       | 228                            |
| 7/27/2026 | 2:00:00 | 6.99         | 1.0410                     | 0             | 225583          | 13.7                       | 230                            |
| 7/27/2026 | 2:15:00 | 6.99         | 1.6202                     | 0             | 225603          | 13.7                       | 227                            |
| 7/27/2026 | 2:30:00 | 6.99         | 1.0713                     | 0             | 225622          | 13.7                       | 228                            |
| 7/27/2026 | 2:45:00 | 6.98         | 1.0334                     | 0             | 225637          | 13.7                       | 227                            |
| 7/27/2026 | 3:00:00 | 6.99         | 1.1091                     | 0             | 225650          | 13.7                       | 226                            |
| 7/27/2026 | 3:15:00 | 6.99         | 1.4006                     | 1             | 225676          | 13.7                       | 227                            |
| 7/27/2026 | 3:30:00 | 6.98         | 1.0713                     | 0             | 225691          | 13.6                       | 227                            |
| 7/27/2026 | 3:45:00 | 7.03         | 2.3886                     | 0             | 225723          | 13.7                       | 227                            |
| 7/27/2026 | 4:00:00 | 7.23         | 0.1173                     | 671           | 225746          | 15.2                       | 0                              |
| 7/27/2026 | 4:15:00 | 7.02         | 2.3583                     | 0             | 225764          | 13.8                       | 227                            |
| 7/27/2026 | 4:30:00 | 7.01         | 2.1123                     | 0             | 225800          | 13.7                       | 228                            |
| 7/27/2026 | 4:45:00 | 7            | 2.3583                     | 0             | 225833          | 13.7                       | 229                            |
| 7/27/2026 | 5:15:00 | 7.01         | 2.2523                     | 0             | 225879          | 13.8                       | 229                            |
| 7/27/2026 | 5:30:00 | 7            | 1.6126                     | 0             | 225912          | 13.7                       | 229                            |
| 7/27/2026 | 5:45:00 | 7            | 1.9192                     | 0             | 225938          | 13.7                       | 230                            |
| 7/27/2026 | 6:00:00 | 7.01         | 1.4915                     | 0             | 225961          | 13.7                       | 232                            |
| 7/27/2026 | 6:15:00 | 7.02         | 0.2650                     | 0             | 225973          | 13.8                       | 231                            |
| 7/27/2026 | 6:30:00 | 7.03         | 0.4315                     | 0             | 225977          | 13.9                       | 232                            |
| 7/27/2026 | 6:45:00 | 7.01         | 0.6776                     | 0             | 225987          | 13.9                       | 232                            |
| 7/27/2026 | 7:00:00 | 7.02         | 2.4227                     | 0             | 226010          | 13.8                       | 233                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/27/2026 | 7:15:00  | 7.02         | 2.2031                     | 0             | 226048          | 13.8                       | 233                            |
| 7/27/2026 | 7:30:00  | 7            | 2.5173                     | 0             | 226083          | 13.8                       | 234                            |
| 7/27/2026 | 7:45:00  | 7.01         | 2.5779                     | 0             | 226120          | 13.8                       | 234                            |
| 7/27/2026 | 8:00:00  | 7.02         | 1.6050                     | 0             | 226154          | 13.8                       | 234                            |
| 7/27/2026 | 8:15:00  | 7.02         | 0.9161                     | 0             | 226175          | 13.9                       | 230                            |
| 7/27/2026 | 8:30:00  | 7.04         | 2.5097                     | 0             | 226210          | 13.8                       | 230                            |
| 7/27/2026 | 8:45:00  | 7.04         | 1.0751                     | 0             | 226241          | 13.8                       | 230                            |
| 7/27/2026 | 9:00:00  | 7.04         | 0.6019                     | 0             | 226253          | 13.9                       | 232                            |
| 7/27/2026 | 9:15:00  | 7.04         | 2.0101                     | 0             | 226282          | 13.8                       | 229                            |
| 7/27/2026 | 9:30:00  | 7.04         | 1.0372                     | 0             | 226315          | 13.9                       | 230                            |
| 7/27/2026 | 9:45:00  | 7.05         | 0.3369                     | 0             | 226323          | 13.9                       | 232                            |
| 7/27/2026 | 10:00:00 | 7.05         | 2.3621                     | 0             | 226345          | 13.9                       | 230                            |
| 7/27/2026 | 10:15:00 | 7.05         | 2.3772                     | 0             | 226382          | 13.9                       | 230                            |
| 7/27/2026 | 10:30:00 | 7.04         | 2.3167                     | 0             | 226411          | 14                         | 232                            |
| 7/27/2026 | 10:45:00 | 7.04         | 2.1918                     | 0             | 226445          | 14                         | 233                            |
| 7/27/2026 | 11:00:00 | 7.03         | 0.6397                     | 0             | 226468          | 14.1                       | 231                            |
| 7/27/2026 | 11:15:00 | 7.04         | 0.3369                     | 0             | 226477          | 14.2                       | 231                            |
| 7/27/2026 | 11:30:00 | 7.03         | 0.3369                     | 0             | 226481          | 14.2                       | 232                            |
| 7/27/2026 | 11:45:00 | 7.04         | 1.1205                     | 0             | 226501          | 14.1                       | 231                            |
| 7/27/2026 | 12:00:00 | 7.04         | 2.5400                     | 0             | 226531          | 14                         | 233                            |
| 7/27/2026 | 12:15:00 | 7.04         | 2.5854                     | 0             | 226565          | 14                         | 235                            |
| 7/27/2026 | 12:30:00 | 7.07         | 1.0864                     | 0             | 226601          | 14                         | 234                            |
| 7/27/2026 | 12:45:00 | 7.05         | 0.5792                     | 0             | 226612          | 14.1                       | 235                            |
| 7/27/2026 | 13:00:00 | 7.08         | 2.5324                     | 0             | 226635          | 14.1                       | 237                            |
| 7/27/2026 | 13:15:00 | 7.08         | 2.0820                     | 0             | 226672          | 14.1                       | 240                            |
| 7/27/2026 | 13:30:00 | 7.07         | 2.5287                     | 0             | 226707          | 14.1                       | 236                            |
| 7/27/2026 | 13:45:00 | 7.06         | 2.5059                     | 0             | 226745          | 14.1                       | 237                            |
| 7/27/2026 | 14:00:00 | 7.05         | 1.0296                     | 0             | 226776          | 14.2                       | 238                            |
| 7/27/2026 | 14:15:00 | 7.04         | 0.5792                     | 0             | 226787          | 14.3                       | 237                            |
| 7/27/2026 | 14:30:00 | 7.03         | 2.1993                     | 0             | 226802          | 14.4                       | 233                            |
| 7/27/2026 | 14:45:00 | 7.03         | 0.4429                     | 0             | 226813          | 14.5                       | 234                            |
| 7/27/2026 | 15:00:00 | 7            | 0.7684                     | 6             | 226822          | 14.4                       | 233                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/27/2026 | 15:15:00 | 6.98         | 2.4189                     | 0             | 226854          | 14.3                       | 231                            |
| 7/27/2026 | 15:30:00 | 6.97         | 2.2788                     | 0             | 226887          | 14.2                       | 231                            |
| 7/27/2026 | 15:45:00 | 6.97         | 2.0290                     | 0             | 226919          | 14.2                       | 231                            |
| 7/27/2026 | 16:00:00 | 6.97         | 2.5135                     | 0             | 226949          | 14.3                       | 231                            |
| 7/27/2026 | 16:15:00 | 6.96         | 2.3810                     | 0             | 226986          | 14.2                       | 228                            |
| 7/27/2026 | 16:30:00 | 6.95         | 2.5022                     | 0             | 227023          | 14.2                       | 228                            |
| 7/27/2026 | 16:45:00 | 6.95         | 2.4794                     | 0             | 227061          | 14.2                       | 228                            |
| 7/27/2026 | 17:00:00 | 6.97         | 0.6549                     | 0             | 227075          | 14.3                       | 230                            |
| 7/27/2026 | 17:15:00 | 6.97         | 2.4757                     | 0             | 227090          | 14.3                       | 228                            |
| 7/27/2026 | 17:30:00 | 6.98         | 0.7609                     | 0             | 227112          | 14.3                       | 229                            |
| 7/27/2026 | 17:45:00 | 6.97         | 2.4681                     | 0             | 227133          | 14.3                       | 227                            |
| 7/27/2026 | 18:00:00 | 6.97         | 1.8246                     | 0             | 227168          | 14.2                       | 227                            |
| 7/27/2026 | 18:15:00 | 6.98         | 1.9836                     | 0             | 227200          | 14.2                       | 227                            |
| 7/27/2026 | 18:30:00 | 7.07         | 1.0864                     | 735           | 227226          | 14.8                       | 0                              |
| 7/27/2026 | 18:45:00 | 7.08         | 1.1508                     | 0             | 227232          | 15.9                       | 0                              |
| 7/27/2026 | 19:00:00 | 6.97         | 0.6208                     | 0             | 227251          | 14.4                       | 226                            |
| 7/27/2026 | 19:15:00 | 6.95         | 2.5022                     | 0             | 227277          | 14.2                       | 228                            |
| 7/27/2026 | 19:30:00 | 6.92         | 2.0214                     | 0             | 227313          | 14.2                       | 227                            |
| 7/27/2026 | 19:45:00 | 6.92         | 1.7678                     | 0             | 227346          | 14.1                       | 226                            |
| 7/27/2026 | 20:00:00 | 6.93         | 2.5097                     | 0             | 227374          | 14                         | 225                            |
| 7/27/2026 | 20:15:00 | 6.94         | 2.4681                     | 0             | 227410          | 13.9                       | 224                            |
| 7/27/2026 | 20:30:00 | 6.96         | 2.3962                     | 0             | 227441          | 13.9                       | 223                            |
| 7/27/2026 | 20:45:00 | 6.98         | 2.1918                     | 0             | 227473          | 13.9                       | 222                            |
| 7/27/2026 | 21:15:00 | 7.08         | 0.1514                     | 0             | 227497          | 15.7                       | 220                            |
| 7/27/2026 | 21:30:00 | 7.49         | 0.5224                     | 712           | 227515          | 16.8                       | 0                              |
| 7/27/2026 | 21:45:00 | 7.24         | 1.1016                     | 769           | 227542          | 14.6                       | 0                              |
| 7/27/2026 | 22:00:00 | 7            | 0.5110                     | 0             | 227548          | 15.2                       | 225                            |
| 7/27/2026 | 22:15:00 | 7.03         | 1.5558                     | 773           | 227576          | 14.5                       | 0                              |
| 7/27/2026 | 22:30:00 | 7.02         | 2.1047                     | 0             | 227606          | 13.8                       | 217                            |
| 7/27/2026 | 22:45:00 | 7.02         | 2.4529                     | 0             | 227641          | 13.7                       | 216                            |
| 7/27/2026 | 23:00:00 | 7.03         | 2.3848                     | 0             | 227673          | 13.7                       | 215                            |
| 7/27/2026 | 23:15:00 | 7.06         | 1.7829                     | 0             | 227704          | 14.2                       | 216                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/27/2026 | 23:30:00 | 7.18         | 1.3590                     | 738           | 227728          | 15.2                       | 0                              |
| 7/27/2026 | 23:45:00 | 7.13         | 1.5255                     | 732           | 227750          | 16.1                       | 0                              |
| 7/28/2026 | 0:00:00  | 7.1          | 1.6277                     | 0             | 227763          | 15.7                       | 214                            |
| 7/28/2026 | 0:15:00  | 7.06         | 2.0668                     | 0             | 227797          | 13.9                       | 215                            |
| 7/28/2026 | 0:30:00  | 7.02         | 2.5059                     | 0             | 227832          | 13.6                       | 215                            |
| 7/28/2026 | 0:45:00  | 7.03         | 2.4567                     | 0             | 227864          | 13.6                       | 215                            |
| 7/28/2026 | 1:00:00  | 7.06         | 2.4075                     | 0             | 227899          | 13.6                       | 217                            |
| 7/28/2026 | 1:15:00  | 7.13         | 1.5899                     | 945           | 227927          | 14.7                       | 0                              |
| 7/28/2026 | 1:30:00  | 7.08         | 1.8397                     | 0             | 227943          | 13.8                       | 214                            |
| 7/28/2026 | 1:45:00  | 7.06         | 1.1205                     | 0             | 227959          | 13.7                       | 215                            |
| 7/28/2026 | 2:00:00  | 7.06         | 0.6435                     | 0             | 227970          | 13.7                       | 214                            |
| 7/28/2026 | 2:15:00  | 7.05         | 0.9047                     | 0             | 227980          | 13.7                       | 215                            |
| 7/28/2026 | 2:30:00  | 7.07         | 2.3129                     | 0             | 228008          | 13.6                       | 215                            |
| 7/28/2026 | 2:45:00  | 7.08         | 0.5148                     | 0             | 228024          | 13.7                       | 215                            |
| 7/28/2026 | 3:00:00  | 7.08         | 2.0214                     | 0             | 228040          | 13.6                       | 215                            |
| 7/28/2026 | 3:15:00  | 7.09         | 0.5565                     | 0             | 228070          | 13.6                       | 215                            |
| 7/28/2026 | 3:30:00  | 7.1          | 0.0151                     | 0             | 228077          | 13.7                       | 215                            |
| 7/28/2026 | 3:45:00  | 7.09         | 1.9798                     | 0             | 228091          | 13.6                       | 215                            |
| 7/28/2026 | 4:00:00  | 7.09         | 1.8435                     | 0             | 228123          | 13.6                       | 215                            |
| 7/28/2026 | 4:15:00  | 7.09         | 1.0372                     | 0             | 228137          | 13.6                       | 211                            |
| 7/28/2026 | 4:30:00  | 7.13         | 1.7110                     | 0             | 228161          | 14.4                       | 0                              |
| 7/28/2026 | 4:45:00  | 7.25         | 1.5520                     | 943           | 228185          | 15.6                       | 0                              |
| 7/28/2026 | 5:00:00  | 7.54         | 0.1628                     | 941           | 228204          | 16.7                       | 0                              |
| 7/28/2026 | 5:15:00  | 7.13         | 1.6656                     | 0             | 228218          | 14.7                       | 0                              |
| 7/28/2026 | 5:30:00  | 7.09         | 2.3924                     | 0             | 228251          | 13.5                       | 215                            |
| 7/28/2026 | 5:45:00  | 7.07         | 2.0971                     | 0             | 228286          | 13.7                       | 214                            |
| 7/28/2026 | 6:00:00  | 7.09         | 2.3167                     | 0             | 228317          | 13.4                       | 216                            |
| 7/28/2026 | 6:15:00  | 7.1          | 2.2788                     | 0             | 228349          | 13.4                       | 216                            |
| 7/28/2026 | 6:30:00  | 7.11         | 2.2410                     | 0             | 228378          | 13.4                       | 217                            |
| 7/28/2026 | 6:45:00  | 7.12         | 1.7034                     | 0             | 228411          | 13.5                       | 219                            |
| 7/28/2026 | 7:00:00  | 7.13         | 1.5974                     | 0             | 228438          | 13.5                       | 219                            |
| 7/28/2026 | 7:15:00  | 7.12         | 2.0517                     | 0             | 228467          | 13.5                       | 218                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/28/2026 | 7:30:00  | 7.13         | 1.7791                     | 0             | 228498          | 13.5                       | 218                            |
| 7/28/2026 | 7:45:00  | 7.11         | 0.6965                     | 0             | 228508          | 13.7                       | 218                            |
| 7/28/2026 | 8:00:00  | 7.11         | 0.5224                     | 0             | 228513          | 13.8                       | 215                            |
| 7/28/2026 | 8:15:00  | 7.13         | 2.1993                     | 0             | 228540          | 13.6                       | 215                            |
| 7/28/2026 | 8:30:00  | 7.13         | 2.4037                     | 0             | 228573          | 13.6                       | 216                            |
| 7/28/2026 | 8:45:00  | 7.14         | 2.4416                     | 0             | 228610          | 13.6                       | 215                            |
| 7/28/2026 | 9:00:00  | 7.1          | 1.4763                     | 0             | 228646          | 14.1                       | 0                              |
| 7/28/2026 | 9:15:00  | 7.52         | 0.3445                     | 965           | 228653          | 15.5                       | 0                              |
| 7/28/2026 | 9:30:00  | 7.42         | 0.4088                     | 997           | 228659          | 17                         | 0                              |
| 7/28/2026 | 9:45:00  | 7.13         | 2.4302                     | 1             | 228670          | 14.6                       | 212                            |
| 7/28/2026 | 10:00:00 | 7.18         | 1.6959                     | 0             | 228704          | 14.3                       | 0                              |
| 7/28/2026 | 10:15:00 | 7.18         | 0.1931                     | 0             | 228711          | 16.3                       | 222                            |
| 7/28/2026 | 10:30:00 | 7.14         | 2.3999                     | 0             | 228732          | 14.1                       | 220                            |
| 7/28/2026 | 10:45:00 | 7.15         | 2.0290                     | 0             | 228765          | 14.7                       | 222                            |
| 7/28/2026 | 11:00:00 | 7.15         | 2.3621                     | 0             | 228798          | 13.9                       | 220                            |
| 7/28/2026 | 11:15:00 | 7.17         | 1.8927                     | 0             | 228829          | 14.1                       | 222                            |
| 7/28/2026 | 11:30:00 | 7.17         | 2.2864                     | 0             | 228861          | 14                         | 222                            |
| 7/28/2026 | 11:45:00 | 7.18         | 2.1918                     | 0             | 228895          | 14.1                       | 219                            |
| 7/28/2026 | 12:00:00 | 7.35         | 1.3022                     | 737           | 228921          | 15.3                       | 0                              |
| 7/28/2026 | 12:15:00 | 7.5          | 0.0908                     | 727           | 228923          | 16.5                       | 0                              |
| 7/28/2026 | 12:30:00 | 7.48         | 1.5709                     | 787           | 228945          | 16.1                       | 0                              |
| 7/28/2026 | 12:45:00 | 7.29         | 0.0151                     | 0             | 228949          | 15.5                       | 218                            |
| 7/28/2026 | 13:00:00 | 7.16         | 0.8971                     | 0             | 228956          | 16.1                       | 220                            |
| 7/28/2026 | 13:15:00 | 7.15         | 0.5830                     | 0             | 228966          | 14.4                       | 222                            |
| 7/28/2026 | 13:30:00 | 7.14         | 1.9495                     | 0             | 228995          | 14.2                       | 225                            |
| 7/28/2026 | 13:45:00 | 7.13         | 2.3583                     | 0             | 229027          | 14.2                       | 227                            |
| 7/28/2026 | 14:00:00 | 7.13         | 0.6208                     | 0             | 229042          | 14.4                       | 227                            |
| 7/28/2026 | 14:15:00 | 7.13         | 2.3470                     | 0             | 229063          | 14.5                       | 228                            |
| 7/28/2026 | 14:30:00 | 7.13         | 2.3470                     | 0             | 229097          | 14.5                       | 227                            |
| 7/28/2026 | 14:45:00 | 7.11         | 0.8593                     | 0             | 229119          | 14.7                       | 228                            |
| 7/28/2026 | 15:00:00 | 7.12         | 2.4113                     | 0             | 229144          | 14.7                       | 227                            |
| 7/28/2026 | 15:15:00 | 7.12         | 2.3848                     | 0             | 229179          | 14.7                       | 227                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/28/2026 | 15:30:00 | 7.12         | 0.7192                     | 0             | 229194          | 14.8                       | 227                            |
| 7/28/2026 | 15:45:00 | 7.11         | 2.3583                     | 0             | 229213          | 14.9                       | 227                            |
| 7/28/2026 | 16:00:00 | 7.11         | 0.9426                     | 0             | 229230          | 15                         | 231                            |
| 7/28/2026 | 16:15:00 | 7.09         | 2.3242                     | 0             | 229262          | 14.9                       | 232                            |
| 7/28/2026 | 16:30:00 | 7.09         | 0.6170                     | 0             | 229279          | 14.9                       | 232                            |
| 7/28/2026 | 16:45:00 | 7.08         | 1.2113                     | 0             | 229287          | 15                         | 232                            |
| 7/28/2026 | 17:00:00 | 7.06         | 2.2296                     | 0             | 229320          | 14.8                       | 233                            |
| 7/28/2026 | 17:15:00 | 7.05         | 1.7867                     | 0             | 229350          | 14.6                       | 234                            |
| 7/28/2026 | 17:30:00 | 7.05         | 0.3066                     | 0             | 229363          | 14.7                       | 234                            |
| 7/28/2026 | 17:45:00 | 7.05         | 0.5375                     | 0             | 229376          | 14.8                       | 235                            |
| 7/28/2026 | 18:00:00 | 7.04         | 1.4082                     | 0             | 229389          | 14.7                       | 232                            |
| 7/28/2026 | 18:15:00 | 7.02         | 2.2902                     | 0             | 229416          | 14.5                       | 234                            |
| 7/28/2026 | 18:30:00 | 7.03         | 0.5262                     | 0             | 229433          | 14.4                       | 233                            |
| 7/28/2026 | 18:45:00 | 7.01         | 0.4429                     | 0             | 229440          | 14.5                       | 234                            |
| 7/28/2026 | 19:00:00 | 7            | 2.0101                     | 0             | 229466          | 14.3                       | 234                            |
| 7/28/2026 | 19:15:00 | 7.02         | 0.9993                     | 0             | 229481          | 14.3                       | 234                            |
| 7/28/2026 | 19:30:00 | 7            | 2.3659                     | 0             | 229511          | 14.2                       | 234                            |
| 7/28/2026 | 19:45:00 | 6.99         | 2.3697                     | 0             | 229544          | 14.1                       | 233                            |
| 7/28/2026 | 20:00:00 | 7            | 2.2788                     | 0             | 229578          | 14.1                       | 233                            |
| 7/28/2026 | 20:15:00 | 7            | 1.9495                     | 0             | 229611          | 14                         | 232                            |
| 7/28/2026 | 20:30:00 | 7.02         | 2.3318                     | 0             | 229645          | 14                         | 231                            |
| 7/28/2026 | 20:45:00 | 7.04         | 0.9918                     | 0             | 229675          | 14                         | 231                            |
| 7/28/2026 | 21:00:00 | 7.05         | 0.3823                     | 0             | 229684          | 14                         | 232                            |
| 7/28/2026 | 21:15:00 | 7.03         | 0.3445                     | 0             | 229691          | 14                         | 231                            |
| 7/28/2026 | 21:30:00 | 7.04         | 1.4915                     | 0             | 229702          | 14                         | 233                            |
| 7/28/2026 | 21:45:00 | 7.05         | 0.7949                     | 0             | 229718          | 14                         | 237                            |
| 7/28/2026 | 22:00:00 | 7.05         | 1.0486                     | 0             | 229735          | 13.9                       | 238                            |
| 7/28/2026 | 22:15:00 | 7.06         | 1.0675                     | 0             | 229753          | 13.9                       | 239                            |
| 7/28/2026 | 22:30:00 | 7.05         | 1.0448                     | 0             | 229783          | 13.8                       | 237                            |
| 7/28/2026 | 22:45:00 | 7.04         | 2.3318                     | 0             | 229812          | 13.7                       | 240                            |
| 7/28/2026 | 23:00:00 | 7.03         | 2.3470                     | 0             | 229846          | 13.7                       | 241                            |
| 7/28/2026 | 23:15:00 | 7.03         | 2.3356                     | 0             | 229878          | 13.6                       | 241                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/28/2026 | 23:30:00 | 7.02         | 0.7003                     | 0             | 229902          | 13.6                       | 241                            |
| 7/28/2026 | 23:45:00 | 7.04         | 0.9236                     | 0             | 229917          | 13.6                       | 241                            |
| 7/29/2026 | 0:00:00  | 7.05         | 0.8782                     | 0             | 229932          | 13.7                       | 241                            |
| 7/29/2026 | 0:15:00  | 7.05         | 0.5224                     | 0             | 229940          | 13.7                       | 243                            |
| 7/29/2026 | 0:30:00  | 7.06         | 2.3735                     | 0             | 229953          | 13.6                       | 244                            |
| 7/29/2026 | 0:45:00  | 7.06         | 2.4454                     | 0             | 229979          | 13.7                       | 244                            |
| 7/29/2026 | 1:00:00  | 7.06         | 1.0713                     | 0             | 230012          | 13.7                       | 242                            |
| 7/29/2026 | 1:15:00  | 7.06         | 0.9880                     | 0             | 230027          | 13.7                       | 237                            |
| 7/29/2026 | 1:30:00  | 7.04         | 0.8934                     | 0             | 230039          | 13.7                       | 241                            |
| 7/29/2026 | 1:45:00  | 7.04         | 0.9388                     | 0             | 230053          | 13.7                       | 239                            |
| 7/29/2026 | 2:00:00  | 7.05         | 2.5552                     | 0             | 230072          | 13.7                       | 242                            |
| 7/29/2026 | 2:15:00  | 7.05         | 2.5287                     | 0             | 230107          | 13.7                       | 242                            |
| 7/29/2026 | 2:30:00  | 7.04         | 2.5514                     | 0             | 230144          | 13.7                       | 241                            |
| 7/29/2026 | 2:45:00  | 7.04         | 2.4908                     | 0             | 230182          | 13.7                       | 241                            |
| 7/29/2026 | 3:00:00  | 7.04         | 1.1318                     | 0             | 230218          | 14.3                       | 236                            |
| 7/29/2026 | 3:15:00  | 7.04         | 0.7268                     | 0             | 230229          | 13.7                       | 238                            |
| 7/29/2026 | 3:30:00  | 7.04         | 1.0183                     | 0             | 230245          | 13.7                       | 241                            |
| 7/29/2026 | 3:45:00  | 7.04         | 0.7647                     | 0             | 230258          | 13.7                       | 239                            |
| 7/29/2026 | 4:00:00  | 7.04         | 2.4681                     | 0             | 230291          | 13.7                       | 239                            |
| 7/29/2026 | 4:15:00  | 7.02         | 2.4832                     | 0             | 230323          | 13.6                       | 241                            |
| 7/29/2026 | 4:30:00  | 7            | 2.4492                     | 0             | 230360          | 13.6                       | 239                            |
| 7/29/2026 | 4:45:00  | 7.02         | 0.5413                     | 0             | 230373          | 13.6                       | 241                            |
| 7/29/2026 | 5:00:00  | 7.01         | 1.2416                     | 0             | 230386          | 13.6                       | 239                            |
| 7/29/2026 | 5:15:00  | 7.01         | 0.9653                     | 0             | 230400          | 13.6                       | 237                            |
| 7/29/2026 | 5:30:00  | 7.01         | 0.8252                     | 0             | 230413          | 13.5                       | 236                            |
| 7/29/2026 | 5:45:00  | 7.01         | 0.9653                     | 0             | 230431          | 13.5                       | 235                            |
| 7/29/2026 | 6:00:00  | 7            | 2.4870                     | 0             | 230456          | 13.4                       | 235                            |
| 7/29/2026 | 6:15:00  | 6.99         | 2.5097                     | 0             | 230493          | 13.5                       | 237                            |
| 7/29/2026 | 6:30:00  | 6.99         | 2.4794                     | 0             | 230528          | 13.4                       | 236                            |
| 7/29/2026 | 6:45:00  | 7            | 2.4340                     | 0             | 230565          | 13.4                       | 234                            |
| 7/29/2026 | 7:00:00  | 7.01         | 2.2940                     | 0             | 230597          | 13.4                       | 233                            |
| 7/29/2026 | 7:15:00  | 7.02         | 0.3520                     | 0             | 230619          | 13.4                       | 232                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/29/2026 | 7:30:00  | 7.02         | 1.9154                     | 0             | 230631          | 13.4                       | 233                            |
| 7/29/2026 | 7:45:00  | 7.01         | 2.2712                     | 0             | 230664          | 13.4                       | 232                            |
| 7/29/2026 | 8:00:00  | 7.01         | 2.2826                     | 0             | 230698          | 13.4                       | 233                            |
| 7/29/2026 | 8:15:00  | 7.02         | 0.8782                     | 0             | 230717          | 13.6                       | 232                            |
| 7/29/2026 | 8:30:00  | 7.02         | 2.2826                     | 0             | 230747          | 13.5                       | 234                            |
| 7/29/2026 | 8:45:00  | 7.03         | 2.3091                     | 0             | 230778          | 13.6                       | 233                            |
| 7/29/2026 | 9:00:00  | 7.03         | 2.2902                     | 0             | 230812          | 13.6                       | 231                            |
| 7/29/2026 | 9:15:00  | 7.03         | 0.5527                     | 0             | 230829          | 13.7                       | 231                            |
| 7/29/2026 | 9:30:00  | 7.03         | 2.3053                     | 0             | 230849          | 13.9                       | 232                            |
| 7/29/2026 | 9:45:00  | 7.02         | 0.7154                     | 0             | 230873          | 13.9                       | 231                            |
| 7/29/2026 | 10:00:00 | 7.03         | 0.3634                     | 0             | 230879          | 14                         | 232                            |
| 7/29/2026 | 10:15:00 | 7.01         | 0.3369                     | 0             | 230885          | 14.2                       | 232                            |
| 7/29/2026 | 10:30:00 | 7            | 0.3710                     | 0             | 230892          | 14.3                       | 231                            |
| 7/29/2026 | 10:45:00 | 7            | 2.3545                     | 0             | 230902          | 14.5                       | 230                            |
| 7/29/2026 | 11:00:00 | 6.99         | 0.8025                     | 0             | 230927          | 14.4                       | 232                            |
| 7/29/2026 | 11:15:00 | 6.99         | 1.0372                     | 0             | 230946          | 14.3                       | 229                            |
| 7/29/2026 | 11:30:00 | 7.01         | 2.3167                     | 0             | 230960          | 14.4                       | 231                            |
| 7/29/2026 | 11:45:00 | 7.02         | 2.2902                     | 0             | 230994          | 14.5                       | 232                            |
| 7/29/2026 | 12:00:00 | 7.03         | 2.1728                     | 0             | 231024          | 14.6                       | 230                            |
| 7/29/2026 | 12:15:00 | 7.04         | 1.9836                     | 0             | 231054          | 14.8                       | 228                            |
| 7/29/2026 | 12:30:00 | 7.04         | 0.9653                     | 0             | 231077          | 14.9                       | 226                            |
| 7/29/2026 | 12:45:00 | 7.04         | 0.3331                     | 0             | 231085          | 15.2                       | 226                            |
| 7/29/2026 | 13:00:00 | 7.05         | 2.4302                     | 0             | 231109          | 14.9                       | 223                            |
| 7/29/2026 | 13:15:00 | 7.05         | 2.4037                     | 0             | 231145          | 14.8                       | 226                            |
| 7/29/2026 | 13:30:00 | 7.06         | 2.4037                     | 0             | 231180          | 14.8                       | 224                            |
| 7/29/2026 | 13:45:00 | 7.08         | 2.2864                     | 0             | 231214          | 14.7                       | 224                            |
| 7/29/2026 | 14:00:00 | 7.06         | 0.5716                     | 0             | 231227          | 14.9                       | 222                            |
| 7/29/2026 | 14:15:00 | 7.09         | 2.3318                     | 0             | 231253          | 14.9                       | 223                            |
| 7/29/2026 | 14:30:00 | 7.08         | 1.0637                     | 0             | 231271          | 15                         | 222                            |
| 7/29/2026 | 14:45:00 | 7.08         | 2.2902                     | 0             | 231299          | 14.8                       | 222                            |
| 7/29/2026 | 15:00:00 | 7.08         | 2.2220                     | 0             | 231333          | 14.8                       | 222                            |
| 7/29/2026 | 15:15:00 | 7.08         | 0.9766                     | 0             | 231359          | 14.9                       | 219                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/29/2026 | 15:30:00 | 7.08         | 0.4467                     | 0             | 231369          | 15.1                       | 221                            |
| 7/29/2026 | 15:45:00 | 7.09         | 1.8246                     | 0             | 231394          | 15                         | 218                            |
| 7/29/2026 | 16:00:00 | 7.07         | 1.1962                     | 0             | 231412          | 15                         | 219                            |
| 7/29/2026 | 16:15:00 | 7.07         | 1.0258                     | 0             | 231430          | 15                         | 218                            |
| 7/29/2026 | 16:30:00 | 7.07         | 1.8700                     | 0             | 231448          | 14.9                       | 216                            |
| 7/29/2026 | 16:45:00 | 7.07         | 2.3848                     | 0             | 231476          | 14.7                       | 217                            |
| 7/29/2026 | 17:00:00 | 7.08         | 0.7609                     | 0             | 231501          | 14.8                       | 217                            |
| 7/29/2026 | 17:15:00 | 7.07         | 0.3634                     | 0             | 231509          | 14.9                       | 218                            |
| 7/29/2026 | 17:30:00 | 7.05         | 0.4770                     | 0             | 231516          | 15.1                       | 217                            |
| 7/29/2026 | 17:45:00 | 7.08         | 2.3697                     | 0             | 231533          | 15                         | 217                            |
| 7/29/2026 | 18:00:00 | 7.08         | 2.3810                     | 0             | 231568          | 14.6                       | 215                            |
| 7/29/2026 | 18:15:00 | 7.06         | 1.9419                     | 0             | 231601          | 14.4                       | 215                            |
| 7/29/2026 | 18:30:00 | 7.05         | 1.0183                     | 0             | 231632          | 14.3                       | 215                            |
| 7/29/2026 | 18:45:00 | 7.05         | 0.3180                     | 0             | 231641          | 14.3                       | 216                            |
| 7/29/2026 | 19:00:00 | 7.05         | 2.1993                     | 0             | 231648          | 14.4                       | 216                            |
| 7/29/2026 | 19:15:00 | 7.08         | 2.1728                     | 0             | 231682          | 14.2                       | 214                            |
| 7/29/2026 | 19:30:00 | 7.08         | 2.0403                     | 0             | 231708          | 14.3                       | 215                            |
| 7/29/2026 | 19:45:00 | 7.08         | 0.6057                     | 0             | 231724          | 14.4                       | 215                            |
| 7/29/2026 | 20:00:00 | 7.09         | 2.3318                     | 0             | 231741          | 14.4                       | 213                            |
| 7/29/2026 | 20:15:00 | 7.09         | 2.4264                     | 0             | 231778          | 14.2                       | 215                            |
| 7/29/2026 | 20:30:00 | 7.08         | 2.4113                     | 0             | 231812          | 14                         | 217                            |
| 7/29/2026 | 20:45:00 | 7.07         | 2.3999                     | 0             | 231849          | 13.9                       | 218                            |
| 7/29/2026 | 21:00:00 | 7.06         | 2.4492                     | 0             | 231883          | 13.8                       | 217                            |
| 7/29/2026 | 21:15:00 | 7.1          | 0.3407                     | 0             | 231908          | 14.4                       | 0                              |
| 7/29/2026 | 21:30:00 | 7.08         | 0.3899                     | 0             | 231915          | 15.4                       | 0                              |
| 7/29/2026 | 21:45:00 | 7.05         | 1.7148                     | 0             | 231923          | 16                         | 215                            |
| 7/29/2026 | 22:00:00 | 7.06         | 2.3999                     | 0             | 231960          | 13.6                       | 215                            |
| 7/29/2026 | 22:15:00 | 7.05         | 0.6095                     | 0             | 231981          | 13.5                       | 215                            |
| 7/29/2026 | 22:30:00 | 7.06         | 0.3218                     | 0             | 231988          | 13.5                       | 216                            |
| 7/29/2026 | 22:45:00 | 7.05         | 0.3028                     | 0             | 231991          | 13.6                       | 216                            |
| 7/29/2026 | 23:00:00 | 7.08         | 2.1955                     | 0             | 232013          | 13.4                       | 219                            |
| 7/29/2026 | 23:15:00 | 7.08         | 1.4385                     | 0             | 232043          | 13.4                       | 221                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/29/2026 | 23:30:00 | 7.09         | 1.8435                     | 0             | 232071          | 13.4                       | 219                            |
| 7/29/2026 | 23:45:00 | 7.1          | 2.3015                     | 0             | 232098          | 13.4                       | 221                            |
| 7/30/2026 | 0:00:00  | 7.09         | 0.4921                     | 0             | 232114          | 13.5                       | 219                            |
| 7/30/2026 | 0:15:00  | 7.09         | 0.4202                     | 0             | 232121          | 13.5                       | 219                            |
| 7/30/2026 | 0:30:00  | 7.11         | 2.3772                     | 0             | 232144          | 13.4                       | 219                            |
| 7/30/2026 | 0:45:00  | 7.12         | 2.3621                     | 0             | 232178          | 13.4                       | 221                            |
| 7/30/2026 | 1:00:00  | 7.1          | 1.0713                     | 0             | 232198          | 13.4                       | 220                            |
| 7/30/2026 | 1:15:00  | 7.1          | 0.3785                     | 0             | 232212          | 13.4                       | 220                            |
| 7/30/2026 | 1:30:00  | 7.09         | 0.8669                     | 0             | 232221          | 13.4                       | 220                            |
| 7/30/2026 | 1:45:00  | 7.1          | 0.8593                     | 2             | 232233          | 13.4                       | 220                            |
| 7/30/2026 | 2:00:00  | 7.1          | 0.6852                     | 0             | 232249          | 13.3                       | 219                            |
| 7/30/2026 | 2:15:00  | 7.09         | 0.6246                     | 0             | 232266          | 13.3                       | 219                            |
| 7/30/2026 | 2:30:00  | 7.09         | 2.3583                     | 0             | 232284          | 13.3                       | 217                            |
| 7/30/2026 | 2:45:00  | 7.09         | 0.5451                     | 0             | 232296          | 13.3                       | 219                            |
| 7/30/2026 | 3:00:00  | 7.1          | 2.2977                     | 0             | 232312          | 13.3                       | 219                            |
| 7/30/2026 | 3:15:00  | 7.1          | 1.5672                     | 0             | 232344          | 13.3                       | 220                            |
| 7/30/2026 | 3:30:00  | 7.1          | 1.6467                     | 0             | 232367          | 13.4                       | 221                            |
| 7/30/2026 | 3:45:00  | 7.1          | 2.3886                     | 0             | 232397          | 13.3                       | 220                            |
| 7/30/2026 | 4:00:00  | 7.1          | 2.4037                     | 0             | 232431          | 13.3                       | 223                            |
| 7/30/2026 | 4:15:00  | 7.1          | 2.3886                     | 0             | 232468          | 13.3                       | 222                            |
| 7/30/2026 | 4:30:00  | 7.1          | 0.7647                     | 0             | 232493          | 13.4                       | 222                            |
| 7/30/2026 | 4:45:00  | 7.09         | 0.9653                     | 0             | 232520          | 13.4                       | 223                            |
| 7/30/2026 | 5:00:00  | 7.06         | 2.2220                     | 0             | 232536          | 13.4                       | 225                            |
| 7/30/2026 | 5:15:00  | 6.97         | 2.3129                     | 0             | 232568          | 13.4                       | 226                            |
| 7/30/2026 | 5:30:00  | 6.96         | 2.2447                     | 0             | 232602          | 13.4                       | 226                            |
| 7/30/2026 | 5:45:00  | 6.98         | 2.1312                     | 0             | 232632          | 13.4                       | 228                            |
| 7/30/2026 | 6:00:00  | 7.01         | 1.8813                     | 0             | 232662          | 13.4                       | 225                            |
| 7/30/2026 | 6:15:00  | 7.03         | 1.7678                     | 0             | 232688          | 13.4                       | 226                            |
| 7/30/2026 | 6:30:00  | 7.04         | 0.6095                     | 0             | 232706          | 13.4                       | 225                            |
| 7/30/2026 | 6:45:00  | 7.05         | 0.1514                     | 0             | 232712          | 13.4                       | 226                            |
| 7/30/2026 | 7:00:00  | 7.05         | 0.8517                     | 0             | 232716          | 13.4                       | 227                            |
| 7/30/2026 | 7:15:00  | 7.04         | 2.3470                     | 0             | 232739          | 13.4                       | 224                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/30/2026 | 7:30:00  | 7.03         | 2.3924                     | 0             | 232774          | 13.4                       | 222                            |
| 7/30/2026 | 7:45:00  | 7.02         | 0.6587                     | 0             | 232801          | 13.4                       | 222                            |
| 7/30/2026 | 8:00:00  | 7.03         | 0.3937                     | 0             | 232808          | 13.5                       | 223                            |
| 7/30/2026 | 8:15:00  | 7.02         | 1.9760                     | 0             | 232827          | 13.4                       | 222                            |
| 7/30/2026 | 8:30:00  | 7.02         | 2.3810                     | 0             | 232860          | 13.4                       | 219                            |
| 7/30/2026 | 8:45:00  | 7.02         | 0.9842                     | 0             | 232891          | 13.5                       | 219                            |
| 7/30/2026 | 9:00:00  | 7.03         | 0.3558                     | 0             | 232901          | 13.5                       | 221                            |
| 7/30/2026 | 9:15:00  | 7.03         | 0.3520                     | 0             | 232905          | 13.6                       | 221                            |
| 7/30/2026 | 9:30:00  | 7.02         | 1.9078                     | 0             | 232923          | 13.7                       | 217                            |
| 7/30/2026 | 9:45:00  | 7.02         | 0.7571                     | 0             | 232940          | 13.7                       | 218                            |
| 7/30/2026 | 10:00:00 | 7.04         | 2.4378                     | 0             | 232964          | 13.7                       | 218                            |
| 7/30/2026 | 10:15:00 | 7.04         | 2.3356                     | 0             | 233000          | 13.8                       | 218                            |
| 7/30/2026 | 10:30:00 | 7.04         | 0.7912                     | 0             | 233022          | 13.9                       | 219                            |
| 7/30/2026 | 10:45:00 | 7.05         | 2.1880                     | 0             | 233038          | 14.1                       | 219                            |
| 7/30/2026 | 11:00:00 | 7.04         | 1.1621                     | 0             | 233066          | 14.2                       | 220                            |
| 7/30/2026 | 11:15:00 | 7.02         | 1.1583                     | 0             | 233085          | 14.3                       | 220                            |
| 7/30/2026 | 11:30:00 | 7.04         | 2.5324                     | 0             | 233116          | 14.2                       | 220                            |
| 7/30/2026 | 11:45:00 | 7.05         | 2.5552                     | 0             | 233149          | 14.2                       | 222                            |
| 7/30/2026 | 12:00:00 | 7.07         | 2.5059                     | 0             | 233186          | 14.4                       | 221                            |
| 7/30/2026 | 12:15:00 | 7.06         | 0.5716                     | 0             | 233207          | 14.5                       | 220                            |
| 7/30/2026 | 12:30:00 | 7.07         | 2.4908                     | 0             | 233228          | 14.7                       | 220                            |
| 7/30/2026 | 12:45:00 | 7.05         | 2.0593                     | 0             | 233264          | 14.6                       | 220                            |
| 7/30/2026 | 13:00:00 | 7.05         | 1.9646                     | 0             | 233296          | 14.6                       | 219                            |
| 7/30/2026 | 13:15:00 | 7.06         | 0.4694                     | 0             | 233308          | 14.8                       | 219                            |
| 7/30/2026 | 13:30:00 | 7.05         | 0.8252                     | 6             | 233320          | 14.9                       | 217                            |
| 7/30/2026 | 13:45:00 | 7.05         | 2.3735                     | 0             | 233338          | 14.8                       | 219                            |
| 7/30/2026 | 14:00:00 | 7.07         | 2.2902                     | 0             | 233372          | 14.7                       | 218                            |
| 7/30/2026 | 14:15:00 | 7.08         | 2.1842                     | 0             | 233406          | 14.8                       | 219                            |
| 7/30/2026 | 14:30:00 | 7.09         | 1.9116                     | 0             | 233437          | 14.9                       | 218                            |
| 7/30/2026 | 14:45:00 | 7.09         | 1.4195                     | 0             | 233462          | 15                         | 220                            |
| 7/30/2026 | 15:00:00 | 7.09         | 1.1281                     | 0             | 233480          | 15.7                       | 219                            |
| 7/30/2026 | 15:15:00 | 7.1          | 2.4340                     | 0             | 233513          | 15                         | 220                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/30/2026 | 15:30:00 | 7.09         | 0.7987                     | 0             | 233547          | 14.9                       | 219                            |
| 7/30/2026 | 15:45:00 | 7.08         | 0.4770                     | 0             | 233559          | 14.9                       | 217                            |
| 7/30/2026 | 16:00:00 | 7.09         | 2.4454                     | 0             | 233582          | 14.8                       | 219                            |
| 7/30/2026 | 16:15:00 | 7.08         | 0.9501                     | 0             | 233602          | 14.8                       | 220                            |
| 7/30/2026 | 16:30:00 | 7.08         | 1.1470                     | 0             | 233621          | 14.8                       | 222                            |
| 7/30/2026 | 16:45:00 | 7.08         | 2.2637                     | 0             | 233641          | 14.8                       | 222                            |
| 7/30/2026 | 17:00:00 | 7.09         | 2.4605                     | 0             | 233678          | 14.6                       | 222                            |
| 7/30/2026 | 17:15:00 | 7.1          | 2.1993                     | 0             | 233714          | 14.7                       | 224                            |
| 7/30/2026 | 17:30:00 | 7.12         | 2.4378                     | 0             | 233751          | 14.8                       | 226                            |
| 7/30/2026 | 17:45:00 | 7.1          | 2.1842                     | 0             | 233788          | 14.8                       | 225                            |
| 7/30/2026 | 18:00:00 | 7.08         | 1.0069                     | 0             | 233817          | 14.9                       | 227                            |
| 7/30/2026 | 18:15:00 | 7.06         | 0.3369                     | 0             | 233825          | 15                         | 232                            |
| 7/30/2026 | 18:30:00 | 7.05         | 2.3810                     | 0             | 233847          | 14.8                       | 229                            |
| 7/30/2026 | 18:45:00 | 7.06         | 2.3053                     | 0             | 233881          | 14.6                       | 231                            |
| 7/30/2026 | 19:00:00 | 7.06         | 1.7829                     | 0             | 233912          | 14.4                       | 231                            |
| 7/30/2026 | 19:15:00 | 7.05         | 1.1848                     | 0             | 233938          | 14.3                       | 231                            |
| 7/30/2026 | 19:30:00 | 7.04         | 1.2000                     | 0             | 233955          | 14.3                       | 232                            |
| 7/30/2026 | 19:45:00 | 7.04         | 1.7148                     | 0             | 233983          | 14.3                       | 232                            |
| 7/30/2026 | 20:00:00 | 7.03         | 2.1615                     | 0             | 234017          | 14.1                       | 231                            |
| 7/30/2026 | 20:15:00 | 7.04         | 1.0713                     | 0             | 234050          | 14.1                       | 229                            |
| 7/30/2026 | 20:30:00 | 7            | 0.4013                     | 0             | 234059          | 14.2                       | 231                            |
| 7/30/2026 | 20:45:00 | 7.01         | 0.7495                     | 0             | 234072          | 14.2                       | 228                            |
| 7/30/2026 | 21:00:00 | 7.02         | 0.7230                     | 0             | 234082          | 14                         | 224                            |
| 7/30/2026 | 21:15:00 | 7.02         | 0.4050                     | 0             | 234094          | 13.9                       | 224                            |
| 7/30/2026 | 21:30:00 | 7.02         | 0.3975                     | 0             | 234096          | 14.8                       | 225                            |
| 7/30/2026 | 21:45:00 | 6.99         | 0.5716                     | 0             | 234103          | 15.7                       | 227                            |
| 7/30/2026 | 22:00:00 | 7.01         | 2.4794                     | 0             | 234137          | 13.7                       | 222                            |
| 7/30/2026 | 22:15:00 | 7.02         | 2.4340                     | 0             | 234175          | 13.7                       | 221                            |
| 7/30/2026 | 22:30:00 | 7.03         | 0.0189                     | 0             | 234189          | 13.8                       | 222                            |
| 7/30/2026 | 22:45:00 | 7.04         | 1.8549                     | 0             | 234202          | 13.9                       | 224                            |
| 7/30/2026 | 23:00:00 | 7.04         | 2.3015                     | 0             | 234231          | 13.8                       | 227                            |
| 7/30/2026 | 23:15:00 | 7.05         | 0.4921                     | 0             | 234245          | 13.9                       | 226                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/30/2026 | 23:30:00 | 7.05         | 0.6852                     | 0             | 234254          | 13.9                       | 226                            |
| 7/30/2026 | 23:45:00 | 7.05         | 0.6473                     | 0             | 234261          | 13.9                       | 224                            |
| 7/31/2026 | 0:00:00  | 7.05         | 1.5407                     | 0             | 234282          | 13.8                       | 225                            |
| 7/31/2026 | 0:15:00  | 7.04         | 1.8359                     | 0             | 234304          | 13.8                       | 227                            |
| 7/31/2026 | 0:30:00  | 7.04         | 2.2561                     | 0             | 234332          | 13.8                       | 226                            |
| 7/31/2026 | 0:45:00  | 7.04         | 2.5249                     | 0             | 234368          | 13.7                       | 224                            |
| 7/31/2026 | 1:00:00  | 7.04         | 1.9911                     | 0             | 234402          | 13.7                       | 227                            |
| 7/31/2026 | 1:15:00  | 7.05         | 0.1514                     | 0             | 234419          | 13.8                       | 226                            |
| 7/31/2026 | 1:30:00  | 7.04         | 0.0151                     | 0             | 234419          | 15.6                       | 0                              |
| 7/31/2026 | 1:45:00  | 7.03         | 2.4832                     | 0             | 234431          | 14.1                       | 225                            |
| 7/31/2026 | 2:00:00  | 7.04         | 0.6095                     | 0             | 234462          | 13.8                       | 227                            |
| 7/31/2026 | 2:30:00  | 7.03         | 0.5981                     | 0             | 234471          | 14                         | 226                            |
| 7/31/2026 | 2:45:00  | 7.02         | 1.1091                     | 2             | 234486          | 13.8                       | 226                            |
| 7/31/2026 | 3:00:00  | 7.05         | 2.4643                     | 0             | 234516          | 13.8                       | 228                            |
| 7/31/2026 | 3:15:00  | 7.06         | 0.7079                     | 0             | 234528          | 13.7                       | 229                            |
| 7/31/2026 | 3:30:00  | 7.06         | 2.1274                     | 0             | 234542          | 13.6                       | 228                            |
| 7/31/2026 | 3:45:00  | 7.03         | 2.5135                     | 0             | 234579          | 13.6                       | 228                            |
| 7/31/2026 | 4:00:00  | 7.01         | 1.7526                     | 0             | 234613          | 13.6                       | 231                            |
| 7/31/2026 | 4:15:00  | 7.01         | 0.5224                     | 0             | 234633          | 13.7                       | 230                            |
| 7/31/2026 | 4:30:00  | 7.03         | 0.6852                     | 0             | 234636          | 13.8                       | 232                            |
| 7/31/2026 | 4:45:00  | 7.04         | 0.2763                     | 0             | 234640          | 14.6                       | 231                            |
| 7/31/2026 | 5:00:00  | 7.01         | 0.9842                     | 0             | 234651          | 15.6                       | 232                            |
| 7/31/2026 | 5:15:00  | 7            | 1.8359                     | 0             | 234683          | 13.8                       | 233                            |
| 7/31/2026 | 5:30:00  | 6.99         | 2.2637                     | 0             | 234714          | 13.7                       | 234                            |
| 7/31/2026 | 5:45:00  | 7            | 1.7072                     | 0             | 234745          | 13.7                       | 234                            |
| 7/31/2026 | 6:00:00  | 7.01         | 1.8662                     | 0             | 234768          | 13.7                       | 234                            |
| 7/31/2026 | 6:15:00  | 7.03         | 1.4006                     | 0             | 234793          | 13.8                       | 234                            |
| 7/31/2026 | 6:30:00  | 7.03         | 0.8820                     | 0             | 234810          | 13.8                       | 233                            |
| 7/31/2026 | 6:45:00  | 7.05         | 2.4416                     | 0             | 234836          | 13.7                       | 233                            |
| 7/31/2026 | 7:00:00  | 7.05         | 0.2877                     | 0             | 234862          | 13.7                       | 233                            |
| 7/31/2026 | 7:15:00  | 7.06         | 1.3779                     | 0             | 234871          | 13.8                       | 234                            |
| 7/31/2026 | 7:30:00  | 7.05         | 2.5173                     | 0             | 234905          | 13.8                       | 233                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/31/2026 | 7:45:00  | 7.05         | 0.9729                     | 0             | 234933          | 13.9                       | 233                            |
| 7/31/2026 | 8:00:00  | 7.05         | 0.4315                     | 0             | 234942          | 13.9                       | 233                            |
| 7/31/2026 | 8:15:00  | 7.03         | 0.7344                     | 0             | 234949          | 14                         | 233                            |
| 7/31/2026 | 8:30:00  | 7.03         | 2.4681                     | 0             | 234984          | 13.9                       | 233                            |
| 7/31/2026 | 8:45:00  | 7.02         | 2.0403                     | 0             | 235021          | 13.9                       | 232                            |
| 7/31/2026 | 9:00:00  | 7            | 2.4492                     | 0             | 235055          | 13.9                       | 232                            |
| 7/31/2026 | 9:15:00  | 7            | 2.3848                     | 0             | 235093          | 13.9                       | 232                            |
| 7/31/2026 | 9:30:00  | 7.01         | 0.4770                     | 0             | 235104          | 14                         | 233                            |
| 7/31/2026 | 9:45:00  | 7.01         | 0.6019                     | 0             | 235121          | 14.1                       | 230                            |
| 7/31/2026 | 10:00:00 | 7.02         | 0.9199                     | 0             | 235128          | 14.2                       | 230                            |
| 7/31/2026 | 10:15:00 | 7.04         | 1.0410                     | 0             | 235157          | 14.3                       | 230                            |
| 7/31/2026 | 10:30:00 | 7.04         | 0.7344                     | 0             | 235168          | 14.5                       | 229                            |
| 7/31/2026 | 10:45:00 | 7.04         | 1.8170                     | 0             | 235191          | 14.5                       | 230                            |
| 7/31/2026 | 11:00:00 | 7.06         | 2.4567                     | 0             | 235217          | 14.6                       | 232                            |
| 7/31/2026 | 11:15:00 | 7.09         | 2.4454                     | 0             | 235254          | 14.6                       | 232                            |
| 7/31/2026 | 11:30:00 | 7.1          | 1.9949                     | 0             | 235287          | 14.6                       | 231                            |
| 7/31/2026 | 11:45:00 | 7.1          | 2.3962                     | 0             | 235324          | 14.7                       | 229                            |
| 7/31/2026 | 12:00:00 | 7.09         | 0.5981                     | 0             | 235347          | 14.8                       | 229                            |
| 7/31/2026 | 12:15:00 | 7.08         | 2.4340                     | 0             | 235368          | 14.9                       | 231                            |
| 7/31/2026 | 12:30:00 | 7.07         | 2.4037                     | 0             | 235406          | 14.8                       | 231                            |
| 7/31/2026 | 12:45:00 | 7.05         | 2.3621                     | 0             | 235438          | 14.8                       | 232                            |
| 7/31/2026 | 13:00:00 | 7.04         | 0.5905                     | 0             | 235457          | 14.8                       | 233                            |
| 7/31/2026 | 13:15:00 | 7.04         | 0.7382                     | 0             | 235465          | 15                         | 234                            |
| 7/31/2026 | 13:30:00 | 7.04         | 0.6473                     | 0             | 235484          | 15.2                       | 233                            |
| 7/31/2026 | 13:45:00 | 7.05         | 0.3748                     | 0             | 235492          | 15.4                       | 233                            |
| 7/31/2026 | 14:00:00 | 7.08         | 2.2220                     | 0             | 235514          | 15.5                       | 233                            |
| 7/31/2026 | 14:15:00 | 7.08         | 1.0372                     | 0             | 235545          | 15.4                       | 232                            |
| 7/31/2026 | 14:30:00 | 7.05         | 1.0334                     | 0             | 235560          | 15.6                       | 232                            |
| 7/31/2026 | 14:45:00 | 7.02         | 1.4460                     | 0             | 235584          | 15.3                       | 232                            |
| 7/31/2026 | 15:00:00 | 7.01         | 1.8284                     | 0             | 235610          | 15.2                       | 231                            |
| 7/31/2026 | 15:15:00 | 6.99         | 2.4908                     | 0             | 235646          | 15                         | 231                            |
| 7/31/2026 | 15:30:00 | 7            | 2.0479                     | 0             | 235682          | 14.9                       | 233                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/31/2026 | 15:45:00 | 7.03         | 2.4529                     | 0             | 235717          | 14.9                       | 231                            |
| 7/31/2026 | 16:00:00 | 7.05         | 0.9804                     | 0             | 235749          | 15.1                       | 233                            |
| 7/31/2026 | 16:15:00 | 7.05         | 0.6965                     | 0             | 235758          | 15.2                       | 232                            |
| 7/31/2026 | 16:30:00 | 7.07         | 2.3583                     | 0             | 235792          | 15.1                       | 232                            |
| 7/31/2026 | 16:45:00 | 7.07         | 2.2372                     | 0             | 235826          | 15                         | 233                            |
| 7/31/2026 | 17:00:00 | 7.06         | 1.9116                     | 0             | 235857          | 14.9                       | 231                            |
| 7/31/2026 | 17:15:00 | 7.05         | 1.0221                     | 0             | 235879          | 15                         | 232                            |
| 7/31/2026 | 17:30:00 | 7.04         | 0.9918                     | 0             | 235894          | 16.6                       | 233                            |
| 7/31/2026 | 17:45:00 | 7.08         | 1.9949                     | 0             | 235924          | 14.9                       | 231                            |
| 7/31/2026 | 18:00:00 | 7.06         | 0.3331                     | 0             | 235937          | 15                         | 231                            |
| 7/31/2026 | 18:15:00 | 7.04         | 0.3710                     | 0             | 235942          | 15.1                       | 232                            |
| 7/31/2026 | 18:30:00 | 7.06         | 2.4643                     | 0             | 235965          | 15                         | 230                            |
| 7/31/2026 | 18:45:00 | 7.07         | 2.4416                     | 0             | 236002          | 14.7                       | 229                            |
| 7/31/2026 | 19:00:00 | 7.06         | 0.6738                     | 0             | 236030          | 14.6                       | 228                            |
| 7/31/2026 | 19:15:00 | 7.05         | 0.3331                     | 0             | 236036          | 14.6                       | 229                            |
| 7/31/2026 | 19:30:00 | 7.05         | 0.6284                     | 0             | 236047          | 14.5                       | 229                            |
| 7/31/2026 | 19:45:00 | 7.04         | 2.2902                     | 0             | 236059          | 14.4                       | 230                            |
| 7/31/2026 | 20:00:00 | 7.05         | 1.9495                     | 0             | 236095          | 14.1                       | 230                            |
| 7/31/2026 | 20:15:00 | 7.05         | 2.3999                     | 0             | 236130          | 14.1                       | 230                            |
| 7/31/2026 | 20:30:00 | 7.05         | 2.3999                     | 0             | 236166          | 14                         | 229                            |
| 7/31/2026 | 20:45:00 | 7.05         | 2.3432                     | 0             | 236198          | 13.9                       | 229                            |
| 7/31/2026 | 21:00:00 | 7.07         | 2.2410                     | 0             | 236232          | 13.9                       | 228                            |
| 7/31/2026 | 21:15:00 | 7.06         | 0.2801                     | 0             | 236243          | 14                         | 227                            |
| 7/31/2026 | 21:30:00 | 7.05         | 0.2082                     | 0             | 236246          | 14.1                       | 228                            |
| 7/31/2026 | 21:45:00 | 7.06         | 1.2984                     | 0             | 236263          | 14                         | 227                            |
| 7/31/2026 | 22:00:00 | 7.05         | 1.5861                     | 0             | 236286          | 13.9                       | 227                            |
| 7/31/2026 | 22:15:00 | 7.05         | 1.0713                     | 0             | 236305          | 13.9                       | 225                            |
| 7/31/2026 | 22:30:00 | 7.05         | 0.6965                     | 0             | 236318          | 14                         | 226                            |
| 7/31/2026 | 22:45:00 | 7.05         | 2.3280                     | 0             | 236343          | 13.9                       | 225                            |
| 7/31/2026 | 23:00:00 | 7.04         | 2.4264                     | 0             | 236380          | 13.7                       | 225                            |
| 7/31/2026 | 23:15:00 | 7.05         | 0.7912                     | 0             | 236408          | 13.7                       | 226                            |
| 7/31/2026 | 23:30:00 | 7.06         | 0.5754                     | 0             | 236416          | 13.8                       | 224                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 7/31/2026 | 23:45:00 | 7.05         | 0.4467                     | 0             | 236424          | 13.8                       | 223                            |
| 8/1/2026  | 0:00:00  | 7.05         | 1.1962                     | 9             | 236441          | 13.8                       | 223                            |
| 8/1/2026  | 0:15:00  | 7.05         | 1.1697                     | 1             | 236457          | 14.2                       | 223                            |
| 8/1/2026  | 0:30:00  | 7.05         | 2.3507                     | 0             | 236481          | 13.7                       | 222                            |
| 8/1/2026  | 0:45:00  | 7.05         | 2.2977                     | 0             | 236515          | 13.6                       | 222                            |
| 8/1/2026  | 1:00:00  | 7.05         | 2.1690                     | 0             | 236549          | 13.6                       | 222                            |
| 8/1/2026  | 1:15:00  | 7.06         | 1.9419                     | 0             | 236580          | 13.6                       | 223                            |
| 8/1/2026  | 1:30:00  | 7.06         | 1.5293                     | 0             | 236606          | 13.6                       | 222                            |
| 8/1/2026  | 1:45:00  | 7.05         | 1.1243                     | 0             | 236627          | 13.7                       | 223                            |
| 8/1/2026  | 2:00:00  | 7.06         | 0.3785                     | 0             | 236636          | 13.7                       | 223                            |
| 8/1/2026  | 2:15:00  | 7.06         | 2.3394                     | 0             | 236653          | 13.6                       | 224                            |
| 8/1/2026  | 2:30:00  | 7.05         | 0.6473                     | 0             | 236676          | 13.6                       | 222                            |
| 8/1/2026  | 2:45:00  | 7.04         | 0.7798                     | 0             | 236686          | 13.6                       | 223                            |
| 8/1/2026  | 3:00:00  | 7.02         | 1.0372                     | 0             | 236716          | 13.5                       | 223                            |
| 8/1/2026  | 3:15:00  | 7.03         | 0.7382                     | 0             | 236726          | 13.6                       | 223                            |
| 8/1/2026  | 3:30:00  | 6.94         | 2.1804                     | 0             | 236759          | 13.5                       | 226                            |
| 8/1/2026  | 3:45:00  | 6.89         | 1.8965                     | 0             | 236789          | 13.6                       | 227                            |
| 8/1/2026  | 4:00:00  | 6.89         | 1.4385                     | 0             | 236815          | 13.7                       | 228                            |
| 8/1/2026  | 4:15:00  | 6.92         | 0.6208                     | 0             | 236829          | 13.7                       | 229                            |
| 8/1/2026  | 4:45:00  | 6.93         | 0.0038                     | 0             | 236833          | 15.2                       | 0                              |
| 8/1/2026  | 5:00:00  | 6.92         | 1.8170                     | 0             | 236852          | 13.7                       | 229                            |
| 8/1/2026  | 5:15:00  | 6.95         | 0.7230                     | 104           | 236871          | 13.7                       | 229                            |
| 8/1/2026  | 5:30:00  | 6.96         | 2.3962                     | 0             | 236883          | 13.6                       | 227                            |
| 8/1/2026  | 5:45:00  | 6.98         | 1.6959                     | 0             | 236918          | 13.6                       | 226                            |
| 8/1/2026  | 6:00:00  | 7            | 0.4126                     | 0             | 236929          | 13.6                       | 226                            |
| 8/1/2026  | 6:15:00  | 6.99         | 0.4429                     | 0             | 236935          | 13.7                       | 229                            |
| 8/1/2026  | 6:30:00  | 7            | 2.2183                     | 0             | 236964          | 13.6                       | 228                            |
| 8/1/2026  | 6:45:00  | 7            | 2.1236                     | 0             | 236998          | 13.6                       | 227                            |
| 8/1/2026  | 7:00:00  | 7            | 1.9495                     | 0             | 237028          | 13.6                       | 229                            |
| 8/1/2026  | 7:15:00  | 7.01         | 1.6921                     | 0             | 237056          | 13.7                       | 230                            |
| 8/1/2026  | 7:30:00  | 7            | 0.1211                     | 0             | 237067          | 13.7                       | 231                            |
| 8/1/2026  | 7:45:00  | 7.01         | 1.0978                     | 0             | 237078          | 13.7                       | 229                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/1/2026 | 8:00:00  | 7.02         | 2.3053                     | 0             | 237100          | 13.8                       | 230                            |
| 8/1/2026 | 8:15:00  | 7.01         | 2.3621                     | 0             | 237133          | 13.7                       | 231                            |
| 8/1/2026 | 8:30:00  | 7            | 2.3583                     | 0             | 237167          | 13.7                       | 228                            |
| 8/1/2026 | 8:45:00  | 7.01         | 2.3432                     | 0             | 237201          | 13.7                       | 227                            |
| 8/1/2026 | 9:00:00  | 7.01         | 0.9199                     | 0             | 237230          | 13.8                       | 227                            |
| 8/1/2026 | 9:15:00  | 7.02         | 0.3975                     | 0             | 237238          | 13.9                       | 227                            |
| 8/1/2026 | 9:30:00  | 7.02         | 0.4013                     | 0             | 237245          | 14                         | 227                            |
| 8/1/2026 | 9:45:00  | 7.05         | 1.1810                     | 0             | 237265          | 14                         | 226                            |
| 8/1/2026 | 10:00:00 | 7.04         | 1.2340                     | 1             | 237282          | 14                         | 229                            |
| 8/1/2026 | 10:15:00 | 7.04         | 0.4845                     | 0             | 237297          | 14                         | 230                            |
| 8/1/2026 | 10:30:00 | 7.03         | 0.6435                     | 0             | 237302          | 14.2                       | 231                            |
| 8/1/2026 | 10:45:00 | 7.04         | 2.2485                     | 0             | 237332          | 14.1                       | 232                            |
| 8/1/2026 | 11:00:00 | 7.03         | 1.2605                     | 0             | 237357          | 14.1                       | 233                            |
| 8/1/2026 | 11:15:00 | 7.04         | 2.1160                     | 0             | 237387          | 14.2                       | 237                            |
| 8/1/2026 | 11:30:00 | 7.04         | 1.2378                     | 0             | 237415          | 14.4                       | 236                            |
| 8/1/2026 | 11:45:00 | 7.05         | 1.7072                     | 0             | 237438          | 14.6                       | 237                            |
| 8/1/2026 | 12:00:00 | 7.04         | 0.8441                     | 0             | 237456          | 14.8                       | 237                            |
| 8/1/2026 | 12:15:00 | 7.04         | 0.1666                     | 0             | 237461          | 15                         | 239                            |
| 8/1/2026 | 12:30:00 | 7.03         | 0.7041                     | 1             | 237465          | 15.1                       | 241                            |
| 8/1/2026 | 12:45:00 | 7.02         | 0.6397                     | 0             | 237477          | 15.2                       | 238                            |
| 8/1/2026 | 13:00:00 | 7.04         | 2.4037                     | 0             | 237500          | 15                         | 238                            |
| 8/1/2026 | 13:15:00 | 7.04         | 2.0441                     | 0             | 237535          | 15                         | 241                            |
| 8/1/2026 | 13:30:00 | 7.04         | 2.1085                     | 0             | 237569          | 15                         | 240                            |
| 8/1/2026 | 13:45:00 | 7.05         | 2.3772                     | 0             | 237598          | 15                         | 238                            |
| 8/1/2026 | 14:00:00 | 7.06         | 2.3810                     | 0             | 237627          | 15                         | 239                            |
| 8/1/2026 | 14:15:00 | 7.07         | 2.3697                     | 0             | 237662          | 15.1                       | 237                            |
| 8/1/2026 | 14:30:00 | 7.05         | 0.5943                     | 0             | 237683          | 15.2                       | 237                            |
| 8/1/2026 | 14:45:00 | 7.05         | 0.3975                     | 1             | 237691          | 15.5                       | 236                            |
| 8/1/2026 | 15:00:00 | 7.03         | 0.4505                     | 0             | 237697          | 15.7                       | 238                            |
| 8/1/2026 | 15:15:00 | 7.04         | 1.8208                     | 0             | 237717          | 15.6                       | 236                            |
| 8/1/2026 | 15:30:00 | 7.04         | 1.1697                     | 0             | 237745          | 15.5                       | 236                            |
| 8/1/2026 | 15:45:00 | 7.04         | 0.6359                     | 0             | 237755          | 15.6                       | 237                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/1/2026 | 16:00:00 | 7.03         | 1.2984                     | 0             | 237779          | 15.7                       | 236                            |
| 8/1/2026 | 16:15:00 | 7.04         | 0.4126                     | 1             | 237797          | 15.6                       | 235                            |
| 8/1/2026 | 16:30:00 | 7.03         | 0.3710                     | 2             | 237804          | 15.5                       | 237                            |
| 8/1/2026 | 16:45:00 | 7.05         | 1.7791                     | 0             | 237829          | 15.3                       | 234                            |
| 8/1/2026 | 17:00:00 | 7.06         | 0.2574                     | 0             | 237836          | 15.5                       | 232                            |
| 8/1/2026 | 17:15:00 | 7.05         | 0.6359                     | 1             | 237838          | 16.6                       | 234                            |
| 8/1/2026 | 17:30:00 | 7.04         | 2.1993                     | 0             | 237870          | 15.1                       | 230                            |
| 8/1/2026 | 17:45:00 | 7.04         | 1.5937                     | 0             | 237894          | 15                         | 232                            |
| 8/1/2026 | 18:00:00 | 7.03         | 1.8435                     | 0             | 237923          | 14.8                       | 231                            |
| 8/1/2026 | 18:15:00 | 7.03         | 0.2498                     | 0             | 237936          | 14.9                       | 232                            |
| 8/1/2026 | 18:30:00 | 7.03         | 0.0038                     | 0             | 237937          | 15.5                       | 232                            |
| 8/1/2026 | 18:45:00 | 7.02         | 0.0076                     | 0             | 237937          | 16.2                       | 233                            |
| 8/1/2026 | 19:00:00 | 7.02         | 1.1546                     | 0             | 237952          | 14.9                       | 233                            |
| 8/1/2026 | 19:15:00 | 7.02         | 2.1728                     | 0             | 237974          | 14.6                       | 235                            |
| 8/1/2026 | 19:30:00 | 6.99         | 2.3735                     | 1             | 238005          | 14.3                       | 239                            |
| 8/1/2026 | 19:45:00 | 6.99         | 2.3848                     | 0             | 238039          | 14.1                       | 244                            |
| 8/1/2026 | 20:00:00 | 6.99         | 0.6814                     | 0             | 238063          | 14                         | 244                            |
| 8/1/2026 | 20:15:00 | 7.02         | 0.4997                     | 1             | 238069          | 14.1                       | 245                            |
| 8/1/2026 | 20:30:00 | 7.01         | 0.6738                     | 0             | 238079          | 14                         | 246                            |
| 8/1/2026 | 20:45:00 | 7            | 2.2826                     | 1             | 238096          | 13.9                       | 247                            |
| 8/1/2026 | 21:00:00 | 7            | 2.3735                     | 0             | 238130          | 13.8                       | 249                            |
| 8/1/2026 | 21:15:00 | 6.99         | 1.9798                     | 0             | 238163          | 13.7                       | 248                            |
| 8/1/2026 | 21:30:00 | 7            | 0.3558                     | 0             | 238182          | 13.7                       | 250                            |
| 8/1/2026 | 21:45:00 | 7.01         | 1.3135                     | 0             | 238188          | 13.7                       | 250                            |
| 8/1/2026 | 22:00:00 | 7            | 0.8139                     | 0             | 238207          | 13.7                       | 250                            |
| 8/1/2026 | 22:15:00 | 7.01         | 0.3520                     | 1             | 238215          | 13.7                       | 252                            |
| 8/1/2026 | 22:30:00 | 6.99         | 0.4050                     | 1             | 238222          | 13.7                       | 252                            |
| 8/1/2026 | 22:45:00 | 7.01         | 0.4353                     | 0             | 238233          | 13.7                       | 251                            |
| 8/1/2026 | 23:00:00 | 7.01         | 2.2864                     | 0             | 238245          | 13.7                       | 252                            |
| 8/1/2026 | 23:15:00 | 7            | 2.2712                     | 0             | 238279          | 13.7                       | 252                            |
| 8/1/2026 | 23:30:00 | 7            | 1.0031                     | 0             | 238305          | 13.8                       | 250                            |
| 8/1/2026 | 23:45:00 | 7            | 0.9199                     | 0             | 238320          | 13.8                       | 248                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|---------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/2/2026 | 0:00:00 | 7.01         | 1.9911                     | 0             | 238342          | 13.8                       | 247                            |
| 8/2/2026 | 0:15:00 | 7.02         | 1.9419                     | 0             | 238373          | 13.8                       | 245                            |
| 8/2/2026 | 0:30:00 | 7.02         | 0.6965                     | 0             | 238397          | 13.7                       | 244                            |
| 8/2/2026 | 0:45:00 | 7.04         | 0.1401                     | 1             | 238402          | 13.7                       | 244                            |
| 8/2/2026 | 1:00:00 | 7.03         | 1.9381                     | 0             | 238424          | 13.7                       | 243                            |
| 8/2/2026 | 1:15:00 | 7.03         | 0.8441                     | 0             | 238447          | 13.7                       | 242                            |
| 8/2/2026 | 1:30:00 | 7.04         | 0.0076                     | 0             | 238456          | 13.7                       | 242                            |
| 8/2/2026 | 1:45:00 | 7.03         | 2.2334                     | 0             | 238471          | 13.7                       | 243                            |
| 8/2/2026 | 2:00:00 | 7.02         | 1.8056                     | 0             | 238507          | 13.7                       | 243                            |
| 8/2/2026 | 2:15:00 | 7.02         | 2.4757                     | 1             | 238541          | 13.7                       | 243                            |
| 8/2/2026 | 2:30:00 | 7.03         | 1.9457                     | 0             | 238574          | 13.7                       | 244                            |
| 8/2/2026 | 2:45:00 | 7.02         | 0.6473                     | 1             | 238601          | 13.7                       | 242                            |
| 8/2/2026 | 3:00:00 | 7.03         | 0.4126                     | 0             | 238609          | 13.7                       | 242                            |
| 8/2/2026 | 3:15:00 | 7.01         | 0.7457                     | 0             | 238617          | 13.7                       | 243                            |
| 8/2/2026 | 3:30:00 | 6.98         | 0.4656                     | 1             | 238627          | 13.7                       | 242                            |
| 8/2/2026 | 3:45:00 | 6.96         | 0.7268                     | 1             | 238633          | 13.7                       | 246                            |
| 8/2/2026 | 4:00:00 | 6.95         | 0.7609                     | 1             | 238643          | 13.7                       | 245                            |
| 8/2/2026 | 4:15:00 | 6.96         | 2.4605                     | 1             | 238656          | 13.6                       | 248                            |
| 8/2/2026 | 4:30:00 | 6.97         | 2.4908                     | 1             | 238691          | 13.6                       | 248                            |
| 8/2/2026 | 4:45:00 | 6.96         | 1.9495                     | 0             | 238725          | 13.6                       | 247                            |
| 8/2/2026 | 5:00:00 | 6.96         | 0.3937                     | 0             | 238752          | 13.6                       | 247                            |
| 8/2/2026 | 5:15:00 | 6.96         | 0.0038                     | 0             | 238753          | 13.9                       | 246                            |
| 8/2/2026 | 5:30:00 | 6.88         | 0.6965                     | 0             | 238759          | 14.3                       | 248                            |
| 8/2/2026 | 5:45:00 | 6.96         | 1.8927                     | 1             | 238787          | 13.6                       | 241                            |
| 8/2/2026 | 6:00:00 | 6.96         | 1.7867                     | 0             | 238822          | 13.5                       | 240                            |
| 8/2/2026 | 6:15:00 | 6.95         | 0.2120                     | 0             | 238837          | 13.5                       | 238                            |
| 8/2/2026 | 6:30:00 | 6.92         | 0.9047                     | 1             | 238841          | 13.6                       | 244                            |
| 8/2/2026 | 6:45:00 | 6.93         | 1.5179                     | 0             | 238859          | 13.5                       | 238                            |
| 8/2/2026 | 7:00:00 | 6.86         | 1.2113                     | 0             | 238886          | 13.5                       | 241                            |
| 8/2/2026 | 7:15:00 | 6.84         | 0.1287                     | 0             | 238896          | 13.6                       | 243                            |
| 8/2/2026 | 7:30:00 | 6.83         | 1.0523                     | 0             | 238910          | 13.6                       | 242                            |
| 8/2/2026 | 7:45:00 | 6.81         | 0.6700                     | 0             | 238919          | 13.6                       | 243                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/2/2026 | 8:00:00  | 6.82         | 0.4694                     | 1             | 238924          | 13.7                       | 244                            |
| 8/2/2026 | 8:15:00  | 6.82         | 1.8700                     | 0             | 238935          | 13.7                       | 241                            |
| 8/2/2026 | 8:30:00  | 6.83         | 1.4801                     | 1             | 238966          | 13.6                       | 238                            |
| 8/2/2026 | 8:45:00  | 6.83         | 2.4340                     | 0             | 238999          | 13.7                       | 238                            |
| 8/2/2026 | 9:00:00  | 6.84         | 1.9684                     | 0             | 239027          | 13.7                       | 236                            |
| 8/2/2026 | 9:15:00  | 6.85         | 0.2498                     | 0             | 239047          | 13.8                       | 237                            |
| 8/2/2026 | 9:30:00  | 6.84         | 0.1817                     | 0             | 239048          | 14.5                       | 237                            |
| 8/2/2026 | 9:45:00  | 6.81         | 0.0871                     | 0             | 239051          | 14.9                       | 238                            |
| 8/2/2026 | 10:00:00 | 6.83         | 2.4151                     | 1             | 239056          | 14.3                       | 236                            |
| 8/2/2026 | 10:15:00 | 6.88         | 0.8101                     | 0             | 239085          | 14                         | 237                            |
| 8/2/2026 | 10:30:00 | 6.88         | 0.7722                     | 1             | 239094          | 14.1                       | 237                            |
| 8/2/2026 | 10:45:00 | 6.94         | 2.6195                     | 1             | 239109          | 14                         | 237                            |
| 8/2/2026 | 11:00:00 | 6.93         | 1.7716                     | 1             | 239141          | 14                         | 239                            |
| 8/2/2026 | 11:15:00 | 6.94         | 2.2410                     | 1             | 239172          | 14.1                       | 241                            |
| 8/2/2026 | 11:30:00 | 6.96         | 1.6542                     | 1             | 239198          | 14.2                       | 239                            |
| 8/2/2026 | 11:45:00 | 6.97         | 1.9684                     | 1             | 239225          | 14.3                       | 241                            |
| 8/2/2026 | 12:15:00 | 6.91         | 0.0038                     | 1             | 239242          | 14.8                       | 239                            |
| 8/2/2026 | 12:30:00 | 6.95         | 0.7874                     | 1             | 239255          | 14.5                       | 240                            |
| 8/2/2026 | 12:45:00 | 6.95         | 1.5634                     | 1             | 239270          | 14.5                       | 239                            |
| 8/2/2026 | 13:00:00 | 6.94         | 0.7268                     | 1             | 239289          | 14.5                       | 239                            |
| 8/2/2026 | 13:15:00 | 6.94         | 0.7003                     | 1             | 239297          | 14.5                       | 240                            |
| 8/2/2026 | 13:30:00 | 6.94         | 0.6246                     | 2             | 239303          | 14.8                       | 242                            |
| 8/2/2026 | 13:45:00 | 6.98         | 1.5785                     | 1             | 239327          | 14.7                       | 245                            |
| 8/2/2026 | 14:00:00 | 6.99         | 2.4302                     | 1             | 239358          | 14.7                       | 246                            |
| 8/2/2026 | 14:15:00 | 7            | 2.3545                     | 2             | 239387          | 14.8                       | 245                            |
| 8/2/2026 | 14:30:00 | 6.99         | 0.5110                     | 1             | 239415          | 14.8                       | 245                            |
| 8/2/2026 | 14:45:00 | 6.99         | 0.4467                     | 2             | 239421          | 15                         | 246                            |
| 8/2/2026 | 15:00:00 | 6.96         | 0.2877                     | 2             | 239422          | 16                         | 247                            |
| 8/2/2026 | 15:15:00 | 6.97         | 2.3810                     | 1             | 239431          | 15.3                       | 244                            |
| 8/2/2026 | 15:30:00 | 6.98         | 2.2183                     | 1             | 239460          | 15                         | 243                            |
| 8/2/2026 | 15:45:00 | 6.98         | 1.8776                     | 1             | 239494          | 14.8                       | 244                            |
| 8/2/2026 | 16:00:00 | 6.97         | 0.2574                     | 1             | 239502          | 15                         | 244                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|----------------------------|--------------------------------|
| 8/2/2026 | 16:30:00 | 6.93         | 0.0038                     | 1             | 239502          | 16.7                       | 0                              |
| 8/2/2026 | 16:45:00 | 6.96         | 0.7760                     | 1             | 239520          | 15                         | 241                            |
| 8/2/2026 | 17:00:00 | 6.96         | 1.1621                     | 1             | 239535          | 14.9                       | 239                            |
| 8/2/2026 | 17:15:00 | 6.97         | 1.6921                     | 1             | 239555          | 14.8                       | 240                            |
| 8/2/2026 | 17:30:00 | 6.98         | 2.1653                     | 1             | 239587          | 14.9                       | 239                            |
| 8/2/2026 | 17:45:00 | 6.98         | 2.0782                     | 1             | 239616          | 14.9                       | 238                            |
| 8/2/2026 | 18:00:00 | 6.98         | 1.3400                     | 1             | 239640          | 14.9                       | 237                            |
| 8/2/2026 | 18:15:00 | 6.97         | 0.5905                     | 1             | 239657          | 14.9                       | 238                            |
| 8/2/2026 | 18:30:00 | 6.96         | 0.0076                     | 1             | 239658          | 15.6                       | 50                             |
| 8/2/2026 | 18:45:00 | 6.95         | 0.0038                     | 1             | 239658          | 16.3                       | 203                            |
| 8/2/2026 | 19:00:00 | 6.93         | 0.2271                     | 1             | 239661          | 15.4                       | 240                            |
| 8/2/2026 | 19:15:00 | 6.96         | 2.4605                     | 1             | 239685          | 14.8                       | 236                            |
| 8/2/2026 | 19:30:00 | 6.97         | 2.4492                     | 1             | 239722          | 14.6                       | 238                            |
| 8/2/2026 | 19:45:00 | 6.96         | 0.8101                     | 2             | 239744          | 14.5                       | 238                            |
| 8/2/2026 | 20:00:00 | 6.96         | 0.7571                     | 2             | 239757          | 14.6                       | 239                            |
| 8/2/2026 | 20:15:00 | 6.99         | 2.4113                     | 1             | 239785          | 14.5                       | 234                            |
| 8/2/2026 | 20:30:00 | 7            | 2.4189                     | 1             | 239823          | 14.4                       | 234                            |
| 8/2/2026 | 20:45:00 | 7            | 2.4075                     | 1             | 239860          | 14.3                       | 233                            |
| 8/2/2026 | 21:00:00 | 7.01         | 0.1325                     | 0             | 239876          | 14.4                       | 233                            |
| 8/2/2026 | 21:15:00 | 6.98         | 0.3937                     | 0             | 239882          | 14.8                       | 233                            |
| 8/2/2026 | 21:30:00 | 6.95         | 0.4429                     | 0             | 239888          | 15.4                       | 232                            |
| 8/2/2026 | 21:45:00 | 6.98         | 2.3583                     | 0             | 239908          | 14.1                       | 231                            |
| 8/2/2026 | 22:00:00 | 6.97         | 0.3028                     | 0             | 239928          | 14                         | 231                            |
| 8/2/2026 | 22:15:00 | 6.96         | 0.7533                     | 0             | 239938          | 13.9                       | 232                            |
| 8/2/2026 | 22:30:00 | 6.98         | 0.6284                     | 0             | 239951          | 13.8                       | 233                            |
| 8/2/2026 | 22:45:00 | 6.98         | 0.0871                     | 0             | 239955          | 13.8                       | 232                            |
| 8/2/2026 | 23:00:00 | 6.98         | 0.9956                     | 0             | 239979          | 13.8                       | 233                            |
| 8/2/2026 | 23:15:00 | 6.98         | 0.7003                     | 0             | 239986          | 13.8                       | 236                            |
| 8/2/2026 | 23:30:00 | 6.99         | 2.0555                     | 0             | 240011          | 13.7                       | 233                            |
| 8/2/2026 | 23:45:00 | 6.98         | 1.8246                     | 0             | 240040          | 13.7                       | 234                            |

|                                                                                   |                                                |                                                                     |                                                    |
|-----------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b> |                                                    |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                    | <b>0</b>                                           |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b>          | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

## 5. In-Situ Readings

**Table 4. In-Situ Readings**

| Date       | Temperature (C°) | DO mg/L | SAL-ppt | pH   | ORP (mV) | NTU  |
|------------|------------------|---------|---------|------|----------|------|
| 07/27/2026 | 14.2             | 10.37   | 0.09    | 7.16 | 221.2    | 0.21 |
| 07/28/2026 | 14.9             | 9.92    | 0.09    | 7.32 | 177.6    | 0.45 |
| 07/29/2026 | 15.2             | 9.72    | 0.09    | 7.25 | 180.7    | 0.20 |
| 07/30/2026 | 15.6             | 9.45    | 0.08    | 7.31 | 174.3    | 0.34 |
| 07/31/2026 | 15.0             | 9.65    | 0.09    | 7.29 | 177.2    | 0.23 |
| 08/01/2026 | 15.5             | 9.80    | 0.09    | 7.17 | 183.9    | 0.33 |
| 08/02/2026 | 14.1             | 9.89    | 0.09    | 7.15 | 167.9    | 0.60 |

## 6. Calibration Log:

**Table 5. Calibration Log**

| Date       | Unit       | pH | Conductivity/<br>Salinity | NTU |
|------------|------------|----|---------------------------|-----|
| 07/30/2026 | YSI        | ✓  | ✓                         | ✓   |
| 07/30/2026 | Portal WTP | ✓  | N/A                       | ✓   |
| 08/01/2026 | CP2 WTP    | ✓  | ✓                         | ✓   |

|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |

**APPENDIX A: Portal WTP Data Log**



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/27/2026 | 0:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 0:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 0:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 0:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 1:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 1:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 1:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 1:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 2:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 2:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 2:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 2:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 3:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 3:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 3:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 3:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 4:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 4:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 4:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 4:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 5:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 5:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 5:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 6:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 6:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 6:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 6:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 7:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 7:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 7:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 7:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 8:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/27/2026 | 8:30:00  | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 8:45:00  | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 9:00:00  | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 9:15:00  | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 9:30:00  | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 9:45:00  | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 10:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 10:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 10:30:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 10:45:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 11:00:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 11:15:00 | 0            | 0                          | 0             | 0               | Closed                 | 0                          | 0                              |
| 7/27/2026 | 11:30:00 | 7.5          | 0.2498                     | 0             | 1,421,192       | Closed                 | 16.5                       | 314                            |
| 7/27/2026 | 11:45:00 | 7.5          | 1.6050                     | 0.2           | 1,421,207       | Open                   | 16.2                       | 315                            |
| 7/27/2026 | 12:00:00 | 7.5          | 0.1249                     | 0.2           | 1,421,214       | Closed                 | 16.4                       | 315                            |
| 7/27/2026 | 12:30:00 | 7.6          | 1.7526                     | 0.1           | 1,421,225       | Open                   | 16.2                       | 315                            |
| 7/27/2026 | 12:45:00 | 7.5          | 0.0000                     | 0.2           | 1,421,232       | Closed                 | 16.4                       | 314                            |
| 7/27/2026 | 13:00:00 | 7.5          | 0.0000                     | 0.2           | 1,421,232       | Closed                 | 16.8                       | 315                            |
| 7/27/2026 | 13:15:00 | 7.6          | 0.0000                     | 0.3           | 1,421,250       | Closed                 | 16.2                       | 314                            |
| 7/27/2026 | 13:30:00 | 7.5          | 0.0000                     | 0.2           | 1,421,250       | Closed                 | 16.5                       | 319                            |
| 7/27/2026 | 13:45:00 | 7.5          | 1.6921                     | 0.4           | 1,421,259       | Open                   | 16.1                       | 314                            |
| 7/27/2026 | 14:00:00 | 7.5          | 0.0000                     | 0.3           | 1,421,265       | Closed                 | 16.3                       | 317                            |
| 7/27/2026 | 14:15:00 | 7.5          | 1.7602                     | 0.3           | 1,421,273       | Open                   | 16.1                       | 315                            |
| 7/27/2026 | 14:30:00 | 7.5          | 0.0000                     | 0.3           | 1,421,282       | Closed                 | 16.4                       | 314                            |
| 7/27/2026 | 14:45:00 | 7.5          | 1.7564                     | 0.2           | 1,421,287       | Open                   | 16.3                       | 314                            |
| 7/27/2026 | 15:00:00 | 7.5          | 0.0000                     | 0.3           | 1,421,301       | Closed                 | 16.2                       | 312                            |
| 7/27/2026 | 15:15:00 | 7.5          | 1.8246                     | 0.3           | 1,421,302       | Open                   | 16.6                       | 314                            |
| 7/27/2026 | 15:30:00 | 7.5          | 0.0000                     | 0.2           | 1,421,321       | Closed                 | 16.1                       | 310                            |
| 7/27/2026 | 15:45:00 | 7.5          | 0.0000                     | 0.2           | 1,421,321       | Closed                 | 16.5                       | 312                            |
| 7/27/2026 | 16:00:00 | 7.5          | 0.0000                     | 0.3           | 1,421,327       | Closed                 | 16.3                       | 312                            |
| 7/27/2026 | 16:15:00 | 7.5          | 1.8056                     | 0.4           | 1,421,327       | Closed                 | 16.8                       | 314                            |
| 7/27/2026 | 16:30:00 | 7.5          | 0.0000                     | 0             | 1,421,347       | Closed                 | 16.3                       | 310                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/27/2026 | 16:45:00 | 7.5          | 0.0000                     | 0             | 1,421,347       | Closed                 | 17.2                       | 312                            |
| 7/27/2026 | 17:00:00 | 7.5          | 1.7451                     | 0             | 1,421,354       | Open                   | 17.1                       | 311                            |
| 7/27/2026 | 17:15:00 | 7.5          | 0.0000                     | 0             | 1,421,367       | Closed                 | 17.4                       | 313                            |
| 7/27/2026 | 17:30:00 | 7.5          | 0.0000                     | 0             | 1,421,367       | Closed                 | 18.2                       | 313                            |
| 7/27/2026 | 17:45:00 | 7.5          | 0.0000                     | 0             | 1,421,387       | Closed                 | 17.1                       | 315                            |
| 7/27/2026 | 18:00:00 | 7.5          | 0.0000                     | 0             | 1,421,387       | Closed                 | 17.9                       | 315                            |
| 7/27/2026 | 18:15:00 | 7.5          | 0.0000                     | 0             | 1,421,395       | Closed                 | 17.7                       | 314                            |
| 7/27/2026 | 18:30:00 | 7.5          | 0.0000                     | 0             | 1,421,395       | Closed                 | 18.8                       | 315                            |
| 7/27/2026 | 18:45:00 | 7.5          | 0.0000                     | 0             | 1,421,414       | Closed                 | 17.5                       | 314                            |
| 7/27/2026 | 19:00:00 | 7.5          | 0.0000                     | 0             | 1,421,414       | Closed                 | 18.2                       | 317                            |
| 7/27/2026 | 19:15:00 | 7.5          | 1.6504                     | 0             | 1,421,432       | Open                   | 17.5                       | 312                            |
| 7/27/2026 | 19:30:00 | 7.5          | 0.0000                     | 0             | 1,421,433       | Closed                 | 18.7                       | 314                            |
| 7/27/2026 | 19:45:00 | 7.5          | 0.0000                     | 0             | 1,421,433       | Closed                 | 20.4                       | 314                            |
| 7/27/2026 | 20:00:00 | 7.4          | 1.6656                     | 0             | 1,421,435       | Open                   | 21.2                       | 309                            |
| 7/27/2026 | 20:15:00 | 7.5          | 0.0000                     | 0             | 1,421,451       | Closed                 | 18                         | 314                            |
| 7/27/2026 | 20:30:00 | 7.5          | 0.0000                     | 0             | 1,421,451       | Closed                 | 18.4                       | 315                            |
| 7/27/2026 | 20:45:00 | 7.5          | 0.0000                     | 0             | 1,421,451       | Closed                 | 19                         | 315                            |
| 7/27/2026 | 21:00:00 | 7.5          | 1.7299                     | 0             | 1,421,460       | Open                   | 17.4                       | 314                            |
| 7/27/2026 | 21:15:00 | 7.5          | 0.0000                     | 0             | 1,421,466       | Closed                 | 17.5                       | 315                            |
| 7/27/2026 | 21:30:00 | 7.5          | 1.7110                     | 0             | 1,421,467       | Open                   | 17.9                       | 317                            |
| 7/27/2026 | 21:45:00 | 7.5          | 0.0000                     | 0             | 1,421,488       | Closed                 | 16.6                       | 312                            |
| 7/27/2026 | 22:00:00 | 7.5          | 0.0000                     | 0             | 1,421,488       | Closed                 | 16.9                       | 312                            |
| 7/27/2026 | 22:15:00 | 7.5          | 1.6883                     | 0             | 1,421,496       | Open                   | 16.5                       | 310                            |
| 7/27/2026 | 22:30:00 | 7.5          | 0.0000                     | 0             | 1,421,509       | Closed                 | 16.4                       | 312                            |
| 7/27/2026 | 22:45:00 | 7.5          | 0.0000                     | 0             | 1,421,509       | Closed                 | 16.8                       | 312                            |
| 7/27/2026 | 23:00:00 | 7.5          | 0.0000                     | 0             | 1,421,527       | Closed                 | 16.2                       | 312                            |
| 7/27/2026 | 23:15:00 | 7.5          | 0.0000                     | 0             | 1,421,527       | Closed                 | 16.5                       | 314                            |
| 7/27/2026 | 23:30:00 | 7.5          | 0.0000                     | 0             | 1,421,527       | Closed                 | 16.9                       | 314                            |
| 7/27/2026 | 23:45:00 | 7.5          | 1.7034                     | 0             | 1,421,530       | Open                   | 16.7                       | 312                            |
| 7/28/2026 | 0:00:00  | 7.6          | 0.0000                     | 0             | 1,421,547       | Closed                 | 16.4                       | 317                            |
| 7/28/2026 | 0:15:00  | 7.5          | 0.0000                     | 0             | 1,421,547       | Closed                 | 16.8                       | 317                            |
| 7/28/2026 | 0:30:00  | 7.6          | 0.0000                     | 0             | 1,421,555       | Closed                 | 16.4                       | 319                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/28/2026 | 0:45:00 | 7.6          | 0.0000                     | 0             | 1,421,555       | Closed                 | 16.7                       | 320                            |
| 7/28/2026 | 1:00:00 | 7.6          | 1.6504                     | 0.1           | 1,421,562       | Open                   | 16.5                       | 322                            |
| 7/28/2026 | 1:15:00 | 7.6          | 0.0000                     | 0             | 1,421,573       | Closed                 | 16.6                       | 327                            |
| 7/28/2026 | 1:30:00 | 7.6          | 1.6656                     | 0             | 1,421,586       | Open                   | 16.4                       | 329                            |
| 7/28/2026 | 1:45:00 | 7.6          | 0.0000                     | 0             | 1,421,600       | Closed                 | 16.6                       | 334                            |
| 7/28/2026 | 2:00:00 | 7.6          | 1.6883                     | 0.1           | 1,421,607       | Open                   | 16.5                       | 334                            |
| 7/28/2026 | 2:15:00 | 7.6          | 0.0000                     | 0             | 1,421,611       | Closed                 | 16.7                       | 335                            |
| 7/28/2026 | 2:30:00 | 7.6          | 1.6315                     | 0.1           | 1,421,631       | Open                   | 16.2                       | 334                            |
| 7/28/2026 | 2:45:00 | 7.5          | 0.0000                     | 0             | 1,421,637       | Closed                 | 16.4                       | 335                            |
| 7/28/2026 | 3:00:00 | 7.5          | 1.6202                     | 0.1           | 1,421,656       | Open                   | 16                         | 329                            |
| 7/28/2026 | 3:15:00 | 7.5          | 0.0000                     | 0             | 1,421,664       | Closed                 | 16.1                       | 329                            |
| 7/28/2026 | 3:30:00 | 7.5          | 1.6656                     | 0             | 1,421,676       | Open                   | 16                         | 325                            |
| 7/28/2026 | 3:45:00 | 7.5          | 0.0000                     | 0             | 1,421,692       | Closed                 | 15.8                       | 320                            |
| 7/28/2026 | 4:00:00 | 7.5          | 1.6618                     | 0.2           | 1,421,703       | Open                   | 15.7                       | 319                            |
| 7/28/2026 | 4:15:00 | 7.5          | 0.0000                     | 0.1           | 1,421,717       | Closed                 | 15.8                       | 319                            |
| 7/28/2026 | 4:30:00 | 7.5          | 1.6580                     | 0.1           | 1,421,731       | Open                   | 15.6                       | 318                            |
| 7/28/2026 | 4:45:00 | 7.5          | 0.0000                     | 0             | 1,421,750       | Closed                 | 15.7                       | 318                            |
| 7/28/2026 | 5:00:00 | 7.5          | 1.6656                     | 0             | 1,421,756       | Open                   | 15.8                       | 319                            |
| 7/28/2026 | 5:15:00 | 7.5          | 0.0000                     | 0             | 1,421,769       | Closed                 | 15.7                       | 318                            |
| 7/28/2026 | 5:30:00 | 7.5          | 1.6126                     | 0             | 1,421,785       | Open                   | 15.6                       | 315                            |
| 7/28/2026 | 5:45:00 | 7.5          | 0.0000                     | 0             | 1,421,797       | Closed                 | 15.7                       | 316                            |
| 7/28/2026 | 6:00:00 | 7.5          | 1.6391                     | 0             | 1,421,809       | Open                   | 15.5                       | 316                            |
| 7/28/2026 | 6:15:00 | 7.5          | 0.0000                     | 0             | 1,421,829       | Closed                 | 15.5                       | 316                            |
| 7/28/2026 | 6:30:00 | 7.5          | 0.0000                     | 0             | 1,421,829       | Closed                 | 15.9                       | 315                            |
| 7/28/2026 | 6:45:00 | 7.5          | 1.6467                     | 0             | 1,421,839       | Open                   | 15.5                       | 314                            |
| 7/28/2026 | 7:00:00 | 7.5          | 0.0000                     | 0             | 1,421,851       | Closed                 | 15.5                       | 314                            |
| 7/28/2026 | 7:15:00 | 7.5          | 1.6467                     | 0.2           | 1,421,854       | Open                   | 15.7                       | 315                            |
| 7/28/2026 | 7:30:00 | 7.5          | 0.0000                     | 0             | 1,421,871       | Closed                 | 15.4                       | 314                            |
| 7/28/2026 | 7:45:00 | 7.5          | 1.6845                     | 0.2           | 1,421,872       | Open                   | 15.8                       | 315                            |
| 7/28/2026 | 8:00:00 | 7.5          | 0.0000                     | 0             | 1,421,886       | Closed                 | 15.5                       | 311                            |
| 7/28/2026 | 8:15:00 | 7.5          | 1.6202                     | 0             | 1,421,896       | Open                   | 15.2                       | 309                            |
| 7/28/2026 | 8:30:00 | 7.5          | 0.0000                     | 0.1           | 1,421,905       | Closed                 | 15.3                       | 307                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/28/2026 | 8:45:00  | 7.4          | 0.0000                     | 0.2           | 1,421,915       | Closed                 | 15                         | 306                            |
| 7/28/2026 | 9:00:00  | 7.4          | 1.6542                     | 0.1           | 1,421,919       | Open                   | 15.1                       | 301                            |
| 7/28/2026 | 9:15:00  | 7.4          | 1.6504                     | 0             | 1,421,944       | Open                   | 14.8                       | 299                            |
| 7/28/2026 | 9:30:00  | 7.4          | 0.0000                     | 0             | 1,421,947       | Closed                 | 15.1                       | 301                            |
| 7/28/2026 | 9:45:00  | 7.4          | 1.6315                     | 0.1           | 1,421,951       | Open                   | 15.2                       | 298                            |
| 7/28/2026 | 10:00:00 | 7.4          | 0.0000                     | 0             | 1,421,971       | Closed                 | 14.9                       | 296                            |
| 7/28/2026 | 10:15:00 | 7.4          | 0.0000                     | 0.1           | 1,421,972       | Closed                 | 15.2                       | 297                            |
| 7/28/2026 | 10:30:00 | 7.5          | 0.0000                     | 48.5          | 1,421,979       | Closed                 | 15.2                       | 297                            |
| 7/28/2026 | 10:45:00 | 7.6          | 0.8101                     | 10.1          | 1,421,991       | Open                   | 15                         | 300                            |
| 7/28/2026 | 11:00:00 | 7.6          | 0.0000                     | 3.2           | 1,421,994       | Closed                 | 15.2                       | 304                            |
| 7/28/2026 | 11:15:00 | 7.6          | 1.3135                     | 2.5           | 1,422,010       | Open                   | 14.9                       | 304                            |
| 7/28/2026 | 11:30:00 | 7.6          | 1.4990                     | 1.9           | 1,422,030       | Open                   | 14.9                       | 302                            |
| 7/28/2026 | 11:45:00 | 7.6          | 0.0000                     | 1.5           | 1,422,031       | Closed                 | 15.3                       | 302                            |
| 7/28/2026 | 12:00:00 | 7.6          | 1.5028                     | 3.1           | 1,422,039       | Open                   | 15.2                       | 305                            |
| 7/28/2026 | 12:15:00 | 7.6          | 0.0000                     | 1.2           | 1,422,048       | Closed                 | 15.3                       | 303                            |
| 7/28/2026 | 12:30:00 | 7.6          | 1.5217                     | 0.6           | 1,422,065       | Open                   | 15.1                       | 303                            |
| 7/28/2026 | 12:45:00 | 7.5          | 0.0000                     | 0.5           | 1,422,076       | Closed                 | 15.3                       | 303                            |
| 7/28/2026 | 13:00:00 | 7.6          | 1.5407                     | 0.6           | 1,422,080       | Open                   | 15.4                       | 304                            |
| 7/28/2026 | 13:15:00 | 7.5          | 0.0000                     | 0.9           | 1,422,090       | Closed                 | 15.4                       | 304                            |
| 7/28/2026 | 13:30:00 | 7.6          | 1.5331                     | 0.5           | 1,422,100       | Open                   | 15.3                       | 303                            |
| 7/28/2026 | 13:45:00 | 7.5          | 0.0000                     | 0.4           | 1,422,121       | Closed                 | 15.3                       | 303                            |
| 7/28/2026 | 14:00:00 | 7.5          | 0.0000                     | 0.4           | 1,422,121       | Closed                 | 15.8                       | 304                            |
| 7/28/2026 | 14:15:00 | 7.5          | 0.0000                     | 4.5           | 1,422,137       | Closed                 | 15.5                       | 304                            |
| 7/28/2026 | 14:30:00 | 7.5          | 0.0000                     | 4.3           | 1,422,137       | Closed                 | 15.9                       | 304                            |
| 7/28/2026 | 14:45:00 | 7.6          | 1.5293                     | 5.2           | 1,422,154       | Open                   | 15.7                       | 304                            |
| 7/28/2026 | 15:00:00 | 7.5          | 0.0000                     | 5.1           | 1,422,158       | Closed                 | 15.9                       | 304                            |
| 7/28/2026 | 15:15:00 | 7.6          | 1.5444                     | 4.6           | 1,422,172       | Open                   | 15.8                       | 306                            |
| 7/28/2026 | 15:30:00 | 7.6          | 0.0000                     | 5.4           | 1,422,178       | Closed                 | 15.9                       | 306                            |
| 7/28/2026 | 15:45:00 | 7.6          | 0.0000                     | 3.5           | 1,422,178       | Open                   | 15.9                       | 306                            |
| 7/28/2026 | 16:00:00 | 7.5          | 1.7337                     | 1.1           | 1,422,195       | Open                   | 15.9                       | 306                            |
| 7/28/2026 | 16:15:00 | 7.5          | 1.8889                     | 1.1           | 1,422,196       | Open                   | 16.3                       | 309                            |
| 7/28/2026 | 16:30:00 | 7.5          | 0.0000                     | 0.4           | 1,422,220       | Closed                 | 16                         | 306                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/28/2026 | 16:45:00 | 7.5          | 1.7791                     | 0.3           | 1,422,229       | Open                   | 16.1                       | 306                            |
| 7/28/2026 | 17:00:00 | 7.5          | 0.0000                     | 0.3           | 1,422,243       | Closed                 | 16.1                       | 306                            |
| 7/28/2026 | 17:15:00 | 7.5          | 1.8056                     | 0.2           | 1,422,254       | Open                   | 16.1                       | 304                            |
| 7/28/2026 | 17:30:00 | 7.5          | 0.0000                     | 0.2           | 1,422,267       | Closed                 | 16.1                       | 304                            |
| 7/28/2026 | 17:45:00 | 7.5          | 1.2870                     | 1.1           | 1,422,271       | Open                   | 16.3                       | 308                            |
| 7/28/2026 | 18:00:00 | 7.5          | 0.0000                     | 0.6           | 1,422,281       | Closed                 | 16.2                       | 304                            |
| 7/28/2026 | 18:15:00 | 7.5          | 1.8397                     | 0.9           | 1,422,295       | Open                   | 16                         | 304                            |
| 7/28/2026 | 18:30:00 | 7.5          | 0.0000                     | 0.1           | 1,422,296       | Closed                 | 16.3                       | 304                            |
| 7/28/2026 | 18:45:00 | 7.5          | 0.0000                     | 0.3           | 1,422,316       | Closed                 | 16                         | 303                            |
| 7/28/2026 | 19:00:00 | 7.5          | 0.0000                     | 0.3           | 1,422,316       | Closed                 | 16.4                       | 304                            |
| 7/28/2026 | 19:15:00 | 7.5          | 0.0000                     | 0.3           | 1,422,337       | Closed                 | 16                         | 304                            |
| 7/28/2026 | 19:30:00 | 7.5          | 0.0000                     | 0.2           | 1,422,337       | Closed                 | 16.3                       | 306                            |
| 7/28/2026 | 19:45:00 | 7.5          | 1.7867                     | 0.3           | 1,422,355       | Open                   | 16                         | 304                            |
| 7/28/2026 | 20:00:00 | 7.5          | 0.0000                     | 0.2           | 1,422,358       | Closed                 | 16.2                       | 308                            |
| 7/28/2026 | 20:15:00 | 7.5          | 1.8056                     | 0.3           | 1,422,371       | Open                   | 15.9                       | 304                            |
| 7/28/2026 | 20:30:00 | 7.5          | 0.0000                     | 0.5           | 1,422,380       | Closed                 | 16.1                       | 306                            |
| 7/28/2026 | 20:45:00 | 7.5          | 1.8662                     | 0.5           | 1,422,386       | Open                   | 16                         | 306                            |
| 7/28/2026 | 21:00:00 | 7.5          | 0.0000                     | 0.4           | 1,422,400       | Closed                 | 15.9                       | 306                            |
| 7/28/2026 | 21:15:00 | 7.5          | 1.2605                     | 0.9           | 1,422,402       | Open                   | 16.3                       | 309                            |
| 7/28/2026 | 21:30:00 | 7.5          | 0.0000                     | 0.4           | 1,422,416       | Closed                 | 15.9                       | 306                            |
| 7/28/2026 | 21:45:00 | 7.5          | 1.8511                     | 0.5           | 1,422,428       | Open                   | 15.7                       | 306                            |
| 7/28/2026 | 22:00:00 | 7.5          | 0.0000                     | 0.3           | 1,422,435       | Closed                 | 15.8                       | 306                            |
| 7/28/2026 | 22:15:00 | 7.5          | 0.0000                     | 0.3           | 1,422,435       | Closed                 | 16.2                       | 309                            |
| 7/28/2026 | 22:30:00 | 7.5          | 0.0000                     | 18.4          | 1,422,446       | Closed                 | 15.6                       | 308                            |
| 7/28/2026 | 22:45:00 | 7.5          | 1.6618                     | 1.1           | 1,422,448       | Closed                 | 15.7                       | 306                            |
| 7/28/2026 | 23:00:00 | 7.5          | 1.7791                     | 1             | 1,422,452       | Open                   | 15.4                       | 306                            |
| 7/28/2026 | 23:15:00 | 7.5          | 1.7791                     | 1.1           | 1,422,454       | Closed                 | 15.9                       | 311                            |
| 7/28/2026 | 23:30:00 | 7.5          | 0.0000                     | 1.2           | 1,422,473       | Closed                 | 15.5                       | 309                            |
| 7/28/2026 | 23:45:00 | 7.5          | 0.0000                     | 0.9           | 1,422,473       | Closed                 | 15.9                       | 311                            |
| 7/29/2026 | 0:00:00  | 7.5          | 0.2120                     | 0.9           | 1,422,491       | Closed                 | 15.4                       | 309                            |
| 7/29/2026 | 0:15:00  | 7.5          | 0.0000                     | 0.8           | 1,422,491       | Closed                 | 15.8                       | 313                            |
| 7/29/2026 | 0:30:00  | 7.5          | 1.7867                     | 0.8           | 1,422,503       | Open                   | 15.4                       | 311                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/29/2026 | 0:45:00 | 7.5          | 0.0000                     | 0.7           | 1,422,508       | Closed                 | 15.7                       | 314                            |
| 7/29/2026 | 1:00:00 | 7.5          | 0.0000                     | 0.8           | 1,422,508       | Closed                 | 16.2                       | 313                            |
| 7/29/2026 | 1:15:00 | 7.5          | 0.0000                     | 0.7           | 1,422,522       | Closed                 | 15.5                       | 309                            |
| 7/29/2026 | 1:30:00 | 7.5          | 0.0000                     | 1.2           | 1,422,522       | Closed                 | 15.8                       | 310                            |
| 7/29/2026 | 1:45:00 | 7.5          | 0.0000                     | 0.7           | 1,422,522       | Closed                 | 15.2                       | 309                            |
| 7/29/2026 | 2:00:00 | 7.5          | 0.0000                     | 0.5           | 1,422,522       | Closed                 | 15.7                       | 311                            |
| 7/29/2026 | 2:15:00 | 7.5          | 1.7905                     | 0.4           | 1,422,537       | Open                   | 15.1                       | 306                            |
| 7/29/2026 | 2:30:00 | 7.5          | 0.0000                     | 0.8           | 1,422,537       | Closed                 | 15.4                       | 308                            |
| 7/29/2026 | 2:45:00 | 7.5          | 1.8132                     | 0.4           | 1,422,539       | Open                   | 15.7                       | 309                            |
| 7/29/2026 | 3:00:00 | 7.5          | 0.0000                     | 0.5           | 1,422,556       | Closed                 | 15.2                       | 304                            |
| 7/29/2026 | 3:15:00 | 7.5          | 0.0000                     | 0.6           | 1,422,556       | Closed                 | 15.7                       | 308                            |
| 7/29/2026 | 3:30:00 | 7.5          | 0.3483                     | 0.7           | 1,422,577       | Closed                 | 15                         | 303                            |
| 7/29/2026 | 3:45:00 | 7.5          | 1.8246                     | 0.5           | 1,422,578       | Open                   | 15.3                       | 304                            |
| 7/29/2026 | 4:00:00 | 7.5          | 0.0000                     | 0.4           | 1,422,594       | Closed                 | 15.1                       | 301                            |
| 7/29/2026 | 4:15:00 | 7.5          | 0.0000                     | 0.5           | 1,422,594       | Closed                 | 15.6                       | 304                            |
| 7/29/2026 | 4:30:00 | 7.5          | 0.2461                     | 0.7           | 1,422,606       | Closed                 | 14.9                       | 301                            |
| 7/29/2026 | 4:45:00 | 7.5          | 0.0000                     | 0.8           | 1,422,606       | Closed                 | 15.4                       | 304                            |
| 7/29/2026 | 5:00:00 | 7.5          | 0.0000                     | 0.5           | 1,422,624       | Closed                 | 15                         | 301                            |
| 7/29/2026 | 5:15:00 | 7.5          | 1.8246                     | 0.6           | 1,422,634       | Open                   | 14.9                       | 301                            |
| 7/29/2026 | 5:30:00 | 7.5          | 0.0000                     | 0.5           | 1,422,642       | Closed                 | 15.1                       | 301                            |
| 7/29/2026 | 5:45:00 | 7.5          | 1.8208                     | 0.6           | 1,422,649       | Open                   | 14.9                       | 301                            |
| 7/29/2026 | 6:00:00 | 7.5          | 0.0000                     | 0.4           | 1,422,660       | Closed                 | 15                         | 299                            |
| 7/29/2026 | 6:15:00 | 7.4          | 0.0000                     | 0.7           | 1,422,660       | Closed                 | 15.5                       | 301                            |
| 7/29/2026 | 6:30:00 | 7.5          | 0.0000                     | 0.6           | 1,422,681       | Closed                 | 14.7                       | 298                            |
| 7/29/2026 | 6:45:00 | 7.4          | 0.0000                     | 0.5           | 1,422,681       | Closed                 | 15.1                       | 299                            |
| 7/29/2026 | 7:00:00 | 7.5          | 1.1659                     | 0.5           | 1,422,693       | Open                   | 14.7                       | 296                            |
| 7/29/2026 | 7:15:00 | 7.4          | 0.0000                     | 0.7           | 1,422,698       | Closed                 | 15                         | 299                            |
| 7/29/2026 | 7:30:00 | 7.4          | 1.7754                     | 0.3           | 1,422,722       | Open                   | 14.6                       | 296                            |
| 7/29/2026 | 7:45:00 | 7.4          | 0.0000                     | 0.5           | 1,422,726       | Closed                 | 15.2                       | 297                            |
| 7/29/2026 | 8:00:00 | 7.4          | 1.7943                     | 0.3           | 1,422,748       | Open                   | 14.7                       | 292                            |
| 7/29/2026 | 8:15:00 | 7.4          | 0.0000                     | 0.1           | 1,422,751       | Closed                 | 15.3                       | 294                            |
| 7/29/2026 | 8:30:00 | 7.4          | 0.0000                     | 0             | 1,422,751       | Closed                 | 16.6                       | 296                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/29/2026 | 8:45:00  | 7.4          | 0.0000                     | 0             | 1,422,751       | Closed                 | 17.7                       | 294                            |
| 7/29/2026 | 9:00:00  | 7.4          | 1.7640                     | 0             | 1,422,770       | Open                   | 15.3                       | 291                            |
| 7/29/2026 | 9:15:00  | 7.4          | 0.0000                     | 0             | 1,422,773       | Closed                 | 16                         | 293                            |
| 7/29/2026 | 9:30:00  | 7.4          | 1.7526                     | 0             | 1,422,784       | Open                   | 15.4                       | 289                            |
| 7/29/2026 | 9:45:00  | 7.4          | 0.0000                     | 0             | 1,422,792       | Closed                 | 15.9                       | 289                            |
| 7/29/2026 | 10:00:00 | 7.4          | 1.8284                     | 0             | 1,422,794       | Open                   | 16.9                       | 287                            |
| 7/29/2026 | 10:15:00 | 7.4          | 0.0000                     | 0             | 1,422,810       | Closed                 | 15.9                       | 288                            |
| 7/29/2026 | 10:30:00 | 7.4          | 0.0000                     | 0             | 1,422,810       | Closed                 | 17                         | 288                            |
| 7/29/2026 | 10:45:00 | 7.4          | 1.7489                     | 0             | 1,422,832       | Open                   | 15.6                       | 284                            |
| 7/29/2026 | 11:00:00 | 7.4          | 0.0000                     | 0             | 1,422,833       | Closed                 | 16.2                       | 288                            |
| 7/29/2026 | 11:15:00 | 7.4          | 1.7981                     | 0             | 1,422,847       | Open                   | 15.6                       | 288                            |
| 7/29/2026 | 11:30:00 | 7.4          | 0.0000                     | 0             | 1,422,855       | Closed                 | 15.9                       | 288                            |
| 7/29/2026 | 11:45:00 | 7.4          | 1.7754                     | 0.2           | 1,422,862       | Open                   | 15.9                       | 288                            |
| 7/29/2026 | 12:00:00 | 7.4          | 0.0000                     | 0             | 1,422,876       | Closed                 | 15.8                       | 289                            |
| 7/29/2026 | 12:15:00 | 7.4          | 1.7791                     | 0             | 1,422,879       | Open                   | 16.1                       | 289                            |
| 7/29/2026 | 12:30:00 | 7.4          | 0.0000                     | 0.3           | 1,422,894       | Closed                 | 16                         | 289                            |
| 7/29/2026 | 12:45:00 | 7.4          | 1.8170                     | 0.2           | 1,422,896       | Open                   | 16.5                       | 293                            |
| 7/29/2026 | 13:00:00 | 7.4          | 0.0000                     | 0             | 1,422,915       | Closed                 | 16.1                       | 293                            |
| 7/29/2026 | 13:15:00 | 7.4          | 0.0000                     | 0.2           | 1,422,915       | Closed                 | 16.5                       | 296                            |
| 7/29/2026 | 13:30:00 | 7.4          | 1.7602                     | 0.1           | 1,422,920       | Open                   | 16.6                       | 293                            |
| 7/29/2026 | 13:45:00 | 7.4          | 0.0000                     | 0.3           | 1,422,934       | Closed                 | 16.4                       | 296                            |
| 7/29/2026 | 14:00:00 | 7.4          | 1.8132                     | 0.2           | 1,422,936       | Open                   | 17                         | 299                            |
| 7/29/2026 | 14:15:00 | 7.4          | 0.0000                     | 0.2           | 1,422,952       | Closed                 | 16.5                       | 297                            |
| 7/29/2026 | 14:30:00 | 7.4          | 0.0000                     | 0.1           | 1,422,952       | Closed                 | 17.2                       | 299                            |
| 7/29/2026 | 14:45:00 | 7.5          | 0.0000                     | 0.2           | 1,422,971       | Closed                 | 16.6                       | 296                            |
| 7/29/2026 | 15:00:00 | 7.4          | 0.0000                     | 0             | 1,422,971       | Closed                 | 16.9                       | 301                            |
| 7/29/2026 | 15:15:00 | 7.4          | 0.0000                     | 0.2           | 1,422,971       | Closed                 | 17.6                       | 299                            |
| 7/29/2026 | 15:30:00 | 7.5          | 1.7867                     | 0.7           | 1,422,983       | Open                   | 17                         | 299                            |
| 7/29/2026 | 15:45:00 | 7.4          | 0.0000                     | 0             | 1,422,992       | Closed                 | 17                         | 299                            |
| 7/29/2026 | 16:00:00 | 7.4          | 1.7867                     | 0.6           | 1,422,995       | Open                   | 17.2                       | 298                            |
| 7/29/2026 | 16:15:00 | 7.5          | 0.0000                     | 0             | 1,423,012       | Closed                 | 17                         | 298                            |
| 7/29/2026 | 16:30:00 | 7.4          | 0.0000                     | 0             | 1,423,012       | Closed                 | 17.7                       | 301                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/29/2026 | 16:45:00 | 7.5          | 0.0000                     | 0             | 1,423,031       | Closed                 | 16.9                       | 298                            |
| 7/29/2026 | 17:00:00 | 7.4          | 0.0000                     | 0             | 1,423,031       | Closed                 | 17.5                       | 299                            |
| 7/29/2026 | 17:15:00 | 7.5          | 1.7829                     | 0             | 1,423,048       | Open                   | 16.9                       | 298                            |
| 7/29/2026 | 17:30:00 | 7.4          | 0.0000                     | 0             | 1,423,051       | Closed                 | 17.3                       | 299                            |
| 7/29/2026 | 17:45:00 | 7.5          | 1.1508                     | 0             | 1,423,063       | Open                   | 16.8                       | 294                            |
| 7/29/2026 | 18:00:00 | 7.4          | 0.0000                     | 0             | 1,423,065       | Closed                 | 17.2                       | 299                            |
| 7/29/2026 | 18:15:00 | 7.5          | 0.0000                     | 0             | 1,423,085       | Closed                 | 16.6                       | 293                            |
| 7/29/2026 | 18:30:00 | 7.4          | 0.0000                     | 0             | 1,423,085       | Closed                 | 17                         | 294                            |
| 7/29/2026 | 18:45:00 | 7.4          | 0.0000                     | 0             | 1,423,085       | Closed                 | 17.7                       | 298                            |
| 7/29/2026 | 19:00:00 | 7.5          | 1.7413                     | 0             | 1,423,102       | Open                   | 16.5                       | 292                            |
| 7/29/2026 | 19:15:00 | 7.4          | 0.0000                     | 0             | 1,423,104       | Closed                 | 16.8                       | 294                            |
| 7/29/2026 | 19:30:00 | 7.5          | 1.7754                     | 0             | 1,423,116       | Open                   | 16.4                       | 291                            |
| 7/29/2026 | 19:45:00 | 7.4          | 0.0000                     | 0.2           | 1,423,125       | Closed                 | 16.5                       | 108                            |
| 7/29/2026 | 20:00:00 | 7.4          | 0.0000                     | 0.2           | 1,423,128       | Closed                 | 16.7                       | 294                            |
| 7/29/2026 | 20:15:00 | 7.5          | 0.0000                     | 0.2           | 1,423,147       | Closed                 | 16.1                       | 296                            |
| 7/29/2026 | 20:30:00 | 7.4          | 0.0000                     | 0.2           | 1,423,147       | Closed                 | 16.7                       | 298                            |
| 7/29/2026 | 20:45:00 | 7.5          | 0.0000                     | 0.2           | 1,423,167       | Closed                 | 15.9                       | 287                            |
| 7/29/2026 | 21:00:00 | 7.4          | 0.0000                     | 0.1           | 1,423,167       | Closed                 | 16.6                       | 299                            |
| 7/29/2026 | 21:15:00 | 7.5          | 1.7754                     | 0.2           | 1,423,191       | Open                   | 15.7                       | 298                            |
| 7/29/2026 | 21:30:00 | 7.4          | 1.7867                     | 0.3           | 1,423,194       | Open                   | 16.2                       | 301                            |
| 7/29/2026 | 21:45:00 | 7.5          | 0.0000                     | 0.2           | 1,423,213       | Closed                 | 15.7                       | 304                            |
| 7/29/2026 | 22:00:00 | 7.5          | 1.7337                     | 0.2           | 1,423,224       | Open                   | 15.5                       | 299                            |
| 7/29/2026 | 22:15:00 | 7.4          | 0.0000                     | 0.1           | 1,423,234       | Closed                 | 15.7                       | 304                            |
| 7/29/2026 | 22:30:00 | 7.5          | 1.7564                     | 0.2           | 1,423,253       | Open                   | 15.4                       | 301                            |
| 7/29/2026 | 22:45:00 | 7.4          | 0.0000                     | 0.1           | 1,423,256       | Closed                 | 15.9                       | 304                            |
| 7/29/2026 | 23:00:00 | 7.4          | 1.7224                     | 0.2           | 1,423,261       | Open                   | 15.6                       | 301                            |
| 7/29/2026 | 23:15:00 | 7.5          | 0.0000                     | 0.2           | 1,423,281       | Closed                 | 15.3                       | 107                            |
| 7/29/2026 | 23:30:00 | 7.4          | 1.5520                     | 0.3           | 1,423,283       | Open                   | 15.5                       | 299                            |
| 7/29/2026 | 23:45:00 | 7.5          | 1.5255                     | 0.3           | 1,423,306       | Open                   | 15.1                       | 298                            |
| 7/30/2026 | 0:00:00  | 7.4          | 1.6088                     | 0.4           | 1,423,307       | Open                   | 15.7                       | 298                            |
| 7/30/2026 | 0:15:00  | 7.5          | 1.4952                     | 0.2           | 1,423,329       | Open                   | 15                         | 296                            |
| 7/30/2026 | 0:30:00  | 7.4          | 0.0000                     | 0.2           | 1,423,333       | Closed                 | 15.5                       | 296                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/30/2026 | 0:45:00 | 7.5          | 1.4801                     | 0.1           | 1,423,346       | Open                   | 15                         | 294                            |
| 7/30/2026 | 1:00:00 | 7.4          | 0.0000                     | 0.2           | 1,423,356       | Closed                 | 15.2                       | 293                            |
| 7/30/2026 | 1:15:00 | 7.5          | 1.5255                     | 0.3           | 1,423,370       | Open                   | 14.9                       | 293                            |
| 7/30/2026 | 1:30:00 | 7.4          | 0.0000                     | 0.3           | 1,423,378       | Closed                 | 15.1                       | 296                            |
| 7/30/2026 | 1:45:00 | 7.4          | 1.5217                     | 0.3           | 1,423,390       | Open                   | 14.8                       | 294                            |
| 7/30/2026 | 2:00:00 | 7.4          | 0.0000                     | 2.4           | 1,423,400       | Closed                 | 15.7                       | 296                            |
| 7/30/2026 | 2:15:00 | 7.4          | 1.3741                     | 0.4           | 1,423,400       | Closed                 | 14.8                       | 296                            |
| 7/30/2026 | 2:30:00 | 7.4          | 0.0000                     | 0.3           | 1,423,402       | Closed                 | 14.9                       | 296                            |
| 7/30/2026 | 2:45:00 | 7.4          | 0.0000                     | 0.4           | 1,423,402       | Closed                 | 15                         | 297                            |
| 7/30/2026 | 3:00:00 | 7.4          | 0.0000                     | 0.5           | 1,423,402       | Closed                 | 15                         | 297                            |
| 7/30/2026 | 3:15:00 | 7.5          | 1.5066                     | 0.3           | 1,423,419       | Open                   | 14.6                       | 296                            |
| 7/30/2026 | 3:30:00 | 7.4          | 1.5217                     | 0.4           | 1,423,422       | Open                   | 14.9                       | 298                            |
| 7/30/2026 | 3:45:00 | 7.5          | 1.4915                     | 0.7           | 1,423,444       | Open                   | 14.5                       | 298                            |
| 7/30/2026 | 4:00:00 | 7.4          | 0.0000                     | 0.4           | 1,423,445       | Closed                 | 14.9                       | 299                            |
| 7/30/2026 | 4:15:00 | 7.5          | 1.4877                     | 1             | 1,423,456       | Open                   | 14.5                       | 299                            |
| 7/30/2026 | 4:30:00 | 7.4          | 0.0000                     | 0.5           | 1,423,464       | Closed                 | 14.8                       | 303                            |
| 7/30/2026 | 4:45:00 | 7.4          | 1.5331                     | 1             | 1,423,467       | Open                   | 14.6                       | 299                            |
| 7/30/2026 | 5:00:00 | 7.5          | 0.0000                     | 1.4           | 1,423,474       | Closed                 | 14.5                       | 304                            |
| 7/30/2026 | 5:15:00 | 7.5          | 0.0000                     | 1.4           | 1,423,474       | Closed                 | 15.1                       | 304                            |
| 7/30/2026 | 5:30:00 | 7.5          | 0.0000                     | 1             | 1,423,486       | Closed                 | 14.6                       | 107                            |
| 7/30/2026 | 5:45:00 | 7.4          | 0.0000                     | 1.2           | 1,423,486       | Closed                 | 15.2                       | 309                            |
| 7/30/2026 | 6:00:00 | 7.5          | 0.0000                     | 1.5           | 1,423,501       | Closed                 | 14.5                       | 309                            |
| 7/30/2026 | 6:15:00 | 7.4          | 0.0000                     | 1.3           | 1,423,501       | Closed                 | 15                         | 310                            |
| 7/30/2026 | 6:30:00 | 7.5          | 0.6057                     | 1.5           | 1,423,515       | Open                   | 14.5                       | 310                            |
| 7/30/2026 | 6:45:00 | 7.4          | 0.0000                     | 1.2           | 1,423,515       | Closed                 | 15                         | 314                            |
| 7/30/2026 | 7:00:00 | 7.5          | 0.0000                     | 1.5           | 1,423,527       | Closed                 | 14.5                       | 310                            |
| 7/30/2026 | 7:15:00 | 7.5          | 1.5179                     | 0.9           | 1,423,527       | Open                   | 15                         | 314                            |
| 7/30/2026 | 7:30:00 | 7.5          | 0.0000                     | 0.2           | 1,423,542       | Closed                 | 14.8                       | 110                            |
| 7/30/2026 | 7:45:00 | 7.5          | 1.5482                     | 0             | 1,423,543       | Open                   | 15.2                       | 312                            |
| 7/30/2026 | 8:00:00 | 7.5          | 0.0000                     | 0             | 1,423,558       | Closed                 | 15.3                       | 111                            |
| 7/30/2026 | 8:15:00 | 7.4          | 0.0000                     | 0             | 1,423,558       | Closed                 | 16.8                       | 312                            |
| 7/30/2026 | 8:30:00 | 7.5          | 0.0000                     | 0             | 1,423,573       | Closed                 | 15.6                       | 307                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/30/2026 | 8:45:00  | 7.5          | 0.0000                     | 0             | 1,423,573       | Open                   | 15.6                       | 305                            |
| 7/30/2026 | 9:00:00  | 7.4          | 1.4763                     | 0.6           | 1,423,575       | Open                   | 16.7                       | 307                            |
| 7/30/2026 | 9:15:00  | 7.4          | 1.4385                     | 0             | 1,423,597       | Open                   | 15.8                       | 304                            |
| 7/30/2026 | 9:30:00  | 7.4          | 0.0000                     | 0             | 1,423,599       | Closed                 | 17.2                       | 304                            |
| 7/30/2026 | 9:45:00  | 7.4          | 1.4612                     | 0             | 1,423,607       | Open                   | 16.2                       | 304                            |
| 7/30/2026 | 10:00:00 | 7.4          | 0.0000                     | 0             | 1,423,614       | Closed                 | 16.4                       | 304                            |
| 7/30/2026 | 10:15:00 | 7.4          | 0.0000                     | 0             | 1,423,614       | Closed                 | 16.7                       | 307                            |
| 7/30/2026 | 10:30:00 | 7.4          | 1.4952                     | 0             | 1,423,622       | Open                   | 16.3                       | 304                            |
| 7/30/2026 | 10:45:00 | 7.4          | 0.0000                     | 0             | 1,423,624       | Closed                 | 17.2                       | 304                            |
| 7/30/2026 | 11:00:00 | 7.4          | 0.0000                     | 0             | 1,423,635       | Closed                 | 16.5                       | 302                            |
| 7/30/2026 | 11:15:00 | 7.4          | 1.5179                     | 0             | 1,423,639       | Open                   | 16.5                       | 300                            |
| 7/30/2026 | 11:30:00 | 7.4          | 0.0000                     | 0             | 1,423,651       | Closed                 | 16.3                       | 302                            |
| 7/30/2026 | 11:45:00 | 7.4          | 1.3552                     | 0.1           | 1,423,651       | Closed                 | 16.8                       | 300                            |
| 7/30/2026 | 12:00:00 | 7.4          | 1.4915                     | 0.2           | 1,423,653       | Open                   | 16                         | 302                            |
| 7/30/2026 | 12:15:00 | 7.4          | 0.0000                     | 0.2           | 1,423,661       | Closed                 | 16.5                       | 304                            |
| 7/30/2026 | 12:30:00 | 7.4          | 1.4915                     | 0.4           | 1,423,668       | Open                   | 16.2                       | 302                            |
| 7/30/2026 | 12:45:00 | 7.4          | 0.0000                     | 0.3           | 1,423,676       | Closed                 | 16.4                       | 109                            |
| 7/30/2026 | 13:00:00 | 7.4          | 1.5142                     | 0.5           | 1,423,683       | Open                   | 16.4                       | 301                            |
| 7/30/2026 | 13:15:00 | 7.5          | 0.0000                     | 0.3           | 1,423,693       | Closed                 | 16.6                       | 109                            |
| 7/30/2026 | 13:30:00 | 7.4          | 1.5293                     | 0.3           | 1,423,698       | Open                   | 16.6                       | 301                            |
| 7/30/2026 | 13:45:00 | 7.5          | 0.0000                     | 0.2           | 1,423,711       | Closed                 | 16.7                       | 109                            |
| 7/30/2026 | 14:00:00 | 7.4          | 1.4990                     | 0.3           | 1,423,714       | Open                   | 17.1                       | 299                            |
| 7/30/2026 | 14:15:00 | 7.5          | 0.0000                     | 0.3           | 1,423,732       | Closed                 | 16.7                       | 108                            |
| 7/30/2026 | 14:30:00 | 7.4          | 0.0000                     | 0.3           | 1,423,732       | Closed                 | 17.5                       | 301                            |
| 7/30/2026 | 14:45:00 | 7.4          | 1.5028                     | 0.2           | 1,423,744       | Closed                 | 16.9                       | 303                            |
| 7/30/2026 | 15:00:00 | 7.4          | 1.3325                     | 0.1           | 1,423,744       | Closed                 | 16.9                       | 304                            |
| 7/30/2026 | 15:15:00 | 7.4          | 0.0000                     | 0             | 1,423,744       | Closed                 | 17.2                       | 306                            |
| 7/30/2026 | 15:30:00 | 7.4          | 0.0000                     | 0             | 1,423,749       | Closed                 | 17.2                       | 306                            |
| 7/30/2026 | 15:45:00 | 7.4          | 1.3590                     | 0             | 1,423,749       | Closed                 | 17.2                       | 306                            |
| 7/30/2026 | 16:00:00 | 7.4          | 0.0000                     | 0             | 1,423,755       | Closed                 | 17.2                       | 304                            |
| 7/30/2026 | 16:15:00 | 7.4          | 1.4915                     | 0             | 1,423,763       | Open                   | 17.2                       | 306                            |
| 7/30/2026 | 16:30:00 | 7.4          | 0.0000                     | 0             | 1,423,772       | Closed                 | 17.7                       | 306                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/30/2026 | 16:45:00 | 7.4          | 1.4687                     | 0             | 1,423,780       | Open                   | 17.1                       | 303                            |
| 7/30/2026 | 17:00:00 | 7.4          | 0.0000                     | 0             | 1,423,788       | Closed                 | 17.7                       | 304                            |
| 7/30/2026 | 17:15:00 | 7.4          | 1.3627                     | 0             | 1,423,788       | Closed                 | 17.2                       | 304                            |
| 7/30/2026 | 17:30:00 | 7.4          | 0.0000                     | 0             | 1,423,788       | Closed                 | 17.2                       | 108                            |
| 7/30/2026 | 17:45:00 | 7.4          | 0.0000                     | 0             | 1,423,788       | Closed                 | 18.4                       | 301                            |
| 7/30/2026 | 18:00:00 | 7.4          | 1.5179                     | 0.1           | 1,423,795       | Open                   | 17.3                       | 304                            |
| 7/30/2026 | 18:15:00 | 7.4          | 0.0000                     | 0             | 1,423,802       | Closed                 | 17.7                       | 306                            |
| 7/30/2026 | 18:30:00 | 7.4          | 1.4915                     | 0.3           | 1,423,809       | Open                   | 17.2                       | 304                            |
| 7/30/2026 | 18:45:00 | 7.4          | 0.0000                     | 0             | 1,423,817       | Closed                 | 17.7                       | 306                            |
| 7/30/2026 | 19:00:00 | 7.4          | 1.4990                     | 0.2           | 1,423,826       | Open                   | 17.1                       | 306                            |
| 7/30/2026 | 19:15:00 | 7.4          | 0.0000                     | 0             | 1,423,827       | Closed                 | 17.7                       | 306                            |
| 7/30/2026 | 19:30:00 | 7.4          | 0.2423                     | 0.1           | 1,423,842       | Closed                 | 17                         | 306                            |
| 7/30/2026 | 19:45:00 | 7.4          | 1.3703                     | 0.1           | 1,423,842       | Closed                 | 16.9                       | 306                            |
| 7/30/2026 | 20:00:00 | 7.4          | 0.0000                     | 0             | 1,423,854       | Closed                 | 16.8                       | 306                            |
| 7/30/2026 | 20:15:00 | 7.4          | 1.5142                     | 0.1           | 1,423,865       | Open                   | 16.6                       | 304                            |
| 7/30/2026 | 20:30:00 | 7.4          | 0.0000                     | 0.1           | 1,423,874       | Closed                 | 16.5                       | 304                            |
| 7/30/2026 | 20:45:00 | 7.4          | 1.5255                     | 0.1           | 1,423,876       | Open                   | 16.3                       | 304                            |
| 7/30/2026 | 21:00:00 | 7.3          | 0.0000                     | 0.1           | 1,423,889       | Closed                 | 16.3                       | 301                            |
| 7/30/2026 | 21:15:00 | 7.3          | 1.5142                     | 0.1           | 1,423,901       | Open                   | 16                         | 299                            |
| 7/30/2026 | 21:30:00 | 7.3          | 0.0000                     | 0.1           | 1,423,914       | Closed                 | 16.2                       | 298                            |
| 7/30/2026 | 21:45:00 | 7.3          | 1.4763                     | 0.2           | 1,423,927       | Open                   | 15.8                       | 296                            |
| 7/30/2026 | 22:00:00 | 7.3          | 0.0000                     | 0.2           | 1,423,939       | Closed                 | 16                         | 294                            |
| 7/30/2026 | 22:15:00 | 7.3          | 1.4801                     | 0.1           | 1,423,949       | Open                   | 15.6                       | 294                            |
| 7/30/2026 | 22:30:00 | 7.3          | 0.0000                     | 0.2           | 1,423,957       | Closed                 | 15.6                       | 294                            |
| 7/30/2026 | 22:45:00 | 7.3          | 1.4990                     | 0.2           | 1,423,969       | Open                   | 15.5                       | 294                            |
| 7/30/2026 | 23:00:00 | 7.3          | 0.0000                     | 0.2           | 1,423,981       | Closed                 | 15.6                       | 295                            |
| 7/30/2026 | 23:15:00 | 7.3          | 1.5217                     | 0.3           | 1,423,991       | Open                   | 15.4                       | 294                            |
| 7/30/2026 | 23:30:00 | 7.3          | 1.5104                     | 0.5           | 1,424,013       | Open                   | 15.3                       | 294                            |
| 7/30/2026 | 23:45:00 | 7.3          | 0.0000                     | 0.2           | 1,424,019       | Closed                 | 15.7                       | 294                            |
| 7/31/2026 | 0:00:00  | 7.3          | 1.3627                     | 0.7           | 1,424,019       | Closed                 | 15.2                       | 294                            |
| 7/31/2026 | 0:15:00  | 7.3          | 0.0000                     | 0.6           | 1,424,029       | Closed                 | 15.4                       | 294                            |
| 7/31/2026 | 0:30:00  | 7.3          | 0.9350                     | 0.6           | 1,424,041       | Open                   | 15.2                       | 293                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/31/2026 | 0:45:00 | 7.3          | 0.0000                     | 0.5           | 1,424,045       | Closed                 | 15.5                       | 296                            |
| 7/31/2026 | 1:00:00 | 7.2          | 0.0000                     | 0.6           | 1,424,045       | Closed                 | 15.7                       | 293                            |
| 7/31/2026 | 1:15:00 | 7.3          | 0.9426                     | 0.7           | 1,424,061       | Open                   | 15.2                       | 293                            |
| 7/31/2026 | 1:30:00 | 7.3          | 1.5369                     | 1             | 1,424,065       | Open                   | 15.3                       | 293                            |
| 7/31/2026 | 1:45:00 | 7.3          | 1.4650                     | 1             | 1,424,088       | Open                   | 15.1                       | 293                            |
| 7/31/2026 | 2:00:00 | 7.3          | 0.0000                     | 0.9           | 1,424,093       | Closed                 | 15.4                       | 296                            |
| 7/31/2026 | 2:30:00 | 7.3          | 0.0000                     | 0.7           | 1,424,119       | Closed                 | 15.4                       | 296                            |
| 7/31/2026 | 2:45:00 | 7.3          | 0.9312                     | 1.7           | 1,424,134       | Open                   | 15                         | 296                            |
| 7/31/2026 | 3:00:00 | 7.3          | 1.5104                     | 0.9           | 1,424,138       | Open                   | 15.1                       | 298                            |
| 7/31/2026 | 3:15:00 | 7.4          | 1.3438                     | 1             | 1,424,146       | Closed                 | 14.9                       | 298                            |
| 7/31/2026 | 3:30:00 | 7.3          | 0.0000                     | 0.9           | 1,424,150       | Closed                 | 15.2                       | 299                            |
| 7/31/2026 | 3:45:00 | 7.4          | 1.4725                     | 1             | 1,424,166       | Open                   | 14.9                       | 299                            |
| 7/31/2026 | 4:00:00 | 7.3          | 0.0000                     | 0.9           | 1,424,171       | Closed                 | 15.2                       | 299                            |
| 7/31/2026 | 4:15:00 | 7.3          | 0.8820                     | 1.1           | 1,424,171       | Closed                 | 15.3                       | 299                            |
| 7/31/2026 | 4:30:00 | 7.3          | 1.5104                     | 1.1           | 1,424,190       | Open                   | 14.9                       | 301                            |
| 7/31/2026 | 4:45:00 | 7.3          | 0.0000                     | 1.1           | 1,424,203       | Closed                 | 15.1                       | 303                            |
| 7/31/2026 | 5:00:00 | 7.3          | 0.9123                     | 1.3           | 1,424,214       | Open                   | 14.9                       | 303                            |
| 7/31/2026 | 5:15:00 | 7.3          | 0.0000                     | 1.1           | 1,424,221       | Closed                 | 15.1                       | 302                            |
| 7/31/2026 | 5:30:00 | 7.3          | 1.4763                     | 1.2           | 1,424,238       | Open                   | 14.8                       | 303                            |
| 7/31/2026 | 5:45:00 | 7.3          | 0.0000                     | 1.1           | 1,424,256       | Closed                 | 14.9                       | 303                            |
| 7/31/2026 | 6:00:00 | 7.4          | 1.3211                     | 3             | 1,424,257       | Closed                 | 14.9                       | 301                            |
| 7/31/2026 | 6:15:00 | 7.3          | 0.0000                     | 1.1           | 1,424,269       | Closed                 | 14.9                       | 301                            |
| 7/31/2026 | 6:30:00 | 7.3          | 0.9085                     | 2.1           | 1,424,274       | Open                   | 14.8                       | 303                            |
| 7/31/2026 | 6:45:00 | 7.3          | 0.0000                     | 1.5           | 1,424,274       | Closed                 | 15                         | 302                            |
| 7/31/2026 | 7:00:00 | 7.3          | 1.2870                     | 1.8           | 1,424,289       | Closed                 | 14.7                       | 300                            |
| 7/31/2026 | 7:15:00 | 7.3          | 0.0000                     | 1.6           | 1,424,300       | Closed                 | 14.7                       | 299                            |
| 7/31/2026 | 7:30:00 | 7.3          | 1.4195                     | 1.7           | 1,424,304       | Open                   | 14.7                       | 300                            |
| 7/31/2026 | 7:45:00 | 7.3          | 1.4347                     | 1             | 1,424,324       | Open                   | 14.6                       | 297                            |
| 7/31/2026 | 8:00:00 | 7.3          | 0.6473                     | 9.7           | 1,424,326       | Closed                 | 14.9                       | 297                            |
| 7/31/2026 | 8:15:00 | 7.3          | 1.3400                     | 1             | 1,424,326       | Closed                 | 15.1                       | 297                            |
| 7/31/2026 | 8:30:00 | 7.2          | 1.2946                     | 0.1           | 1,424,336       | Closed                 | 15                         | 296                            |
| 7/31/2026 | 8:45:00 | 7.2          | 0.0000                     | 0             | 1,424,336       | Closed                 | 15.7                       | 294                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/31/2026 | 9:00:00  | 7.2          | 0.0000                     | 0             | 1,424,336       | Closed                 | 15.8                       | 294                            |
| 7/31/2026 | 9:15:00  | 7.2          | 1.4460                     | 0             | 1,424,348       | Open                   | 15.4                       | 292                            |
| 7/31/2026 | 9:30:00  | 7.2          | 0.6965                     | 2             | 1,424,351       | Closed                 | 15.6                       | 294                            |
| 7/31/2026 | 9:45:00  | 7.2          | 0.1817                     | 0.3           | 1,424,351       | Closed                 | 15.2                       | 293                            |
| 7/31/2026 | 10:00:00 | 7.2          | 1.3855                     | 0.1           | 1,424,351       | Closed                 | 15.1                       | 291                            |
| 7/31/2026 | 10:15:00 | 7.2          | 0.2953                     | 0.1           | 1,424,364       | Closed                 | 15.2                       | 291                            |
| 7/31/2026 | 10:30:00 | 7.2          | 1.5028                     | 1.2           | 1,424,372       | Open                   | 15.3                       | 291                            |
| 7/31/2026 | 10:45:00 | 7.2          | 0.0000                     | 0.1           | 1,424,383       | Closed                 | 15.7                       | 291                            |
| 7/31/2026 | 11:00:00 | 7.2          | 0.6814                     | 2.6           | 1,424,390       | Closed                 | 15.4                       | 291                            |
| 7/31/2026 | 11:15:00 | 7.2          | 0.0000                     | 3.4           | 1,424,390       | Closed                 | 15.8                       | 293                            |
| 7/31/2026 | 11:30:00 | 7.2          | 1.3779                     | 5.3           | 1,424,390       | Closed                 | 15.6                       | 291                            |
| 7/31/2026 | 11:45:00 | 7.2          | 0.0000                     | 4.9           | 1,424,405       | Closed                 | 15.8                       | 291                            |
| 7/31/2026 | 12:00:00 | 7.2          | 0.0000                     | 4.8           | 1,424,405       | Closed                 | 16.4                       | 294                            |
| 7/31/2026 | 12:15:00 | 7.3          | 0.4126                     | 6.3           | 1,424,407       | Open                   | 16.1                       | 294                            |
| 7/31/2026 | 12:30:00 | 7.2          | 0.7306                     | 5.3           | 1,424,423       | Open                   | 15.9                       | 293                            |
| 7/31/2026 | 12:45:00 | 7.3          | 0.0000                     | 5.6           | 1,424,423       | Closed                 | 16                         | 291                            |
| 7/31/2026 | 13:00:00 | 7.3          | 1.5028                     | 5.5           | 1,424,439       | Open                   | 15.9                       | 291                            |
| 7/31/2026 | 13:15:00 | 7.3          | 0.0000                     | 5.1           | 1,424,443       | Closed                 | 16.3                       | 294                            |
| 7/31/2026 | 13:30:00 | 7.3          | 1.6353                     | 5.5           | 1,424,454       | Open                   | 16.1                       | 293                            |
| 7/31/2026 | 13:45:00 | 7.4          | 1.6202                     | 4.8           | 1,424,469       | Open                   | 16.2                       | 294                            |
| 7/31/2026 | 14:00:00 | 7.3          | 0.0000                     | 4.9           | 1,424,469       | Closed                 | 16.7                       | 298                            |
| 7/31/2026 | 14:15:00 | 7.4          | 1.4574                     | 4.7           | 1,424,478       | Closed                 | 16.5                       | 298                            |
| 7/31/2026 | 14:30:00 | 7.4          | 0.0000                     | 4.7           | 1,424,478       | Closed                 | 16.7                       | 298                            |
| 7/31/2026 | 14:45:00 | 7.4          | 0.9312                     | 4.8           | 1,424,478       | Closed                 | 17.2                       | 299                            |
| 7/31/2026 | 15:00:00 | 7.4          | 1.5937                     | 5.7           | 1,424,490       | Open                   | 16.5                       | 298                            |
| 7/31/2026 | 15:15:00 | 7.4          | 0.0000                     | 5.3           | 1,424,494       | Closed                 | 16.9                       | 298                            |
| 7/31/2026 | 15:30:00 | 7.4          | 1.0675                     | 5.6           | 1,424,505       | Open                   | 16.6                       | 294                            |
| 7/31/2026 | 15:45:00 | 7.4          | 1.4763                     | 6.2           | 1,424,508       | Closed                 | 16.4                       | 293                            |
| 7/31/2026 | 16:00:00 | 7.4          | 1.6467                     | 5.3           | 1,424,509       | Open                   | 16.9                       | 293                            |
| 7/31/2026 | 16:15:00 | 7.4          | 0.0000                     | 5.4           | 1,424,527       | Closed                 | 16.6                       | 291                            |
| 7/31/2026 | 16:30:00 | 7.4          | 0.0000                     | 5.4           | 1,424,527       | Closed                 | 16.7                       | 291                            |
| 7/31/2026 | 16:45:00 | 7.4          | 1.4082                     | 5.9           | 1,424,534       | Closed                 | 16.5                       | 291                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/31/2026 | 17:00:00 | 7.4          | 0.0000                     | 5.6           | 1,424,537       | Closed                 | 16.9                       | 293                            |
| 7/31/2026 | 17:15:00 | 7.4          | 1.5672                     | 6.6           | 1,424,538       | Open                   | 17.4                       | 291                            |
| 7/31/2026 | 17:30:00 | 7.4          | 0.2309                     | 5.5           | 1,424,555       | Closed                 | 16.7                       | 289                            |
| 7/31/2026 | 17:45:00 | 7.4          | 0.8517                     | 4.7           | 1,424,555       | Closed                 | 16.9                       | 293                            |
| 7/31/2026 | 18:00:00 | 7.4          | 0.0000                     | 5.5           | 1,424,556       | Closed                 | 16.8                       | 291                            |
| 7/31/2026 | 18:15:00 | 7.4          | 0.0000                     | 5.1           | 1,424,566       | Closed                 | 16.6                       | 293                            |
| 7/31/2026 | 18:30:00 | 7.4          | 0.3218                     | 5             | 1,424,575       | Closed                 | 16.3                       | 292                            |
| 7/31/2026 | 18:45:00 | 7.4          | 1.6807                     | 5.3           | 1,424,585       | Open                   | 16.3                       | 291                            |
| 7/31/2026 | 19:00:00 | 7.4          | 0.0000                     | 5             | 1,424,593       | Closed                 | 16.5                       | 293                            |
| 7/31/2026 | 19:15:00 | 7.4          | 0.5489                     | 5             | 1,424,597       | Closed                 | 16.2                       | 291                            |
| 7/31/2026 | 19:30:00 | 7.4          | 1.7261                     | 4.9           | 1,424,605       | Open                   | 16.2                       | 292                            |
| 7/31/2026 | 19:45:00 | 7.4          | 0.0000                     | 5.8           | 1,424,617       | Closed                 | 16.3                       | 291                            |
| 7/31/2026 | 20:00:00 | 7.4          | 0.6852                     | 4.4           | 1,424,619       | Open                   | 16.2                       | 291                            |
| 7/31/2026 | 20:15:00 | 7.4          | 1.6769                     | 3.1           | 1,424,630       | Open                   | 15.8                       | 290                            |
| 7/31/2026 | 20:30:00 | 7.4          | 1.5899                     | 3.4           | 1,424,630       | Closed                 | 16.3                       | 291                            |
| 7/31/2026 | 20:45:00 | 7.4          | 1.0145                     | 0.8           | 1,424,642       | Open                   | 15.4                       | 288                            |
| 7/31/2026 | 21:00:00 | 7.4          | 0.0000                     | 1.5           | 1,424,645       | Closed                 | 15.8                       | 289                            |
| 7/31/2026 | 21:15:00 | 7.4          | 1.6012                     | 0.3           | 1,424,652       | Open                   | 15.4                       | 288                            |
| 7/31/2026 | 21:30:00 | 7.4          | 1.0523                     | 0.1           | 1,424,661       | Open                   | 15.2                       | 288                            |
| 7/31/2026 | 21:45:00 | 7.4          | 0.0000                     | 0.2           | 1,424,664       | Closed                 | 15.6                       | 288                            |
| 7/31/2026 | 22:00:00 | 7.4          | 1.5899                     | 0.2           | 1,424,683       | Open                   | 15.3                       | 290                            |
| 7/31/2026 | 22:15:00 | 7.3          | 0.2877                     | 0.1           | 1,424,690       | Closed                 | 15.3                       | 291                            |
| 7/31/2026 | 22:30:00 | 7.3          | 1.5974                     | 0.2           | 1,424,694       | Open                   | 15.4                       | 291                            |
| 7/31/2026 | 22:45:00 | 7.3          | 1.5482                     | 0.1           | 1,424,717       | Open                   | 15.3                       | 293                            |
| 7/31/2026 | 23:00:00 | 7.3          | 0.0000                     | 0.1           | 1,424,728       | Closed                 | 15.5                       | 296                            |
| 7/31/2026 | 23:15:00 | 7.3          | 1.4536                     | 0.2           | 1,424,728       | Closed                 | 15.3                       | 296                            |
| 7/31/2026 | 23:30:00 | 7.3          | 1.5823                     | 0.5           | 1,424,748       | Open                   | 15.3                       | 298                            |
| 7/31/2026 | 23:45:00 | 7.3          | 0.0000                     | 0.2           | 1,424,758       | Closed                 | 15.5                       | 301                            |
| 8/1/2026  | 0:00:00  | 7.3          | 1.5785                     | 0.2           | 1,424,770       | Open                   | 15.3                       | 301                            |
| 8/1/2026  | 0:15:00  | 7.3          | 0.3407                     | 0.3           | 1,424,778       | Closed                 | 15.3                       | 306                            |
| 8/1/2026  | 0:30:00  | 7.3          | 0.0000                     | 0.3           | 1,424,778       | Closed                 | 15.8                       | 304                            |
| 8/1/2026  | 0:45:00  | 7.3          | 1.5482                     | 0.3           | 1,424,792       | Open                   | 15.4                       | 306                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/1/2026 | 1:00:00 | 7.3          | 0.0000                     | 0.3           | 1,424,810       | Closed                 | 15.4                       | 308                            |
| 8/1/2026 | 1:15:00 | 7.3          | 0.0000                     | 0.3           | 1,424,810       | Closed                 | 15.8                       | 308                            |
| 8/1/2026 | 1:30:00 | 7.3          | 1.5672                     | 0.3           | 1,424,814       | Open                   | 15.1                       | 303                            |
| 8/1/2026 | 1:45:00 | 7.3          | 1.4763                     | 0.2           | 1,424,824       | Open                   | 15.3                       | 304                            |
| 8/1/2026 | 2:00:00 | 7.2          | 1.1356                     | 0.3           | 1,424,838       | Open                   | 14.9                       | 299                            |
| 8/1/2026 | 2:15:00 | 7.2          | 0.2423                     | 0.2           | 1,424,841       | Closed                 | 14.9                       | 296                            |
| 8/1/2026 | 2:30:00 | 7.2          | 1.6012                     | 0.3           | 1,424,844       | Open                   | 15                         | 296                            |
| 8/1/2026 | 2:45:00 | 7.2          | 1.0448                     | 0.1           | 1,424,866       | Open                   | 14.8                       | 296                            |
| 8/1/2026 | 3:00:00 | 7.2          | 0.0000                     | 0.2           | 1,424,867       | Closed                 | 15.2                       | 298                            |
| 8/1/2026 | 3:15:00 | 7.3          | 1.4233                     | 0.3           | 1,424,879       | Closed                 | 14.9                       | 293                            |
| 8/1/2026 | 3:30:00 | 7.2          | 1.0448                     | 0.2           | 1,424,886       | Open                   | 14.8                       | 296                            |
| 8/1/2026 | 3:45:00 | 7.2          | 1.4687                     | 0.2           | 1,424,886       | Closed                 | 15.4                       | 296                            |
| 8/1/2026 | 4:00:00 | 7.2          | 1.5785                     | 0.1           | 1,424,910       | Open                   | 14.8                       | 296                            |
| 8/1/2026 | 4:15:00 | 7.2          | 0.7533                     | 0             | 1,424,925       | Closed                 | 14.9                       | 296                            |
| 8/1/2026 | 4:30:00 | 7.2          | 1.4347                     | 0.1           | 1,424,925       | Closed                 | 14.9                       | 296                            |
| 8/1/2026 | 4:45:00 | 7.2          | 0.0000                     | 0.2           | 1,424,925       | Closed                 | 15.1                       | 296                            |
| 8/1/2026 | 5:00:00 | 7.2          | 1.0334                     | 0             | 1,424,938       | Open                   | 15                         | 296                            |
| 8/1/2026 | 5:15:00 | 7.2          | 0.0000                     | 0             | 1,424,947       | Closed                 | 15.2                       | 296                            |
| 8/1/2026 | 5:30:00 | 7.2          | 0.0000                     | 0             | 1,424,947       | Closed                 | 15.7                       | 298                            |
| 8/1/2026 | 5:45:00 | 7.2          | 1.0523                     | 0             | 1,424,967       | Open                   | 15                         | 294                            |
| 8/1/2026 | 6:00:00 | 7.2          | 0.0000                     | 0             | 1,424,976       | Closed                 | 15.4                       | 296                            |
| 8/1/2026 | 6:15:00 | 7.2          | 1.5937                     | 0             | 1,424,992       | Open                   | 15.2                       | 294                            |
| 8/1/2026 | 6:30:00 | 7.2          | 0.1741                     | 0             | 1,425,011       | Closed                 | 15.3                       | 294                            |
| 8/1/2026 | 6:45:00 | 7.2          | 1.5634                     | 0             | 1,425,016       | Open                   | 15.5                       | 296                            |
| 8/1/2026 | 7:00:00 | 7.2          | 1.4347                     | 0             | 1,425,025       | Closed                 | 15.3                       | 298                            |
| 8/1/2026 | 7:15:00 | 7.2          | 0.0000                     | 0.6           | 1,425,032       | Closed                 | 15.4                       | 298                            |
| 8/1/2026 | 7:30:00 | 7.2          | 1.5974                     | 0.1           | 1,425,038       | Open                   | 15.4                       | 296                            |
| 8/1/2026 | 7:45:00 | 7.3          | 1.5634                     | 0             | 1,425,062       | Open                   | 15.2                       | 296                            |
| 8/1/2026 | 8:00:00 | 7.2          | 0.0000                     | 0             | 1,425,064       | Closed                 | 15.6                       | 299                            |
| 8/1/2026 | 8:15:00 | 7.3          | 1.5407                     | 0             | 1,425,074       | Open                   | 15.3                       | 296                            |
| 8/1/2026 | 8:30:00 | 7.2          | 0.0000                     | 0             | 1,425,082       | Closed                 | 15.6                       | 300                            |
| 8/1/2026 | 8:45:00 | 7.3          | 1.0107                     | 0             | 1,425,092       | Open                   | 15.4                       | 297                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/1/2026 | 9:00:00  | 7.2          | 0.0000                     | 0             | 1,425,098       | Closed                 | 15.7                       | 300                            |
| 8/1/2026 | 9:15:00  | 7.2          | 1.6656                     | 0             | 1,425,118       | Open                   | 15.3                       | 296                            |
| 8/1/2026 | 9:30:00  | 7.2          | 0.7987                     | 0.1           | 1,425,135       | Closed                 | 15.3                       | 296                            |
| 8/1/2026 | 9:45:00  | 7.3          | 0.2082                     | 0             | 1,425,135       | Closed                 | 15.5                       | 294                            |
| 8/1/2026 | 10:00:00 | 7.3          | 0.0000                     | 0             | 1,425,135       | Closed                 | 16.3                       | 296                            |
| 8/1/2026 | 10:15:00 | 7.3          | 1.0902                     | 1             | 1,425,140       | Open                   | 15.6                       | 296                            |
| 8/1/2026 | 10:30:00 | 7.3          | 0.0000                     | 0             | 1,425,145       | Closed                 | 16.1                       | 296                            |
| 8/1/2026 | 11:00:00 | 7.3          | 0.0000                     | 0             | 1,425,177       | Closed                 | 16                         | 297                            |
| 8/1/2026 | 11:15:00 | 7.3          | 0.0000                     | 0             | 1,425,177       | Closed                 | 15.9                       | 296                            |
| 8/1/2026 | 11:30:00 | 7.3          | 1.6542                     | 0             | 1,425,178       | Open                   | 16.4                       | 294                            |
| 8/1/2026 | 12:00:00 | 7.3          | 0.0000                     | 0             | 1,425,201       | Closed                 | 16.8                       | 297                            |
| 8/1/2026 | 12:15:00 | 7.3          | 1.6429                     | 0             | 1,425,223       | Open                   | 16.2                       | 296                            |
| 8/1/2026 | 12:30:00 | 7.3          | 0.0000                     | 0.1           | 1,425,237       | Closed                 | 16.5                       | 297                            |
| 8/1/2026 | 12:45:00 | 7.2          | 0.0000                     | 0             | 1,425,237       | Closed                 | 17.4                       | 299                            |
| 8/1/2026 | 13:00:00 | 7.2          | 0.0000                     | 0             | 1,425,237       | Closed                 | 18.7                       | 299                            |
| 8/1/2026 | 13:15:00 | 7.3          | 0.9199                     | 1.6           | 1,425,251       | Open                   | 16.7                       | 297                            |
| 8/1/2026 | 13:30:00 | 7.2          | 1.0902                     | 1.1           | 1,425,252       | Closed                 | 17.4                       | 300                            |
| 8/1/2026 | 13:45:00 | 7.3          | 1.5974                     | 0             | 1,425,261       | Open                   | 16.6                       | 297                            |
| 8/1/2026 | 14:00:00 | 7.3          | 0.0000                     | 1             | 1,425,280       | Closed                 | 16.5                       | 297                            |
| 8/1/2026 | 14:15:00 | 7.3          | 0.6435                     | 2.1           | 1,425,280       | Open                   | 17.3                       | 296                            |
| 8/1/2026 | 14:30:00 | 7.3          | 1.5974                     | 0.3           | 1,425,304       | Open                   | 16.5                       | 299                            |
| 8/1/2026 | 14:45:00 | 7.3          | 0.0000                     | 0.2           | 1,425,308       | Closed                 | 17                         | 303                            |
| 8/1/2026 | 15:00:00 | 7.3          | 1.6012                     | 0.2           | 1,425,318       | Open                   | 16.7                       | 299                            |
| 8/1/2026 | 15:15:00 | 7.3          | 1.5482                     | 0.4           | 1,425,324       | Open                   | 16.6                       | 301                            |
| 8/1/2026 | 15:30:00 | 7.3          | 0.9880                     | 0.7           | 1,425,345       | Open                   | 16.8                       | 301                            |
| 8/1/2026 | 15:45:00 | 7.3          | 0.0000                     | 0.7           | 1,425,345       | Closed                 | 17.6                       | 303                            |
| 8/1/2026 | 16:00:00 | 7.3          | 1.5861                     | 0             | 1,425,363       | Open                   | 16.8                       | 298                            |
| 8/1/2026 | 16:15:00 | 7.3          | 0.0984                     | 0.1           | 1,425,365       | Closed                 | 17.4                       | 301                            |
| 8/1/2026 | 16:30:00 | 7.3          | 1.5672                     | 0             | 1,425,387       | Open                   | 16.7                       | 299                            |
| 8/1/2026 | 16:45:00 | 7.3          | 0.0000                     | 0             | 1,425,397       | Closed                 | 16.9                       | 299                            |
| 8/1/2026 | 17:00:00 | 7.2          | 1.0372                     | 0             | 1,425,398       | Open                   | 18                         | 298                            |
| 8/1/2026 | 17:15:00 | 7.2          | 0.0000                     | 18.1          | 1,425,415       | Closed                 | 16.8                       | 296                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/1/2026 | 17:30:00 | 7.2          | 1.5369                     | 0.5           | 1,425,418       | Open                   | 17.3                       | 298                            |
| 8/1/2026 | 17:45:00 | 7.2          | 0.0000                     | 0.6           | 1,425,428       | Closed                 | 17                         | 299                            |
| 8/1/2026 | 18:00:00 | 7.3          | 1.5558                     | 0.7           | 1,425,440       | Open                   | 16.5                       | 294                            |
| 8/1/2026 | 18:15:00 | 7.3          | 0.0000                     | 0.9           | 1,425,452       | Closed                 | 16.7                       | 297                            |
| 8/1/2026 | 18:30:00 | 7.3          | 1.0258                     | 1             | 1,425,457       | Open                   | 16.5                       | 299                            |
| 8/1/2026 | 18:45:00 | 7.3          | 1.5444                     | 0.2           | 1,425,478       | Open                   | 16.1                       | 298                            |
| 8/1/2026 | 19:00:00 | 7.2          | 0.0000                     | 0.2           | 1,425,484       | Closed                 | 16.5                       | 299                            |
| 8/1/2026 | 19:15:00 | 7.3          | 0.6587                     | 0.3           | 1,425,499       | Open                   | 15.8                       | 296                            |
| 8/1/2026 | 19:30:00 | 7.3          | 0.0000                     | 0.2           | 1,425,512       | Closed                 | 15.9                       | 298                            |
| 8/1/2026 | 19:45:00 | 7.3          | 1.4385                     | 0.4           | 1,425,519       | Open                   | 15.8                       | 298                            |
| 8/1/2026 | 20:00:00 | 7.3          | 0.6852                     | 0.8           | 1,425,525       | Closed                 | 15.5                       | 296                            |
| 8/1/2026 | 20:15:00 | 7.3          | 0.0000                     | 0.9           | 1,425,525       | Closed                 | 15.8                       | 297                            |
| 8/1/2026 | 20:30:00 | 7.3          | 1.4157                     | 0.9           | 1,425,529       | Open                   | 15.3                       | 296                            |
| 8/1/2026 | 20:45:00 | 7.3          | 0.8328                     | 0.9           | 1,425,547       | Open                   | 15.2                       | 296                            |
| 8/1/2026 | 21:00:00 | 7.3          | 0.0000                     | 0.7           | 1,425,550       | Closed                 | 15.8                       | 298                            |
| 8/1/2026 | 21:15:00 | 7.3          | 1.3665                     | 0.6           | 1,425,566       | Open                   | 15.1                       | 296                            |
| 8/1/2026 | 21:30:00 | 7.3          | 0.7230                     | 0.7           | 1,425,584       | Open                   | 15.1                       | 296                            |
| 8/1/2026 | 21:45:00 | 7.3          | 0.0000                     | 0.9           | 1,425,586       | Closed                 | 15.5                       | 299                            |
| 8/1/2026 | 22:00:00 | 7.3          | 1.4574                     | 0.4           | 1,425,602       | Open                   | 15                         | 298                            |
| 8/1/2026 | 22:15:00 | 7.3          | 0.0000                     | 21.6          | 1,425,615       | Closed                 | 15.3                       | 301                            |
| 8/1/2026 | 22:30:00 | 7.3          | 1.4877                     | 0.3           | 1,425,630       | Open                   | 15.1                       | 303                            |
| 8/1/2026 | 22:45:00 | 7.4          | 1.3173                     | 0.3           | 1,425,637       | Closed                 | 15.2                       | 304                            |
| 8/1/2026 | 23:00:00 | 7.3          | 0.8934                     | 0.4           | 1,425,646       | Open                   | 15.4                       | 309                            |
| 8/1/2026 | 23:15:00 | 7.3          | 0.0000                     | 0.3           | 1,425,650       | Closed                 | 15.8                       | 311                            |
| 8/1/2026 | 23:30:00 | 7.4          | 1.4536                     | 0.6           | 1,425,671       | Open                   | 15.4                       | 313                            |
| 8/1/2026 | 23:45:00 | 7.3          | 0.8782                     | 1             | 1,425,690       | Open                   | 15.6                       | 313                            |
| 8/2/2026 | 0:00:00  | 7.4          | 1.2605                     | 0.7           | 1,425,693       | Closed                 | 15.4                       | 313                            |
| 8/2/2026 | 0:15:00  | 7.3          | 0.0000                     | 0.9           | 1,425,693       | Closed                 | 15.6                       | 312                            |
| 8/2/2026 | 0:30:00  | 7.4          | 0.8479                     | 1.1           | 1,425,694       | Open                   | 15.2                       | 309                            |
| 8/2/2026 | 0:45:00  | 7.3          | 0.0000                     | 1.2           | 1,425,703       | Closed                 | 15.4                       | 309                            |
| 8/2/2026 | 1:00:00  | 7.3          | 1.4195                     | 1             | 1,425,704       | Open                   | 15.7                       | 308                            |
| 8/2/2026 | 1:15:00  | 7.4          | 0.8176                     | 1.4           | 1,425,722       | Open                   | 15.4                       | 309                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/2/2026 | 1:30:00 | 7.4          | 1.3249                     | 1.1           | 1,425,741       | Open                   | 15.2                       | 308                            |
| 8/2/2026 | 1:45:00 | 7.3          | 1.3703                     | 1.1           | 1,425,745       | Open                   | 15.6                       | 309                            |
| 8/2/2026 | 2:00:00 | 7.4          | 0.7874                     | 5.4           | 1,425,762       | Open                   | 15.4                       | 309                            |
| 8/2/2026 | 2:15:00 | 7.4          | 1.2757                     | 8.7           | 1,425,780       | Open                   | 15.2                       | 309                            |
| 8/2/2026 | 2:30:00 | 7.4          | 1.2568                     | 1.2           | 1,425,798       | Open                   | 15.2                       | 311                            |
| 8/2/2026 | 2:45:00 | 7.4          | 1.1091                     | 2.8           | 1,425,804       | Open                   | 15.1                       | 313                            |
| 8/2/2026 | 3:00:00 | 7.4          | 0.0000                     | 2.1           | 1,425,817       | Closed                 | 15.3                       | 312                            |
| 8/2/2026 | 3:15:00 | 7.4          | 1.5331                     | 1.3           | 1,425,833       | Open                   | 15                         | 310                            |
| 8/2/2026 | 3:30:00 | 7.4          | 0.7760                     | 1.4           | 1,425,851       | Closed                 | 14.9                       | 310                            |
| 8/2/2026 | 3:45:00 | 7.4          | 0.0000                     | 0.6           | 1,425,859       | Closed                 | 15                         | 310                            |
| 8/2/2026 | 4:00:00 | 7.4          | 1.5634                     | 1.2           | 1,425,869       | Open                   | 14.8                       | 310                            |
| 8/2/2026 | 4:15:00 | 7.4          | 1.0069                     | 2             | 1,425,889       | Open                   | 14.8                       | 310                            |
| 8/2/2026 | 4:30:00 | 7.3          | 0.0000                     | 2.1           | 1,425,890       | Closed                 | 15.1                       | 311                            |
| 8/2/2026 | 4:45:00 | 7.4          | 1.5217                     | 2.5           | 1,425,894       | Open                   | 14.9                       | 309                            |
| 8/2/2026 | 5:00:00 | 7.4          | 1.0486                     | 2.5           | 1,425,915       | Open                   | 14.8                       | 309                            |
| 8/2/2026 | 5:15:00 | 7.3          | 0.0000                     | 2.1           | 1,425,923       | Closed                 | 14.9                       | 308                            |
| 8/2/2026 | 5:30:00 | 7.3          | 1.5142                     | 0.7           | 1,425,939       | Open                   | 14.7                       | 304                            |
| 8/2/2026 | 5:45:00 | 7.3          | 1.0069                     | 0.5           | 1,425,960       | Open                   | 14.7                       | 301                            |
| 8/2/2026 | 6:00:00 | 7.2          | 0.0000                     | 0.5           | 1,425,964       | Closed                 | 15                         | 301                            |
| 8/2/2026 | 6:15:00 | 7.3          | 1.5596                     | 0.1           | 1,425,983       | Open                   | 14.7                       | 299                            |
| 8/2/2026 | 6:30:00 | 7.2          | 0.0000                     | 0.2           | 1,426,001       | Closed                 | 14.8                       | 298                            |
| 8/2/2026 | 6:45:00 | 7.2          | 1.5407                     | 0.1           | 1,426,007       | Open                   | 14.8                       | 297                            |
| 8/2/2026 | 7:00:00 | 7.2          | 1.5407                     | 0.1           | 1,426,030       | Open                   | 14.7                       | 297                            |
| 8/2/2026 | 7:15:00 | 7.2          | 0.0000                     | 0.1           | 1,426,032       | Closed                 | 15                         | 296                            |
| 8/2/2026 | 7:30:00 | 7.2          | 1.5558                     | 0.1           | 1,426,045       | Open                   | 14.7                       | 296                            |
| 8/2/2026 | 7:45:00 | 7.2          | 0.0000                     | 0.2           | 1,426,066       | Closed                 | 14.6                       | 297                            |
| 8/2/2026 | 8:00:00 | 7.1          | 0.0000                     | 0             | 1,426,066       | Closed                 | 15                         | 296                            |
| 8/2/2026 | 8:15:00 | 7.2          | 1.5255                     | 0.1           | 1,426,081       | Open                   | 14.5                       | 292                            |
| 8/2/2026 | 8:30:00 | 7.1          | 0.0000                     | 0.3           | 1,426,103       | Closed                 | 14.4                       | 291                            |
| 8/2/2026 | 8:45:00 | 7.1          | 0.0000                     | 0.2           | 1,426,103       | Closed                 | 14.8                       | 293                            |
| 8/2/2026 | 9:00:00 | 7.2          | 0.0000                     | 0.9           | 1,426,116       | Open                   | 14.4                       | 289                            |
| 8/2/2026 | 9:15:00 | 7.1          | 1.4877                     | 0.3           | 1,426,128       | Open                   | 14.6                       | 291                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/2/2026 | 9:30:00  | 7.1          | 0.0000                     | 0.3           | 1,426,145       | Closed                 | 14.7                       | 291                            |
| 8/2/2026 | 9:45:00  | 7.1          | 1.5066                     | 0.6           | 1,426,149       | Open                   | 14.8                       | 291                            |
| 8/2/2026 | 10:00:00 | 7.2          | 1.4422                     | 0.7           | 1,426,171       | Open                   | 14.8                       | 293                            |
| 8/2/2026 | 10:15:00 | 7.1          | 0.0000                     | 0.7           | 1,426,178       | Closed                 | 15                         | 297                            |
| 8/2/2026 | 10:30:00 | 7.1          | 0.0000                     | 0.7           | 1,426,178       | Closed                 | 15.5                       | 298                            |
| 8/2/2026 | 10:45:00 | 7.2          | 1.4498                     | 0.8           | 1,426,197       | Open                   | 14.9                       | 296                            |
| 8/2/2026 | 11:00:00 | 7.2          | 0.0000                     | 0.6           | 1,426,212       | Closed                 | 15                         | 296                            |
| 8/2/2026 | 11:15:00 | 7.2          | 1.4687                     | 1.1           | 1,426,219       | Open                   | 15                         | 298                            |
| 8/2/2026 | 11:30:00 | 7.2          | 1.4650                     | 1.1           | 1,426,241       | Open                   | 15                         | 298                            |
| 8/2/2026 | 11:45:00 | 7.2          | 0.0000                     | 1.2           | 1,426,244       | Closed                 | 15.2                       | 299                            |
| 8/2/2026 | 12:00:00 | 7.2          | 1.4915                     | 1.1           | 1,426,259       | Open                   | 15                         | 299                            |
| 8/2/2026 | 12:15:00 | 7.2          | 1.4801                     | 1             | 1,426,267       | Open                   | 15                         | 299                            |
| 8/2/2026 | 12:30:00 | 7.2          | 0.0000                     | 2.5           | 1,426,282       | Closed                 | 15.2                       | 299                            |
| 8/2/2026 | 12:45:00 | 7.2          | 1.4952                     | 0.5           | 1,426,287       | Open                   | 15.4                       | 303                            |
| 8/2/2026 | 13:00:00 | 7.2          | 0.1666                     | 0.3           | 1,426,307       | Closed                 | 15.4                       | 302                            |
| 8/2/2026 | 13:15:00 | 7.2          | 0.0000                     | 0.5           | 1,426,307       | Closed                 | 16.2                       | 303                            |
| 8/2/2026 | 13:30:00 | 7.2          | 1.4915                     | 0.3           | 1,426,326       | Open                   | 15.7                       | 303                            |
| 8/2/2026 | 13:45:00 | 7.2          | 0.0000                     | 0.4           | 1,426,340       | Closed                 | 15.9                       | 303                            |
| 8/2/2026 | 14:00:00 | 7.2          | 1.0410                     | 1.6           | 1,426,342       | Open                   | 16.3                       | 304                            |
| 8/2/2026 | 14:15:00 | 7.3          | 1.4763                     | 0.6           | 1,426,364       | Open                   | 15.9                       | 304                            |
| 8/2/2026 | 14:30:00 | 7.2          | 0.0000                     | 0.5           | 1,426,374       | Closed                 | 16.1                       | 304                            |
| 8/2/2026 | 14:45:00 | 7.2          | 1.0523                     | 1.3           | 1,426,383       | Open                   | 16.2                       | 304                            |
| 8/2/2026 | 15:00:00 | 7.2          | 0.0000                     | 1.5           | 1,426,388       | Closed                 | 16.5                       | 306                            |
| 8/2/2026 | 15:15:00 | 7.3          | 1.4725                     | 1.3           | 1,426,407       | Open                   | 16.1                       | 306                            |
| 8/2/2026 | 15:30:00 | 7.2          | 0.0000                     | 1.3           | 1,426,423       | Closed                 | 16.3                       | 306                            |
| 8/2/2026 | 15:45:00 | 7.2          | 1.5293                     | 1.5           | 1,426,425       | Open                   | 16.6                       | 306                            |
| 8/2/2026 | 16:00:00 | 7.3          | 1.4990                     | 1.6           | 1,426,448       | Open                   | 16.1                       | 308                            |
| 8/2/2026 | 16:15:00 | 7.2          | 0.0000                     | 1.2           | 1,426,458       | Closed                 | 16.6                       | 308                            |
| 8/2/2026 | 16:30:00 | 7.2          | 0.0000                     | 0.9           | 1,426,458       | Closed                 | 17.5                       | 307                            |
| 8/2/2026 | 16:45:00 | 7.2          | 1.5142                     | 1             | 1,426,471       | Open                   | 16.5                       | 307                            |
| 8/2/2026 | 17:00:00 | 7.2          | 0.0000                     | 4.5           | 1,426,486       | Closed                 | 16.5                       | 305                            |
| 8/2/2026 | 17:15:00 | 7.5          | 1.5028                     | 0             | 1,426,491       | Open                   | 17                         | 308                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/2/2026 | 17:30:00 | 7.3          | 1.4877                     | 1.7           | 1,426,513       | Open                   | 16.2                       | 304                            |
| 8/2/2026 | 17:45:00 | 7.2          | 0.0000                     | 2.7           | 1,426,517       | Closed                 | 16.8                       | 306                            |
| 8/2/2026 | 18:00:00 | 7.2          | 1.5028                     | 2.6           | 1,426,531       | Open                   | 16.3                       | 304                            |
| 8/2/2026 | 18:15:00 | 7.2          | 1.4839                     | 2             | 1,426,554       | Open                   | 16.3                       | 305                            |
| 8/2/2026 | 18:30:00 | 7.2          | 0.0000                     | 1.7           | 1,426,563       | Closed                 | 16.8                       | 304                            |
| 8/2/2026 | 18:45:00 | 7.2          | 1.4877                     | 2.3           | 1,426,578       | Open                   | 16.3                       | 304                            |
| 8/2/2026 | 19:00:00 | 7.2          | 0.2612                     | 13.2          | 1,426,599       | Closed                 | 16.2                       | 304                            |
| 8/2/2026 | 19:15:00 | 7.2          | 0.0000                     | 1.9           | 1,426,599       | Closed                 | 17.1                       | 306                            |
| 8/2/2026 | 19:30:00 | 7.2          | 1.4801                     | 1.6           | 1,426,615       | Open                   | 16.1                       | 304                            |
| 8/2/2026 | 19:45:00 | 7.2          | 0.0000                     | 3.9           | 1,426,630       | Closed                 | 16.4                       | 304                            |
| 8/2/2026 | 20:00:00 | 7.3          | 0.4429                     | 5.3           | 1,426,630       | Closed                 | 16.7                       | 304                            |
| 8/2/2026 | 20:15:00 | 7.3          | 1.5558                     | 1.2           | 1,426,639       | Open                   | 15.7                       | 301                            |
| 8/2/2026 | 20:30:00 | 7.2          | 0.1666                     | 8.5           | 1,426,656       | Closed                 | 16.2                       | 1,018                          |
| 8/2/2026 | 20:45:00 | 7.2          | 1.1886                     | 5.1           | 1,426,659       | Open                   | 15.9                       | 693                            |
| 8/2/2026 | 21:00:00 | 7.4          | 0.0000                     | 2             | 1,426,684       | Closed                 | 15.3                       | 425                            |
| 8/2/2026 | 21:15:00 | 7.4          | 1.8019                     | 2.8           | 1,426,690       | Open                   | 15.3                       | 395                            |
| 8/2/2026 | 21:30:00 | 7.4          | 1.3211                     | 3             | 1,426,714       | Open                   | 15.3                       | 360                            |
| 8/2/2026 | 21:45:00 | 7.3          | 1.6732                     | 10.6          | 1,426,716       | Open                   | 15.6                       | 370                            |
| 8/2/2026 | 22:00:00 | 7.4          | 0.0000                     | 1.9           | 1,426,729       | Closed                 | 15.3                       | 334                            |
| 8/2/2026 | 22:15:00 | 7.4          | 1.5937                     | 1.5           | 1,426,744       | Open                   | 15.3                       | 329                            |
| 8/2/2026 | 22:30:00 | 7.4          | 0.2347                     | 1.2           | 1,426,768       | Closed                 | 15.3                       | 322                            |
| 8/2/2026 | 22:45:00 | 7.3          | 0.0000                     | 1.1           | 1,426,768       | Closed                 | 15.7                       | 332                            |
| 8/2/2026 | 23:00:00 | 7.4          | 1.6315                     | 1.5           | 1,426,772       | Open                   | 15.6                       | 334                            |
| 8/2/2026 | 23:15:00 | 7.4          | 0.0000                     | 1.2           | 1,426,795       | Closed                 | 15.4                       | 329                            |
| 8/2/2026 | 23:45:00 | 7.4          | 1.6012                     | 1.1           | 1,426,819       | Open                   | 15.3                       | 325                            |

|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |

**Appendix B: CP2 WTP Data Logs**



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/27/2026 | 0:00:00 | 7            | 2.0025                     | 0             | 225369          | ON                     | 13.7                       | 235                            |
| 7/27/2026 | 0:15:00 | 6.97         | 2.3015                     | 0             | 225402          | ON                     | 13.7                       | 232                            |
| 7/27/2026 | 0:30:00 | 6.96         | 2.2788                     | 0             | 225436          | ON                     | 13.7                       | 231                            |
| 7/27/2026 | 0:45:00 | 6.95         | 2.2788                     | 0             | 225467          | ON                     | 13.7                       | 231                            |
| 7/27/2026 | 1:00:00 | 6.96         | 2.1766                     | 0             | 225501          | ON                     | 13.7                       | 232                            |
| 7/27/2026 | 1:15:00 | 6.96         | 2.1615                     | 0             | 225531          | ON                     | 13.7                       | 231                            |
| 7/27/2026 | 1:30:00 | 6.97         | 1.0940                     | 0             | 225560          | ON                     | 13.7                       | 230                            |
| 7/27/2026 | 1:45:00 | 6.97         | 0.8441                     | 0             | 225572          | ON                     | 13.7                       | 228                            |
| 7/27/2026 | 2:00:00 | 6.99         | 1.0410                     | 0             | 225583          | ON                     | 13.7                       | 230                            |
| 7/27/2026 | 2:15:00 | 6.99         | 1.6202                     | 0             | 225603          | ON                     | 13.7                       | 227                            |
| 7/27/2026 | 2:30:00 | 6.99         | 1.0713                     | 0             | 225622          | ON                     | 13.7                       | 228                            |
| 7/27/2026 | 2:45:00 | 6.98         | 1.0334                     | 0             | 225637          | ON                     | 13.7                       | 227                            |
| 7/27/2026 | 3:00:00 | 6.99         | 1.1091                     | 0             | 225650          | ON                     | 13.7                       | 226                            |
| 7/27/2026 | 3:15:00 | 6.99         | 1.4006                     | 1             | 225676          | ON                     | 13.7                       | 227                            |
| 7/27/2026 | 3:30:00 | 6.98         | 1.0713                     | 0             | 225691          | ON                     | 13.6                       | 227                            |
| 7/27/2026 | 3:45:00 | 7.03         | 2.3886                     | 0             | 225723          | ON                     | 13.7                       | 227                            |
| 7/27/2026 | 4:00:00 | 7.23         | 0.1173                     | 671           | 225746          | ON                     | 15.2                       | 0                              |
| 7/27/2026 | 4:15:00 | 7.02         | 2.3583                     | 0             | 225764          | ON                     | 13.8                       | 227                            |
| 7/27/2026 | 4:30:00 | 7.01         | 2.1123                     | 0             | 225800          | ON                     | 13.7                       | 228                            |
| 7/27/2026 | 4:45:00 | 7            | 2.3583                     | 0             | 225833          | ON                     | 13.7                       | 229                            |
| 7/27/2026 | 5:00:00 | 7.01         | 1.4952                     | 743           | 225864          | OFF                    | 14.5                       | 0                              |
| 7/27/2026 | 5:15:00 | 7.01         | 2.2523                     | 0             | 225879          | ON                     | 13.8                       | 229                            |
| 7/27/2026 | 5:30:00 | 7            | 1.6126                     | 0             | 225912          | ON                     | 13.7                       | 229                            |
| 7/27/2026 | 5:45:00 | 7            | 1.9192                     | 0             | 225938          | ON                     | 13.7                       | 230                            |
| 7/27/2026 | 6:00:00 | 7.01         | 1.4915                     | 0             | 225961          | ON                     | 13.7                       | 232                            |
| 7/27/2026 | 6:15:00 | 7.02         | 0.2650                     | 0             | 225973          | ON                     | 13.8                       | 231                            |
| 7/27/2026 | 6:30:00 | 7.03         | 0.4315                     | 0             | 225977          | ON                     | 13.9                       | 232                            |
| 7/27/2026 | 6:45:00 | 7.01         | 0.6776                     | 0             | 225987          | ON                     | 13.9                       | 232                            |
| 7/27/2026 | 7:00:00 | 7.02         | 2.4227                     | 0             | 226010          | ON                     | 13.8                       | 233                            |
| 7/27/2026 | 7:15:00 | 7.02         | 2.2031                     | 0             | 226048          | ON                     | 13.8                       | 233                            |
| 7/27/2026 | 7:30:00 | 7            | 2.5173                     | 0             | 226083          | ON                     | 13.8                       | 234                            |
| 7/27/2026 | 7:45:00 | 7.01         | 2.5779                     | 0             | 226120          | ON                     | 13.8                       | 234                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/27/2026 | 8:00:00  | 7.02         | 1.6050                     | 0             | 226154          | ON                     | 13.8                       | 234                            |
| 7/27/2026 | 8:15:00  | 7.02         | 0.9161                     | 0             | 226175          | ON                     | 13.9                       | 230                            |
| 7/27/2026 | 8:30:00  | 7.04         | 2.5097                     | 0             | 226210          | ON                     | 13.8                       | 230                            |
| 7/27/2026 | 8:45:00  | 7.04         | 1.0751                     | 0             | 226241          | ON                     | 13.8                       | 230                            |
| 7/27/2026 | 9:00:00  | 7.04         | 0.6019                     | 0             | 226253          | ON                     | 13.9                       | 232                            |
| 7/27/2026 | 9:15:00  | 7.04         | 2.0101                     | 0             | 226282          | ON                     | 13.8                       | 229                            |
| 7/27/2026 | 9:30:00  | 7.04         | 1.0372                     | 0             | 226315          | ON                     | 13.9                       | 230                            |
| 7/27/2026 | 9:45:00  | 7.05         | 0.3369                     | 0             | 226323          | ON                     | 13.9                       | 232                            |
| 7/27/2026 | 10:00:00 | 7.05         | 2.3621                     | 0             | 226345          | ON                     | 13.9                       | 230                            |
| 7/27/2026 | 10:15:00 | 7.05         | 2.3772                     | 0             | 226382          | ON                     | 13.9                       | 230                            |
| 7/27/2026 | 10:30:00 | 7.04         | 2.3167                     | 0             | 226411          | ON                     | 14                         | 232                            |
| 7/27/2026 | 10:45:00 | 7.04         | 2.1918                     | 0             | 226445          | ON                     | 14                         | 233                            |
| 7/27/2026 | 11:00:00 | 7.03         | 0.6397                     | 0             | 226468          | ON                     | 14.1                       | 231                            |
| 7/27/2026 | 11:15:00 | 7.04         | 0.3369                     | 0             | 226477          | ON                     | 14.2                       | 231                            |
| 7/27/2026 | 11:30:00 | 7.03         | 0.3369                     | 0             | 226481          | ON                     | 14.2                       | 232                            |
| 7/27/2026 | 11:45:00 | 7.04         | 1.1205                     | 0             | 226501          | ON                     | 14.1                       | 231                            |
| 7/27/2026 | 12:00:00 | 7.04         | 2.5400                     | 0             | 226531          | ON                     | 14                         | 233                            |
| 7/27/2026 | 12:15:00 | 7.04         | 2.5854                     | 0             | 226565          | ON                     | 14                         | 235                            |
| 7/27/2026 | 12:30:00 | 7.07         | 1.0864                     | 0             | 226601          | ON                     | 14                         | 234                            |
| 7/27/2026 | 12:45:00 | 7.05         | 0.5792                     | 0             | 226612          | ON                     | 14.1                       | 235                            |
| 7/27/2026 | 13:00:00 | 7.08         | 2.5324                     | 0             | 226635          | ON                     | 14.1                       | 237                            |
| 7/27/2026 | 13:15:00 | 7.08         | 2.0820                     | 0             | 226672          | ON                     | 14.1                       | 240                            |
| 7/27/2026 | 13:30:00 | 7.07         | 2.5287                     | 0             | 226707          | ON                     | 14.1                       | 236                            |
| 7/27/2026 | 13:45:00 | 7.06         | 2.5059                     | 0             | 226745          | ON                     | 14.1                       | 237                            |
| 7/27/2026 | 14:00:00 | 7.05         | 1.0296                     | 0             | 226776          | ON                     | 14.2                       | 238                            |
| 7/27/2026 | 14:15:00 | 7.04         | 0.5792                     | 0             | 226787          | ON                     | 14.3                       | 237                            |
| 7/27/2026 | 14:30:00 | 7.03         | 2.1993                     | 0             | 226802          | ON                     | 14.4                       | 233                            |
| 7/27/2026 | 14:45:00 | 7.03         | 0.4429                     | 0             | 226813          | ON                     | 14.5                       | 234                            |
| 7/27/2026 | 15:00:00 | 7            | 0.7684                     | 6             | 226822          | ON                     | 14.4                       | 233                            |
| 7/27/2026 | 15:15:00 | 6.98         | 2.4189                     | 0             | 226854          | ON                     | 14.3                       | 231                            |
| 7/27/2026 | 15:30:00 | 6.97         | 2.2788                     | 0             | 226887          | ON                     | 14.2                       | 231                            |
| 7/27/2026 | 15:45:00 | 6.97         | 2.0290                     | 0             | 226919          | ON                     | 14.2                       | 231                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/27/2026 | 16:00:00 | 6.97         | 2.5135                     | 0             | 226949          | ON                     | 14.3                       | 231                            |
| 7/27/2026 | 16:15:00 | 6.96         | 2.3810                     | 0             | 226986          | ON                     | 14.2                       | 228                            |
| 7/27/2026 | 16:30:00 | 6.95         | 2.5022                     | 0             | 227023          | ON                     | 14.2                       | 228                            |
| 7/27/2026 | 16:45:00 | 6.95         | 2.4794                     | 0             | 227061          | ON                     | 14.2                       | 228                            |
| 7/27/2026 | 17:00:00 | 6.97         | 0.6549                     | 0             | 227075          | ON                     | 14.3                       | 230                            |
| 7/27/2026 | 17:15:00 | 6.97         | 2.4757                     | 0             | 227090          | ON                     | 14.3                       | 228                            |
| 7/27/2026 | 17:30:00 | 6.98         | 0.7609                     | 0             | 227112          | ON                     | 14.3                       | 229                            |
| 7/27/2026 | 17:45:00 | 6.97         | 2.4681                     | 0             | 227133          | ON                     | 14.3                       | 227                            |
| 7/27/2026 | 18:00:00 | 6.97         | 1.8246                     | 0             | 227168          | ON                     | 14.2                       | 227                            |
| 7/27/2026 | 18:15:00 | 6.98         | 1.9836                     | 0             | 227200          | ON                     | 14.2                       | 227                            |
| 7/27/2026 | 18:30:00 | 7.07         | 1.0864                     | 735           | 227226          | ON                     | 14.8                       | 0                              |
| 7/27/2026 | 18:45:00 | 7.08         | 1.1508                     | 0             | 227232          | ON                     | 15.9                       | 0                              |
| 7/27/2026 | 19:00:00 | 6.97         | 0.6208                     | 0             | 227251          | ON                     | 14.4                       | 226                            |
| 7/27/2026 | 19:15:00 | 6.95         | 2.5022                     | 0             | 227277          | ON                     | 14.2                       | 228                            |
| 7/27/2026 | 19:30:00 | 6.92         | 2.0214                     | 0             | 227313          | ON                     | 14.2                       | 227                            |
| 7/27/2026 | 19:45:00 | 6.92         | 1.7678                     | 0             | 227346          | ON                     | 14.1                       | 226                            |
| 7/27/2026 | 20:00:00 | 6.93         | 2.5097                     | 0             | 227374          | ON                     | 14                         | 225                            |
| 7/27/2026 | 20:15:00 | 6.94         | 2.4681                     | 0             | 227410          | ON                     | 13.9                       | 224                            |
| 7/27/2026 | 20:30:00 | 6.96         | 2.3962                     | 0             | 227441          | ON                     | 13.9                       | 223                            |
| 7/27/2026 | 20:45:00 | 6.98         | 2.1918                     | 0             | 227473          | ON                     | 13.9                       | 222                            |
| 7/27/2026 | 21:00:00 | 6.99         | 0.0416                     | 723           | 227496          | OFF                    | 15.2                       | 106                            |
| 7/27/2026 | 21:15:00 | 7.08         | 0.1514                     | 0             | 227497          | ON                     | 15.7                       | 220                            |
| 7/27/2026 | 21:30:00 | 7.49         | 0.5224                     | 712           | 227515          | ON                     | 16.8                       | 0                              |
| 7/27/2026 | 21:45:00 | 7.24         | 1.1016                     | 769           | 227542          | ON                     | 14.6                       | 0                              |
| 7/27/2026 | 22:00:00 | 7            | 0.5110                     | 0             | 227548          | ON                     | 15.2                       | 225                            |
| 7/27/2026 | 22:15:00 | 7.03         | 1.5558                     | 773           | 227576          | ON                     | 14.5                       | 0                              |
| 7/27/2026 | 22:30:00 | 7.02         | 2.1047                     | 0             | 227606          | ON                     | 13.8                       | 217                            |
| 7/27/2026 | 22:45:00 | 7.02         | 2.4529                     | 0             | 227641          | ON                     | 13.7                       | 216                            |
| 7/27/2026 | 23:00:00 | 7.03         | 2.3848                     | 0             | 227673          | ON                     | 13.7                       | 215                            |
| 7/27/2026 | 23:15:00 | 7.06         | 1.7829                     | 0             | 227704          | ON                     | 14.2                       | 216                            |
| 7/27/2026 | 23:30:00 | 7.18         | 1.3590                     | 738           | 227728          | ON                     | 15.2                       | 0                              |
| 7/27/2026 | 23:45:00 | 7.13         | 1.5255                     | 732           | 227750          | ON                     | 16.1                       | 0                              |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/28/2026 | 0:00:00 | 7.1          | 1.6277                     | 0             | 227763          | ON                     | 15.7                       | 214                            |
| 7/28/2026 | 0:15:00 | 7.06         | 2.0668                     | 0             | 227797          | ON                     | 13.9                       | 215                            |
| 7/28/2026 | 0:30:00 | 7.02         | 2.5059                     | 0             | 227832          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 0:45:00 | 7.03         | 2.4567                     | 0             | 227864          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 1:00:00 | 7.06         | 2.4075                     | 0             | 227899          | ON                     | 13.6                       | 217                            |
| 7/28/2026 | 1:15:00 | 7.13         | 1.5899                     | 945           | 227927          | ON                     | 14.7                       | 0                              |
| 7/28/2026 | 1:30:00 | 7.08         | 1.8397                     | 0             | 227943          | ON                     | 13.8                       | 214                            |
| 7/28/2026 | 1:45:00 | 7.06         | 1.1205                     | 0             | 227959          | ON                     | 13.7                       | 215                            |
| 7/28/2026 | 2:00:00 | 7.06         | 0.6435                     | 0             | 227970          | ON                     | 13.7                       | 214                            |
| 7/28/2026 | 2:15:00 | 7.05         | 0.9047                     | 0             | 227980          | ON                     | 13.7                       | 215                            |
| 7/28/2026 | 2:30:00 | 7.07         | 2.3129                     | 0             | 228008          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 2:45:00 | 7.08         | 0.5148                     | 0             | 228024          | ON                     | 13.7                       | 215                            |
| 7/28/2026 | 3:00:00 | 7.08         | 2.0214                     | 0             | 228040          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 3:15:00 | 7.09         | 0.5565                     | 0             | 228070          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 3:30:00 | 7.1          | 0.0151                     | 0             | 228077          | ON                     | 13.7                       | 215                            |
| 7/28/2026 | 3:45:00 | 7.09         | 1.9798                     | 0             | 228091          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 4:00:00 | 7.09         | 1.8435                     | 0             | 228123          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 4:15:00 | 7.09         | 1.0372                     | 0             | 228137          | ON                     | 13.6                       | 211                            |
| 7/28/2026 | 4:30:00 | 7.13         | 1.7110                     | 0             | 228161          | ON                     | 14.4                       | 0                              |
| 7/28/2026 | 4:45:00 | 7.25         | 1.5520                     | 943           | 228185          | ON                     | 15.6                       | 0                              |
| 7/28/2026 | 5:00:00 | 7.54         | 0.1628                     | 941           | 228204          | ON                     | 16.7                       | 0                              |
| 7/28/2026 | 5:15:00 | 7.13         | 1.6656                     | 0             | 228218          | ON                     | 14.7                       | 0                              |
| 7/28/2026 | 5:30:00 | 7.09         | 2.3924                     | 0             | 228251          | ON                     | 13.5                       | 215                            |
| 7/28/2026 | 5:45:00 | 7.07         | 2.0971                     | 0             | 228286          | ON                     | 13.7                       | 214                            |
| 7/28/2026 | 6:00:00 | 7.09         | 2.3167                     | 0             | 228317          | ON                     | 13.4                       | 216                            |
| 7/28/2026 | 6:15:00 | 7.1          | 2.2788                     | 0             | 228349          | ON                     | 13.4                       | 216                            |
| 7/28/2026 | 6:30:00 | 7.11         | 2.2410                     | 0             | 228378          | ON                     | 13.4                       | 217                            |
| 7/28/2026 | 6:45:00 | 7.12         | 1.7034                     | 0             | 228411          | ON                     | 13.5                       | 219                            |
| 7/28/2026 | 7:00:00 | 7.13         | 1.5974                     | 0             | 228438          | ON                     | 13.5                       | 219                            |
| 7/28/2026 | 7:15:00 | 7.12         | 2.0517                     | 0             | 228467          | ON                     | 13.5                       | 218                            |
| 7/28/2026 | 7:30:00 | 7.13         | 1.7791                     | 0             | 228498          | ON                     | 13.5                       | 218                            |
| 7/28/2026 | 7:45:00 | 7.11         | 0.6965                     | 0             | 228508          | ON                     | 13.7                       | 218                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/28/2026 | 8:00:00  | 7.11         | 0.5224                     | 0             | 228513          | ON                     | 13.8                       | 215                            |
| 7/28/2026 | 8:15:00  | 7.13         | 2.1993                     | 0             | 228540          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 8:30:00  | 7.13         | 2.4037                     | 0             | 228573          | ON                     | 13.6                       | 216                            |
| 7/28/2026 | 8:45:00  | 7.14         | 2.4416                     | 0             | 228610          | ON                     | 13.6                       | 215                            |
| 7/28/2026 | 9:00:00  | 7.1          | 1.4763                     | 0             | 228646          | ON                     | 14.1                       | 0                              |
| 7/28/2026 | 9:15:00  | 7.52         | 0.3445                     | 965           | 228653          | ON                     | 15.5                       | 0                              |
| 7/28/2026 | 9:30:00  | 7.42         | 0.4088                     | 997           | 228659          | ON                     | 17                         | 0                              |
| 7/28/2026 | 9:45:00  | 7.13         | 2.4302                     | 1             | 228670          | ON                     | 14.6                       | 212                            |
| 7/28/2026 | 10:00:00 | 7.18         | 1.6959                     | 0             | 228704          | ON                     | 14.3                       | 0                              |
| 7/28/2026 | 10:15:00 | 7.18         | 0.1931                     | 0             | 228711          | ON                     | 16.3                       | 222                            |
| 7/28/2026 | 10:30:00 | 7.14         | 2.3999                     | 0             | 228732          | ON                     | 14.1                       | 220                            |
| 7/28/2026 | 10:45:00 | 7.15         | 2.0290                     | 0             | 228765          | ON                     | 14.7                       | 222                            |
| 7/28/2026 | 11:00:00 | 7.15         | 2.3621                     | 0             | 228798          | ON                     | 13.9                       | 220                            |
| 7/28/2026 | 11:15:00 | 7.17         | 1.8927                     | 0             | 228829          | ON                     | 14.1                       | 222                            |
| 7/28/2026 | 11:30:00 | 7.17         | 2.2864                     | 0             | 228861          | ON                     | 14                         | 222                            |
| 7/28/2026 | 11:45:00 | 7.18         | 2.1918                     | 0             | 228895          | ON                     | 14.1                       | 219                            |
| 7/28/2026 | 12:00:00 | 7.35         | 1.3022                     | 737           | 228921          | ON                     | 15.3                       | 0                              |
| 7/28/2026 | 12:15:00 | 7.5          | 0.0908                     | 727           | 228923          | ON                     | 16.5                       | 0                              |
| 7/28/2026 | 12:30:00 | 7.48         | 1.5709                     | 787           | 228945          | ON                     | 16.1                       | 0                              |
| 7/28/2026 | 12:45:00 | 7.29         | 0.0151                     | 0             | 228949          | ON                     | 15.5                       | 218                            |
| 7/28/2026 | 13:00:00 | 7.16         | 0.8971                     | 0             | 228956          | ON                     | 16.1                       | 220                            |
| 7/28/2026 | 13:15:00 | 7.15         | 0.5830                     | 0             | 228966          | ON                     | 14.4                       | 222                            |
| 7/28/2026 | 13:30:00 | 7.14         | 1.9495                     | 0             | 228995          | ON                     | 14.2                       | 225                            |
| 7/28/2026 | 13:45:00 | 7.13         | 2.3583                     | 0             | 229027          | ON                     | 14.2                       | 227                            |
| 7/28/2026 | 14:00:00 | 7.13         | 0.6208                     | 0             | 229042          | ON                     | 14.4                       | 227                            |
| 7/28/2026 | 14:15:00 | 7.13         | 2.3470                     | 0             | 229063          | ON                     | 14.5                       | 228                            |
| 7/28/2026 | 14:30:00 | 7.13         | 2.3470                     | 0             | 229097          | ON                     | 14.5                       | 227                            |
| 7/28/2026 | 14:45:00 | 7.11         | 0.8593                     | 0             | 229119          | ON                     | 14.7                       | 228                            |
| 7/28/2026 | 15:00:00 | 7.12         | 2.4113                     | 0             | 229144          | ON                     | 14.7                       | 227                            |
| 7/28/2026 | 15:15:00 | 7.12         | 2.3848                     | 0             | 229179          | ON                     | 14.7                       | 227                            |
| 7/28/2026 | 15:30:00 | 7.12         | 0.7192                     | 0             | 229194          | ON                     | 14.8                       | 227                            |
| 7/28/2026 | 15:45:00 | 7.11         | 2.3583                     | 0             | 229213          | ON                     | 14.9                       | 227                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/28/2026 | 16:00:00 | 7.11         | 0.9426                     | 0             | 229230          | ON                     | 15                         | 231                            |
| 7/28/2026 | 16:15:00 | 7.09         | 2.3242                     | 0             | 229262          | ON                     | 14.9                       | 232                            |
| 7/28/2026 | 16:30:00 | 7.09         | 0.6170                     | 0             | 229279          | ON                     | 14.9                       | 232                            |
| 7/28/2026 | 16:45:00 | 7.08         | 1.2113                     | 0             | 229287          | ON                     | 15                         | 232                            |
| 7/28/2026 | 17:00:00 | 7.06         | 2.2296                     | 0             | 229320          | ON                     | 14.8                       | 233                            |
| 7/28/2026 | 17:15:00 | 7.05         | 1.7867                     | 0             | 229350          | ON                     | 14.6                       | 234                            |
| 7/28/2026 | 17:30:00 | 7.05         | 0.3066                     | 0             | 229363          | ON                     | 14.7                       | 234                            |
| 7/28/2026 | 17:45:00 | 7.05         | 0.5375                     | 0             | 229376          | ON                     | 14.8                       | 235                            |
| 7/28/2026 | 18:00:00 | 7.04         | 1.4082                     | 0             | 229389          | ON                     | 14.7                       | 232                            |
| 7/28/2026 | 18:15:00 | 7.02         | 2.2902                     | 0             | 229416          | ON                     | 14.5                       | 234                            |
| 7/28/2026 | 18:30:00 | 7.03         | 0.5262                     | 0             | 229433          | ON                     | 14.4                       | 233                            |
| 7/28/2026 | 18:45:00 | 7.01         | 0.4429                     | 0             | 229440          | ON                     | 14.5                       | 234                            |
| 7/28/2026 | 19:00:00 | 7            | 2.0101                     | 0             | 229466          | ON                     | 14.3                       | 234                            |
| 7/28/2026 | 19:15:00 | 7.02         | 0.9993                     | 0             | 229481          | ON                     | 14.3                       | 234                            |
| 7/28/2026 | 19:30:00 | 7            | 2.3659                     | 0             | 229511          | ON                     | 14.2                       | 234                            |
| 7/28/2026 | 19:45:00 | 6.99         | 2.3697                     | 0             | 229544          | ON                     | 14.1                       | 233                            |
| 7/28/2026 | 20:00:00 | 7            | 2.2788                     | 0             | 229578          | ON                     | 14.1                       | 233                            |
| 7/28/2026 | 20:15:00 | 7            | 1.9495                     | 0             | 229611          | ON                     | 14                         | 232                            |
| 7/28/2026 | 20:30:00 | 7.02         | 2.3318                     | 0             | 229645          | ON                     | 14                         | 231                            |
| 7/28/2026 | 20:45:00 | 7.04         | 0.9918                     | 0             | 229675          | ON                     | 14                         | 231                            |
| 7/28/2026 | 21:00:00 | 7.05         | 0.3823                     | 0             | 229684          | ON                     | 14                         | 232                            |
| 7/28/2026 | 21:15:00 | 7.03         | 0.3445                     | 0             | 229691          | ON                     | 14                         | 231                            |
| 7/28/2026 | 21:30:00 | 7.04         | 1.4915                     | 0             | 229702          | ON                     | 14                         | 233                            |
| 7/28/2026 | 21:45:00 | 7.05         | 0.7949                     | 0             | 229718          | ON                     | 14                         | 237                            |
| 7/28/2026 | 22:00:00 | 7.05         | 1.0486                     | 0             | 229735          | ON                     | 13.9                       | 238                            |
| 7/28/2026 | 22:15:00 | 7.06         | 1.0675                     | 0             | 229753          | ON                     | 13.9                       | 239                            |
| 7/28/2026 | 22:30:00 | 7.05         | 1.0448                     | 0             | 229783          | ON                     | 13.8                       | 237                            |
| 7/28/2026 | 22:45:00 | 7.04         | 2.3318                     | 0             | 229812          | ON                     | 13.7                       | 240                            |
| 7/28/2026 | 23:00:00 | 7.03         | 2.3470                     | 0             | 229846          | ON                     | 13.7                       | 241                            |
| 7/28/2026 | 23:15:00 | 7.03         | 2.3356                     | 0             | 229878          | ON                     | 13.6                       | 241                            |
| 7/28/2026 | 23:30:00 | 7.02         | 0.7003                     | 0             | 229902          | ON                     | 13.6                       | 241                            |
| 7/28/2026 | 23:45:00 | 7.04         | 0.9236                     | 0             | 229917          | ON                     | 13.6                       | 241                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/29/2026 | 0:00:00 | 7.05         | 0.8782                     | 0             | 229932          | ON                     | 13.7                       | 241                            |
| 7/29/2026 | 0:15:00 | 7.05         | 0.5224                     | 0             | 229940          | ON                     | 13.7                       | 243                            |
| 7/29/2026 | 0:30:00 | 7.06         | 2.3735                     | 0             | 229953          | ON                     | 13.6                       | 244                            |
| 7/29/2026 | 0:45:00 | 7.06         | 2.4454                     | 0             | 229979          | ON                     | 13.7                       | 244                            |
| 7/29/2026 | 1:00:00 | 7.06         | 1.0713                     | 0             | 230012          | ON                     | 13.7                       | 242                            |
| 7/29/2026 | 1:15:00 | 7.06         | 0.9880                     | 0             | 230027          | ON                     | 13.7                       | 237                            |
| 7/29/2026 | 1:30:00 | 7.04         | 0.8934                     | 0             | 230039          | ON                     | 13.7                       | 241                            |
| 7/29/2026 | 1:45:00 | 7.04         | 0.9388                     | 0             | 230053          | ON                     | 13.7                       | 239                            |
| 7/29/2026 | 2:00:00 | 7.05         | 2.5552                     | 0             | 230072          | ON                     | 13.7                       | 242                            |
| 7/29/2026 | 2:15:00 | 7.05         | 2.5287                     | 0             | 230107          | ON                     | 13.7                       | 242                            |
| 7/29/2026 | 2:30:00 | 7.04         | 2.5514                     | 0             | 230144          | ON                     | 13.7                       | 241                            |
| 7/29/2026 | 2:45:00 | 7.04         | 2.4908                     | 0             | 230182          | ON                     | 13.7                       | 241                            |
| 7/29/2026 | 3:00:00 | 7.04         | 1.1318                     | 0             | 230218          | ON                     | 14.3                       | 236                            |
| 7/29/2026 | 3:15:00 | 7.04         | 0.7268                     | 0             | 230229          | ON                     | 13.7                       | 238                            |
| 7/29/2026 | 3:30:00 | 7.04         | 1.0183                     | 0             | 230245          | ON                     | 13.7                       | 241                            |
| 7/29/2026 | 3:45:00 | 7.04         | 0.7647                     | 0             | 230258          | ON                     | 13.7                       | 239                            |
| 7/29/2026 | 4:00:00 | 7.04         | 2.4681                     | 0             | 230291          | ON                     | 13.7                       | 239                            |
| 7/29/2026 | 4:15:00 | 7.02         | 2.4832                     | 0             | 230323          | ON                     | 13.6                       | 241                            |
| 7/29/2026 | 4:30:00 | 7            | 2.4492                     | 0             | 230360          | ON                     | 13.6                       | 239                            |
| 7/29/2026 | 4:45:00 | 7.02         | 0.5413                     | 0             | 230373          | ON                     | 13.6                       | 241                            |
| 7/29/2026 | 5:00:00 | 7.01         | 1.2416                     | 0             | 230386          | ON                     | 13.6                       | 239                            |
| 7/29/2026 | 5:15:00 | 7.01         | 0.9653                     | 0             | 230400          | ON                     | 13.6                       | 237                            |
| 7/29/2026 | 5:30:00 | 7.01         | 0.8252                     | 0             | 230413          | ON                     | 13.5                       | 236                            |
| 7/29/2026 | 5:45:00 | 7.01         | 0.9653                     | 0             | 230431          | ON                     | 13.5                       | 235                            |
| 7/29/2026 | 6:00:00 | 7            | 2.4870                     | 0             | 230456          | ON                     | 13.4                       | 235                            |
| 7/29/2026 | 6:15:00 | 6.99         | 2.5097                     | 0             | 230493          | ON                     | 13.5                       | 237                            |
| 7/29/2026 | 6:30:00 | 6.99         | 2.4794                     | 0             | 230528          | ON                     | 13.4                       | 236                            |
| 7/29/2026 | 6:45:00 | 7            | 2.4340                     | 0             | 230565          | ON                     | 13.4                       | 234                            |
| 7/29/2026 | 7:00:00 | 7.01         | 2.2940                     | 0             | 230597          | ON                     | 13.4                       | 233                            |
| 7/29/2026 | 7:15:00 | 7.02         | 0.3520                     | 0             | 230619          | ON                     | 13.4                       | 232                            |
| 7/29/2026 | 7:30:00 | 7.02         | 1.9154                     | 0             | 230631          | ON                     | 13.4                       | 233                            |
| 7/29/2026 | 7:45:00 | 7.01         | 2.2712                     | 0             | 230664          | ON                     | 13.4                       | 232                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/29/2026 | 8:00:00  | 7.01         | 2.2826                     | 0             | 230698          | ON                     | 13.4                       | 233                            |
| 7/29/2026 | 8:15:00  | 7.02         | 0.8782                     | 0             | 230717          | ON                     | 13.6                       | 232                            |
| 7/29/2026 | 8:30:00  | 7.02         | 2.2826                     | 0             | 230747          | ON                     | 13.5                       | 234                            |
| 7/29/2026 | 8:45:00  | 7.03         | 2.3091                     | 0             | 230778          | ON                     | 13.6                       | 233                            |
| 7/29/2026 | 9:00:00  | 7.03         | 2.2902                     | 0             | 230812          | ON                     | 13.6                       | 231                            |
| 7/29/2026 | 9:15:00  | 7.03         | 0.5527                     | 0             | 230829          | ON                     | 13.7                       | 231                            |
| 7/29/2026 | 9:30:00  | 7.03         | 2.3053                     | 0             | 230849          | ON                     | 13.9                       | 232                            |
| 7/29/2026 | 9:45:00  | 7.02         | 0.7154                     | 0             | 230873          | ON                     | 13.9                       | 231                            |
| 7/29/2026 | 10:00:00 | 7.03         | 0.3634                     | 0             | 230879          | ON                     | 14                         | 232                            |
| 7/29/2026 | 10:15:00 | 7.01         | 0.3369                     | 0             | 230885          | ON                     | 14.2                       | 232                            |
| 7/29/2026 | 10:30:00 | 7            | 0.3710                     | 0             | 230892          | ON                     | 14.3                       | 231                            |
| 7/29/2026 | 10:45:00 | 7            | 2.3545                     | 0             | 230902          | ON                     | 14.5                       | 230                            |
| 7/29/2026 | 11:00:00 | 6.99         | 0.8025                     | 0             | 230927          | ON                     | 14.4                       | 232                            |
| 7/29/2026 | 11:15:00 | 6.99         | 1.0372                     | 0             | 230946          | ON                     | 14.3                       | 229                            |
| 7/29/2026 | 11:30:00 | 7.01         | 2.3167                     | 0             | 230960          | ON                     | 14.4                       | 231                            |
| 7/29/2026 | 11:45:00 | 7.02         | 2.2902                     | 0             | 230994          | ON                     | 14.5                       | 232                            |
| 7/29/2026 | 12:00:00 | 7.03         | 2.1728                     | 0             | 231024          | ON                     | 14.6                       | 230                            |
| 7/29/2026 | 12:15:00 | 7.04         | 1.9836                     | 0             | 231054          | ON                     | 14.8                       | 228                            |
| 7/29/2026 | 12:30:00 | 7.04         | 0.9653                     | 0             | 231077          | ON                     | 14.9                       | 226                            |
| 7/29/2026 | 12:45:00 | 7.04         | 0.3331                     | 0             | 231085          | ON                     | 15.2                       | 226                            |
| 7/29/2026 | 13:00:00 | 7.05         | 2.4302                     | 0             | 231109          | ON                     | 14.9                       | 223                            |
| 7/29/2026 | 13:15:00 | 7.05         | 2.4037                     | 0             | 231145          | ON                     | 14.8                       | 226                            |
| 7/29/2026 | 13:30:00 | 7.06         | 2.4037                     | 0             | 231180          | ON                     | 14.8                       | 224                            |
| 7/29/2026 | 13:45:00 | 7.08         | 2.2864                     | 0             | 231214          | ON                     | 14.7                       | 224                            |
| 7/29/2026 | 14:00:00 | 7.06         | 0.5716                     | 0             | 231227          | ON                     | 14.9                       | 222                            |
| 7/29/2026 | 14:15:00 | 7.09         | 2.3318                     | 0             | 231253          | ON                     | 14.9                       | 223                            |
| 7/29/2026 | 14:30:00 | 7.08         | 1.0637                     | 0             | 231271          | ON                     | 15                         | 222                            |
| 7/29/2026 | 14:45:00 | 7.08         | 2.2902                     | 0             | 231299          | ON                     | 14.8                       | 222                            |
| 7/29/2026 | 15:00:00 | 7.08         | 2.2220                     | 0             | 231333          | ON                     | 14.8                       | 222                            |
| 7/29/2026 | 15:15:00 | 7.08         | 0.9766                     | 0             | 231359          | ON                     | 14.9                       | 219                            |
| 7/29/2026 | 15:30:00 | 7.08         | 0.4467                     | 0             | 231369          | ON                     | 15.1                       | 221                            |
| 7/29/2026 | 15:45:00 | 7.09         | 1.8246                     | 0             | 231394          | ON                     | 15                         | 218                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/29/2026 | 16:00:00 | 7.07         | 1.1962                     | 0             | 231412          | ON                     | 15                         | 219                            |
| 7/29/2026 | 16:15:00 | 7.07         | 1.0258                     | 0             | 231430          | ON                     | 15                         | 218                            |
| 7/29/2026 | 16:30:00 | 7.07         | 1.8700                     | 0             | 231448          | ON                     | 14.9                       | 216                            |
| 7/29/2026 | 16:45:00 | 7.07         | 2.3848                     | 0             | 231476          | ON                     | 14.7                       | 217                            |
| 7/29/2026 | 17:00:00 | 7.08         | 0.7609                     | 0             | 231501          | ON                     | 14.8                       | 217                            |
| 7/29/2026 | 17:15:00 | 7.07         | 0.3634                     | 0             | 231509          | ON                     | 14.9                       | 218                            |
| 7/29/2026 | 17:30:00 | 7.05         | 0.4770                     | 0             | 231516          | ON                     | 15.1                       | 217                            |
| 7/29/2026 | 17:45:00 | 7.08         | 2.3697                     | 0             | 231533          | ON                     | 15                         | 217                            |
| 7/29/2026 | 18:00:00 | 7.08         | 2.3810                     | 0             | 231568          | ON                     | 14.6                       | 215                            |
| 7/29/2026 | 18:15:00 | 7.06         | 1.9419                     | 0             | 231601          | ON                     | 14.4                       | 215                            |
| 7/29/2026 | 18:30:00 | 7.05         | 1.0183                     | 0             | 231632          | ON                     | 14.3                       | 215                            |
| 7/29/2026 | 18:45:00 | 7.05         | 0.3180                     | 0             | 231641          | ON                     | 14.3                       | 216                            |
| 7/29/2026 | 19:00:00 | 7.05         | 2.1993                     | 0             | 231648          | ON                     | 14.4                       | 216                            |
| 7/29/2026 | 19:15:00 | 7.08         | 2.1728                     | 0             | 231682          | ON                     | 14.2                       | 214                            |
| 7/29/2026 | 19:30:00 | 7.08         | 2.0403                     | 0             | 231708          | ON                     | 14.3                       | 215                            |
| 7/29/2026 | 19:45:00 | 7.08         | 0.6057                     | 0             | 231724          | ON                     | 14.4                       | 215                            |
| 7/29/2026 | 20:00:00 | 7.09         | 2.3318                     | 0             | 231741          | ON                     | 14.4                       | 213                            |
| 7/29/2026 | 20:15:00 | 7.09         | 2.4264                     | 0             | 231778          | ON                     | 14.2                       | 215                            |
| 7/29/2026 | 20:30:00 | 7.08         | 2.4113                     | 0             | 231812          | ON                     | 14                         | 217                            |
| 7/29/2026 | 20:45:00 | 7.07         | 2.3999                     | 0             | 231849          | ON                     | 13.9                       | 218                            |
| 7/29/2026 | 21:00:00 | 7.06         | 2.4492                     | 0             | 231883          | ON                     | 13.8                       | 217                            |
| 7/29/2026 | 21:15:00 | 7.1          | 0.3407                     | 0             | 231908          | ON                     | 14.4                       | 0                              |
| 7/29/2026 | 21:30:00 | 7.08         | 0.3899                     | 0             | 231915          | ON                     | 15.4                       | 0                              |
| 7/29/2026 | 21:45:00 | 7.05         | 1.7148                     | 0             | 231923          | ON                     | 16                         | 215                            |
| 7/29/2026 | 22:00:00 | 7.06         | 2.3999                     | 0             | 231960          | ON                     | 13.6                       | 215                            |
| 7/29/2026 | 22:15:00 | 7.05         | 0.6095                     | 0             | 231981          | ON                     | 13.5                       | 215                            |
| 7/29/2026 | 22:30:00 | 7.06         | 0.3218                     | 0             | 231988          | ON                     | 13.5                       | 216                            |
| 7/29/2026 | 22:45:00 | 7.05         | 0.3028                     | 0             | 231991          | ON                     | 13.6                       | 216                            |
| 7/29/2026 | 23:00:00 | 7.08         | 2.1955                     | 0             | 232013          | ON                     | 13.4                       | 219                            |
| 7/29/2026 | 23:15:00 | 7.08         | 1.4385                     | 0             | 232043          | ON                     | 13.4                       | 221                            |
| 7/29/2026 | 23:30:00 | 7.09         | 1.8435                     | 0             | 232071          | ON                     | 13.4                       | 219                            |
| 7/29/2026 | 23:45:00 | 7.1          | 2.3015                     | 0             | 232098          | ON                     | 13.4                       | 221                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/30/2026 | 0:00:00 | 7.09         | 0.4921                     | 0             | 232114          | ON                     | 13.5                       | 219                            |
| 7/30/2026 | 0:15:00 | 7.09         | 0.4202                     | 0             | 232121          | ON                     | 13.5                       | 219                            |
| 7/30/2026 | 0:30:00 | 7.11         | 2.3772                     | 0             | 232144          | ON                     | 13.4                       | 219                            |
| 7/30/2026 | 0:45:00 | 7.12         | 2.3621                     | 0             | 232178          | ON                     | 13.4                       | 221                            |
| 7/30/2026 | 1:00:00 | 7.1          | 1.0713                     | 0             | 232198          | ON                     | 13.4                       | 220                            |
| 7/30/2026 | 1:15:00 | 7.1          | 0.3785                     | 0             | 232212          | ON                     | 13.4                       | 220                            |
| 7/30/2026 | 1:30:00 | 7.09         | 0.8669                     | 0             | 232221          | ON                     | 13.4                       | 220                            |
| 7/30/2026 | 1:45:00 | 7.1          | 0.8593                     | 2             | 232233          | ON                     | 13.4                       | 220                            |
| 7/30/2026 | 2:00:00 | 7.1          | 0.6852                     | 0             | 232249          | ON                     | 13.3                       | 219                            |
| 7/30/2026 | 2:15:00 | 7.09         | 0.6246                     | 0             | 232266          | ON                     | 13.3                       | 219                            |
| 7/30/2026 | 2:30:00 | 7.09         | 2.3583                     | 0             | 232284          | ON                     | 13.3                       | 217                            |
| 7/30/2026 | 2:45:00 | 7.09         | 0.5451                     | 0             | 232296          | ON                     | 13.3                       | 219                            |
| 7/30/2026 | 3:00:00 | 7.1          | 2.2977                     | 0             | 232312          | ON                     | 13.3                       | 219                            |
| 7/30/2026 | 3:15:00 | 7.1          | 1.5672                     | 0             | 232344          | ON                     | 13.3                       | 220                            |
| 7/30/2026 | 3:30:00 | 7.1          | 1.6467                     | 0             | 232367          | ON                     | 13.4                       | 221                            |
| 7/30/2026 | 3:45:00 | 7.1          | 2.3886                     | 0             | 232397          | ON                     | 13.3                       | 220                            |
| 7/30/2026 | 4:00:00 | 7.1          | 2.4037                     | 0             | 232431          | ON                     | 13.3                       | 223                            |
| 7/30/2026 | 4:15:00 | 7.1          | 2.3886                     | 0             | 232468          | ON                     | 13.3                       | 222                            |
| 7/30/2026 | 4:30:00 | 7.1          | 0.7647                     | 0             | 232493          | ON                     | 13.4                       | 222                            |
| 7/30/2026 | 4:45:00 | 7.09         | 0.9653                     | 0             | 232520          | ON                     | 13.4                       | 223                            |
| 7/30/2026 | 5:00:00 | 7.06         | 2.2220                     | 0             | 232536          | ON                     | 13.4                       | 225                            |
| 7/30/2026 | 5:15:00 | 6.97         | 2.3129                     | 0             | 232568          | ON                     | 13.4                       | 226                            |
| 7/30/2026 | 5:30:00 | 6.96         | 2.2447                     | 0             | 232602          | ON                     | 13.4                       | 226                            |
| 7/30/2026 | 5:45:00 | 6.98         | 2.1312                     | 0             | 232632          | ON                     | 13.4                       | 228                            |
| 7/30/2026 | 6:00:00 | 7.01         | 1.8813                     | 0             | 232662          | ON                     | 13.4                       | 225                            |
| 7/30/2026 | 6:15:00 | 7.03         | 1.7678                     | 0             | 232688          | ON                     | 13.4                       | 226                            |
| 7/30/2026 | 6:30:00 | 7.04         | 0.6095                     | 0             | 232706          | ON                     | 13.4                       | 225                            |
| 7/30/2026 | 6:45:00 | 7.05         | 0.1514                     | 0             | 232712          | ON                     | 13.4                       | 226                            |
| 7/30/2026 | 7:00:00 | 7.05         | 0.8517                     | 0             | 232716          | ON                     | 13.4                       | 227                            |
| 7/30/2026 | 7:15:00 | 7.04         | 2.3470                     | 0             | 232739          | ON                     | 13.4                       | 224                            |
| 7/30/2026 | 7:30:00 | 7.03         | 2.3924                     | 0             | 232774          | ON                     | 13.4                       | 222                            |
| 7/30/2026 | 7:45:00 | 7.02         | 0.6587                     | 0             | 232801          | ON                     | 13.4                       | 222                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/30/2026 | 8:00:00  | 7.03         | 0.3937                     | 0             | 232808          | ON                     | 13.5                       | 223                            |
| 7/30/2026 | 8:15:00  | 7.02         | 1.9760                     | 0             | 232827          | ON                     | 13.4                       | 222                            |
| 7/30/2026 | 8:30:00  | 7.02         | 2.3810                     | 0             | 232860          | ON                     | 13.4                       | 219                            |
| 7/30/2026 | 8:45:00  | 7.02         | 0.9842                     | 0             | 232891          | ON                     | 13.5                       | 219                            |
| 7/30/2026 | 9:00:00  | 7.03         | 0.3558                     | 0             | 232901          | ON                     | 13.5                       | 221                            |
| 7/30/2026 | 9:15:00  | 7.03         | 0.3520                     | 0             | 232905          | ON                     | 13.6                       | 221                            |
| 7/30/2026 | 9:30:00  | 7.02         | 1.9078                     | 0             | 232923          | ON                     | 13.7                       | 217                            |
| 7/30/2026 | 9:45:00  | 7.02         | 0.7571                     | 0             | 232940          | ON                     | 13.7                       | 218                            |
| 7/30/2026 | 10:00:00 | 7.04         | 2.4378                     | 0             | 232964          | ON                     | 13.7                       | 218                            |
| 7/30/2026 | 10:15:00 | 7.04         | 2.3356                     | 0             | 233000          | ON                     | 13.8                       | 218                            |
| 7/30/2026 | 10:30:00 | 7.04         | 0.7912                     | 0             | 233022          | ON                     | 13.9                       | 219                            |
| 7/30/2026 | 10:45:00 | 7.05         | 2.1880                     | 0             | 233038          | ON                     | 14.1                       | 219                            |
| 7/30/2026 | 11:00:00 | 7.04         | 1.1621                     | 0             | 233066          | ON                     | 14.2                       | 220                            |
| 7/30/2026 | 11:15:00 | 7.02         | 1.1583                     | 0             | 233085          | ON                     | 14.3                       | 220                            |
| 7/30/2026 | 11:30:00 | 7.04         | 2.5324                     | 0             | 233116          | ON                     | 14.2                       | 220                            |
| 7/30/2026 | 11:45:00 | 7.05         | 2.5552                     | 0             | 233149          | ON                     | 14.2                       | 222                            |
| 7/30/2026 | 12:00:00 | 7.07         | 2.5059                     | 0             | 233186          | ON                     | 14.4                       | 221                            |
| 7/30/2026 | 12:15:00 | 7.06         | 0.5716                     | 0             | 233207          | ON                     | 14.5                       | 220                            |
| 7/30/2026 | 12:30:00 | 7.07         | 2.4908                     | 0             | 233228          | ON                     | 14.7                       | 220                            |
| 7/30/2026 | 12:45:00 | 7.05         | 2.0593                     | 0             | 233264          | ON                     | 14.6                       | 220                            |
| 7/30/2026 | 13:00:00 | 7.05         | 1.9646                     | 0             | 233296          | ON                     | 14.6                       | 219                            |
| 7/30/2026 | 13:15:00 | 7.06         | 0.4694                     | 0             | 233308          | ON                     | 14.8                       | 219                            |
| 7/30/2026 | 13:30:00 | 7.05         | 0.8252                     | 6             | 233320          | ON                     | 14.9                       | 217                            |
| 7/30/2026 | 13:45:00 | 7.05         | 2.3735                     | 0             | 233338          | ON                     | 14.8                       | 219                            |
| 7/30/2026 | 14:00:00 | 7.07         | 2.2902                     | 0             | 233372          | ON                     | 14.7                       | 218                            |
| 7/30/2026 | 14:15:00 | 7.08         | 2.1842                     | 0             | 233406          | ON                     | 14.8                       | 219                            |
| 7/30/2026 | 14:30:00 | 7.09         | 1.9116                     | 0             | 233437          | ON                     | 14.9                       | 218                            |
| 7/30/2026 | 14:45:00 | 7.09         | 1.4195                     | 0             | 233462          | ON                     | 15                         | 220                            |
| 7/30/2026 | 15:00:00 | 7.09         | 1.1281                     | 0             | 233480          | ON                     | 15.7                       | 219                            |
| 7/30/2026 | 15:15:00 | 7.1          | 2.4340                     | 0             | 233513          | ON                     | 15                         | 220                            |
| 7/30/2026 | 15:30:00 | 7.09         | 0.7987                     | 0             | 233547          | ON                     | 14.9                       | 219                            |
| 7/30/2026 | 15:45:00 | 7.08         | 0.4770                     | 0             | 233559          | ON                     | 14.9                       | 217                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/30/2026 | 16:00:00 | 7.09         | 2.4454                     | 0             | 233582          | ON                     | 14.8                       | 219                            |
| 7/30/2026 | 16:15:00 | 7.08         | 0.9501                     | 0             | 233602          | ON                     | 14.8                       | 220                            |
| 7/30/2026 | 16:30:00 | 7.08         | 1.1470                     | 0             | 233621          | ON                     | 14.8                       | 222                            |
| 7/30/2026 | 16:45:00 | 7.08         | 2.2637                     | 0             | 233641          | ON                     | 14.8                       | 222                            |
| 7/30/2026 | 17:00:00 | 7.09         | 2.4605                     | 0             | 233678          | ON                     | 14.6                       | 222                            |
| 7/30/2026 | 17:15:00 | 7.1          | 2.1993                     | 0             | 233714          | ON                     | 14.7                       | 224                            |
| 7/30/2026 | 17:30:00 | 7.12         | 2.4378                     | 0             | 233751          | ON                     | 14.8                       | 226                            |
| 7/30/2026 | 17:45:00 | 7.1          | 2.1842                     | 0             | 233788          | ON                     | 14.8                       | 225                            |
| 7/30/2026 | 18:00:00 | 7.08         | 1.0069                     | 0             | 233817          | ON                     | 14.9                       | 227                            |
| 7/30/2026 | 18:15:00 | 7.06         | 0.3369                     | 0             | 233825          | ON                     | 15                         | 232                            |
| 7/30/2026 | 18:30:00 | 7.05         | 2.3810                     | 0             | 233847          | ON                     | 14.8                       | 229                            |
| 7/30/2026 | 18:45:00 | 7.06         | 2.3053                     | 0             | 233881          | ON                     | 14.6                       | 231                            |
| 7/30/2026 | 19:00:00 | 7.06         | 1.7829                     | 0             | 233912          | ON                     | 14.4                       | 231                            |
| 7/30/2026 | 19:15:00 | 7.05         | 1.1848                     | 0             | 233938          | ON                     | 14.3                       | 231                            |
| 7/30/2026 | 19:30:00 | 7.04         | 1.2000                     | 0             | 233955          | ON                     | 14.3                       | 232                            |
| 7/30/2026 | 19:45:00 | 7.04         | 1.7148                     | 0             | 233983          | ON                     | 14.3                       | 232                            |
| 7/30/2026 | 20:00:00 | 7.03         | 2.1615                     | 0             | 234017          | ON                     | 14.1                       | 231                            |
| 7/30/2026 | 20:15:00 | 7.04         | 1.0713                     | 0             | 234050          | ON                     | 14.1                       | 229                            |
| 7/30/2026 | 20:30:00 | 7            | 0.4013                     | 0             | 234059          | ON                     | 14.2                       | 231                            |
| 7/30/2026 | 20:45:00 | 7.01         | 0.7495                     | 0             | 234072          | ON                     | 14.2                       | 228                            |
| 7/30/2026 | 21:00:00 | 7.02         | 0.7230                     | 0             | 234082          | ON                     | 14                         | 224                            |
| 7/30/2026 | 21:15:00 | 7.02         | 0.4050                     | 0             | 234094          | ON                     | 13.9                       | 224                            |
| 7/30/2026 | 21:30:00 | 7.02         | 0.3975                     | 0             | 234096          | ON                     | 14.8                       | 225                            |
| 7/30/2026 | 21:45:00 | 6.99         | 0.5716                     | 0             | 234103          | ON                     | 15.7                       | 227                            |
| 7/30/2026 | 22:00:00 | 7.01         | 2.4794                     | 0             | 234137          | ON                     | 13.7                       | 222                            |
| 7/30/2026 | 22:15:00 | 7.02         | 2.4340                     | 0             | 234175          | ON                     | 13.7                       | 221                            |
| 7/30/2026 | 22:30:00 | 7.03         | 0.0189                     | 0             | 234189          | ON                     | 13.8                       | 222                            |
| 7/30/2026 | 22:45:00 | 7.04         | 1.8549                     | 0             | 234202          | ON                     | 13.9                       | 224                            |
| 7/30/2026 | 23:00:00 | 7.04         | 2.3015                     | 0             | 234231          | ON                     | 13.8                       | 227                            |
| 7/30/2026 | 23:15:00 | 7.05         | 0.4921                     | 0             | 234245          | ON                     | 13.9                       | 226                            |
| 7/30/2026 | 23:30:00 | 7.05         | 0.6852                     | 0             | 234254          | ON                     | 13.9                       | 226                            |
| 7/30/2026 | 23:45:00 | 7.05         | 0.6473                     | 0             | 234261          | ON                     | 13.9                       | 224                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/31/2026 | 0:00:00 | 7.05         | 1.5407                     | 0             | 234282          | ON                     | 13.8                       | 225                            |
| 7/31/2026 | 0:15:00 | 7.04         | 1.8359                     | 0             | 234304          | ON                     | 13.8                       | 227                            |
| 7/31/2026 | 0:30:00 | 7.04         | 2.2561                     | 0             | 234332          | ON                     | 13.8                       | 226                            |
| 7/31/2026 | 0:45:00 | 7.04         | 2.5249                     | 0             | 234368          | ON                     | 13.7                       | 224                            |
| 7/31/2026 | 1:00:00 | 7.04         | 1.9911                     | 0             | 234402          | ON                     | 13.7                       | 227                            |
| 7/31/2026 | 1:15:00 | 7.05         | 0.1514                     | 0             | 234419          | ON                     | 13.8                       | 226                            |
| 7/31/2026 | 1:30:00 | 7.04         | 0.0151                     | 0             | 234419          | ON                     | 15.6                       | 0                              |
| 7/31/2026 | 1:45:00 | 7.03         | 2.4832                     | 0             | 234431          | ON                     | 14.1                       | 225                            |
| 7/31/2026 | 2:00:00 | 7.04         | 0.6095                     | 0             | 234462          | ON                     | 13.8                       | 227                            |
| 7/31/2026 | 2:15:00 | 7.06         | 0.0000                     | 0             | 234466          | ON                     | 14.8                       | 0                              |
| 7/31/2026 | 2:30:00 | 7.03         | 0.5981                     | 0             | 234471          | ON                     | 14                         | 226                            |
| 7/31/2026 | 2:45:00 | 7.02         | 1.1091                     | 2             | 234486          | ON                     | 13.8                       | 226                            |
| 7/31/2026 | 3:00:00 | 7.05         | 2.4643                     | 0             | 234516          | ON                     | 13.8                       | 228                            |
| 7/31/2026 | 3:15:00 | 7.06         | 0.7079                     | 0             | 234528          | ON                     | 13.7                       | 229                            |
| 7/31/2026 | 3:30:00 | 7.06         | 2.1274                     | 0             | 234542          | ON                     | 13.6                       | 228                            |
| 7/31/2026 | 3:45:00 | 7.03         | 2.5135                     | 0             | 234579          | ON                     | 13.6                       | 228                            |
| 7/31/2026 | 4:00:00 | 7.01         | 1.7526                     | 0             | 234613          | ON                     | 13.6                       | 231                            |
| 7/31/2026 | 4:15:00 | 7.01         | 0.5224                     | 0             | 234633          | ON                     | 13.7                       | 230                            |
| 7/31/2026 | 4:30:00 | 7.03         | 0.6852                     | 0             | 234636          | ON                     | 13.8                       | 232                            |
| 7/31/2026 | 4:45:00 | 7.04         | 0.2763                     | 0             | 234640          | ON                     | 14.6                       | 231                            |
| 7/31/2026 | 5:00:00 | 7.01         | 0.9842                     | 0             | 234651          | ON                     | 15.6                       | 232                            |
| 7/31/2026 | 5:15:00 | 7            | 1.8359                     | 0             | 234683          | ON                     | 13.8                       | 233                            |
| 7/31/2026 | 5:30:00 | 6.99         | 2.2637                     | 0             | 234714          | ON                     | 13.7                       | 234                            |
| 7/31/2026 | 5:45:00 | 7            | 1.7072                     | 0             | 234745          | ON                     | 13.7                       | 234                            |
| 7/31/2026 | 6:00:00 | 7.01         | 1.8662                     | 0             | 234768          | ON                     | 13.7                       | 234                            |
| 7/31/2026 | 6:15:00 | 7.03         | 1.4006                     | 0             | 234793          | ON                     | 13.8                       | 234                            |
| 7/31/2026 | 6:30:00 | 7.03         | 0.8820                     | 0             | 234810          | ON                     | 13.8                       | 233                            |
| 7/31/2026 | 6:45:00 | 7.05         | 2.4416                     | 0             | 234836          | ON                     | 13.7                       | 233                            |
| 7/31/2026 | 7:00:00 | 7.05         | 0.2877                     | 0             | 234862          | ON                     | 13.7                       | 233                            |
| 7/31/2026 | 7:15:00 | 7.06         | 1.3779                     | 0             | 234871          | ON                     | 13.8                       | 234                            |
| 7/31/2026 | 7:30:00 | 7.05         | 2.5173                     | 0             | 234905          | ON                     | 13.8                       | 233                            |
| 7/31/2026 | 7:45:00 | 7.05         | 0.9729                     | 0             | 234933          | ON                     | 13.9                       | 233                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/31/2026 | 8:00:00  | 7.05         | 0.4315                     | 0             | 234942          | ON                     | 13.9                       | 233                            |
| 7/31/2026 | 8:15:00  | 7.03         | 0.7344                     | 0             | 234949          | ON                     | 14                         | 233                            |
| 7/31/2026 | 8:30:00  | 7.03         | 2.4681                     | 0             | 234984          | ON                     | 13.9                       | 233                            |
| 7/31/2026 | 8:45:00  | 7.02         | 2.0403                     | 0             | 235021          | ON                     | 13.9                       | 232                            |
| 7/31/2026 | 9:00:00  | 7            | 2.4492                     | 0             | 235055          | ON                     | 13.9                       | 232                            |
| 7/31/2026 | 9:15:00  | 7            | 2.3848                     | 0             | 235093          | ON                     | 13.9                       | 232                            |
| 7/31/2026 | 9:30:00  | 7.01         | 0.4770                     | 0             | 235104          | ON                     | 14                         | 233                            |
| 7/31/2026 | 9:45:00  | 7.01         | 0.6019                     | 0             | 235121          | ON                     | 14.1                       | 230                            |
| 7/31/2026 | 10:00:00 | 7.02         | 0.9199                     | 0             | 235128          | ON                     | 14.2                       | 230                            |
| 7/31/2026 | 10:15:00 | 7.04         | 1.0410                     | 0             | 235157          | ON                     | 14.3                       | 230                            |
| 7/31/2026 | 10:30:00 | 7.04         | 0.7344                     | 0             | 235168          | ON                     | 14.5                       | 229                            |
| 7/31/2026 | 10:45:00 | 7.04         | 1.8170                     | 0             | 235191          | ON                     | 14.5                       | 230                            |
| 7/31/2026 | 11:00:00 | 7.06         | 2.4567                     | 0             | 235217          | ON                     | 14.6                       | 232                            |
| 7/31/2026 | 11:15:00 | 7.09         | 2.4454                     | 0             | 235254          | ON                     | 14.6                       | 232                            |
| 7/31/2026 | 11:30:00 | 7.1          | 1.9949                     | 0             | 235287          | ON                     | 14.6                       | 231                            |
| 7/31/2026 | 11:45:00 | 7.1          | 2.3962                     | 0             | 235324          | ON                     | 14.7                       | 229                            |
| 7/31/2026 | 12:00:00 | 7.09         | 0.5981                     | 0             | 235347          | ON                     | 14.8                       | 229                            |
| 7/31/2026 | 12:15:00 | 7.08         | 2.4340                     | 0             | 235368          | ON                     | 14.9                       | 231                            |
| 7/31/2026 | 12:30:00 | 7.07         | 2.4037                     | 0             | 235406          | ON                     | 14.8                       | 231                            |
| 7/31/2026 | 12:45:00 | 7.05         | 2.3621                     | 0             | 235438          | ON                     | 14.8                       | 232                            |
| 7/31/2026 | 13:00:00 | 7.04         | 0.5905                     | 0             | 235457          | ON                     | 14.8                       | 233                            |
| 7/31/2026 | 13:15:00 | 7.04         | 0.7382                     | 0             | 235465          | ON                     | 15                         | 234                            |
| 7/31/2026 | 13:30:00 | 7.04         | 0.6473                     | 0             | 235484          | ON                     | 15.2                       | 233                            |
| 7/31/2026 | 13:45:00 | 7.05         | 0.3748                     | 0             | 235492          | ON                     | 15.4                       | 233                            |
| 7/31/2026 | 14:00:00 | 7.08         | 2.2220                     | 0             | 235514          | ON                     | 15.5                       | 233                            |
| 7/31/2026 | 14:15:00 | 7.08         | 1.0372                     | 0             | 235545          | ON                     | 15.4                       | 232                            |
| 7/31/2026 | 14:30:00 | 7.05         | 1.0334                     | 0             | 235560          | ON                     | 15.6                       | 232                            |
| 7/31/2026 | 14:45:00 | 7.02         | 1.4460                     | 0             | 235584          | ON                     | 15.3                       | 232                            |
| 7/31/2026 | 15:00:00 | 7.01         | 1.8284                     | 0             | 235610          | ON                     | 15.2                       | 231                            |
| 7/31/2026 | 15:15:00 | 6.99         | 2.4908                     | 0             | 235646          | ON                     | 15                         | 231                            |
| 7/31/2026 | 15:30:00 | 7            | 2.0479                     | 0             | 235682          | ON                     | 14.9                       | 233                            |
| 7/31/2026 | 15:45:00 | 7.03         | 2.4529                     | 0             | 235717          | ON                     | 14.9                       | 231                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date      | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|-----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 7/31/2026 | 16:00:00 | 7.05         | 0.9804                     | 0             | 235749          | ON                     | 15.1                       | 233                            |
| 7/31/2026 | 16:15:00 | 7.05         | 0.6965                     | 0             | 235758          | ON                     | 15.2                       | 232                            |
| 7/31/2026 | 16:30:00 | 7.07         | 2.3583                     | 0             | 235792          | ON                     | 15.1                       | 232                            |
| 7/31/2026 | 16:45:00 | 7.07         | 2.2372                     | 0             | 235826          | ON                     | 15                         | 233                            |
| 7/31/2026 | 17:00:00 | 7.06         | 1.9116                     | 0             | 235857          | ON                     | 14.9                       | 231                            |
| 7/31/2026 | 17:15:00 | 7.05         | 1.0221                     | 0             | 235879          | ON                     | 15                         | 232                            |
| 7/31/2026 | 17:30:00 | 7.04         | 0.9918                     | 0             | 235894          | ON                     | 16.6                       | 233                            |
| 7/31/2026 | 17:45:00 | 7.08         | 1.9949                     | 0             | 235924          | ON                     | 14.9                       | 231                            |
| 7/31/2026 | 18:00:00 | 7.06         | 0.3331                     | 0             | 235937          | ON                     | 15                         | 231                            |
| 7/31/2026 | 18:15:00 | 7.04         | 0.3710                     | 0             | 235942          | ON                     | 15.1                       | 232                            |
| 7/31/2026 | 18:30:00 | 7.06         | 2.4643                     | 0             | 235965          | ON                     | 15                         | 230                            |
| 7/31/2026 | 18:45:00 | 7.07         | 2.4416                     | 0             | 236002          | ON                     | 14.7                       | 229                            |
| 7/31/2026 | 19:00:00 | 7.06         | 0.6738                     | 0             | 236030          | ON                     | 14.6                       | 228                            |
| 7/31/2026 | 19:15:00 | 7.05         | 0.3331                     | 0             | 236036          | ON                     | 14.6                       | 229                            |
| 7/31/2026 | 19:30:00 | 7.05         | 0.6284                     | 0             | 236047          | ON                     | 14.5                       | 229                            |
| 7/31/2026 | 19:45:00 | 7.04         | 2.2902                     | 0             | 236059          | ON                     | 14.4                       | 230                            |
| 7/31/2026 | 20:00:00 | 7.05         | 1.9495                     | 0             | 236095          | ON                     | 14.1                       | 230                            |
| 7/31/2026 | 20:15:00 | 7.05         | 2.3999                     | 0             | 236130          | ON                     | 14.1                       | 230                            |
| 7/31/2026 | 20:30:00 | 7.05         | 2.3999                     | 0             | 236166          | ON                     | 14                         | 229                            |
| 7/31/2026 | 20:45:00 | 7.05         | 2.3432                     | 0             | 236198          | ON                     | 13.9                       | 229                            |
| 7/31/2026 | 21:00:00 | 7.07         | 2.2410                     | 0             | 236232          | ON                     | 13.9                       | 228                            |
| 7/31/2026 | 21:15:00 | 7.06         | 0.2801                     | 0             | 236243          | ON                     | 14                         | 227                            |
| 7/31/2026 | 21:30:00 | 7.05         | 0.2082                     | 0             | 236246          | ON                     | 14.1                       | 228                            |
| 7/31/2026 | 21:45:00 | 7.06         | 1.2984                     | 0             | 236263          | ON                     | 14                         | 227                            |
| 7/31/2026 | 22:00:00 | 7.05         | 1.5861                     | 0             | 236286          | ON                     | 13.9                       | 227                            |
| 7/31/2026 | 22:15:00 | 7.05         | 1.0713                     | 0             | 236305          | ON                     | 13.9                       | 225                            |
| 7/31/2026 | 22:30:00 | 7.05         | 0.6965                     | 0             | 236318          | ON                     | 14                         | 226                            |
| 7/31/2026 | 22:45:00 | 7.05         | 2.3280                     | 0             | 236343          | ON                     | 13.9                       | 225                            |
| 7/31/2026 | 23:00:00 | 7.04         | 2.4264                     | 0             | 236380          | ON                     | 13.7                       | 225                            |
| 7/31/2026 | 23:15:00 | 7.05         | 0.7912                     | 0             | 236408          | ON                     | 13.7                       | 226                            |
| 7/31/2026 | 23:30:00 | 7.06         | 0.5754                     | 0             | 236416          | ON                     | 13.8                       | 224                            |
| 7/31/2026 | 23:45:00 | 7.05         | 0.4467                     | 0             | 236424          | ON                     | 13.8                       | 223                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/1/2026 | 0:00:00 | 7.05         | 1.1962                     | 9             | 236441          | ON                     | 13.8                       | 223                            |
| 8/1/2026 | 0:15:00 | 7.05         | 1.1697                     | 1             | 236457          | ON                     | 14.2                       | 223                            |
| 8/1/2026 | 0:30:00 | 7.05         | 2.3507                     | 0             | 236481          | ON                     | 13.7                       | 222                            |
| 8/1/2026 | 0:45:00 | 7.05         | 2.2977                     | 0             | 236515          | ON                     | 13.6                       | 222                            |
| 8/1/2026 | 1:00:00 | 7.05         | 2.1690                     | 0             | 236549          | ON                     | 13.6                       | 222                            |
| 8/1/2026 | 1:15:00 | 7.06         | 1.9419                     | 0             | 236580          | ON                     | 13.6                       | 223                            |
| 8/1/2026 | 1:30:00 | 7.06         | 1.5293                     | 0             | 236606          | ON                     | 13.6                       | 222                            |
| 8/1/2026 | 1:45:00 | 7.05         | 1.1243                     | 0             | 236627          | ON                     | 13.7                       | 223                            |
| 8/1/2026 | 2:00:00 | 7.06         | 0.3785                     | 0             | 236636          | ON                     | 13.7                       | 223                            |
| 8/1/2026 | 2:15:00 | 7.06         | 2.3394                     | 0             | 236653          | ON                     | 13.6                       | 224                            |
| 8/1/2026 | 2:30:00 | 7.05         | 0.6473                     | 0             | 236676          | ON                     | 13.6                       | 222                            |
| 8/1/2026 | 2:45:00 | 7.04         | 0.7798                     | 0             | 236686          | ON                     | 13.6                       | 223                            |
| 8/1/2026 | 3:00:00 | 7.02         | 1.0372                     | 0             | 236716          | ON                     | 13.5                       | 223                            |
| 8/1/2026 | 3:15:00 | 7.03         | 0.7382                     | 0             | 236726          | ON                     | 13.6                       | 223                            |
| 8/1/2026 | 3:30:00 | 6.94         | 2.1804                     | 0             | 236759          | ON                     | 13.5                       | 226                            |
| 8/1/2026 | 3:45:00 | 6.89         | 1.8965                     | 0             | 236789          | ON                     | 13.6                       | 227                            |
| 8/1/2026 | 4:00:00 | 6.89         | 1.4385                     | 0             | 236815          | ON                     | 13.7                       | 228                            |
| 8/1/2026 | 4:15:00 | 6.92         | 0.6208                     | 0             | 236829          | ON                     | 13.7                       | 229                            |
| 8/1/2026 | 4:30:00 | 6.95         | 0.0000                     | 0             | 236833          | ON                     | 14                         | 229                            |
| 8/1/2026 | 4:45:00 | 6.93         | 0.0038                     | 0             | 236833          | ON                     | 15.2                       | 0                              |
| 8/1/2026 | 5:00:00 | 6.92         | 1.8170                     | 0             | 236852          | ON                     | 13.7                       | 229                            |
| 8/1/2026 | 5:15:00 | 6.95         | 0.7230                     | 104           | 236871          | ON                     | 13.7                       | 229                            |
| 8/1/2026 | 5:30:00 | 6.96         | 2.3962                     | 0             | 236883          | ON                     | 13.6                       | 227                            |
| 8/1/2026 | 5:45:00 | 6.98         | 1.6959                     | 0             | 236918          | ON                     | 13.6                       | 226                            |
| 8/1/2026 | 6:00:00 | 7            | 0.4126                     | 0             | 236929          | ON                     | 13.6                       | 226                            |
| 8/1/2026 | 6:15:00 | 6.99         | 0.4429                     | 0             | 236935          | ON                     | 13.7                       | 229                            |
| 8/1/2026 | 6:30:00 | 7            | 2.2183                     | 0             | 236964          | ON                     | 13.6                       | 228                            |
| 8/1/2026 | 6:45:00 | 7            | 2.1236                     | 0             | 236998          | ON                     | 13.6                       | 227                            |
| 8/1/2026 | 7:00:00 | 7            | 1.9495                     | 0             | 237028          | ON                     | 13.6                       | 229                            |
| 8/1/2026 | 7:15:00 | 7.01         | 1.6921                     | 0             | 237056          | ON                     | 13.7                       | 230                            |
| 8/1/2026 | 7:30:00 | 7            | 0.1211                     | 0             | 237067          | ON                     | 13.7                       | 231                            |
| 8/1/2026 | 7:45:00 | 7.01         | 1.0978                     | 0             | 237078          | ON                     | 13.7                       | 229                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/1/2026 | 8:00:00  | 7.02         | 2.3053                     | 0             | 237100          | ON                     | 13.8                       | 230                            |
| 8/1/2026 | 8:15:00  | 7.01         | 2.3621                     | 0             | 237133          | ON                     | 13.7                       | 231                            |
| 8/1/2026 | 8:30:00  | 7            | 2.3583                     | 0             | 237167          | ON                     | 13.7                       | 228                            |
| 8/1/2026 | 8:45:00  | 7.01         | 2.3432                     | 0             | 237201          | ON                     | 13.7                       | 227                            |
| 8/1/2026 | 9:00:00  | 7.01         | 0.9199                     | 0             | 237230          | ON                     | 13.8                       | 227                            |
| 8/1/2026 | 9:15:00  | 7.02         | 0.3975                     | 0             | 237238          | ON                     | 13.9                       | 227                            |
| 8/1/2026 | 9:30:00  | 7.02         | 0.4013                     | 0             | 237245          | ON                     | 14                         | 227                            |
| 8/1/2026 | 9:45:00  | 7.05         | 1.1810                     | 0             | 237265          | ON                     | 14                         | 226                            |
| 8/1/2026 | 10:00:00 | 7.04         | 1.2340                     | 1             | 237282          | ON                     | 14                         | 229                            |
| 8/1/2026 | 10:15:00 | 7.04         | 0.4845                     | 0             | 237297          | ON                     | 14                         | 230                            |
| 8/1/2026 | 10:30:00 | 7.03         | 0.6435                     | 0             | 237302          | ON                     | 14.2                       | 231                            |
| 8/1/2026 | 10:45:00 | 7.04         | 2.2485                     | 0             | 237332          | ON                     | 14.1                       | 232                            |
| 8/1/2026 | 11:00:00 | 7.03         | 1.2605                     | 0             | 237357          | ON                     | 14.1                       | 233                            |
| 8/1/2026 | 11:15:00 | 7.04         | 2.1160                     | 0             | 237387          | ON                     | 14.2                       | 237                            |
| 8/1/2026 | 11:30:00 | 7.04         | 1.2378                     | 0             | 237415          | ON                     | 14.4                       | 236                            |
| 8/1/2026 | 11:45:00 | 7.05         | 1.7072                     | 0             | 237438          | ON                     | 14.6                       | 237                            |
| 8/1/2026 | 12:00:00 | 7.04         | 0.8441                     | 0             | 237456          | ON                     | 14.8                       | 237                            |
| 8/1/2026 | 12:15:00 | 7.04         | 0.1666                     | 0             | 237461          | ON                     | 15                         | 239                            |
| 8/1/2026 | 12:30:00 | 7.03         | 0.7041                     | 1             | 237465          | ON                     | 15.1                       | 241                            |
| 8/1/2026 | 12:45:00 | 7.02         | 0.6397                     | 0             | 237477          | ON                     | 15.2                       | 238                            |
| 8/1/2026 | 13:00:00 | 7.04         | 2.4037                     | 0             | 237500          | ON                     | 15                         | 238                            |
| 8/1/2026 | 13:15:00 | 7.04         | 2.0441                     | 0             | 237535          | ON                     | 15                         | 241                            |
| 8/1/2026 | 13:30:00 | 7.04         | 2.1085                     | 0             | 237569          | ON                     | 15                         | 240                            |
| 8/1/2026 | 13:45:00 | 7.05         | 2.3772                     | 0             | 237598          | ON                     | 15                         | 238                            |
| 8/1/2026 | 14:00:00 | 7.06         | 2.3810                     | 0             | 237627          | ON                     | 15                         | 239                            |
| 8/1/2026 | 14:15:00 | 7.07         | 2.3697                     | 0             | 237662          | ON                     | 15.1                       | 237                            |
| 8/1/2026 | 14:30:00 | 7.05         | 0.5943                     | 0             | 237683          | ON                     | 15.2                       | 237                            |
| 8/1/2026 | 14:45:00 | 7.05         | 0.3975                     | 1             | 237691          | ON                     | 15.5                       | 236                            |
| 8/1/2026 | 15:00:00 | 7.03         | 0.4505                     | 0             | 237697          | ON                     | 15.7                       | 238                            |
| 8/1/2026 | 15:15:00 | 7.04         | 1.8208                     | 0             | 237717          | ON                     | 15.6                       | 236                            |
| 8/1/2026 | 15:30:00 | 7.04         | 1.1697                     | 0             | 237745          | ON                     | 15.5                       | 236                            |
| 8/1/2026 | 15:45:00 | 7.04         | 0.6359                     | 0             | 237755          | ON                     | 15.6                       | 237                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/1/2026 | 16:00:00 | 7.03         | 1.2984                     | 0             | 237779          | ON                     | 15.7                       | 236                            |
| 8/1/2026 | 16:15:00 | 7.04         | 0.4126                     | 1             | 237797          | ON                     | 15.6                       | 235                            |
| 8/1/2026 | 16:30:00 | 7.03         | 0.3710                     | 2             | 237804          | ON                     | 15.5                       | 237                            |
| 8/1/2026 | 16:45:00 | 7.05         | 1.7791                     | 0             | 237829          | ON                     | 15.3                       | 234                            |
| 8/1/2026 | 17:00:00 | 7.06         | 0.2574                     | 0             | 237836          | ON                     | 15.5                       | 232                            |
| 8/1/2026 | 17:15:00 | 7.05         | 0.6359                     | 1             | 237838          | ON                     | 16.6                       | 234                            |
| 8/1/2026 | 17:30:00 | 7.04         | 2.1993                     | 0             | 237870          | ON                     | 15.1                       | 230                            |
| 8/1/2026 | 17:45:00 | 7.04         | 1.5937                     | 0             | 237894          | ON                     | 15                         | 232                            |
| 8/1/2026 | 18:00:00 | 7.03         | 1.8435                     | 0             | 237923          | ON                     | 14.8                       | 231                            |
| 8/1/2026 | 18:15:00 | 7.03         | 0.2498                     | 0             | 237936          | ON                     | 14.9                       | 232                            |
| 8/1/2026 | 18:30:00 | 7.03         | 0.0038                     | 0             | 237937          | ON                     | 15.5                       | 232                            |
| 8/1/2026 | 18:45:00 | 7.02         | 0.0076                     | 0             | 237937          | ON                     | 16.2                       | 233                            |
| 8/1/2026 | 19:00:00 | 7.02         | 1.1546                     | 0             | 237952          | ON                     | 14.9                       | 233                            |
| 8/1/2026 | 19:15:00 | 7.02         | 2.1728                     | 0             | 237974          | ON                     | 14.6                       | 235                            |
| 8/1/2026 | 19:30:00 | 6.99         | 2.3735                     | 1             | 238005          | ON                     | 14.3                       | 239                            |
| 8/1/2026 | 19:45:00 | 6.99         | 2.3848                     | 0             | 238039          | ON                     | 14.1                       | 244                            |
| 8/1/2026 | 20:00:00 | 6.99         | 0.6814                     | 0             | 238063          | ON                     | 14                         | 244                            |
| 8/1/2026 | 20:15:00 | 7.02         | 0.4997                     | 1             | 238069          | ON                     | 14.1                       | 245                            |
| 8/1/2026 | 20:30:00 | 7.01         | 0.6738                     | 0             | 238079          | ON                     | 14                         | 246                            |
| 8/1/2026 | 20:45:00 | 7            | 2.2826                     | 1             | 238096          | ON                     | 13.9                       | 247                            |
| 8/1/2026 | 21:00:00 | 7            | 2.3735                     | 0             | 238130          | ON                     | 13.8                       | 249                            |
| 8/1/2026 | 21:15:00 | 6.99         | 1.9798                     | 0             | 238163          | ON                     | 13.7                       | 248                            |
| 8/1/2026 | 21:30:00 | 7            | 0.3558                     | 0             | 238182          | ON                     | 13.7                       | 250                            |
| 8/1/2026 | 21:45:00 | 7.01         | 1.3135                     | 0             | 238188          | ON                     | 13.7                       | 250                            |
| 8/1/2026 | 22:00:00 | 7            | 0.8139                     | 0             | 238207          | ON                     | 13.7                       | 250                            |
| 8/1/2026 | 22:15:00 | 7.01         | 0.3520                     | 1             | 238215          | ON                     | 13.7                       | 252                            |
| 8/1/2026 | 22:30:00 | 6.99         | 0.4050                     | 1             | 238222          | ON                     | 13.7                       | 252                            |
| 8/1/2026 | 22:45:00 | 7.01         | 0.4353                     | 0             | 238233          | ON                     | 13.7                       | 251                            |
| 8/1/2026 | 23:00:00 | 7.01         | 2.2864                     | 0             | 238245          | ON                     | 13.7                       | 252                            |
| 8/1/2026 | 23:15:00 | 7            | 2.2712                     | 0             | 238279          | ON                     | 13.7                       | 252                            |
| 8/1/2026 | 23:30:00 | 7            | 1.0031                     | 0             | 238305          | ON                     | 13.8                       | 250                            |
| 8/1/2026 | 23:45:00 | 7            | 0.9199                     | 0             | 238320          | ON                     | 13.8                       | 248                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time    | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|---------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/2/2026 | 0:00:00 | 7.01         | 1.9911                     | 0             | 238342          | ON                     | 13.8                       | 247                            |
| 8/2/2026 | 0:15:00 | 7.02         | 1.9419                     | 0             | 238373          | ON                     | 13.8                       | 245                            |
| 8/2/2026 | 0:30:00 | 7.02         | 0.6965                     | 0             | 238397          | ON                     | 13.7                       | 244                            |
| 8/2/2026 | 0:45:00 | 7.04         | 0.1401                     | 1             | 238402          | ON                     | 13.7                       | 244                            |
| 8/2/2026 | 1:00:00 | 7.03         | 1.9381                     | 0             | 238424          | ON                     | 13.7                       | 243                            |
| 8/2/2026 | 1:15:00 | 7.03         | 0.8441                     | 0             | 238447          | ON                     | 13.7                       | 242                            |
| 8/2/2026 | 1:30:00 | 7.04         | 0.0076                     | 0             | 238456          | ON                     | 13.7                       | 242                            |
| 8/2/2026 | 1:45:00 | 7.03         | 2.2334                     | 0             | 238471          | ON                     | 13.7                       | 243                            |
| 8/2/2026 | 2:00:00 | 7.02         | 1.8056                     | 0             | 238507          | ON                     | 13.7                       | 243                            |
| 8/2/2026 | 2:15:00 | 7.02         | 2.4757                     | 1             | 238541          | ON                     | 13.7                       | 243                            |
| 8/2/2026 | 2:30:00 | 7.03         | 1.9457                     | 0             | 238574          | ON                     | 13.7                       | 244                            |
| 8/2/2026 | 2:45:00 | 7.02         | 0.6473                     | 1             | 238601          | ON                     | 13.7                       | 242                            |
| 8/2/2026 | 3:00:00 | 7.03         | 0.4126                     | 0             | 238609          | ON                     | 13.7                       | 242                            |
| 8/2/2026 | 3:15:00 | 7.01         | 0.7457                     | 0             | 238617          | ON                     | 13.7                       | 243                            |
| 8/2/2026 | 3:30:00 | 6.98         | 0.4656                     | 1             | 238627          | ON                     | 13.7                       | 242                            |
| 8/2/2026 | 3:45:00 | 6.96         | 0.7268                     | 1             | 238633          | ON                     | 13.7                       | 246                            |
| 8/2/2026 | 4:00:00 | 6.95         | 0.7609                     | 1             | 238643          | ON                     | 13.7                       | 245                            |
| 8/2/2026 | 4:15:00 | 6.96         | 2.4605                     | 1             | 238656          | ON                     | 13.6                       | 248                            |
| 8/2/2026 | 4:30:00 | 6.97         | 2.4908                     | 1             | 238691          | ON                     | 13.6                       | 248                            |
| 8/2/2026 | 4:45:00 | 6.96         | 1.9495                     | 0             | 238725          | ON                     | 13.6                       | 247                            |
| 8/2/2026 | 5:00:00 | 6.96         | 0.3937                     | 0             | 238752          | ON                     | 13.6                       | 247                            |
| 8/2/2026 | 5:15:00 | 6.96         | 0.0038                     | 0             | 238753          | ON                     | 13.9                       | 246                            |
| 8/2/2026 | 5:30:00 | 6.88         | 0.6965                     | 0             | 238759          | ON                     | 14.3                       | 248                            |
| 8/2/2026 | 5:45:00 | 6.96         | 1.8927                     | 1             | 238787          | ON                     | 13.6                       | 241                            |
| 8/2/2026 | 6:00:00 | 6.96         | 1.7867                     | 0             | 238822          | ON                     | 13.5                       | 240                            |
| 8/2/2026 | 6:15:00 | 6.95         | 0.2120                     | 0             | 238837          | ON                     | 13.5                       | 238                            |
| 8/2/2026 | 6:30:00 | 6.92         | 0.9047                     | 1             | 238841          | ON                     | 13.6                       | 244                            |
| 8/2/2026 | 6:45:00 | 6.93         | 1.5179                     | 0             | 238859          | ON                     | 13.5                       | 238                            |
| 8/2/2026 | 7:00:00 | 6.86         | 1.2113                     | 0             | 238886          | ON                     | 13.5                       | 241                            |
| 8/2/2026 | 7:15:00 | 6.84         | 0.1287                     | 0             | 238896          | ON                     | 13.6                       | 243                            |
| 8/2/2026 | 7:30:00 | 6.83         | 1.0523                     | 0             | 238910          | ON                     | 13.6                       | 242                            |
| 8/2/2026 | 7:45:00 | 6.81         | 0.6700                     | 0             | 238919          | ON                     | 13.6                       | 243                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/2/2026 | 8:00:00  | 6.82         | 0.4694                     | 1             | 238924          | ON                     | 13.7                       | 244                            |
| 8/2/2026 | 8:15:00  | 6.82         | 1.8700                     | 0             | 238935          | ON                     | 13.7                       | 241                            |
| 8/2/2026 | 8:30:00  | 6.83         | 1.4801                     | 1             | 238966          | ON                     | 13.6                       | 238                            |
| 8/2/2026 | 8:45:00  | 6.83         | 2.4340                     | 0             | 238999          | ON                     | 13.7                       | 238                            |
| 8/2/2026 | 9:00:00  | 6.84         | 1.9684                     | 0             | 239027          | ON                     | 13.7                       | 236                            |
| 8/2/2026 | 9:15:00  | 6.85         | 0.2498                     | 0             | 239047          | ON                     | 13.8                       | 237                            |
| 8/2/2026 | 9:30:00  | 6.84         | 0.1817                     | 0             | 239048          | ON                     | 14.5                       | 237                            |
| 8/2/2026 | 9:45:00  | 6.81         | 0.0871                     | 0             | 239051          | ON                     | 14.9                       | 238                            |
| 8/2/2026 | 10:00:00 | 6.83         | 2.4151                     | 1             | 239056          | ON                     | 14.3                       | 236                            |
| 8/2/2026 | 10:15:00 | 6.88         | 0.8101                     | 0             | 239085          | ON                     | 14                         | 237                            |
| 8/2/2026 | 10:30:00 | 6.88         | 0.7722                     | 1             | 239094          | ON                     | 14.1                       | 237                            |
| 8/2/2026 | 10:45:00 | 6.94         | 2.6195                     | 1             | 239109          | ON                     | 14                         | 237                            |
| 8/2/2026 | 11:00:00 | 6.93         | 1.7716                     | 1             | 239141          | ON                     | 14                         | 239                            |
| 8/2/2026 | 11:15:00 | 6.94         | 2.2410                     | 1             | 239172          | ON                     | 14.1                       | 241                            |
| 8/2/2026 | 11:30:00 | 6.96         | 1.6542                     | 1             | 239198          | ON                     | 14.2                       | 239                            |
| 8/2/2026 | 11:45:00 | 6.97         | 1.9684                     | 1             | 239225          | ON                     | 14.3                       | 241                            |
| 8/2/2026 | 12:00:00 | 6.96         | 0.0000                     | 1             | 239242          | ON                     | 14.3                       | 241                            |
| 8/2/2026 | 12:15:00 | 6.91         | 0.0038                     | 1             | 239242          | ON                     | 14.8                       | 239                            |
| 8/2/2026 | 12:30:00 | 6.95         | 0.7874                     | 1             | 239255          | ON                     | 14.5                       | 240                            |
| 8/2/2026 | 12:45:00 | 6.95         | 1.5634                     | 1             | 239270          | ON                     | 14.5                       | 239                            |
| 8/2/2026 | 13:00:00 | 6.94         | 0.7268                     | 1             | 239289          | ON                     | 14.5                       | 239                            |
| 8/2/2026 | 13:15:00 | 6.94         | 0.7003                     | 1             | 239297          | ON                     | 14.5                       | 240                            |
| 8/2/2026 | 13:30:00 | 6.94         | 0.6246                     | 2             | 239303          | ON                     | 14.8                       | 242                            |
| 8/2/2026 | 13:45:00 | 6.98         | 1.5785                     | 1             | 239327          | ON                     | 14.7                       | 245                            |
| 8/2/2026 | 14:00:00 | 6.99         | 2.4302                     | 1             | 239358          | ON                     | 14.7                       | 246                            |
| 8/2/2026 | 14:15:00 | 7            | 2.3545                     | 2             | 239387          | ON                     | 14.8                       | 245                            |
| 8/2/2026 | 14:30:00 | 6.99         | 0.5110                     | 1             | 239415          | ON                     | 14.8                       | 245                            |
| 8/2/2026 | 14:45:00 | 6.99         | 0.4467                     | 2             | 239421          | ON                     | 15                         | 246                            |
| 8/2/2026 | 15:00:00 | 6.96         | 0.2877                     | 2             | 239422          | ON                     | 16                         | 247                            |
| 8/2/2026 | 15:15:00 | 6.97         | 2.3810                     | 1             | 239431          | ON                     | 15.3                       | 244                            |
| 8/2/2026 | 15:30:00 | 6.98         | 2.2183                     | 1             | 239460          | ON                     | 15                         | 243                            |
| 8/2/2026 | 15:45:00 | 6.98         | 1.8776                     | 1             | 239494          | ON                     | 14.8                       | 244                            |



## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope


|                   |                                                |                                                            |                                                    |
|-------------------|------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| <b>Title</b>      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                           | <b>0</b>                                           |
| <b>Data Range</b> | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b> | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

| Date     | Time     | Discharge pH | Discharge Flow Rate (m3PM) | Discharge NTU | Flow Total (m3) | Discharge Valve Status | Discharge Temperature (°C) | Discharge Conductivity (uS/cm) |
|----------|----------|--------------|----------------------------|---------------|-----------------|------------------------|----------------------------|--------------------------------|
| 8/2/2026 | 16:00:00 | 6.97         | 0.2574                     | 1             | 239502          | ON                     | 15                         | 244                            |
| 8/2/2026 | 16:15:00 | 6.94         | 0.0000                     | 1             | 239502          | ON                     | 15.9                       | 0                              |
| 8/2/2026 | 16:30:00 | 6.93         | 0.0038                     | 1             | 239502          | ON                     | 16.7                       | 0                              |
| 8/2/2026 | 16:45:00 | 6.96         | 0.7760                     | 1             | 239520          | ON                     | 15                         | 241                            |
| 8/2/2026 | 17:00:00 | 6.96         | 1.1621                     | 1             | 239535          | ON                     | 14.9                       | 239                            |
| 8/2/2026 | 17:15:00 | 6.97         | 1.6921                     | 1             | 239555          | ON                     | 14.8                       | 240                            |
| 8/2/2026 | 17:30:00 | 6.98         | 2.1653                     | 1             | 239587          | ON                     | 14.9                       | 239                            |
| 8/2/2026 | 17:45:00 | 6.98         | 2.0782                     | 1             | 239616          | ON                     | 14.9                       | 238                            |
| 8/2/2026 | 18:00:00 | 6.98         | 1.3400                     | 1             | 239640          | ON                     | 14.9                       | 237                            |
| 8/2/2026 | 18:15:00 | 6.97         | 0.5905                     | 1             | 239657          | ON                     | 14.9                       | 238                            |
| 8/2/2026 | 18:30:00 | 6.96         | 0.0076                     | 1             | 239658          | ON                     | 15.6                       | 50                             |
| 8/2/2026 | 18:45:00 | 6.95         | 0.0038                     | 1             | 239658          | ON                     | 16.3                       | 203                            |
| 8/2/2026 | 19:00:00 | 6.93         | 0.2271                     | 1             | 239661          | ON                     | 15.4                       | 240                            |
| 8/2/2026 | 19:15:00 | 6.96         | 2.4605                     | 1             | 239685          | ON                     | 14.8                       | 236                            |
| 8/2/2026 | 19:30:00 | 6.97         | 2.4492                     | 1             | 239722          | ON                     | 14.6                       | 238                            |
| 8/2/2026 | 19:45:00 | 6.96         | 0.8101                     | 2             | 239744          | ON                     | 14.5                       | 238                            |
| 8/2/2026 | 20:00:00 | 6.96         | 0.7571                     | 2             | 239757          | ON                     | 14.6                       | 239                            |
| 8/2/2026 | 20:15:00 | 6.99         | 2.4113                     | 1             | 239785          | ON                     | 14.5                       | 234                            |
| 8/2/2026 | 20:30:00 | 7            | 2.4189                     | 1             | 239823          | ON                     | 14.4                       | 234                            |
| 8/2/2026 | 20:45:00 | 7            | 2.4075                     | 1             | 239860          | ON                     | 14.3                       | 233                            |
| 8/2/2026 | 21:00:00 | 7.01         | 0.1325                     | 0             | 239876          | ON                     | 14.4                       | 233                            |
| 8/2/2026 | 21:15:00 | 6.98         | 0.3937                     | 0             | 239882          | ON                     | 14.8                       | 233                            |
| 8/2/2026 | 21:30:00 | 6.95         | 0.4429                     | 0             | 239888          | ON                     | 15.4                       | 232                            |
| 8/2/2026 | 21:45:00 | 6.98         | 2.3583                     | 0             | 239908          | ON                     | 14.1                       | 231                            |
| 8/2/2026 | 22:00:00 | 6.97         | 0.3028                     | 0             | 239928          | ON                     | 14                         | 231                            |
| 8/2/2026 | 22:15:00 | 6.96         | 0.7533                     | 0             | 239938          | ON                     | 13.9                       | 232                            |
| 8/2/2026 | 22:30:00 | 6.98         | 0.6284                     | 0             | 239951          | ON                     | 13.8                       | 233                            |
| 8/2/2026 | 22:45:00 | 6.98         | 0.0871                     | 0             | 239955          | ON                     | 13.8                       | 232                            |
| 8/2/2026 | 23:00:00 | 6.98         | 0.9956                     | 0             | 239979          | ON                     | 13.8                       | 233                            |
| 8/2/2026 | 23:15:00 | 6.98         | 0.7003                     | 0             | 239986          | ON                     | 13.8                       | 236                            |
| 8/2/2026 | 23:30:00 | 6.99         | 2.0555                     | 0             | 240011          | ON                     | 13.7                       | 233                            |
| 8/2/2026 | 23:45:00 | 6.98         | 1.8246                     | 0             | 240040          | ON                     | 13.7                       | 234                            |

|                                                                                   |                                                |                                                                     |                                                    |
|-----------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b> |                                                    |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                    | <b>0</b>                                           |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b>          | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |

**Appendix C: Photos**

|                                                                                   |                                                |                                                                     |                                                    |
|-----------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b> |                                                    |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                    | <b>0</b>                                           |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b><br><b>Approved by:</b><br><b>Date:</b>          | <b>BC1</b><br><b>BC2</b><br><b>August 10, 2026</b> |






## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|            |                                         |                                       |                               |
|------------|-----------------------------------------|---------------------------------------|-------------------------------|
| Title      | Woodfibre Weekly Water Discharge Report | Revision:                             | 0                             |
| Data Range | July 27, 2026 to August 2, 2026         | Prepared by:<br>Approved by:<br>Date: | BC1<br>BC2<br>August 10, 2026 |


Photo 2: No visible sheen observed in the CP2 WTP, July 27




|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |




|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |




|                                                                                   |                                         |                                                                                    |   |
|-----------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------|---|
|  |                                         | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |   |
| <b>Title</b>                                                                      | Woodfibre Weekly Water Discharge Report | <b>Revision:</b>                                                                   | 0 |
| <b>Data Range</b>                                                                 | July 27, 2026 to August 2, 2026         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |   |



|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |



|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |






## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|            |                                         |                                       |                               |
|------------|-----------------------------------------|---------------------------------------|-------------------------------|
| Title      | Woodfibre Weekly Water Discharge Report | Revision:                             | 0                             |
| Data Range | July 27, 2026 to August 2, 2026         | Prepared by:<br>Approved by:<br>Date: | BC1<br>BC2<br>August 10, 2026 |


Photo 8: No visible sheen observed in the CP2 WTP water, July 30




|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |



|                                                                                   |                                         |                                                              |                               |
|-----------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------|-------------------------------|
|  |                                         | Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope |                               |
| Title                                                                             | Woodfibre Weekly Water Discharge Report | Revision:                                                    | 0                             |
| Data Range                                                                        | July 27, 2026 to August 2, 2026         | Prepared by:<br>Approved by:<br>Date:                        | BC1<br>BC2<br>August 10, 2026 |



|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |






## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|            |                                         |                                       |                               |
|------------|-----------------------------------------|---------------------------------------|-------------------------------|
| Title      | Woodfibre Weekly Water Discharge Report | Revision:                             | 0                             |
| Data Range | July 27, 2026 to August 2, 2026         | Prepared by:<br>Approved by:<br>Date: | BC1<br>BC2<br>August 10, 2026 |

Photo 12: No visible sheen observed in the CP2 WTP water, August 1



|                                                                                   |                                                |                                                                                    |          |
|-----------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|----------|
|  |                                                | <b>Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope</b>                |          |
| <b>Title</b>                                                                      | <b>Woodfibre Weekly Water Discharge Report</b> | <b>Revision:</b>                                                                   | <b>0</b> |
| <b>Data Range</b>                                                                 | <b>July 27, 2026 to August 2, 2026</b>         | <b>Prepared by:</b> BC1<br><b>Approved by:</b> BC2<br><b>Date:</b> August 10, 2026 |          |





## Eagle Mountain- Woodfibre Gas Pipeline Project- Tunnel Scope

|            |                                         |                                       |                               |
|------------|-----------------------------------------|---------------------------------------|-------------------------------|
| Title      | Woodfibre Weekly Water Discharge Report | Revision:                             | 0                             |
| Data Range | July 27, 2026 to August 2, 2026         | Prepared by:<br>Approved by:<br>Date: | BC1<br>BC2<br>August 10, 2026 |

Photo 14: No visible sheen observed in the CP2 WTP water, August 2



|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix D     | D-1                           |

Appendix D:  
Woodfibre Site Receiving Environment  
Documentation

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix D     | D-2                           |

Woodfibre Site Receiving Environment  
Sample Analysis



| Analyte                                               | Unit     | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG US<br>2026-07-28<br>12:00:00 | WLNG DS<br>2026-07-28<br>08:52:00 |
|-------------------------------------------------------|----------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------|
| In situ Parameters                                    |          |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| Field pH                                              | pH Units |                                                                                         | 6.5 - 9                                                                              |                                                                                        |                                                                                     | 7 - 8.7                                                                          |                                                                                    | 6.98                              | 7.25                              |
| Field Temperature                                     | °C       | 18                                                                                      | 19                                                                                   |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 15.4                              | 13.8                              |
| General Parameters                                    |          |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| pH                                                    | pH Units |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 6.68                              | 7.07                              |
| Alkalinity (Total as CaCO <sub>3</sub> )              | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 14                                | 46                                |
| Alkalinity (PP as CaCO <sub>3</sub> )                 | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <1                                | <1                                |
| Hardness (CaCO <sub>3</sub> )-Total                   | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 48.3                              | 61.3                              |
| Hardness (CaCO <sub>3</sub> )-Dissolved               | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 47.2                              | 60.8                              |
| Sulphide-Total                                        | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0018                           | <0.0018                           |
| Sulphide (as H <sub>2</sub> S)                        | mg/L     |                                                                                         |                                                                                      | 0.002                                                                                  |                                                                                     |                                                                                  |                                                                                    | <0.002                            | <0.002                            |
| Un-ionized Hydrogen Sulfide as H <sub>2</sub> S-Total | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0019                           | <0.0019                           |
| Un-ionized Hydrogen Sulfide as S-Total                | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0018                           | <0.0018                           |
| Anions and Nutrients                                  |          |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| Ammonia (N)-Total                                     | mg/L     | 1.64                                                                                    | 15.5                                                                                 |                                                                                        | 12                                                                                  | 83                                                                               |                                                                                    | 0.017                             | <0.015                            |
| Bicarbonate (HCO <sub>3</sub> )                       | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 18                                | 56                                |
| Carbonate (CO <sub>3</sub> )                          | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <1                                | <1                                |
| Hydroxide (OH)                                        | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <1                                | <1                                |
| Nitrate (N)                                           | mg/L     | 3                                                                                       | 32.8                                                                                 |                                                                                        | 3.7                                                                                 |                                                                                  |                                                                                    | 2.49                              | 0.039                             |
| Nitrite (N)                                           | mg/L     | 0.04                                                                                    | 0.12                                                                                 |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0122                            | <0.005                            |
| Nitrate plus Nitrite (N)                              | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.5                               | 0.039                             |
| Nitrogen (N)-Total                                    | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 3.63                              | 0.246                             |
| Phosphorus (P)-Total (4500-P)                         | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.44                              | 0.0042                            |
| Bromide (Br)                                          | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.012                             | <0.01                             |
| Chloride (Cl)                                         | mg/L     | 150                                                                                     | 600                                                                                  |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.1                               | 11                                |
| Fluoride (F)                                          | mg/L     |                                                                                         | 1.04153                                                                              |                                                                                        |                                                                                     | 1.5                                                                              |                                                                                    | <0.05                             | 0.34                              |
| Sulphate (SO <sub>4</sub> )-Dissolved                 | mg/L     | 218                                                                                     |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 22                                | 15                                |
| Total Metals                                          |          |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| Aluminum (Al)-Total                                   | mg/L     | 0.0680368                                                                               |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 1.03                              | 0.0927                            |
| Antimony (Sb)-Total                                   | mg/L     | 0.074                                                                                   | 0.25                                                                                 |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000394                          | 0.000615                          |
| Arsenic (As)-Total                                    | mg/L     | 0.005                                                                                   |                                                                                      |                                                                                        | 0.0125                                                                              |                                                                                  |                                                                                    | 0.00121                           | 0.000726                          |
| Barium (Ba)-Total                                     | mg/L     |                                                                                         |                                                                                      | 1                                                                                      |                                                                                     |                                                                                  |                                                                                    | 0.0257                            | 0.0052                            |
| Beryllium (Be)-Total                                  | mg/L     |                                                                                         |                                                                                      | 0.00013                                                                                |                                                                                     |                                                                                  | 0.1                                                                                | 0.000027                          | <0.00001                          |
| Bismuth (Bi)-Total                                    | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00002                           | <0.000005                         |
| Boron (B)-Total                                       | mg/L     | 1.2                                                                                     |                                                                                      |                                                                                        | 1.2                                                                                 |                                                                                  |                                                                                    | 0.017                             | <0.01                             |
| Cadmium (Cd)-Total                                    | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  | 0.00012                                                                            | 0.0000259                         | <0.000005                         |
| Calcium (Ca)-Total                                    | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 14.4                              | 22.2                              |
| Cesium (Cs)-Total                                     | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000123                          | <0.00005                          |
| Chromium (Cr)-Total                                   | mg/L     |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0006                            | <0.0001                           |
| Chromium (Cr III)-Total                               | mg/L     |                                                                                         |                                                                                      | 0.0089                                                                                 |                                                                                     |                                                                                  | 0.056                                                                              | <0.00099                          | <0.00099                          |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field), Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                      | Unit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG US<br>2026-07-28<br>12:00:00 | WLNG DS<br>2026-07-28<br>08:52:00 |
|------------------------------|------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------|
| Total Metals (cont'd.)       |      |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| Chromium (Cr VI)-Total       | mg/L |                                                                                         |                                                                                      | 0.0025                                                                                 |                                                                                     |                                                                                  | 0.0015                                                                             | <0.00099                          | <0.00099                          |
| Cobalt (Co)-Total            | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000562                          | 0.0000414                         |
| Copper (Cu)-Total            | mg/L |                                                                                         |                                                                                      |                                                                                        | 0.002                                                                               | 0.003                                                                            |                                                                                    | <b>0.0173</b>                     | 0.00022                           |
| Iron (Fe)-Total              | mg/L | 0.05                                                                                    | 1                                                                                    |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <b>0.816</b>                      | 0.0244                            |
| Lead (Pb)-Total              | mg/L |                                                                                         |                                                                                      |                                                                                        | 0.002                                                                               | 0.14                                                                             |                                                                                    | 0.000489                          | 0.0000119                         |
| Lithium (Li)-Total           | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00181                           | 0.00559                           |
| Magnesium (Mg)-Total         | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.98                              | 1.42                              |
| Manganese (Mn)-Total         | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  | 0.1                                                                                | 0.0232                            | 0.0227                            |
| Mercury (Hg)-Total           | mg/L | 0.00002                                                                                 |                                                                                      |                                                                                        | 0.0001                                                                              |                                                                                  |                                                                                    | 0.0000054                         | <0.0000019                        |
| Molybdenum (Mo)-Total        | mg/L | 7.6                                                                                     | 46                                                                                   |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00242                           | 0.0412                            |
| Nickel (Ni)-Total            | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  | 0.0083                                                                             | 0.00286                           | 0.000248                          |
| Phosphorus (P)-Total (ICPMS) | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.397                             | 0.0061                            |
| Potassium (K)-Total          | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.47                              | 1.42                              |
| Rubidium (Rb)-Total          | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00308                           | 0.00303                           |
| Selenium (Se)-Total          | mg/L | 0.002                                                                                   |                                                                                      |                                                                                        | 0.002                                                                               |                                                                                  |                                                                                    | 0.000214                          | <0.00004                          |
| Silicon (Si)-Total           | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 7.07                              | 6.78                              |
| Silver (Ag)-Total            | mg/L | 0.00012                                                                                 |                                                                                      |                                                                                        | 0.0005                                                                              | 0.0037                                                                           | 0.0005                                                                             | 0.000023                          | <0.000005                         |
| Sodium (Na)-Total            | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.49                              | 6.73                              |
| Strontium (Sr)-Total         | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.045                             | 0.0451                            |
| Sulphur (S)-Total            | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 6.8                               | 4.8                               |
| Tellurium (Te)-Total         | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00002                          | <0.00002                          |
| Thallium (Tl)-Total          | mg/L |                                                                                         |                                                                                      | 0.00003                                                                                |                                                                                     |                                                                                  |                                                                                    | 0.0000183                         | 0.0000052                         |
| Thorium (Th)-Total           | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000211                          | <0.00005                          |
| Tin (Sn)-Total               | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0002                           | <0.0002                           |
| Titanium (Ti)-Total          | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0445                            | <0.0005                           |
| Uranium (U)-Total            | mg/L |                                                                                         | 0.0165                                                                               | 0.0075                                                                                 |                                                                                     |                                                                                  |                                                                                    | 0.00025                           | 0.000424                          |
| Vanadium (V)-Total           | mg/L |                                                                                         |                                                                                      | 0.06                                                                                   |                                                                                     |                                                                                  | 0.005                                                                              | 0.00189                           | <0.0002                           |
| Zinc (Zn)-Total              | mg/L |                                                                                         |                                                                                      |                                                                                        | 0.01                                                                                | 0.055                                                                            |                                                                                    | 0.0063                            | 0.00177                           |
| Zirconium (Zr)-Total         | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00021                           | <0.0001                           |
| Dissolved Metals             |      |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| Aluminum (Al)-Dissolved      | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.11                              | 0.047                             |
| Antimony (Sb)-Dissolved      | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000366                          | 0.000591                          |
| Arsenic (As)-Dissolved       | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00116                           | 0.000695                          |
| Barium (Ba)-Dissolved        | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0111                            | 0.00474                           |
| Beryllium (Be)-Dissolved     | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00001                          | <0.00001                          |
| Bismuth (Bi)-Dissolved       | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000085                         | <0.000005                         |
| Boron (B)-Dissolved          | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.015                             | <0.01                             |
| Cadmium (Cd)-Dissolved       | mg/L | 0.0001238                                                                               | 0.000278                                                                             |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000185                         | <0.000005                         |
| Calcium (Ca)-Dissolved       | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 14.2                              | 22.1                              |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field),Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                    | Unit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG US<br>2026-07-28<br>12:00:00 | WLNG DS<br>2026-07-28<br>08:52:00 |
|----------------------------|------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------|
| Dissolved Metals (cont'd.) |      |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| Cesium (Cs)-Dissolved      | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00005                          | <0.00005                          |
| Chromium (Cr)-Dissolved    | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00038                           | <0.0001                           |
| Cobalt (Co)-Dissolved      | mg/L | 0.0003889                                                                               |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000368                          | 0.0000327                         |
| Copper (Cu)-Dissolved      | mg/L | 0.0002                                                                                  | 0.00125                                                                              |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <b>0.0165</b>                     | 0.00018                           |
| Iron (Fe)-Dissolved        | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0782                            | 0.0043                            |
| Lead (Pb)-Dissolved        | mg/L | 0.0017863                                                                               |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000532                         | <0.000005                         |
| Lithium (Li)-Dissolved     | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0008                            | 0.00596                           |
| Manganese (Mn)-Dissolved   | mg/L | 0.19                                                                                    | 1.75678                                                                              |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00308                           | 0.0173                            |
| Magnesium (Mg)-Dissolved   | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.85                              | 1.34                              |
| Mercury (Hg)-Dissolved     | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000052                         | <0.0000019                        |
| Molybdenum (Mo)-Dissolved  | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00238                           | 0.0412                            |
| Nickel (Ni)-Dissolved      | mg/L | 0.0013                                                                                  | 0.022                                                                                |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <b>0.00268</b>                    | 0.000189                          |
| Phosphorus (P)-Dissolved   | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.386                             | 0.0035                            |
| Potassium (K)-Dissolved    | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.22                              | 1.37                              |
| Rubidium (Rb)-Dissolved    | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00176                           | 0.00277                           |
| Selenium (Se)-Dissolved    | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000202                          | <0.00004                          |
| Silicon (Si)-Dissolved     | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 5.93                              | 6.53                              |
| Silver (Ag)-Dissolved      | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000149                         | <0.000005                         |
| Sodium (Na)-Dissolved      | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 2.38                              | 6.28                              |
| Strontium (Sr)-Dissolved   | mg/L |                                                                                         |                                                                                      | 1.25                                                                                   |                                                                                     |                                                                                  |                                                                                    | 0.044                             | 0.0449                            |
| Sulphur (S)-Dissolved      | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 7.2                               | 4.6                               |
| Tellurium (Te)-Dissolved   | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.00002                          | <0.00002                          |
| Thallium (Tl)-Dissolved    | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000086                         | 0.0000044                         |
| Thorium (Th)-Dissolved     | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.0000389                         | 0.0000077                         |
| Tin (Sn)-Dissolved         | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | <0.0002                           | <0.0002                           |
| Titanium (Ti)-Dissolved    | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00176                           | <0.0005                           |
| Uranium (U)-Dissolved      | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.000144                          | 0.000395                          |
| Vanadium (V)-Dissolved     | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00104                           | <0.0002                           |
| Zinc (Zn)-Dissolved        | mg/L | 0.0066032                                                                               | 0.0255666                                                                            |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00262                           | 0.00127                           |
| Zirconium (Zr)-Dissolved   | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 0.00011                           | <0.0001                           |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field), Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).



| Analyte                      | Unit | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Short Term Max | BC Working Water Quality<br>Guideline - Freshwater Aquatic<br>Life - Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | BC Approved Water Quality<br>Guideline - Marine Aquatic Life -<br>Short Term Max | BC Working Water Quality<br>Guideline - Marine Aquatic Life -<br>Long Term Average | WLNG US<br>2026-07-28<br>12:00:00 | WLNG DS<br>2026-07-28<br>08:52:00 |
|------------------------------|------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------|
| Inorganics                   |      |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    |                                   |                                   |
| Organic Carbon (C)-Total     | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 16                                | 1.3                               |
| Organic Carbon (C)-Dissolved | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 15                                | 0.92                              |
| Solids-Total Dissolved       | mg/L |                                                                                         |                                                                                      |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 110                               | 84                                |
| Solids-Total Suspended       | mg/L | 14.2                                                                                    | 34.2                                                                                 |                                                                                        |                                                                                     |                                                                                  |                                                                                    | 9.2                               | 1.6                               |

<sup>1</sup> Guideline calculated using the in-situ measurements (pH (field), Temperature (field), Turbidity (field), Hardness (as CaCO<sub>3</sub>) – total, Dissolved Organic Carbon (DOC), Total Alkalinity (CaCO<sub>3</sub>), and Chloride).

<sup>2</sup> Guideline values presented represent the lower of the co-factor dependent guidelines for the upstream and downstream stations when they differ, but exceedance bolding is dependent on guidelines calculated using in situ co-factor considerations.

<sup>3</sup> **Bold text** denotes value exceeding guidelines, except in cases where they are below a station-specific guideline that isn't displayed as per <sup>1</sup> and <sup>2</sup> above. Given that application of chronic BC water quality guidelines for protection of aquatic life in the receiving environment downstream of the discharge does not represent a regulatory requirement and instead data are intended to be assessed relative to monthly average concentrations, exceedances of these guidelines are highlighted for information purposes, but detailed interpretation of guideline exceedances are not provided given that an interpretation of monthly trends and consideration of background influences and discharge chemistry is required.

<sup>4</sup> **Bold and shaded text** outlines a reportable exceedance given that it exceeds the applicable BC water quality guideline (i.e., the short-term acute freshwater aquatic life guideline), or discharge concentration limit, consistent with recommendations outlined in Hatfield (2024).

|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix D     | D-3                           |

Woodfibre Site Receiving Environment  
Field Notes and Logs

# Water Quality Field Data Sheet



Project: FORTIS11234

## Location Information

|            |                            |          |                      |
|------------|----------------------------|----------|----------------------|
| Site ID:   | <u>WLNG (EAS) DS</u>       | Date:    | <u>July 28, 2026</u> |
| Site Name: | <u>East Creek</u>          | Time:    | <u>8:52</u>          |
| Site UTM:  | Zone: 10U E: <u>482092</u> | Crew:    | <u>JM + DS</u>       |
| (NAD83)    | N: <u>5501875</u>          | Weather: | <u>Rain</u>          |

## In Situ Parameters

|                |                  |           |                      |
|----------------|------------------|-----------|----------------------|
| pH:            | <u>7.25</u>      | DO:       | <u>10.6</u> (mg/L)   |
| Temp:          | <u>13.8</u> (°C) | Cond:     | <u>202.9</u> (us/cm) |
| Turbidity:     | <u>1.8</u> NTU   | Salinity: | <u>0.10</u> (ppt)    |
| Visible Sheen: | <u>No</u>        | ORP:      | <u>109.6</u> (mV)    |

Water Surface Condition: Clear

## Photo Record



## Observations

DO collected via winkler titration.

# Water Quality Field Data Sheet



Project: FORTIS11234

## Location Information

|            |                            |          |                      |
|------------|----------------------------|----------|----------------------|
| Site ID:   | <u>WLNG (EAS) US</u>       | Date:    | <u>July 28, 2026</u> |
| Site Name: | <u>East Creek</u>          | Time:    | <u>12:00</u>         |
| Site UTM:  | Zone: 10U E: <u>481908</u> | Crew:    | <u>JM + DS</u>       |
| (NAD83)    | N: <u>5501909</u>          | Weather: | <u>Rain</u>          |

## In Situ Parameters

|                |                  |           |                    |
|----------------|------------------|-----------|--------------------|
| pH:            | <u>6.98</u>      | DO:       | <u>8.8</u> (mg/L)  |
| Temp:          | <u>15.4</u> (°C) | Cond:     | <u>153</u> (us/cm) |
| Turbidity:     | <u>37.7</u> NTU  | Salinity: | <u>0.07</u> (ppt)  |
| Visible Sheen: | <u>No</u>        | ORP:      | <u>42.1</u> (mV)   |

Water Surface Condition: Turbid

## Photo Record



## Observations

Turbid conditions, DO collected via winkler titration.

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-27 00:00:00 | 14.12           |                               | 0.35    | 7.68          | 9.32                    | 0.23            |                |
| EAS-DS                     | 2026-07-27 00:15:00 | 14.00           |                               | 0.35    | 7.73          | 9.44                    | 0.08            |                |
| EAS-DS                     | 2026-07-27 00:30:00 | 13.93           |                               | 0.35    | 7.75          | 9.46                    | 0.20            |                |
| EAS-DS                     | 2026-07-27 00:45:00 | 13.86           |                               | 0.35    | 7.75          | 9.52                    | 0.00            |                |
| EAS-DS                     | 2026-07-27 01:00:00 | 13.88           |                               | 0.35    | 7.81          | 9.60                    | 4.23            |                |
| EAS-DS                     | 2026-07-27 01:15:00 | 13.89           |                               | 0.35    | 7.76          | 9.46                    | 0.04            |                |
| EAS-DS                     | 2026-07-27 01:30:00 | 13.83           |                               | 0.35    | 7.76          | 9.52                    | 7.28            |                |
| EAS-DS                     | 2026-07-27 01:45:00 | 13.87           |                               | 0.35    | 7.69          | 9.18                    | 0.04            |                |
| EAS-DS                     | 2026-07-27 02:00:00 | 14.04           |                               | 0.35    | 7.68          | 9.25                    | 0.00            |                |
| EAS-DS                     | 2026-07-27 02:15:00 | 14.01           |                               | 0.35    | 7.73          | 9.32                    | 0.04            |                |
| EAS-DS                     | 2026-07-27 02:30:00 | 14.04           |                               | 0.35    | 7.78          | 9.42                    | 0.08            |                |
| EAS-DS                     | 2026-07-27 02:45:00 | 14.09           |                               | 0.35    | 7.68          | 9.03                    | 0.00            |                |
| EAS-DS                     | 2026-07-27 03:00:00 | 14.01           |                               | 0.36    | 7.62          | 8.93                    | 0.06            |                |
| EAS-DS                     | 2026-07-27 03:15:00 | 13.94           |                               | 0.36    | 7.70          | 9.37                    | 0.03            |                |
| EAS-DS                     | 2026-07-27 03:30:00 | 14.00           |                               | 0.36    | 7.73          | 9.40                    | 0.26            |                |
| EAS-DS                     | 2026-07-27 03:45:00 | 13.96           |                               | 0.36    | 7.73          | 9.40                    | 0.29            |                |
| EAS-DS                     | 2026-07-27 04:00:00 | 13.92           |                               | 0.36    | 7.76          | 9.44                    | 0.86            |                |
| EAS-DS                     | 2026-07-27 04:15:00 | 14.04           |                               | 0.36    | 7.74          | 9.42                    | 0.52            |                |
| EAS-DS                     | 2026-07-27 04:30:00 | 13.89           |                               | 0.36    | 7.73          | 9.48                    | 0.20            |                |
| EAS-DS                     | 2026-07-27 04:45:00 | 13.99           |                               | 0.35    | 7.78          | 9.42                    | 0.33            |                |
| EAS-DS                     | 2026-07-27 05:00:00 | 13.86           |                               | 0.36    | 7.76          | 9.46                    | 0.32            |                |
| EAS-DS                     | 2026-07-27 05:15:00 | 13.91           |                               | 0.36    | 7.64          | 8.95                    | 0.55            |                |
| EAS-DS                     | 2026-07-27 05:30:00 | 13.91           |                               | 0.36    | 7.76          | 9.49                    | 0.68            |                |
| EAS-DS                     | 2026-07-27 05:45:00 | 13.90           |                               | 0.36    | 7.74          | 9.46                    | 0.96            |                |
| EAS-DS                     | 2026-07-27 06:00:00 | 14.11           |                               | 0.36    | 7.78          | 9.47                    | 0.48            |                |
| EAS-DS                     | 2026-07-27 06:15:00 | 14.24           |                               | 0.35    | 7.75          | 9.28                    | 1.08            |                |
| EAS-DS                     | 2026-07-27 06:30:00 | 14.33           |                               | 0.36    | 7.58          | 8.48                    | 0.67            |                |
| EAS-DS                     | 2026-07-27 06:45:00 | 14.60           |                               | 0.35    | 7.80          | 9.24                    | 0.85            |                |
| EAS-DS                     | 2026-07-27 07:00:00 | 14.60           |                               | 0.36    | 7.74          | 9.21                    | 0.50            |                |
| EAS-DS                     | 2026-07-27 07:15:00 | 14.18           |                               | 0.36    | 7.75          | 9.43                    | 0.56            |                |
| EAS-DS                     | 2026-07-27 07:30:00 | 14.13           |                               | 0.36    | 7.76          | 9.44                    | 18.16           |                |
| EAS-DS                     | 2026-07-27 07:45:00 | 14.24           |                               | 0.36    | 7.76          | 9.49                    | 4.64            |                |
| EAS-DS                     | 2026-07-27 08:00:00 | 14.16           |                               | 0.36    | 7.75          | 9.47                    | 10.46           |                |
| EAS-DS                     | 2026-07-27 08:15:00 | 14.18           |                               | 0.36    | 7.73          | 9.50                    | 29.50           |                |
| EAS-DS                     | 2026-07-27 08:30:00 | 14.35           |                               | 0.35    | 7.81          | 9.56                    | 10.75           |                |
| EAS-DS                     | 2026-07-27 08:45:00 | 14.23           |                               | 0.35    | 7.75          | 9.51                    | 7.03            |                |
| EAS-DS                     | 2026-07-27 09:00:00 | 14.36           |                               | 0.36    | 7.76          | 9.45                    | 17.22           |                |
| EAS-DS                     | 2026-07-27 09:15:00 | 14.49           |                               | 0.35    | 7.74          | 9.34                    | 6.63            |                |
| EAS-DS                     | 2026-07-27 09:30:00 | 14.32           |                               | 0.36    | 7.78          | 9.56                    | 10.66           |                |
| EAS-DS                     | 2026-07-27 09:45:00 | 14.46           |                               | 0.36    | 7.63          | 9.17                    | 6.94            |                |
| EAS-DS                     | 2026-07-27 10:00:00 | 14.67           |                               | 0.36    | 7.78          | 9.44                    | 5.57            |                |
| EAS-DS                     | 2026-07-27 10:15:00 | 14.49           |                               | 0.36    | 7.80          | 9.57                    | 4.20            |                |
| EAS-DS                     | 2026-07-27 10:30:00 | 14.39           |                               | 0.36    | 7.73          | 9.43                    | 4.63            |                |
| EAS-DS                     | 2026-07-27 10:45:00 | 14.39           |                               | 0.36    | 7.81          | 9.60                    | 6.12            |                |
| EAS-DS                     | 2026-07-27 11:00:00 | 14.43           |                               | 0.36    | 7.72          | 9.34                    | 4.89            |                |
| EAS-DS                     | 2026-07-27 11:15:00 | 14.66           |                               | 0.36    | 7.71          | 9.26                    | 4.41            |                |
| EAS-DS                     | 2026-07-27 11:30:00 | 14.86           |                               | 0.36    | 7.66          | 9.06                    | 9.14            |                |
| EAS-DS                     | 2026-07-27 11:45:00 | 14.90           |                               | 0.36    | 7.75          | 9.24                    | 198.07          |                |
| EAS-DS                     | 2026-07-27 12:00:00 | 14.85           |                               | 0.36    | 7.76          | 9.37                    | 10.20           |                |
| EAS-DS                     | 2026-07-27 12:15:00 | 14.68           |                               | 0.36    | 7.72          | 9.32                    | 7.16            |                |
| EAS-DS                     | 2026-07-27 12:30:00 | 14.60           |                               | 0.36    | 7.72          | 9.37                    | 21.23           |                |
| EAS-DS                     | 2026-07-27 12:45:00 | 14.84           |                               | 0.36    | 7.59          | 8.41                    | 11.52           |                |
| EAS-DS                     | 2026-07-27 13:00:00 | 14.97           |                               | 0.36    | 7.65          | 8.88                    | 76.72           |                |
| EAS-DS                     | 2026-07-27 13:15:00 | 14.77           |                               | 0.36    | 7.66          | 8.37                    | 196.68          |                |
| EAS-DS                     | 2026-07-27 13:30:00 | 14.68           |                               | 0.35    | 7.66          | 8.53                    | 119.67          |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-27 13:45:00 | 14.59           |                               | 0.33    | 7.71          | 8.79                    | 38.93           |                |
| EAS-DS                     | 2026-07-27 14:00:00 | 14.70           |                               | 0.33    | 7.67          | 7.92                    | 40.02           |                |
| EAS-DS                     | 2026-07-27 14:15:00 | 14.84           |                               | 0.33    | 7.60          | 7.51                    | 114.67          |                |
| EAS-DS                     | 2026-07-27 14:30:00 | 15.06           |                               | 0.34    | 7.67          | 8.71                    | 37.26           |                |
| EAS-DS                     | 2026-07-27 14:45:00 | 15.05           |                               | 0.34    | 7.63          | 7.95                    | 257.05          |                |
| EAS-DS                     | 2026-07-27 15:00:00 | 15.17           |                               | 0.35    | 7.71          | 8.96                    | 82.74           |                |
| EAS-DS                     | 2026-07-27 15:15:00 | 15.12           |                               | 0.35    | 7.75          | 7.75                    | 8.54            |                |
| EAS-DS                     | 2026-07-27 15:30:00 | 14.92           |                               | 0.33    | 7.70          | 8.61                    | 144.81          |                |
| EAS-DS                     | 2026-07-27 15:45:00 | 14.83           |                               | 0.33    | 7.68          | 8.98                    | 3.45            |                |
| EAS-DS                     | 2026-07-27 16:00:00 | 14.80           |                               | 0.33    | 7.69          | 9.07                    | 7.18            |                |
| EAS-DS                     | 2026-07-27 16:15:00 | 14.76           |                               | 0.34    | 7.69          | 9.29                    | 14.74           |                |
| EAS-DS                     | 2026-07-27 16:30:00 | 14.76           |                               | 0.34    | 7.71          | 9.14                    | 68.89           |                |
| EAS-DS                     | 2026-07-27 16:45:00 | 14.70           |                               | 0.34    | 7.71          | 9.24                    | 25.41           |                |
| EAS-DS                     | 2026-07-27 17:00:00 | 14.67           |                               | 0.34    | 7.62          | 9.11                    | 9.34            |                |
| EAS-DS                     | 2026-07-27 17:15:00 | 14.97           |                               | 0.34    | 7.74          | 8.66                    | 33.71           |                |
| EAS-DS                     | 2026-07-27 17:30:00 | 14.82           |                               | 0.34    | 7.67          | 8.98                    | 4.53            |                |
| EAS-DS                     | 2026-07-27 17:45:00 | 14.94           |                               | 0.34    | 7.75          | 8.87                    | 4.76            |                |
| EAS-DS                     | 2026-07-27 18:00:00 | 14.78           |                               | 0.34    | 7.70          | 9.03                    | 16.37           |                |
| EAS-DS                     | 2026-07-27 18:15:00 | 14.68           |                               | 0.34    | 7.78          | 9.28                    | 1.15            |                |
| EAS-DS                     | 2026-07-27 18:30:00 | 14.63           |                               | 0.34    | 7.71          | 9.25                    | 1.54            |                |
| EAS-DS                     | 2026-07-27 18:45:00 | 14.81           |                               | 0.34    | 7.77          | 8.98                    | 1.95            |                |
| EAS-DS                     | 2026-07-27 19:00:00 | 14.89           |                               | 0.34    | 7.68          | 8.53                    | 78.21           |                |
| EAS-DS                     | 2026-07-27 19:15:00 | 14.80           |                               | 0.34    | 7.83          | 9.30                    | 1.85            |                |
| EAS-DS                     | 2026-07-27 19:30:00 | 14.76           |                               | 0.34    | 7.72          | 9.07                    | 0.56            |                |
| EAS-DS                     | 2026-07-27 19:45:00 | 14.54           |                               | 0.35    | 7.72          | 9.30                    | 260.34          |                |
| EAS-DS                     | 2026-07-27 20:00:00 | 14.46           |                               | 0.35    | 7.69          | 9.01                    | 2.32            |                |
| EAS-DS                     | 2026-07-27 20:15:00 | 14.53           |                               | 0.34    | 7.80          | 9.18                    | 0.91            |                |
| EAS-DS                     | 2026-07-27 20:30:00 | 14.41           |                               | 0.35    | 7.71          | 9.09                    | 2.60            |                |
| EAS-DS                     | 2026-07-27 20:45:00 | 14.25           |                               | 0.35    | 7.74          | 9.28                    | 5.53            |                |
| EAS-DS                     | 2026-07-27 21:00:00 | 14.19           |                               | 0.35    | 7.71          | 9.31                    | 8.60            |                |
| EAS-DS                     | 2026-07-27 21:15:00 | 14.61           |                               | 0.35    | 7.69          | 8.89                    | 0.54            |                |
| EAS-DS                     | 2026-07-27 21:30:00 | 14.66           |                               | 0.36    | 7.68          | 8.27                    | 1.68            |                |
| EAS-DS                     | 2026-07-27 21:45:00 | 14.53           |                               | 0.35    | 7.82          | 9.36                    | 0.93            |                |
| EAS-DS                     | 2026-07-27 22:00:00 | 14.55           |                               | 0.36    | 7.64          | 8.91                    | 2.00            |                |
| EAS-DS                     | 2026-07-27 22:15:00 | 14.39           |                               | 0.36    | 7.72          | 8.90                    | 0.11            |                |
| EAS-DS                     | 2026-07-27 22:30:00 | 14.41           |                               | 0.35    | 7.79          | 9.07                    | 3.15            |                |
| EAS-DS                     | 2026-07-27 22:45:00 | 14.16           |                               | 0.35    | 7.76          | 9.33                    | 0.86            |                |
| EAS-DS                     | 2026-07-27 23:00:00 | 14.05           |                               | 0.35    | 7.78          | 9.41                    | 2.93            |                |
| EAS-DS                     | 2026-07-27 23:15:00 | 14.12           |                               | 0.34    | 7.72          | 9.15                    | 7.00            |                |
| EAS-DS                     | 2026-07-27 23:30:00 | 13.97           |                               | 0.35    | 7.69          | 8.96                    | 4.00            |                |
| EAS-DS                     | 2026-07-27 23:45:00 | 13.93           |                               | 0.35    | 7.65          | 9.29                    | 74.65           |                |
| EAS-DS                     | 2026-07-28 00:00:00 | 14.21           |                               | 0.35    | 7.77          | 9.27                    | 0.06            |                |
| EAS-DS                     | 2026-07-28 00:15:00 | 14.22           |                               | 0.35    | 7.75          | 9.22                    | 0.63            |                |
| EAS-DS                     | 2026-07-28 00:30:00 | 13.96           |                               | 0.35    | 7.82          | 9.44                    | 2.66            |                |
| EAS-DS                     | 2026-07-28 00:45:00 | 13.95           |                               | 0.34    | 7.77          | 9.25                    | 0.00            |                |
| EAS-DS                     | 2026-07-28 01:00:00 | 13.82           |                               | 0.35    | 7.74          | 9.30                    | 15.61           |                |
| EAS-DS                     | 2026-07-28 01:15:00 | 14.09           |                               | 0.34    | 7.78          | 9.25                    | 1.80            |                |
| EAS-DS                     | 2026-07-28 01:30:00 | 14.07           |                               | 0.35    | 7.67          | 8.97                    | 5.39            |                |
| EAS-DS                     | 2026-07-28 01:45:00 | 14.42           |                               | 0.34    | 7.77          | 8.94                    | 3.71            |                |
| EAS-DS                     | 2026-07-28 02:00:00 | 14.29           |                               | 0.35    | 7.63          | 8.75                    | 0.95            |                |
| EAS-DS                     | 2026-07-28 02:15:00 | 14.47           |                               | 0.35    | 7.68          | 8.64                    | 2.15            |                |
| EAS-DS                     | 2026-07-28 02:30:00 | 14.29           |                               | 0.35    | 7.80          | 9.19                    | 0.70            |                |
| EAS-DS                     | 2026-07-28 02:45:00 | 14.42           |                               | 0.35    | 7.69          | 9.07                    | 1.49            |                |
| EAS-DS                     | 2026-07-28 03:00:00 | 14.26           |                               | 0.36    | 7.76          | 9.11                    | 0.40            |                |
| EAS-DS                     | 2026-07-28 03:15:00 | 14.31           |                               | 0.35    | 7.79          | 9.21                    | 0.32            |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-28 03:30:00 | 14.06           |                               | 0.36    | 7.69          | 9.13                    | 2.96            |                |
| EAS-DS                     | 2026-07-28 03:45:00 | 14.41           |                               | 0.35    | 7.84          | 9.26                    | 10.62           |                |
| EAS-DS                     | 2026-07-28 04:00:00 | 14.12           |                               | 0.36    | 7.80          | 9.13                    | 0.32            |                |
| EAS-DS                     | 2026-07-28 04:15:00 | 14.15           |                               | 0.35    | 7.77          | 9.15                    | 1.27            |                |
| EAS-DS                     | 2026-07-28 04:30:00 | 14.08           |                               | 0.36    | 7.78          | 8.88                    | 2.74            |                |
| EAS-DS                     | 2026-07-28 04:45:00 | 14.11           |                               | 0.35    | 7.81          | 9.34                    | 1.09            |                |
| EAS-DS                     | 2026-07-28 05:00:00 | 14.06           |                               | 0.35    | 7.74          | 8.99                    | 0.21            |                |
| EAS-DS                     | 2026-07-28 05:15:00 | 14.19           |                               | 0.35    | 7.78          | 8.99                    | 7.42            |                |
| EAS-DS                     | 2026-07-28 05:30:00 | 13.97           |                               | 0.36    | 7.85          | 9.28                    | 7.68            |                |
| EAS-DS                     | 2026-07-28 05:45:00 | 13.96           |                               | 0.35    | 7.79          | 9.34                    | 174.99          |                |
| EAS-DS                     | 2026-07-28 06:00:00 | 13.75           |                               | 0.35    | 7.83          | 9.05                    | 25.60           |                |
| EAS-DS                     | 2026-07-28 06:15:00 | 13.85           |                               | 0.34    | 7.87          | 9.55                    | 712.79          |                |
| EAS-DS                     | 2026-07-28 06:30:00 | 13.79           |                               | 0.35    | 7.75          | 9.33                    | 0.73            |                |
| EAS-DS                     | 2026-07-28 06:45:00 | 13.67           |                               | 0.34    | 7.83          | 9.60                    | 4.61            |                |
| EAS-DS                     | 2026-07-28 07:00:00 | 13.85           |                               | 0.34    | 7.79          | 9.46                    | 9.15            |                |
| EAS-DS                     | 2026-07-28 07:15:00 | 13.75           |                               | 0.34    | 7.77          | 9.19                    | 1.93            |                |
| EAS-DS                     | 2026-07-28 07:30:00 | 13.80           |                               | 0.34    | 7.85          | 9.46                    | 2.63            |                |
| EAS-DS                     | 2026-07-28 07:45:00 | 13.84           |                               | 0.34    | 7.66          | 9.13                    | 17.20           |                |
| EAS-DS                     | 2026-07-28 08:00:00 | 13.97           |                               | 0.35    | 7.73          | 8.98                    | 6.41            |                |
| EAS-DS                     | 2026-07-28 08:15:00 | 14.01           |                               | 0.35    | 7.84          | 9.29                    | 8.90            |                |
| EAS-DS                     | 2026-07-28 08:30:00 | 13.92           |                               | 0.35    | 7.79          | 9.23                    | 21.51           |                |
| EAS-DS                     | 2026-07-28 08:45:00 | 13.78           |                               | 0.34    | 7.85          | 9.48                    | 3.74            |                |
| EAS-DS                     | 2026-07-28 09:00:00 | 13.75           |                               | 0.35    | 7.80          | 9.29                    | 7.41            |                |
| EAS-DS                     | 2026-07-28 09:15:00 | 13.86           |                               | 0.34    | 7.75          | 8.63                    | 16.38           |                |
| EAS-DS                     | 2026-07-28 09:30:00 | 14.02           |                               | 0.35    | 7.63          | 9.21                    | 33.24           |                |
| EAS-DS                     | 2026-07-28 09:45:00 | 14.08           |                               | 0.35    | 7.59          | 8.70                    | 110.73          |                |
| EAS-DS                     | 2026-07-28 10:00:00 | 14.08           |                               | 0.35    | 7.67          | 7.83                    | 565.24          |                |
| EAS-DS                     | 2026-07-28 10:15:00 | 14.00           |                               | 0.36    | 7.63          | 7.53                    | 1962.93         |                |
| EAS-DS                     | 2026-07-28 10:30:00 | 14.15           |                               | 0.37    | 7.53          | 6.55                    | 1065.29         |                |
| EAS-DS                     | 2026-07-28 10:45:00 | 14.04           |                               | 0.38    | 7.61          | 6.29                    | 1413.98         |                |
| EAS-DS                     | 2026-07-28 11:00:00 | 14.02           |                               | 0.38    | 7.59          | 4.98                    | 118.52          |                |
| EAS-DS                     | 2026-07-28 11:15:00 | 13.99           |                               | 0.38    | 7.67          | 6.48                    | 548.02          |                |
| EAS-DS                     | 2026-07-28 11:30:00 | 14.09           |                               | 0.39    | 7.63          | 7.42                    | 2728.62         |                |
| EAS-DS                     | 2026-07-28 11:45:00 | 14.15           |                               | 0.38    | 7.72          | 8.08                    | 1024.08         |                |
| EAS-DS                     | 2026-07-28 12:00:00 | 15.39           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-28 12:15:00 | 14.70           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-28 12:30:00 | 14.52           |                               | 0.21    | 7.83          | 9.43                    | 3.84            |                |
| EAS-DS                     | 2026-07-28 12:45:00 | 14.50           |                               | 0.22    | 7.69          | 9.28                    | 2.43            |                |
| EAS-DS                     | 2026-07-28 13:00:00 | 14.61           |                               | 0.24    | 7.57          | 9.02                    | 7.27            |                |
| EAS-DS                     | 2026-07-28 13:15:00 | 14.63           |                               | 0.25    | 7.76          | 9.36                    | 25.73           |                |
| EAS-DS                     | 2026-07-28 13:30:00 | 14.60           |                               | 0.25    | 7.84          | 9.48                    | 9.52            |                |
| EAS-DS                     | 2026-07-28 13:45:00 | 14.55           |                               | 0.26    | 7.84          | 9.49                    | 5.42            |                |
| EAS-DS                     | 2026-07-28 14:00:00 | 14.54           |                               | 0.27    | 7.72          | 9.20                    | 6.76            |                |
| EAS-DS                     | 2026-07-28 14:15:00 | 14.79           |                               | 0.27    | 7.85          | 9.48                    | 23.86           |                |
| EAS-DS                     | 2026-07-28 14:30:00 | 14.81           |                               | 0.28    | 7.82          | 9.37                    | 9.01            |                |
| EAS-DS                     | 2026-07-28 14:45:00 | 14.84           |                               | 0.28    | 7.83          | 9.39                    | 7.37            |                |
| EAS-DS                     | 2026-07-28 15:00:00 | 14.97           |                               | 0.28    | 7.83          | 9.35                    | 13.71           |                |
| EAS-DS                     | 2026-07-28 15:15:00 | 14.93           |                               | 0.28    | 7.86          | 9.43                    | 7.54            |                |
| EAS-DS                     | 2026-07-28 15:30:00 | 15.02           |                               | 0.29    | 7.76          | 9.09                    | 3.59            |                |
| EAS-DS                     | 2026-07-28 15:45:00 | 15.09           |                               | 0.30    | 7.79          | 9.27                    | 3.49            |                |
| EAS-DS                     | 2026-07-28 16:00:00 | 15.17           |                               | 0.30    | 7.83          | 9.34                    | 4.71            |                |
| EAS-DS                     | 2026-07-28 16:15:00 | 15.23           |                               | 0.30    | 7.84          | 9.36                    | 5.89            |                |
| EAS-DS                     | 2026-07-28 16:30:00 | 15.18           |                               | 0.30    | 7.84          | 9.32                    | 0.82            |                |
| EAS-DS                     | 2026-07-28 16:45:00 | 15.18           |                               | 0.31    | 7.60          | 8.67                    | 0.45            |                |
| EAS-DS                     | 2026-07-28 17:00:00 | 15.22           |                               | 0.31    | 7.86          | 9.37                    | 1.58            |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-28 17:15:00 | 14.99           |                               | 0.31    | 7.78          | 9.21                    | 3.14            |                |
| EAS-DS                     | 2026-07-28 17:30:00 | 15.05           |                               | 0.31    | 7.78          | 9.22                    | 1.13            |                |
| EAS-DS                     | 2026-07-28 17:45:00 | 15.04           |                               | 0.32    | 7.69          | 8.95                    | 10.94           |                |
| EAS-DS                     | 2026-07-28 18:00:00 | 15.15           |                               | 0.32    | 7.75          | 9.14                    | 1.00            |                |
| EAS-DS                     | 2026-07-28 18:15:00 | 14.98           |                               | 0.32    | 7.84          | 9.46                    | 41.03           |                |
| EAS-DS                     | 2026-07-28 18:30:00 | 14.87           |                               | 0.32    | 7.70          | 8.99                    | 5.14            |                |
| EAS-DS                     | 2026-07-28 18:45:00 | 14.90           |                               | 0.33    | 7.77          | 9.24                    | 1.35            |                |
| EAS-DS                     | 2026-07-28 19:00:00 | 14.92           |                               | 0.33    | 7.74          | 9.14                    | 0.32            |                |
| EAS-DS                     | 2026-07-28 19:15:00 | 14.81           |                               | 0.32    | 7.82          | 9.36                    | 0.27            |                |
| EAS-DS                     | 2026-07-28 19:30:00 | 14.69           |                               | 0.33    | 7.80          | 9.36                    | 1.12            |                |
| EAS-DS                     | 2026-07-28 19:45:00 | 14.49           |                               | 0.32    | 7.82          | 9.49                    | 1.62            |                |
| EAS-DS                     | 2026-07-28 20:00:00 | 14.51           |                               | 0.33    | 7.80          | 9.39                    | 0.25            |                |
| EAS-DS                     | 2026-07-28 20:15:00 | 14.31           |                               | 0.33    | 7.84          | 9.62                    | 0.24            |                |
| EAS-DS                     | 2026-07-28 20:30:00 | 14.45           |                               | 0.33    | 7.80          | 9.37                    | 0.20            |                |
| EAS-DS                     | 2026-07-28 20:45:00 | 14.23           |                               | 0.33    | 7.77          | 9.44                    | 0.02            |                |
| EAS-DS                     | 2026-07-28 21:00:00 | 14.50           |                               | 0.33    | 7.75          | 9.26                    | 1.36            |                |
| EAS-DS                     | 2026-07-28 21:15:00 | 14.55           |                               | 0.34    | 7.59          | 8.80                    | 1.95            |                |
| EAS-DS                     | 2026-07-28 21:30:00 | 14.62           |                               | 0.34    | 7.78          | 9.27                    | 0.15            |                |
| EAS-DS                     | 2026-07-28 21:45:00 | 14.43           |                               | 0.34    | 7.70          | 9.04                    | 0.06            |                |
| EAS-DS                     | 2026-07-28 22:00:00 | 14.48           |                               | 0.34    | 7.73          | 9.17                    | 0.31            |                |
| EAS-DS                     | 2026-07-28 22:15:00 | 14.28           |                               | 0.34    | 7.69          | 9.09                    | 0.09            |                |
| EAS-DS                     | 2026-07-28 22:30:00 | 14.09           |                               | 0.34    | 7.84          | 9.63                    | 0.37            |                |
| EAS-DS                     | 2026-07-28 22:45:00 | 14.11           |                               | 0.33    | 7.83          | 9.58                    | 0.72            |                |
| EAS-DS                     | 2026-07-28 23:00:00 | 13.93           |                               | 0.33    | 7.81          | 9.61                    | 1.05            |                |
| EAS-DS                     | 2026-07-28 23:15:00 | 13.91           |                               | 0.33    | 7.82          | 9.57                    | 0.49            |                |
| EAS-DS                     | 2026-07-28 23:30:00 | 13.97           |                               | 0.33    | 7.86          | 9.63                    | 81.26           |                |
| EAS-DS                     | 2026-07-28 23:45:00 | 14.05           |                               | 0.34    | 7.72          | 9.26                    | 0.79            |                |
| EAS-DS                     | 2026-07-29 00:00:00 | 14.00           |                               | 0.34    | 7.84          | 9.58                    | 7.36            |                |
| EAS-DS                     | 2026-07-29 00:15:00 | 14.12           |                               | 0.34    | 7.67          | 9.05                    | 0.15            |                |
| EAS-DS                     | 2026-07-29 00:30:00 | 14.06           |                               | 0.35    | 7.68          | 9.04                    | 0.50            |                |
| EAS-DS                     | 2026-07-29 00:45:00 | 14.02           |                               | 0.34    | 7.73          | 9.35                    | 0.30            |                |
| EAS-DS                     | 2026-07-29 01:00:00 | 13.87           |                               | 0.34    | 7.80          | 9.55                    | 0.60            |                |
| EAS-DS                     | 2026-07-29 01:15:00 | 13.96           |                               | 0.34    | 7.82          | 9.61                    | 0.44            |                |
| EAS-DS                     | 2026-07-29 01:30:00 | 13.95           |                               | 0.34    | 7.69          | 9.08                    | 0.00            |                |
| EAS-DS                     | 2026-07-29 01:45:00 | 13.91           |                               | 0.34    | 7.69          | 9.12                    | 0.34            |                |
| EAS-DS                     | 2026-07-29 02:00:00 | 13.89           |                               | 0.35    | 7.69          | 9.20                    | 0.02            |                |
| EAS-DS                     | 2026-07-29 02:15:00 | 13.82           |                               | 0.34    | 7.83          | 9.66                    | 1.52            |                |
| EAS-DS                     | 2026-07-29 02:30:00 | 13.84           |                               | 0.34    | 7.84          | 9.62                    | 3.77            |                |
| EAS-DS                     | 2026-07-29 02:45:00 | 13.74           |                               | 0.34    | 7.84          | 9.71                    | 0.51            |                |
| EAS-DS                     | 2026-07-29 03:00:00 | 13.84           |                               | 0.34    | 7.85          | 9.69                    | 2.92            |                |
| EAS-DS                     | 2026-07-29 03:15:00 | 13.83           |                               | 0.34    | 7.63          | 9.11                    | 0.15            |                |
| EAS-DS                     | 2026-07-29 03:30:00 | 13.88           |                               | 0.34    | 7.86          | 9.66                    | 3.20            |                |
| EAS-DS                     | 2026-07-29 03:45:00 | 13.89           |                               | 0.34    | 7.70          | 9.14                    | 0.16            |                |
| EAS-DS                     | 2026-07-29 04:00:00 | 13.85           |                               | 0.34    | 7.84          | 9.59                    | 0.58            |                |
| EAS-DS                     | 2026-07-29 04:15:00 | 13.74           |                               | 0.34    | 7.83          | 9.67                    | 1.62            |                |
| EAS-DS                     | 2026-07-29 04:30:00 | 13.69           |                               | 0.34    | 7.85          | 9.73                    | 5.40            |                |
| EAS-DS                     | 2026-07-29 04:45:00 | 13.70           |                               | 0.34    | 7.68          | 9.17                    | 0.33            |                |
| EAS-DS                     | 2026-07-29 05:00:00 | 13.74           |                               | 0.34    | 7.87          | 9.66                    | 2.92            |                |
| EAS-DS                     | 2026-07-29 05:15:00 | 13.74           |                               | 0.34    | 7.70          | 9.16                    | 2.49            |                |
| EAS-DS                     | 2026-07-29 05:30:00 | 13.79           |                               | 0.34    | 7.73          | 9.21                    | 0.23            |                |
| EAS-DS                     | 2026-07-29 05:45:00 | 13.68           |                               | 0.34    | 7.73          | 9.39                    | 0.17            |                |
| EAS-DS                     | 2026-07-29 06:00:00 | 13.71           |                               | 0.34    | 7.85          | 9.65                    | 11.35           |                |
| EAS-DS                     | 2026-07-29 06:15:00 | 13.53           |                               | 0.34    | 7.82          | 9.72                    | 0.31            |                |
| EAS-DS                     | 2026-07-29 06:30:00 | 13.54           |                               | 0.34    | 7.83          | 9.68                    | 0.25            |                |
| EAS-DS                     | 2026-07-29 06:45:00 | 13.50           |                               | 0.34    | 7.79          | 9.61                    | 0.64            |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-29 07:00:00 | 13.44           |                               | 0.34    | 7.81          | 9.67                    | 1.33            |                |
| EAS-DS                     | 2026-07-29 07:15:00 | 13.51           |                               | 0.34    | 7.76          | 9.48                    | 1.48            |                |
| EAS-DS                     | 2026-07-29 07:30:00 | 13.55           |                               | 0.34    | 7.80          | 9.60                    | 0.65            |                |
| EAS-DS                     | 2026-07-29 07:45:00 | 13.51           |                               | 0.34    | 7.78          | 9.58                    | 1.01            |                |
| EAS-DS                     | 2026-07-29 08:00:00 | 13.45           |                               | 0.34    | 7.82          | 9.68                    | 20.73           |                |
| EAS-DS                     | 2026-07-29 08:15:00 | 13.51           |                               | 0.34    | 7.75          | 9.49                    | 126.42          |                |
| EAS-DS                     | 2026-07-29 08:30:00 | 13.50           |                               | 0.35    | 7.78          | 9.57                    | 0.19            |                |
| EAS-DS                     | 2026-07-29 08:45:00 | 13.50           |                               | 0.34    | 7.76          | 9.53                    | 0.01            |                |
| EAS-DS                     | 2026-07-29 09:00:00 | 13.58           |                               | 0.34    | 7.83          | 9.68                    | 0.57            |                |
| EAS-DS                     | 2026-07-29 09:15:00 | 13.64           |                               | 0.34    | 7.72          | 9.33                    | 0.00            |                |
| EAS-DS                     | 2026-07-29 09:30:00 | 13.68           |                               | 0.35    | 7.81          | 9.72                    | 0.21            |                |
| EAS-DS                     | 2026-07-29 09:45:00 | 13.83           |                               | 0.34    | 7.75          | 9.35                    | 0.21            |                |
| EAS-DS                     | 2026-07-29 10:00:00 | 13.83           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 10:15:00 | 13.98           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 10:30:00 | 14.02           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 10:45:00 | 14.18           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 11:00:00 | 14.33           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 11:15:00 | 14.35           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 11:30:00 | 14.45           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 11:45:00 | 14.51           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 12:00:00 | 14.63           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 12:15:00 | 14.68           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 12:30:00 | 15.60           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 12:45:00 | 15.10           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 13:00:00 | 15.21           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 13:15:00 | 15.11           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 13:30:00 | 15.02           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 13:45:00 | 15.14           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 14:00:00 | 15.08           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 14:15:00 | 15.33           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 14:30:00 | 15.26           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 14:45:00 | 15.38           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 15:00:00 | 15.26           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 15:15:00 | 15.15           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 15:30:00 | 15.19           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 15:45:00 | 15.57           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 16:00:00 | 15.32           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 16:15:00 | 15.52           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 16:30:00 | 15.44           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 16:45:00 | 15.45           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 17:00:00 | 15.22           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 17:15:00 | 15.16           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 17:30:00 | 15.55           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 17:45:00 | 15.49           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 18:00:00 | 15.30           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 18:15:00 | 15.07           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 18:30:00 | 14.87           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 18:45:00 | 14.72           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 19:00:00 | 14.83           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 19:15:00 | 14.84           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 19:30:00 | 14.56           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 19:45:00 | 14.84           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 20:00:00 | 14.81           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 20:15:00 | 14.70           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 20:30:00 | 14.47           |                               |         |               |                         |                 |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-29 20:45:00 | 14.38           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 21:00:00 | 14.25           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 21:15:00 | 14.21           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 21:30:00 | 14.49           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 21:45:00 | 14.55           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 22:00:00 | 14.19           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 22:15:00 | 14.15           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 22:30:00 | 14.11           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 22:45:00 | 14.33           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 23:00:00 | 14.19           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 23:15:00 | 14.00           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 23:30:00 | 13.82           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-29 23:45:00 | 13.86           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 00:00:00 | 13.85           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 00:15:00 | 13.94           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 00:30:00 | 13.96           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 00:45:00 | 13.64           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 01:00:00 | 13.77           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 01:15:00 | 13.71           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 01:30:00 | 13.90           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 01:45:00 | 13.79           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 02:00:00 | 13.79           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 02:15:00 | 13.63           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 02:30:00 | 13.58           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 02:45:00 | 13.51           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 03:00:00 | 13.55           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 03:15:00 | 13.47           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 03:30:00 | 13.53           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 03:45:00 | 13.54           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 04:00:00 | 13.48           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 04:15:00 | 13.39           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 04:30:00 | 13.49           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 04:45:00 | 13.41           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 05:00:00 | 13.51           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 05:15:00 | 13.41           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 05:30:00 | 13.39           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 05:45:00 | 13.39           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 06:00:00 | 13.42           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 06:15:00 | 13.42           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 06:30:00 | 13.43           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 06:45:00 | 13.54           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 07:00:00 | 13.55           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 07:15:00 | 13.54           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 07:30:00 | 13.49           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 07:45:00 | 13.45           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 08:00:00 | 13.57           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 08:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 08:30:00 | 13.43           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 08:45:00 | 13.30           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 09:00:00 | 13.43           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 09:15:00 | 13.76           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 09:30:00 | 13.63           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 09:45:00 | 13.75           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 10:00:00 | 13.86           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 10:15:00 | 13.79           |                               |         |               |                         |                 |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-30 10:30:00 | 13.73           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 10:45:00 | 13.98           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 11:00:00 | 14.11           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 11:15:00 | 14.18           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 11:30:00 | 14.30           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 11:45:00 | 14.30           |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 12:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 12:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 12:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 12:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 13:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 13:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 13:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 13:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 14:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-DS                     | 2026-07-30 14:15:00 | 15.19           | 224.40                        | -0.03   | 7.71          | 9.71                    | 60.44           | 0.12           |
| EAS-DS                     | 2026-07-30 14:30:00 | 14.92           | 212.12                        | 0.05    | 7.81          | 9.63                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-07-30 14:45:00 | 15.28           | 230.37                        | 0.08    | 7.88          | 9.63                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 15:00:00 | 15.10           | 213.02                        | 0.10    | 7.87          | 9.60                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-07-30 15:15:00 | 15.06           | 211.36                        | 0.11    | 7.87          | 9.55                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-07-30 15:30:00 | 15.04           | 217.76                        | 0.14    | 7.87          | 9.54                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 15:45:00 | 14.90           | 211.35                        | 0.14    | 7.77          | 9.44                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-07-30 16:00:00 | 15.13           | 220.63                        | 0.14    | 7.88          | 9.61                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 16:15:00 | 14.85           | 212.57                        | 0.12    | 7.82          | 9.63                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-07-30 16:30:00 | 15.29           | 228.86                        | 0.14    | 7.87          | 9.57                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 16:45:00 | 14.91           | 214.15                        | 0.14    | 7.86          | 9.54                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-07-30 17:00:00 | 14.94           | 219.66                        | 0.15    | 7.87          | 9.54                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 17:15:00 | 14.62           | 217.16                        | 0.15    | 7.90          | 9.66                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 17:30:00 | 14.63           | 216.94                        | 0.16    | 7.88          | 9.63                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 17:45:00 | 14.64           | 217.24                        | 0.16    | 7.88          | 9.64                    | 0.01            | 0.12           |
| EAS-DS                     | 2026-07-30 18:00:00 | 14.69           | 219.37                        | 0.17    | 7.89          | 9.62                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 18:15:00 | 15.40           | 239.75                        | 0.15    | 7.85          | 9.24                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-30 18:30:00 | 14.95           | 220.88                        | 0.17    | 7.82          | 8.96                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 18:45:00 | 14.87           | 226.97                        | 0.18    | 7.82          | 9.25                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 19:00:00 | 14.53           | 230.52                        | 0.17    | 7.86          | 9.55                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 19:15:00 | 14.44           | 224.82                        | 0.17    | 7.85          | 9.30                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 19:30:00 | 14.87           | 238.90                        | 0.18    | 7.89          | 9.13                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-30 19:45:00 | 14.32           | 224.55                        | 0.18    | 7.85          | 9.45                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 20:00:00 | 14.49           | 233.36                        | 0.18    | 7.86          | 9.53                    | 0.36            | 0.12           |
| EAS-DS                     | 2026-07-30 20:15:00 | 14.15           | 229.27                        | 0.17    | 7.81          | 9.47                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 20:30:00 | 14.82           | 243.39                        | 0.19    | 7.81          | 9.17                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-30 20:45:00 | 14.41           | 223.36                        | 0.19    | 7.77          | 9.16                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 21:00:00 | 14.62           | 237.40                        | 0.19    | 7.79          | 9.22                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-30 21:15:00 | 14.20           | 222.51                        | 0.18    | 7.80          | 9.15                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 21:30:00 | 14.64           | 240.58                        | 0.20    | 7.75          | 9.37                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-30 21:45:00 | 14.44           | 227.39                        | 0.19    | 7.78          | 8.98                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 22:00:00 | 14.00           | 224.56                        | 0.19    | 7.84          | 9.77                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 22:15:00 | 13.68           | 218.86                        | 0.18    | 7.81          | 9.82                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 22:30:00 | 14.03           | 228.92                        | 0.20    | 7.75          | 9.64                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 22:45:00 | 13.99           | 217.53                        | 0.20    | 7.76          | 9.29                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 23:00:00 | 13.84           | 225.93                        | 0.20    | 7.83          | 9.80                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 23:15:00 | 13.74           | 219.58                        | 0.19    | 7.74          | 9.80                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-30 23:30:00 | 14.06           | 235.01                        | 0.20    | 7.84          | 9.71                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-30 23:45:00 | 14.08           | 235.18                        | 0.20    | 7.78          | 9.64                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 00:00:00 | 13.73           | 216.88                        | 0.20    | 7.80          | 9.30                    | 0.00            | 0.12           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-31 00:15:00 | 13.81           | 230.28                        | 0.19    | 7.82          | 9.76                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 00:30:00 | 13.69           | 227.68                        | 0.20    | 7.82          | 9.94                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 00:45:00 | 13.59           | 219.51                        | 0.20    | 7.80          | 9.79                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 01:00:00 | 13.47           | 217.09                        | 0.21    | 7.80          | 9.78                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 01:15:00 | 13.70           | 229.20                        | 0.20    | 7.84          | 9.84                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 01:30:00 | 13.86           | 232.43                        | 0.21    | 7.73          | 9.65                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 01:45:00 | 13.95           | 236.34                        | 0.21    | 7.83          | 9.33                    | 2.10            | 0.13           |
| EAS-DS                     | 2026-07-31 02:00:00 | 13.53           | 222.21                        | 0.21    | 7.84          | 9.59                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 02:15:00 | 13.70           | 231.96                        | 0.20    | 7.78          | 9.59                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 02:30:00 | 13.93           | 239.65                        | 0.22    | 7.77          | 9.70                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 02:45:00 | 13.73           | 233.90                        | 0.21    | 7.81          | 9.67                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 03:00:00 | 13.48           | 221.14                        | 0.21    | 7.79          | 9.83                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 03:15:00 | 13.68           | 235.22                        | 0.22    | 7.80          | 9.80                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 03:30:00 | 13.64           | 228.38                        | 0.23    | 7.76          | 9.82                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 03:45:00 | 13.54           | 230.24                        | 0.21    | 7.86          | 9.99                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 04:00:00 | 13.45           | 222.40                        | 0.22    | 7.85          | 9.80                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 04:15:00 | 13.41           | 220.02                        | 0.20    | 7.80          | 9.81                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 04:30:00 | 13.61           | 235.74                        | 0.22    | 7.77          | 9.68                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 04:45:00 | 13.80           | 244.10                        | 0.23    | 7.82          | 9.74                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 05:00:00 | 13.69           | 229.25                        | 0.22    | 7.76          | 9.40                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 05:15:00 | 13.58           | 230.76                        | 0.21    | 7.84          | 9.90                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 05:30:00 | 13.57           | 234.74                        | 0.23    | 7.84          | 9.88                    | 0.11            | 0.13           |
| EAS-DS                     | 2026-07-31 05:45:00 | 13.61           | 237.61                        | 0.23    | 7.85          | 9.94                    | 0.15            | 0.13           |
| EAS-DS                     | 2026-07-31 06:00:00 | 13.49           | 227.28                        | 0.23    | 7.75          | 9.80                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 06:15:00 | 13.58           | 237.87                        | 0.21    | 7.83          | 9.96                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 06:30:00 | 13.46           | 222.65                        | 0.23    | 7.81          | 9.88                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 06:45:00 | 13.47           | 223.95                        | 0.24    | 7.79          | 9.80                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 07:00:00 | 13.52           | 236.18                        | 0.24    | 7.80          | 9.96                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 07:15:00 | 13.67           | 242.68                        | 0.22    | 7.83          | 9.88                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 07:30:00 | 13.46           | 224.58                        | 0.24    | 7.81          | 9.90                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 07:45:00 | 13.60           | 234.88                        | 0.23    | 7.85          | 9.96                    | 1.12            | 0.13           |
| EAS-DS                     | 2026-07-31 08:00:00 | 13.63           | 230.09                        | 0.24    | 7.77          | 9.75                    | 1.02            | 0.12           |
| EAS-DS                     | 2026-07-31 08:15:00 | 13.62           | 224.81                        | 0.22    | 7.70          | 9.67                    | 0.19            | 0.12           |
| EAS-DS                     | 2026-07-31 08:30:00 | 13.67           | 229.44                        | 0.23    | 7.80          | 9.77                    | 1.87            | 0.12           |
| EAS-DS                     | 2026-07-31 08:45:00 | 13.59           | 223.42                        | 0.24    | 7.80          | 9.55                    | 0.25            | 0.12           |
| EAS-DS                     | 2026-07-31 09:00:00 | 13.60           | 222.37                        | 0.24    | 7.80          | 9.55                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 09:15:00 | 13.67           | 227.56                        | 0.22    | 7.81          | 9.93                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 09:30:00 | 13.73           | 226.43                        | 0.24    | 7.75          | 9.75                    | 0.73            | 0.12           |
| EAS-DS                     | 2026-07-31 09:45:00 | 13.77           | 221.83                        | 0.24    | 7.77          | 9.57                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 10:00:00 | 13.80           | 219.19                        | 0.25    | 7.76          | 9.72                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 10:15:00 | 14.03           | 226.68                        | 0.22    | 7.81          | 9.55                    | 1.65            | 0.12           |
| EAS-DS                     | 2026-07-31 10:30:00 | 14.02           | 221.72                        | 0.24    | 7.75          | 9.66                    | 1.21            | 0.12           |
| EAS-DS                     | 2026-07-31 10:45:00 | 14.23           | 226.63                        | 0.24    | 7.80          | 9.77                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 11:00:00 | 14.35           | 229.94                        | 0.22    | 7.83          | 9.83                    | 2.25            | 0.12           |
| EAS-DS                     | 2026-07-31 11:15:00 | 14.32           | 223.27                        | 0.22    | 7.85          | 9.78                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 11:30:00 | 14.41           | 221.88                        | 0.23    | 7.86          | 9.74                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 11:45:00 | 14.60           | 229.83                        | 0.23    | 7.84          | 9.86                    | 5.07            | 0.12           |
| EAS-DS                     | 2026-07-31 12:00:00 | 14.54           | 220.30                        | 0.23    | 7.80          | 9.61                    | 0.57            | 0.12           |
| EAS-DS                     | 2026-07-31 12:15:00 | 14.80           | 218.76                        | 0.21    | 7.82          | 9.69                    | 0.36            | 0.12           |
| EAS-DS                     | 2026-07-31 12:30:00 | 14.86           | 229.93                        | 0.23    | 7.80          | 9.76                    | 4.31            | 0.12           |
| EAS-DS                     | 2026-07-31 12:45:00 | 14.75           | 222.94                        | 0.23    | 7.82          | 9.70                    | 2.66            | 0.12           |
| EAS-DS                     | 2026-07-31 13:00:00 | 14.94           | 233.75                        | 0.23    | 7.83          | 9.64                    | 0.87            | 0.12           |
| EAS-DS                     | 2026-07-31 13:15:00 | 14.98           | 231.07                        | 0.22    | 7.75          | 9.29                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 13:30:00 | 15.11           | 223.37                        | 0.23    | 7.82          | 9.49                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 13:45:00 | 15.32           | 228.67                        | 0.23    | 7.87          | 9.49                    | 0.00            | 0.12           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-07-31 14:00:00 | 15.46           | 226.74                        | 0.23    | 7.86          | 9.48                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 14:15:00 | 15.39           | 226.14                        | 0.21    | 7.86          | 9.59                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 14:30:00 | 15.43           | 224.47                        | 0.23    | 7.78          | 9.34                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 14:45:00 | 15.38           | 224.19                        | 0.23    | 7.84          | 9.49                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 15:00:00 | 15.38           | 230.68                        | 0.22    | 7.87          | 9.58                    | 0.42            | 0.12           |
| EAS-DS                     | 2026-07-31 15:15:00 | 15.06           | 224.95                        | 0.21    | 7.85          | 9.61                    | 3.23            | 0.12           |
| EAS-DS                     | 2026-07-31 15:30:00 | 15.08           | 230.98                        | 0.23    | 7.87          | 9.69                    | 5.93            | 0.12           |
| EAS-DS                     | 2026-07-31 15:45:00 | 14.90           | 225.00                        | 0.23    | 7.85          | 9.65                    | 1.71            | 0.12           |
| EAS-DS                     | 2026-07-31 16:00:00 | 14.88           | 224.94                        | 0.23    | 7.86          | 9.61                    | 0.61            | 0.12           |
| EAS-DS                     | 2026-07-31 16:15:00 | 15.36           | 235.72                        | 0.21    | 7.83          | 9.50                    | 2.40            | 0.13           |
| EAS-DS                     | 2026-07-31 16:30:00 | 15.11           | 225.30                        | 0.22    | 7.85          | 9.57                    | 0.97            | 0.12           |
| EAS-DS                     | 2026-07-31 16:45:00 | 15.19           | 231.85                        | 0.22    | 7.88          | 9.63                    | 2.92            | 0.12           |
| EAS-DS                     | 2026-07-31 17:00:00 | 14.96           | 224.48                        | 0.23    | 7.84          | 9.60                    | 0.15            | 0.12           |
| EAS-DS                     | 2026-07-31 17:15:00 | 14.87           | 222.73                        | 0.22    | 7.86          | 9.52                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 17:30:00 | 15.23           | 231.41                        | 0.23    | 7.87          | 9.55                    | 0.34            | 0.12           |
| EAS-DS                     | 2026-07-31 17:45:00 | 14.93           | 223.71                        | 0.23    | 7.86          | 9.61                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 18:00:00 | 14.85           | 221.93                        | 0.23    | 7.80          | 9.34                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 18:15:00 | 15.14           | 222.33                        | 0.21    | 7.82          | 9.53                    | 0.56            | 0.12           |
| EAS-DS                     | 2026-07-31 18:30:00 | 15.07           | 225.23                        | 0.22    | 7.85          | 9.62                    | 0.84            | 0.12           |
| EAS-DS                     | 2026-07-31 18:45:00 | 14.71           | 224.89                        | 0.23    | 7.86          | 9.72                    | 1.51            | 0.12           |
| EAS-DS                     | 2026-07-31 19:00:00 | 14.64           | 220.85                        | 0.23    | 7.80          | 9.58                    | 7.68            | 0.12           |
| EAS-DS                     | 2026-07-31 19:15:00 | 14.62           | 219.32                        | 0.22    | 7.80          | 9.43                    | 2.00            | 0.12           |
| EAS-DS                     | 2026-07-31 19:30:00 | 14.63           | 220.58                        | 0.23    | 7.84          | 9.50                    | 0.31            | 0.12           |
| EAS-DS                     | 2026-07-31 19:45:00 | 14.77           | 233.57                        | 0.23    | 7.80          | 9.44                    | 1.28            | 0.12           |
| EAS-DS                     | 2026-07-31 20:00:00 | 14.16           | 222.31                        | 0.23    | 7.84          | 9.76                    | 0.30            | 0.12           |
| EAS-DS                     | 2026-07-31 20:15:00 | 14.08           | 223.11                        | 0.21    | 7.84          | 9.78                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 20:30:00 | 13.92           | 222.62                        | 0.23    | 7.84          | 9.85                    | 0.81            | 0.12           |
| EAS-DS                     | 2026-07-31 20:45:00 | 13.99           | 227.97                        | 0.23    | 7.86          | 9.89                    | 6.08            | 0.12           |
| EAS-DS                     | 2026-07-31 21:00:00 | 13.80           | 220.58                        | 0.23    | 7.83          | 9.86                    | 1.91            | 0.12           |
| EAS-DS                     | 2026-07-31 21:15:00 | 13.89           | 218.46                        | 0.22    | 7.81          | 9.62                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 21:30:00 | 14.18           | 229.80                        | 0.23    | 7.79          | 9.52                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 21:45:00 | 13.97           | 221.15                        | 0.23    | 7.87          | 9.80                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 22:00:00 | 13.98           | 227.18                        | 0.24    | 7.84          | 9.87                    | 1.36            | 0.12           |
| EAS-DS                     | 2026-07-31 22:15:00 | 13.94           | 221.19                        | 0.21    | 7.81          | 9.74                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 22:30:00 | 13.90           | 218.73                        | 0.24    | 7.78          | 9.61                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 22:45:00 | 14.01           | 228.18                        | 0.23    | 7.83          | 9.90                    | 6.01            | 0.12           |
| EAS-DS                     | 2026-07-31 23:00:00 | 13.83           | 222.72                        | 0.23    | 7.83          | 9.86                    | 5.00            | 0.12           |
| EAS-DS                     | 2026-07-31 23:15:00 | 13.63           | 217.89                        | 0.19    | 7.81          | 9.82                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-07-31 23:30:00 | 14.08           | 239.25                        | 0.24    | 7.84          | 9.79                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-07-31 23:45:00 | 14.14           | 238.60                        | 0.24    | 7.81          | 9.54                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-01 00:00:00 | 13.88           | 226.74                        | 0.19    | 7.83          | 9.87                    | 0.09            | 0.12           |
| EAS-DS                     | 2026-08-01 00:15:00 | 14.03           | 230.50                        | 0.21    | 7.80          | 9.69                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 00:30:00 | 13.64           | 214.86                        | 0.24    | 7.80          | 9.84                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 00:45:00 | 13.78           | 232.18                        | 0.24    | 7.83          | 9.91                    | 4.44            | 0.12           |
| EAS-DS                     | 2026-08-01 01:00:00 | 13.84           | 234.69                        | 0.24    | 7.85          | 9.89                    | 4.97            | 0.13           |
| EAS-DS                     | 2026-08-01 01:15:00 | 13.50           | 216.35                        | 0.22    | 7.83          | 9.90                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 01:30:00 | 13.48           | 214.55                        | 0.24    | 7.83          | 9.90                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 01:45:00 | 13.80           | 230.97                        | 0.24    | 7.84          | 9.77                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 02:00:00 | 13.82           | 236.07                        | 0.24    | 7.84          | 9.84                    | 0.28            | 0.13           |
| EAS-DS                     | 2026-08-01 02:15:00 | 13.78           | 221.22                        | 0.21    | 7.81          | 9.80                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 02:30:00 | 13.51           | 215.02                        | 0.24    | 7.77          | 9.82                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 02:45:00 | 13.82           | 237.03                        | 0.24    | 7.81          | 9.84                    | 0.09            | 0.13           |
| EAS-DS                     | 2026-08-01 03:00:00 | 13.45           | 216.70                        | 0.24    | 7.82          | 9.89                    | 0.65            | 0.12           |
| EAS-DS                     | 2026-08-01 03:15:00 | 13.60           | 221.76                        | 0.22    | 7.83          | 9.90                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 03:30:00 | 13.43           | 216.89                        | 0.21    | 7.86          | 9.94                    | 0.22            | 0.12           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-08-01 03:45:00 | 13.44           | 219.42                        | 0.24    | 7.83          | 9.89                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 04:00:00 | 13.68           | 232.50                        | 0.24    | 7.85          | 9.89                    | 0.41            | 0.12           |
| EAS-DS                     | 2026-08-01 04:15:00 | 13.78           | 236.14                        | 0.22    | 7.80          | 9.77                    | 0.13            | 0.13           |
| EAS-DS                     | 2026-08-01 04:30:00 | 13.73           | 222.74                        | 0.24    | 7.74          | 9.48                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 04:45:00 | 13.74           | 223.87                        | 0.25    | 7.58          | 8.49                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 05:00:00 | 13.80           | 230.18                        | 0.24    | 7.81          | 9.86                    | 1.45            | 0.12           |
| EAS-DS                     | 2026-08-01 05:15:00 | 13.75           | 230.20                        | 0.22    | 7.77          | 9.62                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 05:30:00 | 13.76           | 213.19                        | 0.24    | 7.76          | 9.52                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-08-01 05:45:00 | 13.65           | 227.16                        | 0.24    | 7.84          | 9.93                    | 1.13            | 0.12           |
| EAS-DS                     | 2026-08-01 06:00:00 | 13.78           | 232.55                        | 0.24    | 7.79          | 9.68                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 06:15:00 | 13.85           | 229.20                        | 0.21    | 7.79          | 9.81                    | 0.66            | 0.12           |
| EAS-DS                     | 2026-08-01 06:30:00 | 13.69           | 228.67                        | 0.23    | 7.82          | 9.93                    | 6.24            | 0.12           |
| EAS-DS                     | 2026-08-01 06:45:00 | 13.52           | 217.13                        | 0.23    | 7.80          | 9.88                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 07:00:00 | 13.60           | 219.66                        | 0.24    | 7.81          | 9.86                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 07:15:00 | 13.67           | 228.06                        | 0.22    | 7.84          | 9.94                    | 0.35            | 0.12           |
| EAS-DS                     | 2026-08-01 07:30:00 | 13.64           | 214.49                        | 0.25    | 7.77          | 9.67                    | 0.00            | 0.11           |
| EAS-DS                     | 2026-08-01 07:45:00 | 13.85           | 234.16                        | 0.24    | 7.83          | 9.83                    | 1.08            | 0.13           |
| EAS-DS                     | 2026-08-01 08:00:00 | 13.76           | 214.66                        | 0.25    | 7.83          | 9.84                    | 0.66            | 0.11           |
| EAS-DS                     | 2026-08-01 08:15:00 | 13.66           | 216.62                        | 0.22    | 7.81          | 9.92                    | 2.80            | 0.12           |
| EAS-DS                     | 2026-08-01 08:30:00 | 13.70           | 218.60                        | 0.24    | 7.83          | 9.88                    | 1.00            | 0.12           |
| EAS-DS                     | 2026-08-01 08:45:00 | 13.73           | 226.44                        | 0.24    | 7.83          | 9.93                    | 5.00            | 0.12           |
| EAS-DS                     | 2026-08-01 09:00:00 | 13.71           | 217.19                        | 0.24    | 7.81          | 9.87                    | 0.87            | 0.12           |
| EAS-DS                     | 2026-08-01 09:15:00 | 13.96           | 231.62                        | 0.22    | 7.83          | 9.79                    | 1.24            | 0.12           |
| EAS-DS                     | 2026-08-01 09:30:00 | 14.01           | 233.74                        | 0.23    | 7.86          | 9.79                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-01 09:45:00 | 14.00           | 211.34                        | 0.26    | 7.78          | 9.69                    | 0.79            | 0.11           |
| EAS-DS                     | 2026-08-01 10:00:00 | 13.93           | 211.30                        | 0.25    | 7.78          | 9.61                    | 2.23            | 0.11           |
| EAS-DS                     | 2026-08-01 10:15:00 | 13.96           | 217.54                        | 0.26    | 7.77          | 9.60                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 10:30:00 | 14.14           | 224.83                        | 0.26    | 7.70          | 9.41                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 10:45:00 | 14.17           | 228.94                        | 0.23    | 7.85          | 9.71                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 11:00:00 | 14.15           | 231.63                        | 0.25    | 7.83          | 9.60                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 11:15:00 | 14.09           | 222.12                        | 0.26    | 7.84          | 9.69                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 11:30:00 | 14.21           | 222.87                        | 0.26    | 7.82          | 9.63                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 11:45:00 | 14.47           | 233.92                        | 0.23    | 7.83          | 9.29                    | 0.05            | 0.13           |
| EAS-DS                     | 2026-08-01 12:00:00 | 14.57           | 224.08                        | 0.25    | 7.80          | 9.48                    | 0.38            | 0.12           |
| EAS-DS                     | 2026-08-01 12:15:00 | 14.77           | 237.93                        | 0.25    | 7.82          | 9.54                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-01 12:30:00 | 14.76           | 241.00                        | 0.26    | 7.80          | 9.46                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-01 12:45:00 | 14.81           | 228.40                        | 0.23    | 7.72          | 9.26                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 13:00:00 | 15.15           | 220.87                        | 0.26    | 7.85          | 9.44                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 13:15:00 | 15.04           | 232.94                        | 0.26    | 7.83          | 9.35                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 13:30:00 | 14.99           | 228.91                        | 0.26    | 7.81          | 9.51                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 13:45:00 | 14.95           | 225.31                        | 0.23    | 7.82          | 9.39                    | 22.87           | 0.12           |
| EAS-DS                     | 2026-08-01 14:00:00 | 14.94           | 236.98                        | 0.26    | 7.83          | 9.52                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-01 14:15:00 | 14.94           | 227.81                        | 0.26    | 7.79          | 9.51                    | 0.06            | 0.12           |
| EAS-DS                     | 2026-08-01 14:30:00 | 15.12           | 237.95                        | 0.26    | 7.80          | 9.40                    | 5.29            | 0.13           |
| EAS-DS                     | 2026-08-01 14:45:00 | 15.20           | 236.46                        | 0.23    | 7.75          | 9.12                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-01 15:00:00 | 15.34           | 224.18                        | 0.26    | 7.73          | 9.03                    | 7.04            | 0.12           |
| EAS-DS                     | 2026-08-01 15:15:00 | 15.55           | 231.09                        | 0.26    | 7.83          | 9.34                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-01 15:30:00 | 15.53           | 232.31                        | 0.26    | 7.74          | 8.73                    | 25.09           | 0.12           |
| EAS-DS                     | 2026-08-01 15:45:00 | 15.41           | 229.38                        | 0.23    | 7.68          | 8.58                    | 671.51          | 0.12           |
| EAS-DS                     | 2026-08-01 16:00:00 | 15.54           | 234.48                        | 0.25    | 7.65          | 8.08                    | 2595.51         | 0.13           |
| EAS-DS                     | 2026-08-01 16:15:00 | 15.52           | 217.40                        | 0.24    | 7.84          | 8.93                    | 2419.51         | 0.12           |
| EAS-DS                     | 2026-08-01 16:30:00 | 15.45           | 222.05                        | 0.20    | 7.87          | 8.80                    | 2436.00         | 0.12           |
| EAS-DS                     | 2026-08-01 16:45:00 | 15.43           | 236.21                        | 0.21    | 7.60          | 7.81                    | 46.31           | 0.13           |
| EAS-DS                     | 2026-08-01 17:00:00 | 15.25           | 228.32                        | 0.23    | 7.64          | 8.41                    | 44.21           | 0.12           |
| EAS-DS                     | 2026-08-01 17:15:00 | 15.33           | 229.16                        | 0.23    | 7.65          | 9.17                    | 12.99           | 0.12           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-08-01 17:30:00 | 15.25           | 228.13                        | 0.24    | 7.63          | 8.79                    | 84.34           | 0.12           |
| EAS-DS                     | 2026-08-01 17:45:00 | 15.12           | 229.34                        | 0.22    | 7.70          | 8.43                    | 2758.23         | 0.12           |
| EAS-DS                     | 2026-08-01 18:00:00 | 14.94           | 227.57                        | 0.24    | 7.76          | 8.99                    | 2728.52         | 0.12           |
| EAS-DS                     | 2026-08-01 18:15:00 | 15.03           | 234.87                        | 0.24    | 7.71          | 8.67                    | 4626.33         | 0.13           |
| EAS-DS                     | 2026-08-01 18:30:00 | 15.04           | 228.01                        | 0.24    | 7.62          | 8.28                    | 1024.06         | 0.12           |
| EAS-DS                     | 2026-08-01 18:45:00 | 15.13           | 233.66                        | 0.22    | 7.60          | 8.97                    | 5.13            | 0.12           |
| EAS-DS                     | 2026-08-01 19:00:00 | 15.09           | 234.00                        | 0.24    | 7.61          | 9.25                    | 4.09            | 0.12           |
| EAS-DS                     | 2026-08-01 19:15:00 | 14.84           | 230.67                        | 0.24    | 7.64          | 9.08                    | 13.82           | 0.12           |
| EAS-DS                     | 2026-08-01 19:30:00 | 14.62           | 233.03                        | 0.24    | 7.68          | 8.93                    | 79.73           | 0.13           |
| EAS-DS                     | 2026-08-01 19:45:00 | 14.32           | 230.11                        | 0.21    | 7.75          | 8.63                    | 234.13          | 0.12           |
| EAS-DS                     | 2026-08-01 20:00:00 | 14.26           | 232.47                        | 0.24    | 7.73          | 9.22                    | 270.38          | 0.12           |
| EAS-DS                     | 2026-08-01 20:15:00 | 14.25           | 228.07                        | 0.24    | 7.70          | 8.68                    | 646.12          | 0.12           |
| EAS-DS                     | 2026-08-01 20:30:00 | 14.23           | 227.48                        | 0.24    | 7.74          | 8.67                    | 591.87          | 0.12           |
| EAS-DS                     | 2026-08-01 20:45:00 | 14.21           | 235.33                        | 0.22    | 7.70          | 9.42                    | 38.62           | 0.13           |
| EAS-DS                     | 2026-08-01 21:00:00 | 13.94           | 234.62                        | 0.24    | 7.64          | 8.92                    | 43.91           | 0.13           |
| EAS-DS                     | 2026-08-01 21:15:00 | 13.82           | 237.44                        | 0.24    | 7.69          | 9.55                    | 14.89           | 0.13           |
| EAS-DS                     | 2026-08-01 21:30:00 | 13.89           | 239.70                        | 0.23    | 7.70          | 9.45                    | 8.05            | 0.13           |
| EAS-DS                     | 2026-08-01 21:45:00 | 14.04           | 240.86                        | 0.21    | 7.68          | 9.01                    | 1398.71         | 0.13           |
| EAS-DS                     | 2026-08-01 22:00:00 | 13.87           | 241.99                        | 0.23    | 7.78          | 9.47                    | 1253.54         | 0.13           |
| EAS-DS                     | 2026-08-01 22:15:00 | 13.99           | 245.78                        | 0.23    | 7.73          | 9.62                    | 180.60          | 0.13           |
| EAS-DS                     | 2026-08-01 22:30:00 | 13.99           | 242.33                        | 0.23    | 7.76          | 9.63                    | 579.96          | 0.13           |
| EAS-DS                     | 2026-08-01 22:45:00 | 14.00           | 244.62                        | 0.21    | 7.72          | 9.44                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-01 23:00:00 | 13.87           | 235.03                        | 0.23    | 7.71          | 9.59                    | 1.29            | 0.13           |
| EAS-DS                     | 2026-08-01 23:15:00 | 13.81           | 239.41                        | 0.23    | 7.69          | 9.61                    | 0.31            | 0.13           |
| EAS-DS                     | 2026-08-01 23:30:00 | 13.80           | 243.52                        | 0.23    | 7.64          | 9.34                    | 2.96            | 0.13           |
| EAS-DS                     | 2026-08-01 23:45:00 | 14.00           | 252.57                        | 0.21    | 7.76          | 8.62                    | 373.68          | 0.14           |
| EAS-DS                     | 2026-08-02 00:00:00 | 13.92           | 238.82                        | 0.23    | 7.77          | 9.52                    | 11.22           | 0.13           |
| EAS-DS                     | 2026-08-02 00:15:00 | 13.69           | 233.54                        | 0.23    | 7.76          | 9.74                    | 213.32          | 0.13           |
| EAS-DS                     | 2026-08-02 00:30:00 | 13.64           | 230.90                        | 0.23    | 7.73          | 9.64                    | 472.45          | 0.12           |
| EAS-DS                     | 2026-08-02 00:45:00 | 13.83           | 241.78                        | 0.21    | 7.69          | 9.65                    | 4.74            | 0.13           |
| EAS-DS                     | 2026-08-02 01:00:00 | 13.78           | 230.55                        | 0.23    | 7.72          | 9.73                    | 6.08            | 0.12           |
| EAS-DS                     | 2026-08-02 01:15:00 | 13.76           | 239.42                        | 0.23    | 7.67          | 9.46                    | 1.80            | 0.13           |
| EAS-DS                     | 2026-08-02 01:30:00 | 13.87           | 245.80                        | 0.22    | 7.74          | 9.72                    | 1.67            | 0.13           |
| EAS-DS                     | 2026-08-02 01:45:00 | 13.92           | 238.90                        | 0.21    | 7.77          | 9.16                    | 95.40           | 0.13           |
| EAS-DS                     | 2026-08-02 02:00:00 | 13.76           | 242.75                        | 0.23    | 7.73          | 9.59                    | 1082.80         | 0.13           |
| EAS-DS                     | 2026-08-02 02:15:00 | 13.74           | 240.83                        | 0.24    | 7.88          | 9.74                    | 1.41            | 0.13           |
| EAS-DS                     | 2026-08-02 02:30:00 | 13.75           | 243.00                        | 0.25    | 7.89          | 9.41                    | 1.53            | 0.13           |
| EAS-DS                     | 2026-08-02 02:45:00 | 13.68           | 231.34                        | 0.19    | 7.64          | 9.66                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 03:00:00 | 13.82           | 241.75                        | 0.21    | 7.61          | 9.73                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 03:15:00 | 13.83           | 235.93                        | 0.20    | 7.60          | 9.61                    | 0.05            | 0.13           |
| EAS-DS                     | 2026-08-02 03:30:00 | 13.87           | 243.68                        | 0.19    | 7.59          | 9.60                    | 0.05            | 0.13           |
| EAS-DS                     | 2026-08-02 03:45:00 | 13.85           | 241.83                        | 0.20    | 7.69          | 7.13                    | 3.50            | 0.13           |
| EAS-DS                     | 2026-08-02 04:00:00 | 13.80           | 242.22                        | 0.22    | 7.59          | 5.32                    | 483.02          | 0.13           |
| EAS-DS                     | 2026-08-02 04:15:00 | 13.81           | 255.57                        | 0.23    | 7.78          | 6.02                    | 0.77            | 0.14           |
| EAS-DS                     | 2026-08-02 04:30:00 | 13.67           | 254.78                        | 0.23    | 7.82          | 4.73                    | 0.53            | 0.14           |
| EAS-DS                     | 2026-08-02 04:45:00 | 13.52           | 239.71                        | 0.19    | 7.52          | 9.19                    | 6.86            | 0.13           |
| EAS-DS                     | 2026-08-02 05:00:00 | 13.62           | 246.78                        | 0.21    | 7.55          | 6.91                    | 3.23            | 0.13           |
| EAS-DS                     | 2026-08-02 05:15:00 | 13.73           | 252.31                        | 0.21    | 7.43          | 7.18                    | 2.74            | 0.14           |
| EAS-DS                     | 2026-08-02 05:30:00 | 13.76           | 248.60                        | 0.20    | 7.47          | 8.48                    | 168.21          | 0.13           |
| EAS-DS                     | 2026-08-02 05:45:00 | 13.63           | 243.15                        | 0.19    | 7.69          | 5.57                    | 123.32          | 0.13           |
| EAS-DS                     | 2026-08-02 06:00:00 | 13.52           | 233.75                        | 0.21    | 7.65          | 5.15                    | 1458.57         | 0.13           |
| EAS-DS                     | 2026-08-02 06:15:00 | 13.50           | 241.68                        | 0.21    | 7.69          | 6.57                    | 424.00          | 0.13           |
| EAS-DS                     | 2026-08-02 06:30:00 | 13.68           | 245.27                        | 0.21    | 7.63          | 8.74                    | 393.43          | 0.13           |
| EAS-DS                     | 2026-08-02 06:45:00 | 13.59           | 239.07                        | 0.19    | 7.40          | 7.47                    | 3.82            | 0.13           |
| EAS-DS                     | 2026-08-02 07:00:00 | 13.54           | 239.26                        | 0.20    | 7.51          | 3.23                    | 0.85            | 0.13           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-08-02 07:15:00 | 13.56           | 238.52                        | 0.21    | 7.39          | 8.05                    | 3.90            | 0.13           |
| EAS-DS                     | 2026-08-02 07:30:00 | 13.53           | 232.20                        | 0.22    | 7.42          | 7.45                    | 70.43           | 0.12           |
| EAS-DS                     | 2026-08-02 07:45:00 | 13.59           | 239.32                        | 0.19    | 7.61          | 7.06                    | 204.11          | 0.13           |
| EAS-DS                     | 2026-08-02 08:00:00 | 13.59           | 237.12                        | 0.22    | 7.55          | 5.34                    | 498.41          | 0.13           |
| EAS-DS                     | 2026-08-02 08:15:00 | 13.61           | 234.71                        | 0.21    | 7.61          | 3.91                    | 432.04          | 0.13           |
| EAS-DS                     | 2026-08-02 08:30:00 | 13.55           | 234.05                        | 0.22    | 7.61          | 3.13                    | 1769.74         | 0.13           |
| EAS-DS                     | 2026-08-02 08:45:00 | 13.51           | 233.18                        | 0.20    | 7.34          | 7.37                    | 1.21            | 0.13           |
| EAS-DS                     | 2026-08-02 09:00:00 | 13.54           | 231.60                        | 0.22    | 7.44          | 7.52                    | 382.96          | 0.12           |
| EAS-DS                     | 2026-08-02 09:15:00 | 13.58           | 228.31                        | 0.22    | 7.32          | 7.50                    | 3.44            | 0.12           |
| EAS-DS                     | 2026-08-02 09:30:00 | 13.71           | 236.18                        | 0.22    | 7.29          | 8.17                    | 55.80           | 0.13           |
| EAS-DS                     | 2026-08-02 09:45:00 | 13.77           | 233.48                        | 0.20    | 7.51          | 6.25                    | 147.32          | 0.13           |
| EAS-DS                     | 2026-08-02 10:00:00 | 13.90           | 238.31                        | 0.21    | 7.61          | 7.04                    | 808.27          | 0.13           |
| EAS-DS                     | 2026-08-02 10:15:00 | 13.90           | 231.44                        | 0.22    | 7.60          | 6.70                    | 911.04          | 0.12           |
| EAS-DS                     | 2026-08-02 10:30:00 | 13.85           | 229.06                        | 0.22    | 7.51          | 5.79                    | 159.60          | 0.12           |
| EAS-DS                     | 2026-08-02 10:45:00 | 13.91           | 231.12                        | 0.19    | 7.51          | 7.32                    | 12.99           | 0.12           |
| EAS-DS                     | 2026-08-02 11:00:00 | 13.92           | 235.51                        | 0.21    | 7.40          | 6.99                    | 4.22            | 0.13           |
| EAS-DS                     | 2026-08-02 11:15:00 | 13.92           | 231.72                        | 0.21    | 7.43          | 8.24                    | 1453.18         | 0.12           |
| EAS-DS                     | 2026-08-02 11:30:00 | 14.02           | 237.34                        | 0.21    | 7.50          | 7.49                    | 66.07           | 0.13           |
| EAS-DS                     | 2026-08-02 11:45:00 | 14.05           | 232.08                        | 0.17    | 7.61          | 6.87                    | 1054.56         | 0.12           |
| EAS-DS                     | 2026-08-02 12:00:00 | 14.06           | 236.85                        | 0.21    | 7.66          | 7.75                    | 232.48          | 0.13           |
| EAS-DS                     | 2026-08-02 12:15:00 | 14.10           | 242.11                        | 0.22    | 7.54          | 7.10                    | 1344.83         | 0.13           |
| EAS-DS                     | 2026-08-02 12:30:00 | 14.22           | 242.16                        | 0.21    | 7.65          | 5.97                    | 1021.40         | 0.13           |
| EAS-DS                     | 2026-08-02 12:45:00 | 14.34           | 229.22                        | -0.04   | 7.54          | 8.73                    | 0.47            | 0.12           |
| EAS-DS                     | 2026-08-02 13:00:00 | 14.36           | 239.85                        | 0.21    | 7.70          | 9.42                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 13:15:00 | 14.37           | 231.77                        | 0.23    | 7.61          | 8.94                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 13:30:00 | 14.63           | 241.40                        | 0.23    | 7.70          | 9.27                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 13:45:00 | 14.60           | 241.32                        | 0.00    | 7.74          | 9.45                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 14:00:00 | 14.62           | 232.59                        | 0.23    | 7.78          | 9.38                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 14:15:00 | 14.73           | 243.15                        | 0.24    | 7.81          | 9.43                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 14:30:00 | 14.66           | 240.63                        | 0.24    | 7.75          | 9.35                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 14:45:00 | 14.69           | 229.37                        | 0.00    | 7.63          | 9.10                    | 0.95            | 0.12           |
| EAS-DS                     | 2026-08-02 15:00:00 | 14.93           | 246.39                        | 0.22    | 7.68          | 8.89                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 15:15:00 | 15.17           | 248.46                        | 0.23    | 7.75          | 9.15                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 15:30:00 | 14.97           | 244.63                        | 0.23    | 7.76          | 9.37                    | 0.01            | 0.13           |
| EAS-DS                     | 2026-08-02 15:45:00 | 14.73           | 233.00                        | 0.02    | 7.73          | 9.41                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 16:00:00 | 14.97           | 248.59                        | 0.24    | 7.74          | 9.30                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 16:15:00 | 15.04           | 251.80                        | 0.25    | 7.70          | 9.08                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 16:30:00 | 14.97           | 250.29                        | 0.25    | 7.61          | 8.61                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 16:45:00 | 15.06           | 239.59                        | 0.01    | 7.75          | 9.32                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 17:00:00 | 15.03           | 245.38                        | 0.23    | 7.76          | 9.41                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 17:15:00 | 14.87           | 229.38                        | 0.24    | 7.72          | 9.28                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 17:30:00 | 14.88           | 240.32                        | 0.25    | 7.76          | 9.47                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 17:45:00 | 14.79           | 230.64                        | 0.02    | 7.74          | 9.36                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 18:00:00 | 14.87           | 239.10                        | 0.24    | 7.78          | 9.47                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 18:15:00 | 14.88           | 242.05                        | 0.24    | 7.77          | 9.45                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 18:30:00 | 14.93           | 247.49                        | 0.25    | 7.69          | 9.07                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 18:45:00 | 14.96           | 237.84                        | 0.02    | 7.60          | 8.83                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 19:00:00 | 15.01           | 251.89                        | 0.24    | 7.67          | 9.07                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 19:15:00 | 14.89           | 231.54                        | 0.25    | 7.73          | 9.33                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 19:30:00 | 14.62           | 237.66                        | 0.25    | 7.75          | 9.51                    | 0.19            | 0.13           |
| EAS-DS                     | 2026-08-02 19:45:00 | 14.60           | 241.72                        | 0.03    | 7.76          | 9.54                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 20:00:00 | 14.51           | 229.26                        | 0.25    | 7.67          | 9.07                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 20:15:00 | 14.39           | 226.39                        | 0.26    | 7.76          | 9.47                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 20:30:00 | 14.56           | 1327.49                       | 0.26    | 7.83          | 9.54                    | 1.69            | 0.75           |
| EAS-DS                     | 2026-08-02 20:45:00 | 14.23           | 260.73                        | 0.01    | 7.75          | 9.66                    | 0.44            | 0.14           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-DS                     | 2026-08-02 21:00:00 | 14.35           | 325.51                        | 0.22    | 7.85          | 9.55                    | 0.19            | 0.18           |
| EAS-DS                     | 2026-08-02 21:15:00 | 14.35           | 283.56                        | 0.23    | 7.70          | 9.09                    | 0.00            | 0.15           |
| EAS-DS                     | 2026-08-02 21:30:00 | 14.28           | 266.67                        | 0.23    | 7.76          | 9.48                    | 0.00            | 0.14           |
| EAS-DS                     | 2026-08-02 21:45:00 | 14.15           | 235.23                        | 0.02    | 7.73          | 9.42                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 22:00:00 | 14.03           | 243.60                        | 0.23    | 7.74          | 9.52                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 22:15:00 | 14.09           | 242.05                        | 0.25    | 7.75          | 9.40                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 22:30:00 | 14.21           | 255.51                        | 0.24    | 7.80          | 9.59                    | 0.00            | 0.14           |
| EAS-DS                     | 2026-08-02 22:45:00 | 14.23           | 251.40                        | 0.01    | 7.70          | 9.25                    | 0.00            | 0.13           |
| EAS-DS                     | 2026-08-02 23:00:00 | 13.79           | 225.54                        | 0.23    | 7.72          | 9.63                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 23:15:00 | 14.20           | 259.43                        | 0.24    | 7.77          | 9.54                    | 0.00            | 0.14           |
| EAS-DS                     | 2026-08-02 23:30:00 | 13.80           | 228.26                        | 0.23    | 7.72          | 9.61                    | 0.00            | 0.12           |
| EAS-DS                     | 2026-08-02 23:45:00 | 13.95           | 246.91                        | 0.02    | 7.77          | 9.72                    | 0.00            | 0.13           |
| EAS-US                     | 2026-07-27 00:00:00 | 15.54           | 143.24                        | 0.13    | 7.17          | 9.03                    | 4.59            | 0.08           |
| EAS-US                     | 2026-07-27 00:15:00 | 15.52           | 141.08                        | 0.22    | 7.22          | 9.04                    | 4.86            | 0.07           |
| EAS-US                     | 2026-07-27 00:30:00 | 15.50           | 138.24                        | 0.23    | 7.22          | 9.03                    | 4.39            | 0.07           |
| EAS-US                     | 2026-07-27 00:45:00 | 15.48           | 134.97                        | 0.23    | 7.21          | 9.04                    | 4.35            | 0.07           |
| EAS-US                     | 2026-07-27 01:00:00 | 15.46           | 131.47                        | 0.14    | 7.11          | 9.05                    | 4.52            | 0.07           |
| EAS-US                     | 2026-07-27 01:15:00 | 15.45           | 131.06                        | 0.24    | 7.09          | 9.05                    | 4.16            | 0.07           |
| EAS-US                     | 2026-07-27 01:30:00 | 15.43           | 131.42                        | 0.24    | 7.09          | 9.03                    | 4.19            | 0.07           |
| EAS-US                     | 2026-07-27 01:45:00 | 15.42           | 128.67                        | 0.24    | 7.09          | 9.03                    | 4.12            | 0.07           |
| EAS-US                     | 2026-07-27 02:00:00 | 15.40           | 124.71                        | 0.14    | 7.12          | 9.04                    | 4.75            | 0.07           |
| EAS-US                     | 2026-07-27 02:15:00 | 15.39           | 120.91                        | 0.23    | 7.22          | 9.03                    | 3.92            | 0.06           |
| EAS-US                     | 2026-07-27 02:30:00 | 15.37           | 117.28                        | 0.23    | 7.20          | 9.06                    | 4.39            | 0.06           |
| EAS-US                     | 2026-07-27 02:45:00 | 15.35           | 114.62                        | 0.23    | 7.21          | 9.05                    | 3.99            | 0.06           |
| EAS-US                     | 2026-07-27 03:00:00 | 15.34           | 111.68                        | 0.14    | 7.06          | 9.06                    | 3.92            | 0.06           |
| EAS-US                     | 2026-07-27 03:15:00 | 15.32           | 112.10                        | 0.25    | 7.05          | 9.09                    | 4.11            | 0.06           |
| EAS-US                     | 2026-07-27 03:30:00 | 15.32           | 144.03                        | 0.25    | 7.06          | 9.08                    | 4.71            | 0.08           |
| EAS-US                     | 2026-07-27 03:45:00 | 15.34           | 164.36                        | 0.26    | 7.12          | 9.07                    | 6.07            | 0.09           |
| EAS-US                     | 2026-07-27 04:00:00 | 15.35           | 171.42                        | 0.14    | 7.15          | 9.09                    | 6.46            | 0.09           |
| EAS-US                     | 2026-07-27 04:15:00 | 15.36           | 174.79                        | 0.24    | 7.22          | 9.10                    | 6.52            | 0.09           |
| EAS-US                     | 2026-07-27 04:30:00 | 15.37           | 182.20                        | 0.24    | 7.25          | 9.10                    | 6.95            | 0.10           |
| EAS-US                     | 2026-07-27 04:45:00 | 15.38           | 181.20                        | 0.23    | 7.28          | 9.09                    | 8.10            | 0.10           |
| EAS-US                     | 2026-07-27 05:00:00 | 15.38           | 175.00                        | 0.14    | 7.17          | 9.10                    | 10.17           | 0.09           |
| EAS-US                     | 2026-07-27 05:15:00 | 15.37           | 172.18                        | 0.23    | 7.19          | 9.13                    | 11.60           | 0.09           |
| EAS-US                     | 2026-07-27 05:30:00 | 15.38           | 180.20                        | 0.23    | 7.21          | 9.15                    | 11.67           | 0.10           |
| EAS-US                     | 2026-07-27 05:45:00 | 15.38           | 187.61                        | 0.24    | 7.21          | 9.15                    | 13.68           | 0.10           |
| EAS-US                     | 2026-07-27 06:00:00 | 15.39           | 191.28                        | 0.14    | 7.25          | 9.18                    | 18.87           | 0.10           |
| EAS-US                     | 2026-07-27 06:15:00 | 15.39           | 193.61                        | 0.23    | 7.31          | 9.20                    | 17.93           | 0.10           |
| EAS-US                     | 2026-07-27 06:30:00 | 15.40           | 197.70                        | 0.22    | 7.32          | 9.23                    | 19.31           | 0.11           |
| EAS-US                     | 2026-07-27 06:45:00 | 15.41           | 212.08                        | 0.22    | 7.35          | 9.25                    | 21.62           | 0.11           |
| EAS-US                     | 2026-07-27 07:00:00 | 15.45           | 239.67                        | 0.13    | 7.34          | 9.27                    | 26.42           | 0.13           |
| EAS-US                     | 2026-07-27 07:15:00 | 15.49           | 246.16                        | 0.23    | 7.36          | 9.33                    | 53.26           | 0.13           |
| EAS-US                     | 2026-07-27 07:30:00 | 15.54           | 257.96                        | 0.22    | 7.39          | 9.32                    | 49.51           | 0.14           |
| EAS-US                     | 2026-07-27 07:45:00 | 15.60           | 267.75                        | 0.22    | 7.41          | 9.33                    | 59.49           | 0.14           |
| EAS-US                     | 2026-07-27 08:00:00 | 15.63           | 271.03                        | 0.12    | 7.42          | 9.35                    | 62.77           | 0.14           |
| EAS-US                     | 2026-07-27 08:15:00 | 15.64           | 280.52                        | 0.23    | 7.47          | 9.34                    | 52.00           | 0.15           |
| EAS-US                     | 2026-07-27 08:30:00 | 15.64           | 290.41                        | 0.22    | 7.46          | 9.34                    | 57.42           | 0.16           |
| EAS-US                     | 2026-07-27 08:45:00 | 15.64           | 296.43                        | 0.21    | 7.43          | 9.36                    | 42.52           | 0.16           |
| EAS-US                     | 2026-07-27 09:00:00 | 15.64           | 292.84                        | 0.12    | 7.42          | 9.36                    | 36.88           | 0.16           |
| EAS-US                     | 2026-07-27 09:15:00 | 15.61           | 279.20                        | 0.21    | 7.40          | 9.37                    | 31.86           | 0.15           |
| EAS-US                     | 2026-07-27 09:30:00 | 15.61           | 275.48                        | 0.20    | 7.39          | 9.39                    | 29.34           | 0.15           |
| EAS-US                     | 2026-07-27 09:45:00 | 15.64           | 281.10                        | 0.21    | 7.40          | 9.38                    | 31.94           | 0.15           |
| EAS-US                     | 2026-07-27 10:00:00 | 15.67           | 283.62                        | 0.11    | 7.41          | 9.37                    | 31.21           | 0.15           |
| EAS-US                     | 2026-07-27 10:15:00 | 15.69           | 280.36                        | 0.22    | 7.42          | 9.39                    | 31.85           | 0.15           |
| EAS-US                     | 2026-07-27 10:30:00 | 15.69           | 275.54                        | 0.21    | 7.42          | 9.37                    | 33.10           | 0.15           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-27 10:45:00 | 15.70           | 274.84                        | 0.21    | 7.42          | 9.38                    | 24.01           | 0.15           |
| EAS-US                     | 2026-07-27 11:00:00 | 15.72           | 271.40                        | 0.11    | 7.39          | 9.39                    | 22.20           | 0.15           |
| EAS-US                     | 2026-07-27 11:15:00 | 15.77           | 274.16                        | 0.21    | 7.39          | 9.38                    | 24.81           | 0.15           |
| EAS-US                     | 2026-07-27 11:30:00 | 15.85           | 281.81                        | 0.21    | 7.41          | 9.40                    | 34.55           | 0.15           |
| EAS-US                     | 2026-07-27 11:45:00 | 15.94           | 288.65                        | 0.21    | 7.42          | 9.36                    | 62.93           | 0.15           |
| EAS-US                     | 2026-07-27 12:00:00 | 15.99           | 289.01                        | 0.11    | 7.45          | 9.36                    | 49.81           | 0.15           |
| EAS-US                     | 2026-07-27 12:15:00 | 16.00           | 287.85                        | 0.21    | 7.45          | 9.36                    | 45.22           | 0.15           |
| EAS-US                     | 2026-07-27 12:30:00 | 15.97           | 280.04                        | 0.21    | 7.45          | 9.37                    | 37.80           | 0.15           |
| EAS-US                     | 2026-07-27 12:45:00 | 15.93           | 264.12                        | 0.20    | 7.45          | 9.39                    | 28.79           | 0.14           |
| EAS-US                     | 2026-07-27 13:00:00 | 15.89           | 251.81                        | 0.11    | 7.40          | 9.39                    | 29.73           | 0.13           |
| EAS-US                     | 2026-07-27 13:15:00 | 15.85           | 237.80                        | 0.21    | 7.38          | 9.39                    | 21.75           | 0.13           |
| EAS-US                     | 2026-07-27 13:30:00 | 15.82           | 223.79                        | 0.21    | 7.35          | 9.40                    | 17.79           | 0.12           |
| EAS-US                     | 2026-07-27 13:45:00 | 15.83           | 223.35                        | 0.21    | 7.35          | 9.38                    | 19.69           | 0.12           |
| EAS-US                     | 2026-07-27 14:00:00 | 15.89           | 226.90                        | 0.11    | 7.41          | 9.40                    | 19.85           | 0.12           |
| EAS-US                     | 2026-07-27 14:15:00 | 15.95           | 227.82                        | 0.21    | 7.41          | 9.40                    | 28.61           | 0.12           |
| EAS-US                     | 2026-07-27 14:30:00 | 15.98           | 226.89                        | 0.21    | 7.42          | 9.39                    | 27.42           | 0.12           |
| EAS-US                     | 2026-07-27 14:45:00 | 16.00           | 221.56                        | 0.21    | 7.42          | 9.39                    | 23.72           | 0.12           |
| EAS-US                     | 2026-07-27 15:00:00 | 16.03           | 212.07                        | 0.11    | 7.36          | 9.38                    | 21.21           | 0.11           |
| EAS-US                     | 2026-07-27 15:15:00 | 16.04           | 200.57                        | 0.21    | 7.35          | 9.36                    | 15.87           | 0.11           |
| EAS-US                     | 2026-07-27 15:30:00 | 16.00           | 187.07                        | 0.21    | 7.33          | 9.35                    | 12.86           | 0.10           |
| EAS-US                     | 2026-07-27 15:45:00 | 15.96           | 174.16                        | 0.21    | 7.30          | 9.36                    | 11.27           | 0.09           |
| EAS-US                     | 2026-07-27 16:00:00 | 15.92           | 162.48                        | 0.11    | 7.29          | 9.34                    | 9.85            | 0.09           |
| EAS-US                     | 2026-07-27 16:15:00 | 15.88           | 153.01                        | 0.21    | 7.33          | 9.35                    | 9.27            | 0.08           |
| EAS-US                     | 2026-07-27 16:30:00 | 15.85           | 144.49                        | 0.22    | 7.29          | 9.34                    | 8.52            | 0.08           |
| EAS-US                     | 2026-07-27 16:45:00 | 15.81           | 136.75                        | 0.21    | 7.29          | 9.34                    | 7.65            | 0.07           |
| EAS-US                     | 2026-07-27 17:00:00 | 15.79           | 129.22                        | 0.12    | 7.21          | 9.33                    | 7.34            | 0.07           |
| EAS-US                     | 2026-07-27 17:15:00 | 15.77           | 122.94                        | 0.22    | 7.18          | 9.33                    | 6.24            | 0.06           |
| EAS-US                     | 2026-07-27 17:30:00 | 15.75           | 117.69                        | 0.22    | 7.17          | 9.33                    | 5.86            | 0.06           |
| EAS-US                     | 2026-07-27 17:45:00 | 15.72           | 112.58                        | 0.23    | 7.16          | 9.32                    | 5.60            | 0.06           |
| EAS-US                     | 2026-07-27 18:00:00 | 15.70           | 108.07                        | 0.12    | 7.17          | 9.31                    | 5.61            | 0.06           |
| EAS-US                     | 2026-07-27 18:15:00 | 15.68           | 104.23                        | 0.22    | 7.16          | 9.30                    | 5.11            | 0.05           |
| EAS-US                     | 2026-07-27 18:30:00 | 15.66           | 100.56                        | 0.22    | 7.20          | 9.30                    | 4.91            | 0.05           |
| EAS-US                     | 2026-07-27 18:45:00 | 15.64           | 97.24                         | 0.22    | 7.16          | 9.29                    | 4.59            | 0.05           |
| EAS-US                     | 2026-07-27 19:00:00 | 15.62           | 93.66                         | 0.12    | 7.10          | 9.29                    | 4.19            | 0.05           |
| EAS-US                     | 2026-07-27 19:15:00 | 15.61           | 90.52                         | 0.23    | 7.09          | 9.30                    | 4.21            | 0.05           |
| EAS-US                     | 2026-07-27 19:30:00 | 15.59           | 87.23                         | 0.23    | 7.06          | 9.29                    | 4.19            | 0.05           |
| EAS-US                     | 2026-07-27 19:45:00 | 15.57           | 83.84                         | 0.24    | 7.09          | 9.29                    | 3.83            | 0.04           |
| EAS-US                     | 2026-07-27 20:00:00 | 15.54           | 80.36                         | 0.13    | 7.07          | 9.28                    | 4.12            | 0.04           |
| EAS-US                     | 2026-07-27 20:15:00 | 15.51           | 77.65                         | 0.23    | 7.08          | 9.28                    | 4.14            | 0.04           |
| EAS-US                     | 2026-07-27 20:30:00 | 15.48           | 75.45                         | 0.23    | 7.08          | 9.28                    | 3.80            | 0.04           |
| EAS-US                     | 2026-07-27 20:45:00 | 15.45           | 73.21                         | 0.22    | 7.12          | 9.28                    | 3.95            | 0.04           |
| EAS-US                     | 2026-07-27 21:00:00 | 15.42           | 71.43                         | 0.15    | 7.02          | 9.26                    | 3.76            | 0.04           |
| EAS-US                     | 2026-07-27 21:15:00 | 15.39           | 69.85                         | 0.24    | 6.99          | 9.26                    | 3.59            | 0.04           |
| EAS-US                     | 2026-07-27 21:30:00 | 15.36           | 68.36                         | 0.24    | 6.99          | 9.27                    | 3.79            | 0.04           |
| EAS-US                     | 2026-07-27 21:45:00 | 15.33           | 67.19                         | 0.24    | 6.97          | 9.27                    | 3.65            | 0.03           |
| EAS-US                     | 2026-07-27 22:00:00 | 15.31           | 66.05                         | 0.14    | 7.02          | 9.27                    | 3.69            | 0.03           |
| EAS-US                     | 2026-07-27 22:15:00 | 15.29           | 64.92                         | 0.23    | 7.02          | 9.28                    | 3.43            | 0.03           |
| EAS-US                     | 2026-07-27 22:30:00 | 15.27           | 63.88                         | 0.22    | 7.08          | 9.28                    | 3.52            | 0.03           |
| EAS-US                     | 2026-07-27 22:45:00 | 15.25           | 62.93                         | 0.22    | 7.04          | 9.27                    | 4.88            | 0.03           |
| EAS-US                     | 2026-07-27 23:00:00 | 15.24           | 61.92                         | 0.14    | 6.95          | 9.27                    | 3.43            | 0.03           |
| EAS-US                     | 2026-07-27 23:15:00 | 15.22           | 61.25                         | 0.24    | 6.95          | 9.27                    | 3.64            | 0.03           |
| EAS-US                     | 2026-07-27 23:30:00 | 15.21           | 60.06                         | 0.24    | 6.95          | 9.28                    | 3.30            | 0.03           |
| EAS-US                     | 2026-07-27 23:45:00 | 15.19           | 59.06                         | 0.24    | 6.92          | 9.27                    | 3.35            | 0.03           |
| EAS-US                     | 2026-07-28 00:00:00 | 15.17           | 58.29                         | 0.14    | 6.96          | 9.27                    | 3.42            | 0.03           |
| EAS-US                     | 2026-07-28 00:15:00 | 15.16           | 57.51                         | 0.23    | 7.03          | 9.27                    | 3.28            | 0.03           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-28 00:30:00 | 15.14           | 56.81                         | 0.23    | 7.09          | 9.27                    | 3.23            | 0.03           |
| EAS-US                     | 2026-07-28 00:45:00 | 15.13           | 56.10                         | 0.23    | 7.05          | 9.28                    | 3.25            | 0.03           |
| EAS-US                     | 2026-07-28 01:00:00 | 15.12           | 55.39                         | 0.14    | 6.90          | 9.28                    | 3.36            | 0.03           |
| EAS-US                     | 2026-07-28 01:15:00 | 15.11           | 54.60                         | 0.23    | 6.92          | 9.27                    | 3.14            | 0.03           |
| EAS-US                     | 2026-07-28 01:30:00 | 15.09           | 53.82                         | 0.24    | 6.97          | 9.27                    | 3.17            | 0.03           |
| EAS-US                     | 2026-07-28 01:45:00 | 15.07           | 52.96                         | 0.23    | 6.94          | 9.27                    | 3.05            | 0.03           |
| EAS-US                     | 2026-07-28 02:00:00 | 15.06           | 52.28                         | 0.14    | 6.94          | 9.27                    | 3.22            | 0.03           |
| EAS-US                     | 2026-07-28 02:15:00 | 15.05           | 51.59                         | 0.22    | 7.04          | 9.26                    | 3.07            | 0.03           |
| EAS-US                     | 2026-07-28 02:30:00 | 15.04           | 50.97                         | 0.23    | 7.02          | 9.27                    | 3.10            | 0.03           |
| EAS-US                     | 2026-07-28 02:45:00 | 15.03           | 50.27                         | 0.23    | 7.03          | 9.26                    | 3.09            | 0.03           |
| EAS-US                     | 2026-07-28 03:00:00 | 15.02           | 49.65                         | 0.14    | 6.86          | 9.27                    | 4.21            | 0.03           |
| EAS-US                     | 2026-07-28 03:15:00 | 15.01           | 48.97                         | 0.23    | 6.91          | 9.26                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-28 03:30:00 | 15.00           | 48.52                         | 0.23    | 6.93          | 9.26                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-28 03:45:00 | 14.99           | 48.68                         | 0.24    | 6.88          | 9.26                    | 3.15            | 0.02           |
| EAS-US                     | 2026-07-28 04:00:00 | 14.98           | 49.67                         | 0.15    | 6.91          | 9.26                    | 3.14            | 0.03           |
| EAS-US                     | 2026-07-28 04:15:00 | 14.98           | 50.23                         | 0.23    | 7.06          | 9.26                    | 2.99            | 0.03           |
| EAS-US                     | 2026-07-28 04:30:00 | 14.97           | 49.80                         | 0.23    | 7.08          | 9.26                    | 3.02            | 0.03           |
| EAS-US                     | 2026-07-28 04:45:00 | 14.97           | 48.92                         | 0.23    | 7.06          | 9.25                    | 2.95            | 0.02           |
| EAS-US                     | 2026-07-28 05:00:00 | 14.96           | 48.16                         | 0.15    | 6.87          | 9.25                    | 2.95            | 0.02           |
| EAS-US                     | 2026-07-28 05:15:00 | 14.95           | 47.27                         | 0.22    | 6.91          | 9.25                    | 3.03            | 0.02           |
| EAS-US                     | 2026-07-28 05:30:00 | 14.94           | 46.38                         | 0.23    | 6.89          | 9.25                    | 3.34            | 0.02           |
| EAS-US                     | 2026-07-28 05:45:00 | 14.93           | 45.40                         | 0.23    | 6.92          | 9.24                    | 3.16            | 0.02           |
| EAS-US                     | 2026-07-28 06:00:00 | 14.92           | 44.69                         | 0.15    | 6.88          | 9.24                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-28 06:15:00 | 14.91           | 45.08                         | 0.23    | 7.02          | 9.26                    | 3.27            | 0.02           |
| EAS-US                     | 2026-07-28 06:30:00 | 14.91           | 50.80                         | 0.23    | 7.07          | 9.24                    | 4.07            | 0.03           |
| EAS-US                     | 2026-07-28 06:45:00 | 14.92           | 57.94                         | 0.24    | 7.08          | 9.25                    | 3.33            | 0.03           |
| EAS-US                     | 2026-07-28 07:00:00 | 14.92           | 59.83                         | 0.15    | 6.86          | 9.24                    | 3.09            | 0.03           |
| EAS-US                     | 2026-07-28 07:15:00 | 14.93           | 58.28                         | 0.24    | 6.89          | 9.25                    | 3.31            | 0.03           |
| EAS-US                     | 2026-07-28 07:30:00 | 14.93           | 56.00                         | 0.24    | 6.93          | 9.23                    | 3.94            | 0.03           |
| EAS-US                     | 2026-07-28 07:45:00 | 14.92           | 53.87                         | 0.24    | 6.92          | 9.24                    | 3.22            | 0.03           |
| EAS-US                     | 2026-07-28 08:00:00 | 14.92           | 52.31                         | 0.15    | 6.91          | 9.26                    | 3.16            | 0.03           |
| EAS-US                     | 2026-07-28 08:15:00 | 14.93           | 51.42                         | 0.23    | 7.11          | 9.30                    | 3.03            | 0.03           |
| EAS-US                     | 2026-07-28 08:30:00 | 14.93           | 56.28                         | 0.23    | 7.09          | 9.27                    | 3.13            | 0.03           |
| EAS-US                     | 2026-07-28 08:45:00 | 14.94           | 66.62                         | 0.24    | 7.09          | 9.27                    | 3.63            | 0.03           |
| EAS-US                     | 2026-07-28 09:00:00 | 14.97           | 70.94                         | 0.15    | 6.91          | 9.27                    | 3.98            | 0.04           |
| EAS-US                     | 2026-07-28 09:15:00 | 14.98           | 69.40                         | 0.24    | 7.00          | 9.32                    | 4.65            | 0.04           |
| EAS-US                     | 2026-07-28 09:30:00 | 15.03           | 109.08                        | 0.25    | 7.03          | 9.36                    | 6.69            | 0.06           |
| EAS-US                     | 2026-07-28 09:45:00 | 15.17           | 163.99                        | 0.25    | 7.17          | 9.34                    | 14.27           | 0.09           |
| EAS-US                     | 2026-07-28 10:00:00 | 15.29           | 181.99                        | 0.14    | 7.27          | 9.32                    | 26.16           | 0.10           |
| EAS-US                     | 2026-07-28 10:15:00 | 15.35           | 171.53                        | 0.24    | 7.30          | 9.31                    | 25.88           | 0.09           |
| EAS-US                     | 2026-07-28 10:30:00 | 15.36           | 159.75                        | 0.24    | 7.35          | 9.29                    | 39.61           | 0.08           |
| EAS-US                     | 2026-07-28 10:45:00 | 15.35           | 143.77                        | 0.24    | 7.31          | 9.30                    | 69.45           | 0.08           |
| EAS-US                     | 2026-07-28 11:00:00 | 15.34           | 137.36                        | 0.13    | 7.28          | 9.33                    | 87.56           | 0.07           |
| EAS-US                     | 2026-07-28 11:15:00 | 15.35           | 139.32                        | 0.22    | 7.28          | 9.35                    | 95.57           | 0.07           |
| EAS-US                     | 2026-07-28 11:30:00 | 15.39           | 143.56                        | 0.22    | 7.29          | 9.37                    | 90.89           | 0.08           |
| EAS-US                     | 2026-07-28 11:45:00 | 15.40           | 147.26                        | 0.23    | 7.30          | 9.34                    | 67.66           | 0.08           |
| EAS-US                     | 2026-07-28 12:00:00 | 15.41           | 149.55                        | 0.12    | 7.32          | 9.35                    | 55.49           | 0.08           |
| EAS-US                     | 2026-07-28 12:15:00 | 15.42           | 149.74                        | 0.23    | 7.33          | 9.36                    | 46.57           | 0.08           |
| EAS-US                     | 2026-07-28 12:30:00 | 15.41           | 140.39                        | 0.23    | 7.36          | 9.38                    | 25.66           | 0.07           |
| EAS-US                     | 2026-07-28 12:45:00 | 15.40           | 132.74                        | 0.23    | 7.33          | 9.39                    | 91.21           | 0.07           |
| EAS-US                     | 2026-07-28 13:00:00 | 15.39           | 128.68                        | 0.14    | 7.20          | 9.37                    | 42.44           | 0.07           |
| EAS-US                     | 2026-07-28 13:15:00 | 15.38           | 124.41                        | 0.23    | 7.20          | 9.39                    | 17.70           | 0.07           |
| EAS-US                     | 2026-07-28 13:30:00 | 15.39           | 120.50                        | 0.23    | 7.19          | 9.39                    | 11.26           | 0.06           |
| EAS-US                     | 2026-07-28 13:45:00 | 15.43           | 116.16                        | 0.23    | 7.20          | 9.44                    | 8.25            | 0.06           |
| EAS-US                     | 2026-07-28 14:00:00 | 15.51           | 112.98                        | 0.13    | 7.19          | 9.40                    | 8.26            | 0.06           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-28 14:15:00 | 15.64           | 109.26                        | 0.22    | 7.32          | 9.39                    | 7.23            | 0.06           |
| EAS-US                     | 2026-07-28 14:30:00 | 15.77           | 105.35                        | 0.22    | 7.31          | 9.33                    | 6.58            | 0.06           |
| EAS-US                     | 2026-07-28 14:45:00 | 15.84           | 101.44                        | 0.22    | 7.30          | 9.32                    | 6.33            | 0.05           |
| EAS-US                     | 2026-07-28 15:00:00 | 15.83           | 97.48                         | 0.14    | 7.12          | 9.34                    | 5.79            | 0.05           |
| EAS-US                     | 2026-07-28 15:15:00 | 15.81           | 93.23                         | 0.23    | 7.14          | 9.33                    | 5.03            | 0.05           |
| EAS-US                     | 2026-07-28 15:30:00 | 15.86           | 88.97                         | 0.24    | 7.11          | 9.33                    | 5.08            | 0.05           |
| EAS-US                     | 2026-07-28 15:45:00 | 15.92           | 85.28                         | 0.23    | 7.12          | 9.31                    | 4.90            | 0.04           |
| EAS-US                     | 2026-07-28 16:00:00 | 16.01           | 82.87                         | 0.13    | 7.10          | 9.29                    | 5.26            | 0.04           |
| EAS-US                     | 2026-07-28 16:15:00 | 16.08           | 80.14                         | 0.22    | 7.26          | 9.25                    | 4.80            | 0.04           |
| EAS-US                     | 2026-07-28 16:30:00 | 16.01           | 77.49                         | 0.21    | 7.24          | 9.22                    | 4.80            | 0.04           |
| EAS-US                     | 2026-07-28 16:45:00 | 15.92           | 74.92                         | 0.22    | 7.24          | 9.24                    | 4.66            | 0.04           |
| EAS-US                     | 2026-07-28 17:00:00 | 15.82           | 72.66                         | 0.14    | 6.99          | 9.22                    | 4.53            | 0.04           |
| EAS-US                     | 2026-07-28 17:15:00 | 15.77           | 70.30                         | 0.23    | 7.04          | 9.22                    | 4.34            | 0.04           |
| EAS-US                     | 2026-07-28 17:30:00 | 15.72           | 68.69                         | 0.23    | 6.99          | 9.21                    | 4.32            | 0.04           |
| EAS-US                     | 2026-07-28 17:45:00 | 15.71           | 66.79                         | 0.24    | 7.00          | 9.25                    | 4.32            | 0.03           |
| EAS-US                     | 2026-07-28 18:00:00 | 15.69           | 65.25                         | 0.14    | 7.01          | 9.23                    | 4.37            | 0.03           |
| EAS-US                     | 2026-07-28 18:15:00 | 15.68           | 64.23                         | 0.22    | 7.18          | 9.21                    | 4.29            | 0.03           |
| EAS-US                     | 2026-07-28 18:30:00 | 15.66           | 63.14                         | 0.23    | 7.18          | 9.22                    | 4.17            | 0.03           |
| EAS-US                     | 2026-07-28 18:45:00 | 15.64           | 62.13                         | 0.22    | 7.18          | 9.22                    | 3.99            | 0.03           |
| EAS-US                     | 2026-07-28 19:00:00 | 15.61           | 61.02                         | 0.14    | 6.94          | 9.21                    | 4.07            | 0.03           |
| EAS-US                     | 2026-07-28 19:15:00 | 15.59           | 60.37                         | 0.24    | 6.96          | 9.19                    | 3.91            | 0.03           |
| EAS-US                     | 2026-07-28 19:30:00 | 15.56           | 59.60                         | 0.24    | 6.97          | 9.19                    | 3.84            | 0.03           |
| EAS-US                     | 2026-07-28 19:45:00 | 15.53           | 58.50                         | 0.24    | 6.95          | 9.19                    | 3.95            | 0.03           |
| EAS-US                     | 2026-07-28 20:00:00 | 15.50           | 57.77                         | 0.14    | 6.96          | 9.19                    | 3.97            | 0.03           |
| EAS-US                     | 2026-07-28 20:15:00 | 15.48           | 57.07                         | 0.22    | 7.14          | 9.18                    | 3.81            | 0.03           |
| EAS-US                     | 2026-07-28 20:30:00 | 15.45           | 55.98                         | 0.20    | 7.15          | 9.17                    | 3.81            | 0.03           |
| EAS-US                     | 2026-07-28 20:45:00 | 15.42           | 55.15                         | 0.22    | 7.15          | 9.17                    | 3.85            | 0.03           |
| EAS-US                     | 2026-07-28 21:00:00 | 15.39           | 54.01                         | 0.15    | 6.90          | 9.17                    | 3.91            | 0.03           |
| EAS-US                     | 2026-07-28 21:15:00 | 15.35           | 53.23                         | 0.23    | 6.95          | 9.17                    | 3.74            | 0.03           |
| EAS-US                     | 2026-07-28 21:30:00 | 15.31           | 52.35                         | 0.24    | 6.93          | 9.16                    | 3.88            | 0.03           |
| EAS-US                     | 2026-07-28 21:45:00 | 15.28           | 51.74                         | 0.23    | 6.92          | 9.18                    | 3.70            | 0.03           |
| EAS-US                     | 2026-07-28 22:00:00 | 15.23           | 50.68                         | 0.15    | 6.92          | 9.21                    | 7.72            | 0.03           |
| EAS-US                     | 2026-07-28 22:15:00 | 15.19           | 49.91                         | 0.22    | 7.13          | 9.19                    | 3.83            | 0.03           |
| EAS-US                     | 2026-07-28 22:30:00 | 15.15           | 49.10                         | 0.22    | 7.12          | 9.20                    | 3.43            | 0.02           |
| EAS-US                     | 2026-07-28 22:45:00 | 15.11           | 48.60                         | 0.22    | 7.12          | 9.20                    | 3.44            | 0.02           |
| EAS-US                     | 2026-07-28 23:00:00 | 15.08           | 48.07                         | 0.15    | 6.87          | 9.21                    | 3.43            | 0.02           |
| EAS-US                     | 2026-07-28 23:15:00 | 15.04           | 47.54                         | 0.23    | 6.96          | 9.22                    | 3.42            | 0.02           |
| EAS-US                     | 2026-07-28 23:30:00 | 15.01           | 46.70                         | 0.24    | 6.93          | 9.22                    | 3.37            | 0.02           |
| EAS-US                     | 2026-07-28 23:45:00 | 14.98           | 45.99                         | 0.24    | 6.92          | 9.24                    | 3.36            | 0.02           |
| EAS-US                     | 2026-07-29 00:00:00 | 14.95           | 45.34                         | 0.15    | 6.89          | 9.22                    | 3.41            | 0.02           |
| EAS-US                     | 2026-07-29 00:15:00 | 14.92           | 44.67                         | 0.23    | 7.11          | 9.23                    | 3.26            | 0.02           |
| EAS-US                     | 2026-07-29 00:30:00 | 14.89           | 44.11                         | 0.23    | 7.11          | 9.24                    | 3.32            | 0.02           |
| EAS-US                     | 2026-07-29 00:45:00 | 14.86           | 43.82                         | 0.22    | 7.11          | 9.28                    | 3.25            | 0.02           |
| EAS-US                     | 2026-07-29 01:00:00 | 14.83           | 43.19                         | 0.15    | 6.86          | 9.28                    | 3.28            | 0.02           |
| EAS-US                     | 2026-07-29 01:15:00 | 14.80           | 42.64                         | 0.23    | 6.89          | 9.27                    | 3.19            | 0.02           |
| EAS-US                     | 2026-07-29 01:30:00 | 14.77           | 42.25                         | 0.24    | 6.90          | 9.27                    | 3.20            | 0.02           |
| EAS-US                     | 2026-07-29 01:45:00 | 14.74           | 41.77                         | 0.24    | 6.87          | 9.29                    | 3.17            | 0.02           |
| EAS-US                     | 2026-07-29 02:00:00 | 14.72           | 41.28                         | 0.15    | 6.89          | 9.31                    | 3.26            | 0.02           |
| EAS-US                     | 2026-07-29 02:15:00 | 14.70           | 40.74                         | 0.22    | 7.10          | 9.28                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-29 02:30:00 | 14.68           | 40.42                         | 0.23    | 7.09          | 9.30                    | 3.25            | 0.02           |
| EAS-US                     | 2026-07-29 02:45:00 | 14.65           | 39.98                         | 0.23    | 7.09          | 9.28                    | 3.36            | 0.02           |
| EAS-US                     | 2026-07-29 03:00:00 | 14.63           | 39.79                         | 0.15    | 6.81          | 9.30                    | 3.59            | 0.02           |
| EAS-US                     | 2026-07-29 03:15:00 | 14.60           | 39.41                         | 0.23    | 6.90          | 9.30                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-29 03:30:00 | 14.57           | 38.99                         | 0.23    | 6.91          | 9.33                    | 3.14            | 0.02           |
| EAS-US                     | 2026-07-29 03:45:00 | 14.53           | 38.63                         | 0.23    | 6.95          | 9.33                    | 3.08            | 0.02           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-29 04:00:00 | 14.50           | 38.34                         | 0.15    | 6.87          | 9.32                    | 3.08            | 0.02           |
| EAS-US                     | 2026-07-29 04:15:00 | 14.46           | 38.02                         | 0.23    | 7.10          | 9.36                    | 3.14            | 0.02           |
| EAS-US                     | 2026-07-29 04:30:00 | 14.42           | 37.84                         | 0.23    | 7.09          | 9.35                    | 3.14            | 0.02           |
| EAS-US                     | 2026-07-29 04:45:00 | 14.37           | 37.61                         | 0.22    | 7.09          | 9.33                    | 3.06            | 0.02           |
| EAS-US                     | 2026-07-29 05:00:00 | 14.33           | 37.48                         | 0.15    | 6.81          | 9.35                    | 3.02            | 0.02           |
| EAS-US                     | 2026-07-29 05:15:00 | 14.29           | 37.24                         | 0.24    | 6.90          | 9.36                    | 3.07            | 0.02           |
| EAS-US                     | 2026-07-29 05:30:00 | 14.25           | 37.14                         | 0.25    | 6.87          | 9.37                    | 3.32            | 0.02           |
| EAS-US                     | 2026-07-29 05:45:00 | 14.22           | 36.97                         | 0.24    | 6.93          | 9.41                    | 3.03            | 0.02           |
| EAS-US                     | 2026-07-29 06:00:00 | 14.18           | 36.91                         | 0.14    | 6.85          | 9.40                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-29 06:15:00 | 14.14           | 36.69                         | 0.22    | 7.09          | 9.40                    | 3.05            | 0.02           |
| EAS-US                     | 2026-07-29 06:30:00 | 14.11           | 36.57                         | 0.23    | 7.09          | 9.43                    | 3.07            | 0.02           |
| EAS-US                     | 2026-07-29 06:45:00 | 14.08           | 36.47                         | 0.23    | 7.08          | 9.44                    | 3.06            | 0.02           |
| EAS-US                     | 2026-07-29 07:00:00 | 14.06           | 36.39                         | 0.16    | 6.84          | 9.45                    | 3.17            | 0.02           |
| EAS-US                     | 2026-07-29 07:15:00 | 14.03           | 36.23                         | 0.23    | 6.86          | 9.45                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-29 07:30:00 | 14.01           | 36.11                         | 0.23    | 6.91          | 9.43                    | 3.00            | 0.02           |
| EAS-US                     | 2026-07-29 07:45:00 | 13.99           | 36.06                         | 0.24    | 6.93          | 9.45                    | 3.00            | 0.02           |
| EAS-US                     | 2026-07-29 08:00:00 | 13.98           | 36.05                         | 0.15    | 6.86          | 9.45                    | 3.09            | 0.02           |
| EAS-US                     | 2026-07-29 08:15:00 | 13.98           | 36.00                         | 0.23    | 7.09          | 9.47                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-29 08:30:00 | 13.98           | 35.86                         | 0.24    | 7.09          | 9.48                    | 3.03            | 0.02           |
| EAS-US                     | 2026-07-29 08:45:00 | 14.00           | 35.81                         | 0.23    | 7.09          | 9.50                    | 3.12            | 0.02           |
| EAS-US                     | 2026-07-29 09:00:00 | 14.03           | 35.75                         | 0.15    | 6.81          | 9.47                    | 3.03            | 0.02           |
| EAS-US                     | 2026-07-29 09:15:00 | 14.08           | 35.64                         | 0.23    | 6.87          | 9.51                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-29 09:30:00 | 14.11           | 35.81                         | 0.24    | 6.90          | 9.50                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-29 09:45:00 | 14.14           | 35.62                         | 0.24    | 6.90          | 9.51                    | 3.06            | 0.02           |
| EAS-US                     | 2026-07-29 10:00:00 | 14.19           | 35.65                         | 0.15    | 6.87          | 9.49                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-29 10:15:00 | 14.24           | 35.67                         | 0.24    | 7.08          | 9.47                    | 3.09            | 0.02           |
| EAS-US                     | 2026-07-29 10:30:00 | 14.32           | 35.57                         | 0.24    | 7.10          | 9.50                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-29 10:45:00 | 14.46           | 35.46                         | 0.23    | 7.12          | 9.52                    | 3.11            | 0.02           |
| EAS-US                     | 2026-07-29 11:00:00 | 14.68           | 35.48                         | 0.15    | 6.85          | 9.49                    | 3.08            | 0.02           |
| EAS-US                     | 2026-07-29 11:15:00 | 14.88           | 35.37                         | 0.23    | 6.93          | 9.49                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-29 11:30:00 | 15.05           | 35.32                         | 0.23    | 6.94          | 9.48                    | 3.26            | 0.02           |
| EAS-US                     | 2026-07-29 11:45:00 | 15.27           | 35.27                         | 0.24    | 6.95          | 9.46                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-29 12:00:00 | 15.52           | 35.25                         | 0.15    | 6.94          | 9.45                    | 3.08            | 0.02           |
| EAS-US                     | 2026-07-29 12:15:00 | 15.66           | 35.20                         | 0.24    | 7.14          | 9.41                    | 3.06            | 0.02           |
| EAS-US                     | 2026-07-29 12:30:00 | 15.71           | 35.23                         | 0.24    | 7.14          | 9.38                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-29 12:45:00 | 15.80           | 35.23                         | 0.23    | 7.13          | 9.33                    | 3.12            | 0.02           |
| EAS-US                     | 2026-07-29 13:00:00 | 15.89           | 35.31                         | 0.15    | 6.88          | 9.28                    | 3.24            | 0.02           |
| EAS-US                     | 2026-07-29 13:15:00 | 15.97           | 35.29                         | 0.23    | 6.92          | 9.23                    | 3.15            | 0.02           |
| EAS-US                     | 2026-07-29 13:30:00 | 16.07           | 35.29                         | 0.24    | 6.91          | 9.19                    | 3.19            | 0.02           |
| EAS-US                     | 2026-07-29 13:45:00 | 16.18           | 35.34                         | 0.24    | 6.94          | 9.16                    | 3.22            | 0.02           |
| EAS-US                     | 2026-07-29 14:00:00 | 16.25           | 35.38                         | 0.16    | 6.90          | 9.12                    | 3.15            | 0.02           |
| EAS-US                     | 2026-07-29 14:15:00 | 16.35           | 35.41                         | 0.23    | 7.11          | 9.08                    | 3.15            | 0.02           |
| EAS-US                     | 2026-07-29 14:30:00 | 16.44           | 35.40                         | 0.24    | 7.13          | 9.06                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-29 14:45:00 | 16.54           | 35.45                         | 0.23    | 7.12          | 9.04                    | 3.17            | 0.02           |
| EAS-US                     | 2026-07-29 15:00:00 | 16.65           | 35.57                         | 0.16    | 6.84          | 9.01                    | 3.33            | 0.02           |
| EAS-US                     | 2026-07-29 15:15:00 | 16.71           | 35.48                         | 0.23    | 6.92          | 8.98                    | 3.38            | 0.02           |
| EAS-US                     | 2026-07-29 15:30:00 | 16.74           | 35.52                         | 0.23    | 6.96          | 8.96                    | 3.27            | 0.02           |
| EAS-US                     | 2026-07-29 15:45:00 | 16.81           | 35.52                         | 0.24    | 6.90          | 8.96                    | 3.37            | 0.02           |
| EAS-US                     | 2026-07-29 16:00:00 | 16.87           | 35.60                         | 0.15    | 6.89          | 8.96                    | 3.24            | 0.02           |
| EAS-US                     | 2026-07-29 16:15:00 | 16.90           | 35.61                         | 0.24    | 7.11          | 8.95                    | 3.09            | 0.02           |
| EAS-US                     | 2026-07-29 16:30:00 | 16.89           | 35.63                         | 0.22    | 7.11          | 8.93                    | 3.31            | 0.02           |
| EAS-US                     | 2026-07-29 16:45:00 | 16.85           | 35.66                         | 0.22    | 7.12          | 8.92                    | 3.12            | 0.02           |
| EAS-US                     | 2026-07-29 17:00:00 | 16.81           | 35.77                         | 0.16    | 6.83          | 8.91                    | 3.25            | 0.02           |
| EAS-US                     | 2026-07-29 17:15:00 | 16.75           | 35.76                         | 0.24    | 6.90          | 8.93                    | 3.19            | 0.02           |
| EAS-US                     | 2026-07-29 17:30:00 | 16.71           | 35.84                         | 0.24    | 6.88          | 8.92                    | 3.19            | 0.02           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-29 17:45:00 | 16.61           | 35.90                         | 0.24    | 6.86          | 8.90                    | 3.19            | 0.02           |
| EAS-US                     | 2026-07-29 18:00:00 | 16.49           | 36.03                         | 0.15    | 6.84          | 8.91                    | 3.12            | 0.02           |
| EAS-US                     | 2026-07-29 18:15:00 | 16.39           | 36.07                         | 0.23    | 7.08          | 8.92                    | 3.44            | 0.02           |
| EAS-US                     | 2026-07-29 18:30:00 | 16.28           | 36.14                         | 0.23    | 7.07          | 8.90                    | 3.09            | 0.02           |
| EAS-US                     | 2026-07-29 18:45:00 | 16.18           | 36.18                         | 0.23    | 7.07          | 8.91                    | 3.11            | 0.02           |
| EAS-US                     | 2026-07-29 19:00:00 | 16.10           | 36.29                         | 0.16    | 6.81          | 8.91                    | 3.11            | 0.02           |
| EAS-US                     | 2026-07-29 19:15:00 | 16.03           | 36.33                         | 0.24    | 6.83          | 8.91                    | 3.06            | 0.02           |
| EAS-US                     | 2026-07-29 19:30:00 | 15.96           | 36.39                         | 0.24    | 6.86          | 8.92                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-29 19:45:00 | 15.90           | 36.41                         | 0.25    | 6.83          | 8.93                    | 3.37            | 0.02           |
| EAS-US                     | 2026-07-29 20:00:00 | 15.84           | 36.47                         | 0.16    | 6.80          | 8.93                    | 3.08            | 0.02           |
| EAS-US                     | 2026-07-29 20:15:00 | 15.80           | 36.46                         | 0.23    | 7.06          | 8.94                    | 3.07            | 0.02           |
| EAS-US                     | 2026-07-29 20:30:00 | 15.75           | 36.48                         | 0.23    | 7.02          | 8.95                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-29 20:45:00 | 15.70           | 36.54                         | 0.24    | 7.05          | 8.95                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-29 21:00:00 | 15.66           | 36.61                         | 0.16    | 6.77          | 8.96                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-29 21:15:00 | 15.62           | 36.63                         | 0.24    | 6.82          | 8.97                    | 3.05            | 0.02           |
| EAS-US                     | 2026-07-29 21:30:00 | 15.58           | 36.59                         | 0.24    | 6.83          | 8.97                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-29 21:45:00 | 15.53           | 36.59                         | 0.24    | 6.83          | 8.97                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-29 22:00:00 | 15.49           | 36.62                         | 0.16    | 6.82          | 8.97                    | 3.06            | 0.02           |
| EAS-US                     | 2026-07-29 22:15:00 | 15.45           | 36.56                         | 0.23    | 7.05          | 8.97                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-29 22:30:00 | 15.41           | 36.54                         | 0.22    | 7.04          | 8.99                    | 3.09            | 0.02           |
| EAS-US                     | 2026-07-29 22:45:00 | 15.37           | 36.55                         | 0.23    | 7.04          | 9.01                    | 3.07            | 0.02           |
| EAS-US                     | 2026-07-29 23:00:00 | 15.34           | 36.59                         | 0.16    | 6.75          | 9.00                    | 3.09            | 0.02           |
| EAS-US                     | 2026-07-29 23:15:00 | 15.30           | 36.54                         | 0.24    | 6.83          | 9.01                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-29 23:30:00 | 15.28           | 36.57                         | 0.24    | 6.76          | 8.98                    | 3.16            | 0.02           |
| EAS-US                     | 2026-07-29 23:45:00 | 15.24           | 36.52                         | 0.24    | 6.82          | 9.03                    | 3.08            | 0.02           |
| EAS-US                     | 2026-07-30 00:00:00 | 15.21           | 36.55                         | 0.16    | 6.82          | 9.00                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-30 00:15:00 | 15.18           | 36.61                         | 0.23    | 7.05          | 9.02                    | 3.16            | 0.02           |
| EAS-US                     | 2026-07-30 00:30:00 | 15.16           | 36.51                         | 0.22    | 7.05          | 8.98                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-30 00:45:00 | 15.13           | 36.59                         | 0.23    | 7.04          | 9.00                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-30 01:00:00 | 15.10           | 36.56                         | 0.16    | 6.78          | 9.04                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-30 01:15:00 | 15.06           | 36.47                         | 0.23    | 6.88          | 9.05                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-30 01:30:00 | 15.03           | 36.45                         | 0.24    | 6.84          | 8.98                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-30 01:45:00 | 15.00           | 36.45                         | 0.25    | 6.81          | 9.02                    | 3.03            | 0.02           |
| EAS-US                     | 2026-07-30 02:00:00 | 14.97           | 36.53                         | 0.15    | 6.80          | 9.05                    | 3.02            | 0.02           |
| EAS-US                     | 2026-07-30 02:15:00 | 14.94           | 36.44                         | 0.23    | 7.06          | 9.08                    | 3.10            | 0.02           |
| EAS-US                     | 2026-07-30 02:30:00 | 14.90           | 36.50                         | 0.23    | 7.05          | 9.06                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-30 02:45:00 | 14.87           | 36.42                         | 0.23    | 7.06          | 9.09                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-30 03:00:00 | 14.84           | 36.39                         | 0.16    | 6.76          | 9.09                    | 3.19            | 0.02           |
| EAS-US                     | 2026-07-30 03:15:00 | 14.81           | 36.31                         | 0.24    | 6.83          | 9.10                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-30 03:30:00 | 14.78           | 36.31                         | 0.25    | 6.80          | 9.12                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-30 03:45:00 | 14.74           | 36.29                         | 0.24    | 6.84          | 9.13                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-30 04:00:00 | 14.71           | 36.36                         | 0.16    | 6.82          | 9.14                    | 3.02            | 0.02           |
| EAS-US                     | 2026-07-30 04:15:00 | 14.67           | 36.26                         | 0.24    | 7.06          | 9.17                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-30 04:30:00 | 14.63           | 36.21                         | 0.24    | 7.06          | 9.17                    | 3.02            | 0.02           |
| EAS-US                     | 2026-07-30 04:45:00 | 14.59           | 36.23                         | 0.23    | 7.06          | 9.19                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-30 05:00:00 | 14.54           | 36.21                         | 0.16    | 6.76          | 9.15                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-30 05:15:00 | 14.51           | 36.17                         | 0.24    | 6.82          | 9.19                    | 3.04            | 0.02           |
| EAS-US                     | 2026-07-30 05:30:00 | 14.47           | 36.11                         | 0.24    | 6.85          | 9.20                    | 3.00            | 0.02           |
| EAS-US                     | 2026-07-30 05:45:00 | 14.43           | 36.07                         | 0.24    | 6.84          | 9.22                    | 2.86            | 0.02           |
| EAS-US                     | 2026-07-30 06:00:00 | 14.38           | 36.19                         | 0.16    | 6.82          | 9.24                    | 2.98            | 0.02           |
| EAS-US                     | 2026-07-30 06:15:00 | 14.35           | 36.08                         | 0.23    | 7.05          | 9.24                    | 2.97            | 0.02           |
| EAS-US                     | 2026-07-30 06:30:00 | 14.32           | 35.99                         | 0.24    | 7.07          | 9.27                    | 2.93            | 0.02           |
| EAS-US                     | 2026-07-30 06:45:00 | 14.29           | 35.94                         | 0.24    | 7.06          | 9.29                    | 2.98            | 0.02           |
| EAS-US                     | 2026-07-30 07:00:00 | 14.26           | 35.92                         | 0.16    | 6.80          | 9.29                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-30 07:15:00 | 14.25           | 35.83                         | 0.25    | 6.85          | 9.32                    | 2.94            | 0.02           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-30 07:30:00 | 14.24           | 35.76                         | 0.24    | 6.84          | 9.32                    | 2.97            | 0.02           |
| EAS-US                     | 2026-07-30 07:45:00 | 14.25           | 35.70                         | 0.25    | 6.88          | 9.36                    | 2.98            | 0.02           |
| EAS-US                     | 2026-07-30 08:00:00 | 14.26           | 35.69                         | 0.16    | 6.85          | 9.39                    | 2.98            | 0.02           |
| EAS-US                     | 2026-07-30 08:15:00 | 14.28           | 35.61                         | 0.24    | 7.08          | 9.37                    | 2.91            | 0.02           |
| EAS-US                     | 2026-07-30 08:30:00 | 14.30           | 35.57                         | 0.24    | 7.07          | 9.38                    | 2.96            | 0.02           |
| EAS-US                     | 2026-07-30 08:45:00 | 14.34           | 35.46                         | 0.24    | 7.09          | 9.43                    | 2.92            | 0.02           |
| EAS-US                     | 2026-07-30 09:00:00 | 14.37           | 35.43                         | 0.17    | 6.80          | 9.44                    | 2.94            | 0.02           |
| EAS-US                     | 2026-07-30 09:15:00 | 14.41           | 35.34                         | 0.24    | 6.86          | 9.46                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-30 09:30:00 | 14.45           | 35.28                         | 0.25    | 6.86          | 9.45                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-30 09:45:00 | 14.49           | 35.22                         | 0.24    | 6.90          | 9.46                    | 2.92            | 0.02           |
| EAS-US                     | 2026-07-30 10:00:00 | 14.53           | 35.27                         | 0.16    | 6.90          | 9.45                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-30 10:15:00 | 14.56           | 35.26                         | 0.24    | 7.12          | 9.41                    | 2.99            | 0.02           |
| EAS-US                     | 2026-07-30 10:30:00 | 14.61           | 35.34                         | 0.24    | 7.11          | 9.40                    | 2.98            | 0.02           |
| EAS-US                     | 2026-07-30 10:45:00 | 14.74           | 35.64                         | 0.23    | 7.11          | 9.44                    | 3.82            | 0.02           |
| EAS-US                     | 2026-07-30 11:00:00 | 14.86           | 35.54                         | 0.16    | 6.83          | 9.35                    | 3.49            | 0.02           |
| EAS-US                     | 2026-07-30 11:15:00 | 15.02           | 35.31                         | 0.24    | 6.88          | 9.40                    | 3.09            | 0.02           |
| EAS-US                     | 2026-07-30 11:30:00 | 15.12           | 35.27                         | 0.24    | 6.98          | 9.45                    | 2.97            | 0.02           |
| EAS-US                     | 2026-07-30 11:45:00 | 15.29           | 35.22                         | 0.24    | 6.84          | 9.46                    | 3.05            | 0.02           |
| EAS-US                     | 2026-07-30 12:00:00 | 15.65           | 35.19                         | 0.16    | 6.93          | 9.44                    | 3.13            | 0.02           |
| EAS-US                     | 2026-07-30 12:15:00 | 15.93           | 35.25                         | 0.23    | 7.11          | 9.37                    | 3.06            | 0.02           |
| EAS-US                     | 2026-07-30 12:30:00 | 16.07           | 35.29                         | 0.23    | 7.15          | 9.36                    | 3.01            | 0.02           |
| EAS-US                     | 2026-07-30 12:45:00 | 15.99           | 35.36                         | 0.16    | 7.07          | 9.30                    | 3.79            | 0.02           |
| EAS-US                     | 2026-07-30 13:00:00 | 16.06           | 22.74                         | 0.37    | 6.82          | 9.35                    | 6.80            | 0.01           |
| EAS-US                     | 2026-07-30 13:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 13:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 13:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 14:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 14:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 14:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 14:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 15:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 15:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 15:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 15:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 16:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 16:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 16:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 16:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 17:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 17:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 17:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 17:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 18:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 18:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 18:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 18:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 19:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 19:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 19:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 19:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 20:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 20:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 20:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 20:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 21:00:00 |                 |                               |         |               |                         |                 |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-30 21:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 21:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 21:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 22:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 22:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 22:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 22:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 23:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 23:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 23:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-30 23:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 00:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 00:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 00:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 00:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 01:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 01:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 01:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 01:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 02:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 02:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 02:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 02:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 03:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 03:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 03:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 03:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 04:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 04:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 04:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 04:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 05:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 05:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 05:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 05:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 06:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 06:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 06:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 06:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 07:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 07:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 07:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 07:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 08:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 08:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 08:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 08:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 09:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 09:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 09:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 09:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 10:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 10:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 10:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 10:45:00 |                 |                               |         |               |                         |                 |                |


| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-07-31 11:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 11:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 11:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 11:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 12:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 12:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 12:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 12:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 13:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 13:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 13:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 13:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 14:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 14:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 14:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 14:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 15:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 15:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 15:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 15:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 16:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 16:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 16:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 16:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 17:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 17:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 17:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 17:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 18:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 18:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 18:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 18:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 19:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 19:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 19:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 19:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 20:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 20:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 20:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 20:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 21:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 21:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 21:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 21:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 22:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 22:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 22:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 22:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 23:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 23:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 23:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-07-31 23:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 00:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 00:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 00:30:00 |                 |                               |         |               |                         |                 |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-08-01 00:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 01:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 01:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 01:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 01:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 02:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 02:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 02:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 02:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 03:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 03:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 03:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 03:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 04:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 04:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 04:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 04:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 05:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 05:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 05:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 05:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 06:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 06:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 06:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 06:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 07:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 07:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 07:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 07:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 08:00:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 08:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 08:30:00 | 15.48           | 121.28                        | 0.37    | 7.34          | 9.59                    | 14.13           | 0.06           |
| EAS-US                     | 2026-08-01 08:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 09:00:00 | 15.53           | 120.29                        | 0.38    | 7.36          | 9.60                    | 15.37           | 0.06           |
| EAS-US                     | 2026-08-01 09:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 09:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 09:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 10:00:00 | 15.63           | 89.75                         | 0.39    | 7.38          | 9.68                    | 13.77           | 0.04           |
| EAS-US                     | 2026-08-01 10:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 10:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 10:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 11:00:00 | 15.80           | 79.34                         | 0.40    | 7.39          | 9.72                    | 12.92           | 0.04           |
| EAS-US                     | 2026-08-01 11:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 11:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 11:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 12:00:00 | 16.54           | 59.24                         | 0.39    | 7.41          | 9.74                    | 10.47           | 0.03           |
| EAS-US                     | 2026-08-01 12:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 12:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 12:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 13:00:00 | 16.62           | 46.01                         | 0.39    | 7.38          | 9.60                    | 10.09           | 0.02           |
| EAS-US                     | 2026-08-01 13:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 13:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 13:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 14:00:00 | 16.84           | 38.28                         | 0.40    | 7.34          | 9.36                    | 9.72            | 0.02           |
| EAS-US                     | 2026-08-01 14:15:00 |                 |                               |         |               |                         |                 |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-08-01 14:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 14:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 15:00:00 | 17.14           | 33.22                         | 0.39    | 7.36          | 9.44                    | 9.68            | 0.01           |
| EAS-US                     | 2026-08-01 15:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 15:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 15:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 16:00:00 | 17.38           | 31.32                         | 0.40    | 7.33          | 9.37                    | 9.96            | 0.01           |
| EAS-US                     | 2026-08-01 16:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 16:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 16:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 17:00:00 | 16.83           | 30.62                         | 0.40    | 7.31          | 9.34                    | 9.73            | 0.01           |
| EAS-US                     | 2026-08-01 17:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 17:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 17:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 18:00:00 | 16.50           | 30.16                         | 0.40    | 7.27          | 9.40                    | 9.89            | 0.01           |
| EAS-US                     | 2026-08-01 18:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 18:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 18:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 19:00:00 | 16.19           | 30.04                         | 0.41    | 7.25          | 9.35                    | 9.63            | 0.01           |
| EAS-US                     | 2026-08-01 19:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 19:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 19:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 20:00:00 | 15.89           | 29.87                         | 0.41    | 7.23          | 9.36                    | 9.53            | 0.01           |
| EAS-US                     | 2026-08-01 20:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 20:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 20:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 21:00:00 | 15.64           | 29.63                         | 0.41    | 7.22          | 9.40                    | 9.60            | 0.01           |
| EAS-US                     | 2026-08-01 21:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 21:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 21:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 22:00:00 | 15.43           | 29.31                         | 0.42    | 7.21          | 9.47                    | 9.58            | 0.01           |
| EAS-US                     | 2026-08-01 22:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 22:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 22:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 23:00:00 | 15.25           | 28.91                         | 0.42    | 7.21          | 9.52                    | 9.66            | 0.01           |
| EAS-US                     | 2026-08-01 23:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 23:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-01 23:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 00:00:00 | 15.10           | 31.51                         | 0.42    | 7.21          | 9.59                    | 10.38           | 0.01           |
| EAS-US                     | 2026-08-02 00:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 00:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 00:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 01:00:00 | 14.98           | 50.87                         | 0.42    | 7.23          | 9.64                    | 9.64            | 0.02           |
| EAS-US                     | 2026-08-02 01:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 01:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 01:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 02:00:00 | 14.91           | 60.57                         | 0.42    | 7.26          | 9.63                    | 9.71            | 0.03           |
| EAS-US                     | 2026-08-02 02:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 02:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 02:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 03:00:00 | 14.82           | 48.73                         | 0.42    | 7.27          | 9.66                    | 10.00           | 0.02           |
| EAS-US                     | 2026-08-02 03:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 03:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 03:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 04:00:00 | 14.73           | 41.16                         | 0.42    | 7.26          | 9.67                    | 9.83            | 0.02           |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-08-02 04:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 04:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 04:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 05:00:00 | 14.65           | 36.40                         | 0.42    | 7.25          | 9.69                    | 9.61            | 0.02           |
| EAS-US                     | 2026-08-02 05:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 05:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 05:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 06:00:00 | 14.58           | 33.27                         | 0.43    | 7.24          | 9.72                    | 9.62            | 0.01           |
| EAS-US                     | 2026-08-02 06:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 06:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 06:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 07:00:00 | 14.53           | 31.31                         | 0.43    | 7.23          | 9.77                    | 9.54            | 0.01           |
| EAS-US                     | 2026-08-02 07:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 07:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 07:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 08:00:00 | 14.51           | 29.87                         | 0.43    | 7.25          | 9.84                    | 9.55            | 0.01           |
| EAS-US                     | 2026-08-02 08:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 08:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 08:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 09:00:00 | 14.62           | 28.88                         | 0.42    | 7.27          | 9.92                    | 9.48            | 0.01           |
| EAS-US                     | 2026-08-02 09:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 09:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 09:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 10:00:00 | 14.78           | 28.25                         | 0.42    | 7.29          | 9.98                    | 9.66            | 0.01           |
| EAS-US                     | 2026-08-02 10:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 10:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 10:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 11:00:00 | 14.83           | 28.11                         | 0.42    | 7.27          | 9.91                    | 9.65            | 0.01           |
| EAS-US                     | 2026-08-02 11:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 11:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 11:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 12:00:00 | 14.94           | 27.80                         | 0.42    | 7.28          | 9.87                    | 9.94            | 0.01           |
| EAS-US                     | 2026-08-02 12:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 12:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 12:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 13:00:00 | 15.18           | 27.39                         | 0.41    | 7.31          | 9.96                    | 9.79            | 0.01           |
| EAS-US                     | 2026-08-02 13:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 13:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 13:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 14:00:00 | 15.79           | 29.27                         | 0.41    | 7.31          | 9.83                    | 9.78            | 0.01           |
| EAS-US                     | 2026-08-02 14:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 14:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 14:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 15:00:00 | 16.15           | 31.97                         | 0.41    | 7.31          | 9.72                    | 9.81            | 0.01           |
| EAS-US                     | 2026-08-02 15:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 15:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 15:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 16:00:00 | 16.14           | 29.40                         | 0.41    | 7.29          | 9.65                    | 9.97            | 0.01           |
| EAS-US                     | 2026-08-02 16:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 16:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 16:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 17:00:00 | 16.06           | 28.51                         | 0.42    | 7.27          | 9.59                    | 9.90            | 0.01           |
| EAS-US                     | 2026-08-02 17:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 17:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 17:45:00 |                 |                               |         |               |                         |                 |                |

| Woodfibre LNG (East Creek) |                     |                 |                               |         |               |                         |                 |                |
|----------------------------|---------------------|-----------------|-------------------------------|---------|---------------|-------------------------|-----------------|----------------|
| Station                    | Date/Time           | Temperature (C) | Specific Conductivity (µS/cm) | ORP (V) | pH (pH units) | Dissolved Oxygen (mg/L) | Turbidity (NTU) | Salinity (PSU) |
| EAS-US                     | 2026-08-02 18:00:00 | 15.97           | 28.38                         | 0.42    | 7.24          | 9.53                    | 9.85            | 0.01           |
| EAS-US                     | 2026-08-02 18:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 18:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 18:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 19:00:00 | 15.74           | 28.42                         | 0.42    | 7.22          | 9.50                    | 9.82            | 0.01           |
| EAS-US                     | 2026-08-02 19:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 19:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 19:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 20:00:00 | 15.53           | 28.39                         | 0.43    | 7.22          | 9.51                    | 9.77            | 0.01           |
| EAS-US                     | 2026-08-02 20:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 20:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 20:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 21:00:00 | 15.32           | 28.37                         | 0.43    | 7.20          | 9.53                    | 9.70            | 0.01           |
| EAS-US                     | 2026-08-02 21:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 21:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 21:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 22:00:00 | 15.14           | 28.28                         | 0.43    | 7.20          | 9.56                    | 9.83            | 0.01           |
| EAS-US                     | 2026-08-02 22:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 22:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 22:45:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 23:00:00 | 14.98           | 28.21                         | 0.43    | 7.20          | 9.61                    | 9.68            | 0.01           |
| EAS-US                     | 2026-08-02 23:15:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 23:30:00 |                 |                               |         |               |                         |                 |                |
| EAS-US                     | 2026-08-02 23:45:00 |                 |                               |         |               |                         |                 |                |



|                                                                                                                                                                                      |                |                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
|  <b>Eagle Mountain – Woodfibre Gas Pipeline Project<br/>Waste Discharge Permit PE-110163 Report</b> | Reporting Week | July 27 to<br>August 02, 2026 |
|                                                                                                                                                                                      | Report #       | 123                           |
|                                                                                                                                                                                      | Appendix E     | E-1                           |

Appendix E:  
Lab Documentation



# RESULTS OF *DAPHNIA MAGNA* LC50 MULTI-CONCENTRATION

**Client :** 12239 Fortis BC Energy Inc, Surrey **Job Number:** C647451  
**Client Project Name & Number:** WOODFIBRE PIPELINE PROJECT FORTIS11234/PE110163 **Sample Number:** EJR370-17

## Test Result:

**48 hrs LC50 % vol/vol (95% CL):** >100% (N/A) **Statistical Method:** Visual

**Sample Name :** WLNG -EOP

**Description:** Clear, colourless **Sample Prior to Analysis:**  
**Sample Collected:** Jul 28, 2026 08:30 AM **Sampling Method :** N/A **pH:** 7.6  
**Sample Collected By:** JMP **Site Collection:** N/A **Temperature :** 21 °C  
**Sample Received:** Jul 28, 2026 05:21 PM **Volume Received:** 5 x ECO10 **Dissolved Oxygen:** 9.9 mg/L  
**Analysis Start :** Jul 29, 2026 03:28 PM **Avg Temp Arrival:** 11 °C **Sample Conductance:** 178 µS/cm  
**End :** Jul 31, 2026 03:23 PM **Storage:** 2-6°C **Hardness:** 68 mg CaCO<sub>3</sub>/L

| Concentration | Temperature (°C) | Temperature (°C) | Dissolved Oxygen (mg/L) | Dissolved Oxygen (mg/L) | pH      | pH     | Conductivity (uS/cm) | Mortality (#) | Mortality (%) | Immobilty (#) |
|---------------|------------------|------------------|-------------------------|-------------------------|---------|--------|----------------------|---------------|---------------|---------------|
| % vol/vol     | Initial          | 48 hrs           | Initial                 | 48 hrs                  | Initial | 48 hrs | Initial              | 48 hrs        | 48 hrs        | 48 hrs        |
| 0             | 19               | 19               | 9.1                     | 8.8                     | 8.1     | 7.9    | 338                  | 0             | 0             | 0             |
| 6.25          | 19               | 19               | 9.1                     | 8.8                     | 8.1     | 8.0    | 323                  | 0             | 0             | 0             |
| 12.5          | 19               | 19               | 9.1                     | 8.9                     | 8.1     | 8.0    | 317                  | 0             | 0             | 0             |
| 25            | 19               | 19               | 9.1                     | 8.9                     | 8.0     | 8.0    | 288                  | 0             | 0             | 0             |
| 50            | 20               | 19               | 9.2                     | 8.9                     | 7.9     | 8.0    | 231                  | 0             | 0             | 0             |
| 100           | 20               | 19               | 9.4                     | 8.9                     | 7.8     | 7.9    | 181                  | 0             | 0             | 5             |

## Comments :

**Culture/Control/Dilution Water:** Reconstituted Water-Moderately Hard  
**Hardness:** 100 mg/L CaCO<sub>3</sub> Other parameters available on request.

**Test Conditions** Test concentration : 0,6.25,12.5,25,50,100 (% vol/vol)  
**Organisms per Vessel :** 10 **Pre-aeration Time :** 30 min **Rate of Pre-aeration :** 25-50 mL/(min\*L)  
**Total # of Organisms Used :** 60 **Test Temperature :** 20 ± 2 °C **Test Hardness Adjusted :** No  
**Test Volume :** 185 mL **Vessel Volume :** 200 mL **Test pH Adjusted:** No  
**Loading Density :** 18.5 mL/Daphnia **Photoperiod :** 16:8 (light: dark)

**Test Organism :** *Daphnia magna* **Source :** Aquatic Biosystems  
**Age at Test Initiation :** <24 hrs **Average Brood Size :** 21.6  
**Culture Photoperiod :** 16:8 (light: dark) **% Mortality within 7 days :** 0  
**Culture Temperature :** 20 ± 2 °C **Time To First Brood :** 7 Days  
**Culture Diet** 4 mL algae + 1 mL YCT; Sun. 2 mL algae + 0.5 mL YCT.

**Reference chemical:** Zinc **Test Date:** Aug 04, 2026  
**Test Endpoint 48 hrs LC50 (95% confidence interval) :** 0.82 (0.60, 1.28)mg/L **Statistical Method :** Probit  
**Historical Mean LC50 (warning limits) :** 0.60 (0.17, 2.10) mg/L **Concentration :** 0,0.05,0.1,0.5,1,5,10 mg/L

**Test Method** BV Labs' BBY2SOP-00007 is based on the latest version of EPS 1/RM/14.

**Method Deviations:** None.

**Note:** The results contained in this report refer only to the testing of the sample submitted. Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation, including the toxicity parameters reported herein. The conductivity, dissolved oxygen and pH data contained within the toxicity report are provided for information purposes and are not individually accredited parameters. This report may not be reproduced, except in its entirety, without the written approval of the laboratory.

**Analyst :** Jessica Hirschbold

**Verified By :** Melissa Thompson, Scientist

**Date:** Aug 11, 2026 09:00 AM



# RESULTS OF RAINBOW TROUT LC50 MULTI-CONCENTRATION

**Client :** 12239 Fortis BC Energy Inc, Surrey **Job Number:** C647451  
**Client Project Name & Number:** WOODFIBRE PIPELINE PROJECT FORTIS11234/PE110163

## Test Result:

**96 hrs LC50 % vol/vol (95% CL):** >100% (N/A) **Statistical Method:** Visual

**Sample Name :** WLNG -EOP

**Description:** Clear, colorless **Sample Number:** EJ370-17  
**Sample Collected:** Jul 28, 2026 08:30 AM **Sampling Method :** N/A **Site Collection:** N/A  
**Sample Collected By:** JMP **Volume Received:** 5 x ECO10 **Avg Temp Arrival:** 11 °C **Storage:** 2-6 °C  
**Sample Received:** Jul 28, 2026 05:21 PM **pH:** 7.5 **Dissolved Oxygen:** 10.0 mg/L  
**Analysis Start :** Jul 30, 2026 12:10 PM **Temperature :** 15 °C **Sample Conductance:** 186 µS/cm

| Concentration | Temperature (°C) | Temperature (°C) | Dissolved Oxygen (mg/L) | Dissolved Oxygen (mg/L) | pH      | pH     | Conductivity (uS/cm) | Mortality (#) | Mortality (%) | Atypical Behaviour (#) |
|---------------|------------------|------------------|-------------------------|-------------------------|---------|--------|----------------------|---------------|---------------|------------------------|
| % vol/vol     | Initial          | 96 hrs           | Initial                 | 96 hrs                  | Initial | 96 hrs | Initial              | 96 hrs        | 96 hrs        | 96 hrs                 |
| 0             | 15               | 15               | 10.0                    | 10.0                    | 7.5     | 7.6    | 52                   | 0             | 0             | 0                      |
| 6.25          | 15               | 14               | 10.2                    | 10.0                    | 7.7     | 7.6    | 68                   | 0             | 0             | 0                      |
| 12.5          | 15               | 15               | 10.1                    | 9.8                     | 7.8     | 7.6    | 73                   | 0             | 0             | 0                      |
| 25            | 15               | 15               | 10.1                    | 9.5                     | 7.7     | 7.5    | 91                   | 0             | 0             | 0                      |
| 50            | 15               | 15               | 10.1                    | 9.5                     | 7.7     | 7.5    | 127                  | 0             | 0             | 0                      |
| 100           | 15               | 15               | 10.0                    | 9.5                     | 7.6     | 7.6    | 186                  | 0             | 0             | 0                      |

**Comments :** All fish appeared and behaved normally at 24 hours, 48 hours, 72 hours, and 96 hours into testing.

## Culture/Control/Dilution Water

Burnaby Municipal Dechlorinated Water

**Hardness:** 25 mg/L CaCO<sub>3</sub> **Other parameters available on request.**

## Test Conditions

**Test concentration :** 0,6.25,12.5,25,50,100 (% vol/vol)

**Organisms per Vessel :** 10 **Test Temperature :** 15 ± 1 °C **Solution Depth :** >15 cm  
**Total # of Organisms Used :** 60 **Pre-aeration Time :** 30 min. **Rate of Aeration** 6.5±1 mL/(min\*L)  
**Test Volume :** 15 L **Vessel Volume :** 20L **Test pH Adjusted:** No  
**Loading Density :** 0.3 g/L **Photoperiod :** 16:8 (light: dark)

## Test Organism :

Rainbow Trout (*Oncorhynchus mykiss*) **Source :** Aqua Farm

**Culture Temperature :** 15 ± 2 °C **Weight (Mean) +- SD :** 0.5 ± 0.1 g **Length (Mean) +- SD :** 3.97 ± 0.25 cm  
**Culture Water Renewal :** ≥ 1L/min/kg fish **Weight (Range) :** 0.3 – 0.7 g **Length (Range) :** 3.50 – 4.30 cm  
**Culture Photoperiod :** 16:8 (light: dark) **% Mortality within 7 days :** 0%  
**Feeding rate and frequency :** daily: 1-5% biomass of trout. **Acclimation Time:** >14 days

## Reference chemical:

**Zinc** **Test Date:** Jul 23, 2026  
**Test Endpoint 96 hrs LC50 (95% confidence interval) :** 0.23 (0.17, 0.30)mg/L **Statistical Method :** Probit  
**Historical Mean LC50 (warning limits) :** 0.21 (0.12, 0.37) mg/L **Concentration :** 0,0.04,0.08,0.16,0.32,0.64 mg/L

## Test Method

BV Lab's BBY2SOP-00004 is based on the latest version of EPS 1/RM9 and EPS 1 /RM13.

**Method Deviations :** None.

**Note:** The results contained in this report refer only to the testing of the sample submitted. Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation, including the toxicity parameters reported herein. The conductivity, dissolved oxygen and pH data contained within the toxicity report are provided for information purposes and are not individually accredited parameters. This report may not be reproduced, except in its entirety, without the written approval of the laboratory.

**Analyst :** Donald Lai, Navpreet Shergill, Nayshan Blassnitz

**Verified By :** Melissa Thompson, Scientist

**Date:** Aug 11, 2026 08:22 AM



Your P.O. #: 4800010213  
 Your Project #: FORTIS11234/PE110163  
 Site Location: WOODFIBRE PIPELINE PROJECT  
 Your C.O.C. #: 136590

**Attention: Saeesh Mangwani**

HATFIELD CONSULTANTS  
 N. VANCOUVER  
 200-850 Harbourside Dr  
 North Vancouver, BC  
 Canada V7P 0A3

**Report Date: 2026/08/11**  
 Report #: R3815257  
 Version: 2 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C647451**

**Received: 2026/07/28, 17:21**

Sample Matrix: Water  
 # Samples Received: 6

| Analyses                                                           | Quantity | Date<br>Extracted | Date<br>Analyzed | Laboratory Method                | Analytical Method                 |
|--------------------------------------------------------------------|----------|-------------------|------------------|----------------------------------|-----------------------------------|
| Alkalinity @25C (pp, total), CO <sub>3</sub> ,HCO <sub>3</sub> ,OH | 6        | N/A               | 2026/07/30       | BBY6SOP-00026                    | SM 24 2320 B m                    |
| Chloride/Sulphate by Auto Colourimetry                             | 6        | N/A               | 2026/07/30       | BBY6SOP-00011 /<br>BBY6SOP-00017 | SM24-4500-Cl/SO <sub>4</sub> -E m |
| Chromium III (Calc'd)                                              | 6        | N/A               | 2026/08/04       |                                  |                                   |
| Total Hexavalent Chromium                                          | 6        | N/A               | 2026/07/31       | BBY6SOP-00054                    | SM 24 3500-Cr B m                 |
| Daphnia Magna LC50 Multi-concentration                             | 1        | N/A               | 2026/07/29       | BBY2SOP-00007                    | EC EPS 1/RM/14 R2                 |
| Carbon (DOC) -Lab Filtered (2)                                     | 6        | N/A               | 2026/07/30       | BBY6SOP-00053                    | SM 24 5310 B m                    |
| Fluoride                                                           | 6        | N/A               | 2026/07/31       | BBY6SOP-00037                    | SM 24 4500-F C m                  |
| Glycols in Water by GC/FID (1)                                     | 2        | N/A               | 2026/08/05       | CAL SOP-00093                    | BCMOE Glycols 09/17               |
| Sulphide (as H <sub>2</sub> S) (1)                                 | 5        | N/A               | 2026/08/04       |                                  | Auto Calc                         |
| Sulphide (as H <sub>2</sub> S) (1)                                 | 1        | N/A               | 2026/08/05       |                                  | Auto Calc                         |
| Un-ionized Hydrogen Sulphide as S Calc                             | 4        | N/A               | 2026/08/04       | BBY WI-00033                     | Auto Calc                         |
| Hardness Total (calculated as CaCO <sub>3</sub> ) (3)              | 6        | N/A               | 2026/08/04       | BBY WI-00033                     | Auto Calc                         |
| Hardness (calculated as CaCO <sub>3</sub> )                        | 6        | N/A               | 2026/08/04       | BBY WI-00033                     | Auto Calc                         |
| Mercury (Dissolved) by CV-Lab Filtered                             | 6        | 2026/07/29        | 2026/07/29       | BBY7SOP-00032                    | BCMOE LMAug2023 C m               |
| Mercury (Total) by CV                                              | 1        | 2026/07/29        | 2026/07/30       | BBY7SOP-00032                    | BCMOE LMAug2023 C m               |
| Mercury (Total) by CV                                              | 5        | 2026/07/30        | 2026/07/30       | BBY7SOP-00032                    | BCMOE LMAug2023 C m               |
| Bromide as Bromine (Br) by ICPMS                                   | 6        | N/A               | 2026/08/05       | BBY7SOP-00002                    | EPA 6020B R2 m                    |
| EPH in Water when PAH required                                     | 2        | 2026/07/31        | 2026/07/31       | BBY8SOP-00029                    | BCMOE BCLM Sep2017 m              |
| Na, K, Ca, Mg, S by CRC ICPMS (diss.)                              | 6        | N/A               | 2026/08/04       | BBY WI-00033                     | Auto Calc                         |
| Elements by ICPMS Low Level (lab filter) (4)                       | 6        | N/A               | 2026/07/31       | BBY7SOP-00002                    | EPA 6020b R2 m                    |
| Elements by ICPMS Digested LL (total)                              | 1        | 2026/07/30        | 2026/07/31       | BBY7SOP-00003 /<br>BBY7SOP-00002 | EPA 6020b R2 m                    |
| Na, K, Ca, Mg, S by CRC ICPMS (total)                              | 6        | N/A               | 2026/08/04       | BBY WI-00033                     | Auto Calc                         |
| Elements by ICPMS Low Level (total)                                | 5        | N/A               | 2026/07/31       | BBY7SOP-00002                    | EPA 6020b R2 m                    |
| Nitrogen (Total)                                                   | 6        | N/A               | 2026/08/05       | BBY6SOP-00016                    | SM 24 4500-N C m                  |
| Ammonia-N (Total)                                                  | 6        | N/A               | 2026/07/30       | AB SOP-00007                     | SM 24 4500 NH <sub>3</sub> A G m  |
| Nitrate + Nitrite (N)                                              | 6        | N/A               | 2026/07/29       | BBY6SOP-00010                    | SM 24 4500-NO <sub>3</sub> - H m  |
| Nitrite (N) Regular Level Water                                    | 6        | N/A               | 2026/07/29       | BBY6SOP-00010                    | SM 24 4500-NO <sub>2</sub> - m    |
| Nitrogen - Nitrate (as N)                                          | 6        | N/A               | 2026/07/30       | BBY WI-00033                     | Auto Calc                         |
| PAH in Water by GC/MS (SIM)                                        | 2        | 2026/07/31        | 2026/08/01       | BBY8SOP-00021                    | BCMOE BCLM Jul2017m               |

Your P.O. #: 4800010213  
 Your Project #: FORTIS11234/PE110163  
 Site Location: WOODFIBRE PIPELINE PROJECT  
 Your C.O.C. #: 136590

**Attention: Saeesh Mangwani**

HATFIELD CONSULTANTS  
 N. VANCOUVER  
 200-850 Harbourside Dr  
 North Vancouver, BC  
 Canada V7P 0A3

**Report Date: 2026/08/11**  
 Report #: R3815257  
 Version: 2 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C647451**

**Received: 2026/07/28, 17:21**

Sample Matrix: Water  
 # Samples Received: 6

| Analyses                               | Quantity | Date<br>Extracted | Date<br>Analyzed | Laboratory Method                                   | Analytical Method    |
|----------------------------------------|----------|-------------------|------------------|-----------------------------------------------------|----------------------|
| Total LMW, HMW, Total PAH Calc (5)     | 2        | N/A               | 2026/08/05       | BBY WI-00033                                        | Auto Calc            |
| pH @25°C (6)                           | 6        | N/A               | 2026/07/30       | BBY6SOP-00026                                       | SM 24 4500-H+ B m    |
| Phenols (4-AAP) (1)                    | 2        | N/A               | 2026/08/04       | AB SOP-00088                                        | EPA 9066 R0 m        |
| Rainbow Trout LC50 Multi-concentration | 1        | N/A               | 2026/07/30       | BBY2SOP-00004                                       | EPS1/RM/13(2nd)&RM/9 |
| Total Sulphide (1)                     | 5        | 2026/08/04        | 2026/08/04       | AB SOP-00080                                        | SM 24 4500 S2-A D Fm |
| Total Sulphide (1)                     | 1        | 2026/08/04        | 2026/08/05       | AB SOP-00080                                        | SM 24 4500 S2-A D Fm |
| Total Dissolved Solids (Filt. Residue) | 6        | 2026/07/29        | 2026/07/30       | BBY6SOP-00033                                       | SM 24 2540 C m       |
| EPH less PAH in Water by GC/FID (7)    | 2        | N/A               | 2026/08/05       | BBY WI-00033                                        | Auto Calc            |
| Carbon (Total Organic) (8)             | 6        | N/A               | 2026/07/30       | BBY6SOP-00053                                       | SM 24 5310 B m       |
| Total Phosphorus Low Level Total       | 6        | 2026/07/31        | 2026/08/04       | BBY6SOP-00013                                       | SM 24 4500-P E m     |
| Total Suspended Solids (NFR)           | 5        | 2026/07/29        | 2026/07/30       | BBY6SOP-00034                                       | SM 24 2540 D m       |
| Total Suspended Solids (NFR)           | 1        | 2026/07/30        | 2026/07/31       | BBY6SOP-00034                                       | SM 24 2540 D m       |
| Field pH                               | 4        | N/A               | 2026/07/29       | Field Test                                          | Field Test           |
| Field Temperature                      | 4        | N/A               | 2026/07/29       | Field Test                                          | Field Test           |
| VOCs, VH, F1, LH in Water by HS GC/MS  | 2        | N/A               | 2026/08/01       | BBY8SOP-00009 /<br>BBY8SOP-00011 /<br>BBY8SOP-00012 | BCMOE BCLM Jul2017 m |
| Volatile HC-BTEX (9)                   | 2        | N/A               | 2026/08/04       | BBY WI-00033                                        | Auto Calc            |

**Remarks:**

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the



Your P.O. #: 4800010213  
 Your Project #: FORTIS11234/PE110163  
 Site Location: WOODFIBRE PIPELINE PROJECT  
 Your C.O.C. #: 136590

**Attention: Saeesh Mangwani**

HATFIELD CONSULTANTS  
 N. VANCOUVER  
 200-850 Harbourside Dr  
 North Vancouver, BC  
 Canada V7P 0A3

**Report Date: 2026/08/11**  
 Report #: R3815257  
 Version: 2 - Final

**CERTIFICATE OF ANALYSIS**

**BUREAU VERITAS JOB #: C647451**

**Received: 2026/07/28, 17:21**  
 customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.  
 This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

- (1) This test was performed by Bureau Veritas Calgary, 4000 - 19 St. , Calgary, AB, T2E 6P8
- (2) DOC present in the sample should be considered as non-purgeable DOC. Dissolved > Total Imbalance: When applicable, Dissolved and Total results were reviewed and data quality meets acceptable levels unless otherwise noted.
- (3) "Total Hardness" was calculated from Total Ca and Mg concentrations and may be biased high (Hardness, or Dissolved Hardness, calculated from Dissolved Ca and Mg, should be used for compliance if available).
- (4) Samples were filtered and preserved at the lab. Values may not reflect concentrations at the time of sampling.  
 For Dissolved > Total Imbalance: When applicable, Dissolved and Total results were reviewed and data quality meets acceptable levels unless otherwise noted.
- (5) Total PAHs in Water include: Quinoline, Naphthalene, 1-Methylnaphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Anthracene, Acridine, Fluoranthene, Pyrene, Benzo(a)anthracene, Chrysene, Benzo(b&j)fluoranthene, Benzo(k)fluoranthene, Benzo(a)pyrene, Indeno(1,2,3-cd)pyrene, Dibenzo(a,h)anthracene, and Benzo(g,h,i)perylene.
- (6) The CCME method requires pH to be analysed within 15 minutes of sampling and therefore field analysis is required for compliance. All Laboratory pH analyses in this report are reported past the CCME holding time. Bureau Veritas endeavours to analyze samples as soon as possible after receipt.
- (7) LEPH = EPH (C10 to C19) - (Acenaphthene + Acridine + Anthracene + Fluorene + Naphthalene + Phenanthrene)  
 HEPPH = EPH (C19 to C32) - (Benzo(a)anthracene + Benzo(a)pyrene + Fluoranthene + Pyrene)
- (8) TOC present in the sample should be considered as non-purgeable TOC.
- (9) VPH = VH - (Benzene + Toluene + Ethylbenzene + m & p-Xylene + o-Xylene + Styrene)

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to:

Levi Manchak, Senior Project Manager  
 Email: Levi.MANCHAK@bureauveritas.com  
 Phone# (780)862-5634

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rob Gilbert, BBY General Manager responsible for British Columbia Environmental laboratory operations.



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

## RESULTS OF CHEMICAL ANALYSES OF WATER

|                          |              |                     |            |                 |                            |            |                 |                     |            |                 |
|--------------------------|--------------|---------------------|------------|-----------------|----------------------------|------------|-----------------|---------------------|------------|-----------------|
| <b>Bureau Veritas ID</b> |              | EJR369              |            |                 | EJR369                     |            |                 | EJR370              |            |                 |
| <b>Sampling Date</b>     |              | 2026/07/28<br>08:30 |            |                 | 2026/07/28<br>08:30        |            |                 | 2026/07/28<br>08:30 |            |                 |
| <b>COC Number</b>        |              | 136590              |            |                 | 136590                     |            |                 | 136590              |            |                 |
|                          | <b>UNITS</b> | <b>WLNG-DS</b>      | <b>RDL</b> | <b>QC Batch</b> | <b>WLNG-DS<br/>Lab-Dup</b> | <b>RDL</b> | <b>QC Batch</b> | <b>WLNG -EOP</b>    | <b>RDL</b> | <b>QC Batch</b> |

|                                                                                                                                                                                                   |           |       |         |         |      |       |         |          |         |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|---------|---------|------|-------|---------|----------|---------|---------|
| <b>ANIONS</b>                                                                                                                                                                                     |           |       |         |         |      |       |         |          |         |         |
| Nitrite (N)                                                                                                                                                                                       | mg/L      | ND    | 0.0050  | C362113 |      |       |         | ND       | 0.0050  | C362113 |
| <b>Calculated Parameters</b>                                                                                                                                                                      |           |       |         |         |      |       |         |          |         |         |
| Total Chromium III                                                                                                                                                                                | mg/L      | ND    | 0.00099 | C361572 |      |       |         | ND       | 0.00099 | C361572 |
| Dissolved Hardness (CaCO <sub>3</sub> )                                                                                                                                                           | mg/L      | 60.8  | 0.50    | C361358 |      |       |         | 64.1     | 0.50    | C361358 |
| Total Hardness (CaCO <sub>3</sub> )                                                                                                                                                               | mg/L      | 61.3  | 0.50    | C361357 |      |       |         | 65.5     | 0.50    | C361357 |
| Nitrate (N)                                                                                                                                                                                       | mg/L      | 0.039 | 0.020   | C361363 |      |       |         | 0.027    | 0.020   | C361363 |
| Sulphide (as H <sub>2</sub> S)                                                                                                                                                                    | mg/L      | ND    | 0.0020  | C361495 |      |       |         | ND       | 0.0020  | C361495 |
| <b>Daphnia Magna</b>                                                                                                                                                                              |           |       |         |         |      |       |         |          |         |         |
| LC50                                                                                                                                                                                              | % vol/vol |       |         |         |      |       |         | ATTACHED | N/A     | C362133 |
| <b>Field Parameters</b>                                                                                                                                                                           |           |       |         |         |      |       |         |          |         |         |
| Field pH                                                                                                                                                                                          | pH        | 7.25  | N/A     | ONSITE  |      |       |         | 7.15     | N/A     | ONSITE  |
| Field Temperature                                                                                                                                                                                 | °C        | 13.8  | N/A     | ONSITE  |      |       |         | 14.3     | N/A     | ONSITE  |
| <b>Misc. Inorganics</b>                                                                                                                                                                           |           |       |         |         |      |       |         |          |         |         |
| pH                                                                                                                                                                                                | pH        | 7.07  | N/A     | C362189 |      |       |         | 7.18     | N/A     | C362189 |
| Total Organic Carbon (C)                                                                                                                                                                          | mg/L      | 1.3   | 0.50    | C362197 |      |       |         | 0.93     | 0.50    | C362997 |
| Total Dissolved Solids                                                                                                                                                                            | mg/L      | 84    | 10      | C361474 |      |       |         | 100      | 10      | C361474 |
| Total Suspended Solids                                                                                                                                                                            | mg/L      | 1.6   | 1.0     | C362091 | 1.6  | 1.0   | C362091 | 2.0      | 1.0     | C362091 |
| <b>Lab Filtered Inorganics</b>                                                                                                                                                                    |           |       |         |         |      |       |         |          |         |         |
| Dissolved Organic Carbon (C)                                                                                                                                                                      | mg/L      | 0.92  | 0.50    | C363095 |      |       |         | 0.87     | 0.50    | C363095 |
| <b>Anions</b>                                                                                                                                                                                     |           |       |         |         |      |       |         |          |         |         |
| Alkalinity (PP as CaCO <sub>3</sub> )                                                                                                                                                             | mg/L      | ND    | 1.0     | C362198 |      |       |         | ND       | 1.0     | C362198 |
| Alkalinity (Total as CaCO <sub>3</sub> )                                                                                                                                                          | mg/L      | 46    | 1.0     | C362198 |      |       |         | 50       | 1.0     | C362198 |
| Bicarbonate (HCO <sub>3</sub> )                                                                                                                                                                   | mg/L      | 56    | 1.0     | C362198 |      |       |         | 61       | 1.0     | C362198 |
| Carbonate (CO <sub>3</sub> )                                                                                                                                                                      | mg/L      | ND    | 1.0     | C362198 |      |       |         | ND       | 1.0     | C362198 |
| Fluoride (F)                                                                                                                                                                                      | mg/L      | 0.34  | 0.050   | C364107 | 0.34 | 0.050 | C364107 | 0.38     | 0.050   | C364107 |
| Hydroxide (OH)                                                                                                                                                                                    | mg/L      | ND    | 1.0     | C362198 |      |       |         | ND       | 1.0     | C362198 |
| RDL = Reportable Detection Limit<br>Lab-Dup = Laboratory Initiated Duplicate<br>ND = Not Detected at a concentration equal or greater than the indicated Detection Limit.<br>N/A = Not Applicable |           |       |         |         |      |       |         |          |         |         |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### RESULTS OF CHEMICAL ANALYSES OF WATER

|                                                                                                                                                                                                   |              |                     |            |                 |                            |            |                 |                     |            |                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------|------------|-----------------|----------------------------|------------|-----------------|---------------------|------------|-----------------|
| <b>Bureau Veritas ID</b>                                                                                                                                                                          |              | EJR369              |            |                 | EJR369                     |            |                 | EJR370              |            |                 |
| <b>Sampling Date</b>                                                                                                                                                                              |              | 2026/07/28<br>08:30 |            |                 | 2026/07/28<br>08:30        |            |                 | 2026/07/28<br>08:30 |            |                 |
| <b>COC Number</b>                                                                                                                                                                                 |              | 136590              |            |                 | 136590                     |            |                 | 136590              |            |                 |
|                                                                                                                                                                                                   | <b>UNITS</b> | <b>WLNG-DS</b>      | <b>RDL</b> | <b>QC Batch</b> | <b>WLNG-DS<br/>Lab-Dup</b> | <b>RDL</b> | <b>QC Batch</b> | <b>WLNG -EOP</b>    | <b>RDL</b> | <b>QC Batch</b> |
| Total Sulphide                                                                                                                                                                                    | mg/L         | ND                  | 0.0018     | C366265         |                            |            |                 | ND                  | 0.0018     | C366265         |
| Chloride (Cl)                                                                                                                                                                                     | mg/L         | 11                  | 1.0        | C362735         |                            |            |                 | 14                  | 1.0        | C362735         |
| Sulphate (SO4)                                                                                                                                                                                    | mg/L         | 15                  | 1.0        | C362735         |                            |            |                 | 16                  | 1.0        | C362735         |
| <b>Metals</b>                                                                                                                                                                                     |              |                     |            |                 |                            |            |                 |                     |            |                 |
| Total Hex. Chromium (Cr 6+)                                                                                                                                                                       | mg/L         | ND                  | 0.00099    | C364528         | ND                         | 0.00099    | C364528         | ND                  | 0.00099    | C364528         |
| <b>Nutrients</b>                                                                                                                                                                                  |              |                     |            |                 |                            |            |                 |                     |            |                 |
| Total Ammonia (N)                                                                                                                                                                                 | mg/L         | ND                  | 0.015      | C363055         | ND                         | 0.015      | C363055         | ND                  | 0.015      | C363055         |
| Total Phosphorus (P)                                                                                                                                                                              | mg/L         | 0.0042              | 0.0010     | C365066         |                            |            |                 | 0.0021              | 0.0010     | C365066         |
| Nitrate plus Nitrite (N)                                                                                                                                                                          | mg/L         | 0.039               | 0.020      | C362108         |                            |            |                 | 0.027               | 0.020      | C362108         |
| Total Nitrogen (N)                                                                                                                                                                                | mg/L         | 0.246               | 0.020      | C365144         |                            |            |                 | 0.256               | 0.020      | C365144         |
| <b>Misc. Organics</b>                                                                                                                                                                             |              |                     |            |                 |                            |            |                 |                     |            |                 |
| Phenols                                                                                                                                                                                           | mg/L         |                     |            |                 |                            |            |                 | ND                  | 0.0015     | C366504         |
| <b>Rainbow Trout</b>                                                                                                                                                                              |              |                     |            |                 |                            |            |                 |                     |            |                 |
| LC50                                                                                                                                                                                              | % vol/vol    |                     |            |                 |                            |            |                 | ATTACHED            | N/A        | C364119         |
| RDL = Reportable Detection Limit<br>Lab-Dup = Laboratory Initiated Duplicate<br>ND = Not Detected at a concentration equal or greater than the indicated Detection Limit.<br>N/A = Not Applicable |              |                     |            |                 |                            |            |                 |                     |            |                 |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

## RESULTS OF CHEMICAL ANALYSES OF WATER

| Bureau Veritas ID |       | EJR370                  |     |          | EJR371              |     |          | EJR372              |     |          |
|-------------------|-------|-------------------------|-----|----------|---------------------|-----|----------|---------------------|-----|----------|
| Sampling Date     |       | 2026/07/28<br>08:30     |     |          | 2026/07/28<br>08:30 |     |          | 2026/07/28<br>08:30 |     |          |
| COC Number        |       | 136590                  |     |          | 136590              |     |          | 136590              |     |          |
|                   | UNITS | WLNG<br>-EOP<br>Lab-Dup | RDL | QC Batch | WLNG-US             | RDL | QC Batch | Field Blank         | RDL | QC Batch |

### ANIONS

|             |      |  |  |  |        |        |         |    |        |         |
|-------------|------|--|--|--|--------|--------|---------|----|--------|---------|
| Nitrite (N) | mg/L |  |  |  | 0.0122 | 0.0050 | C362103 | ND | 0.0050 | C362103 |
|-------------|------|--|--|--|--------|--------|---------|----|--------|---------|

### Calculated Parameters

|                                         |      |  |  |  |      |         |         |    |         |         |
|-----------------------------------------|------|--|--|--|------|---------|---------|----|---------|---------|
| Total Chromium III                      | mg/L |  |  |  | ND   | 0.00099 | C361572 | ND | 0.00099 | C361572 |
| Dissolved Hardness (CaCO <sub>3</sub> ) | mg/L |  |  |  | 47.2 | 0.50    | C361358 | ND | 0.50    | C361358 |
| Total Hardness (CaCO <sub>3</sub> )     | mg/L |  |  |  | 48.3 | 0.50    | C361357 | ND | 0.50    | C361357 |
| Nitrate (N)                             | mg/L |  |  |  | 2.49 | 0.10    | C361363 | ND | 0.020   | C361363 |
| Sulphide (as H <sub>2</sub> S)          | mg/L |  |  |  | ND   | 0.0020  | C361495 | ND | 0.0020  | C361495 |

### Field Parameters

|                   |    |  |  |  |      |     |        |  |  |  |
|-------------------|----|--|--|--|------|-----|--------|--|--|--|
| Field pH          | pH |  |  |  | 6.98 | N/A | ONSITE |  |  |  |
| Field Temperature | °C |  |  |  | 15.4 | N/A | ONSITE |  |  |  |

### Misc. Inorganics

|                          |      |     |      |         |      |      |         |      |      |         |
|--------------------------|------|-----|------|---------|------|------|---------|------|------|---------|
| pH                       | pH   |     |      |         | 6.68 | N/A  | C362189 | 6.03 | N/A  | C362189 |
| Total Organic Carbon (C) | mg/L | 1.1 | 0.50 | C362997 | 16   | 0.50 | C362997 | ND   | 0.50 | C362997 |
| Total Dissolved Solids   | mg/L |     |      |         | 110  | 10   | C361474 | ND   | 10   | C361474 |
| Total Suspended Solids   | mg/L |     |      |         | 9.2  | 1.0  | C362541 | ND   | 1.0  | C362091 |

### Lab Filtered Inorganics

|                              |      |  |  |  |    |      |         |    |      |         |
|------------------------------|------|--|--|--|----|------|---------|----|------|---------|
| Dissolved Organic Carbon (C) | mg/L |  |  |  | 15 | 0.50 | C363095 | ND | 0.50 | C363095 |
|------------------------------|------|--|--|--|----|------|---------|----|------|---------|

### Anions

|                                          |      |  |  |  |    |        |         |    |        |         |
|------------------------------------------|------|--|--|--|----|--------|---------|----|--------|---------|
| Alkalinity (PP as CaCO <sub>3</sub> )    | mg/L |  |  |  | ND | 1.0    | C362198 | ND | 1.0    | C362198 |
| Alkalinity (Total as CaCO <sub>3</sub> ) | mg/L |  |  |  | 14 | 1.0    | C362198 | ND | 1.0    | C362198 |
| Bicarbonate (HCO <sub>3</sub> )          | mg/L |  |  |  | 18 | 1.0    | C362198 | ND | 1.0    | C362198 |
| Carbonate (CO <sub>3</sub> )             | mg/L |  |  |  | ND | 1.0    | C362198 | ND | 1.0    | C362198 |
| Fluoride (F)                             | mg/L |  |  |  | ND | 0.050  | C364107 | ND | 0.050  | C364107 |
| Hydroxide (OH)                           | mg/L |  |  |  | ND | 1.0    | C362198 | ND | 1.0    | C362198 |
| Total Sulphide                           | mg/L |  |  |  | ND | 0.0018 | C366265 | ND | 0.0018 | C366265 |

RDL = Reportable Detection Limit

Lab-Dup = Laboratory Initiated Duplicate

ND = Not Detected at a concentration equal or greater than the indicated Detection Limit.

N/A = Not Applicable



### RESULTS OF CHEMICAL ANALYSES OF WATER

| Bureau Veritas ID                                                                         |       | EJR370                  |     |          | EJR371              |         |          | EJR372              |         |          |
|-------------------------------------------------------------------------------------------|-------|-------------------------|-----|----------|---------------------|---------|----------|---------------------|---------|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30     |     |          | 2026/07/28<br>08:30 |         |          | 2026/07/28<br>08:30 |         |          |
| COC Number                                                                                |       | 136590                  |     |          | 136590              |         |          | 136590              |         |          |
|                                                                                           | UNITS | WLNG<br>-EOP<br>Lab-Dup | RDL | QC Batch | WLNG-US             | RDL     | QC Batch | Field Blank         | RDL     | QC Batch |
| Chloride (Cl)                                                                             | mg/L  |                         |     |          | 2.1                 | 1.0     | C362735  | ND                  | 1.0     | C362735  |
| Sulphate (SO4)                                                                            | mg/L  |                         |     |          | 22                  | 1.0     | C362735  | ND                  | 1.0     | C362735  |
| <b>Metals</b>                                                                             |       |                         |     |          |                     |         |          |                     |         |          |
| Total Hex. Chromium (Cr 6+)                                                               | mg/L  |                         |     |          | ND                  | 0.00099 | C364528  | ND                  | 0.00099 | C364528  |
| <b>Nutrients</b>                                                                          |       |                         |     |          |                     |         |          |                     |         |          |
| Total Ammonia (N)                                                                         | mg/L  |                         |     |          | 0.017               | 0.015   | C363055  | ND                  | 0.015   | C363055  |
| Total Phosphorus (P)                                                                      | mg/L  |                         |     |          | 0.44                | 0.0010  | C365066  | 0.0011              | 0.0010  | C365066  |
| Nitrate plus Nitrite (N)                                                                  | mg/L  |                         |     |          | 2.50                | 0.10    | C362100  | ND                  | 0.020   | C362100  |
| Total Nitrogen (N)                                                                        | mg/L  |                         |     |          | 3.63                | 0.10    | C365144  | ND                  | 0.020   | C365144  |
| RDL = Reportable Detection Limit                                                          |       |                         |     |          |                     |         |          |                     |         |          |
| Lab-Dup = Laboratory Initiated Duplicate                                                  |       |                         |     |          |                     |         |          |                     |         |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                         |     |          |                     |         |          |                     |         |          |



## RESULTS OF CHEMICAL ANALYSES OF WATER

| Bureau Veritas ID                                                                         |       | EJR373              |         |          | EJR374              |         |          | EJR374              |     |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|---------|----------|---------------------|---------|----------|---------------------|-----|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 |         |          | 2026/07/28<br>08:30 |         |          | 2026/07/28<br>08:30 |     |          |
| COC Number                                                                                |       | 136590              |         |          | 136590              |         |          | 136590              |     |          |
|                                                                                           | UNITS | Trip Blank          | RDL     | QC Batch | DUP                 | RDL     | QC Batch | DUP<br>Lab-Dup      | RDL | QC Batch |
| <b>ANIONS</b>                                                                             |       |                     |         |          |                     |         |          |                     |     |          |
| Nitrite (N)                                                                               | mg/L  | ND                  | 0.0050  | C362103  | ND                  | 0.0050  | C362103  |                     |     |          |
| <b>Calculated Parameters</b>                                                              |       |                     |         |          |                     |         |          |                     |     |          |
| Total Chromium III                                                                        | mg/L  | ND                  | 0.00099 | C361572  | ND                  | 0.00099 | C361572  |                     |     |          |
| Dissolved Hardness (CaCO <sub>3</sub> )                                                   | mg/L  | ND                  | 0.50    | C361358  | 66.4                | 0.50    | C361358  |                     |     |          |
| Total Hardness (CaCO <sub>3</sub> )                                                       | mg/L  | ND                  | 0.50    | C361357  | 66.8                | 0.50    | C361357  |                     |     |          |
| Nitrate (N)                                                                               | mg/L  | ND                  | 0.020   | C361363  | 0.024               | 0.020   | C361363  |                     |     |          |
| Sulphide (as H <sub>2</sub> S)                                                            | mg/L  | ND                  | 0.0020  | C361495  | ND                  | 0.0020  | C361495  |                     |     |          |
| <b>Field Parameters</b>                                                                   |       |                     |         |          |                     |         |          |                     |     |          |
| Field pH                                                                                  | pH    |                     |         |          | 7.15                | N/A     | ONSITE   |                     |     |          |
| Field Temperature                                                                         | °C    |                     |         |          | 14.3                | N/A     | ONSITE   |                     |     |          |
| <b>Misc. Inorganics</b>                                                                   |       |                     |         |          |                     |         |          |                     |     |          |
| pH                                                                                        | pH    | 5.84                | N/A     | C362189  | 7.06                | N/A     | C362189  |                     |     |          |
| Total Organic Carbon (C)                                                                  | mg/L  | ND                  | 0.50    | C362997  | 1.0                 | 0.50    | C362997  |                     |     |          |
| Total Dissolved Solids                                                                    | mg/L  | ND                  | 10      | C362014  | 110                 | 10      | C362014  |                     |     |          |
| Total Suspended Solids                                                                    | mg/L  | ND                  | 1.0     | C362091  | ND                  | 1.0     | C362091  |                     |     |          |
| <b>Lab Filtered Inorganics</b>                                                            |       |                     |         |          |                     |         |          |                     |     |          |
| Dissolved Organic Carbon (C)                                                              | mg/L  | ND                  | 0.50    | C363095  | 0.80                | 0.50    | C363095  |                     |     |          |
| <b>Anions</b>                                                                             |       |                     |         |          |                     |         |          |                     |     |          |
| Alkalinity (PP as CaCO <sub>3</sub> )                                                     | mg/L  | ND                  | 1.0     | C362198  | ND                  | 1.0     | C362198  |                     |     |          |
| Alkalinity (Total as CaCO <sub>3</sub> )                                                  | mg/L  | ND                  | 1.0     | C362198  | 51                  | 1.0     | C362198  |                     |     |          |
| Bicarbonate (HCO <sub>3</sub> )                                                           | mg/L  | ND                  | 1.0     | C362198  | 62                  | 1.0     | C362198  |                     |     |          |
| Carbonate (CO <sub>3</sub> )                                                              | mg/L  | ND                  | 1.0     | C362198  | ND                  | 1.0     | C362198  |                     |     |          |
| Fluoride (F)                                                                              | mg/L  | ND                  | 0.050   | C364107  | 0.38                | 0.050   | C364107  |                     |     |          |
| Hydroxide (OH)                                                                            | mg/L  | ND                  | 1.0     | C362198  | ND                  | 1.0     | C362198  |                     |     |          |
| Total Sulphide                                                                            | mg/L  | ND                  | 0.0018  | C366269  | ND                  | 0.0018  | C366265  |                     |     |          |
| RDL = Reportable Detection Limit                                                          |       |                     |         |          |                     |         |          |                     |     |          |
| Lab-Dup = Laboratory Initiated Duplicate                                                  |       |                     |         |          |                     |         |          |                     |     |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |         |          |                     |         |          |                     |     |          |
| N/A = Not Applicable                                                                      |       |                     |         |          |                     |         |          |                     |     |          |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### RESULTS OF CHEMICAL ANALYSES OF WATER

| Bureau Veritas ID                                                                                                                                                         |       | EJR373              |         |          | EJR374              |         |          | EJR374              |     |          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------|---------|----------|---------------------|---------|----------|---------------------|-----|----------|
| Sampling Date                                                                                                                                                             |       | 2026/07/28<br>08:30 |         |          | 2026/07/28<br>08:30 |         |          | 2026/07/28<br>08:30 |     |          |
| COC Number                                                                                                                                                                |       | 136590              |         |          | 136590              |         |          | 136590              |     |          |
|                                                                                                                                                                           | UNITS | Trip Blank          | RDL     | QC Batch | DUP                 | RDL     | QC Batch | DUP<br>Lab-Dup      | RDL | QC Batch |
| Chloride (Cl)                                                                                                                                                             | mg/L  | ND                  | 1.0     | C362735  | 14                  | 1.0     | C362735  | 14                  | 1.0 | C362735  |
| Sulphate (SO4)                                                                                                                                                            | mg/L  | ND                  | 1.0     | C362735  | 17                  | 1.0     | C362735  | 17                  | 1.0 | C362735  |
| <b>Metals</b>                                                                                                                                                             |       |                     |         |          |                     |         |          |                     |     |          |
| Total Hex. Chromium (Cr 6+)                                                                                                                                               | mg/L  | ND                  | 0.00099 | C364528  | ND                  | 0.00099 | C364528  |                     |     |          |
| <b>Nutrients</b>                                                                                                                                                          |       |                     |         |          |                     |         |          |                     |     |          |
| Total Ammonia (N)                                                                                                                                                         | mg/L  | ND                  | 0.015   | C363055  | ND                  | 0.015   | C363055  |                     |     |          |
| Total Phosphorus (P)                                                                                                                                                      | mg/L  | ND                  | 0.0010  | C365066  | 0.0078              | 0.0010  | C365066  |                     |     |          |
| Nitrate plus Nitrite (N)                                                                                                                                                  | mg/L  | ND                  | 0.020   | C362100  | 0.024               | 0.020   | C362100  |                     |     |          |
| Total Nitrogen (N)                                                                                                                                                        | mg/L  | ND                  | 0.020   | C365144  | 0.264               | 0.020   | C365144  |                     |     |          |
| <b>Misc. Organics</b>                                                                                                                                                     |       |                     |         |          |                     |         |          |                     |     |          |
| Phenols                                                                                                                                                                   | mg/L  |                     |         |          | ND                  | 0.0015  | C366504  |                     |     |          |
| RDL = Reportable Detection Limit<br>Lab-Dup = Laboratory Initiated Duplicate<br>ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |         |          |                     |         |          |                     |     |          |



### GLYCOLS BY GC-FID (WATER)

| Bureau Veritas ID                                                                         |       | EJR370              | EJR374              | EJR374              |     |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|---------------------|---------------------|-----|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |     |          |
| COC Number                                                                                |       | 136590              | 136590              | 136590              |     |          |
|                                                                                           | UNITS | WLNG -EOP           | DUP                 | DUP<br>Lab-Dup      | RDL | QC Batch |
| <b>Glycols</b>                                                                            |       |                     |                     |                     |     |          |
| Ethylene Glycol                                                                           | mg/L  | ND                  | ND                  | ND                  | 3.0 | C367946  |
| Diethylene Glycol                                                                         | mg/L  | ND                  | ND                  | ND                  | 5.0 | C367946  |
| Triethylene Glycol                                                                        | mg/L  | ND                  | ND                  | ND                  | 5.0 | C367946  |
| Propylene Glycol                                                                          | mg/L  | ND                  | ND                  | ND                  | 5.0 | C367946  |
| <b>Surrogate Recovery (%)</b>                                                             |       |                     |                     |                     |     |          |
| Methyl Sulfone (sur.)                                                                     | %     | 93                  | 65                  | 116                 |     | C367946  |
| RDL = Reportable Detection Limit                                                          |       |                     |                     |                     |     |          |
| Lab-Dup = Laboratory Initiated Duplicate                                                  |       |                     |                     |                     |     |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |                     |                     |     |          |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### MERCURY BY COLD VAPOR (WATER)

|                          |              |                     |                 |                     |            |                 |                                  |            |                 |
|--------------------------|--------------|---------------------|-----------------|---------------------|------------|-----------------|----------------------------------|------------|-----------------|
| <b>Bureau Veritas ID</b> |              | EJR369              |                 | EJR370              |            |                 | EJR370                           |            |                 |
| <b>Sampling Date</b>     |              | 2026/07/28<br>08:30 |                 | 2026/07/28<br>08:30 |            |                 | 2026/07/28<br>08:30              |            |                 |
| <b>COC Number</b>        |              | 136590              |                 | 136590              |            |                 | 136590                           |            |                 |
|                          | <b>UNITS</b> | <b>WLNG-DS</b>      | <b>QC Batch</b> | <b>WLNG -EOP</b>    | <b>RDL</b> | <b>QC Batch</b> | <b>WLNG<br/>-EOP<br/>Lab-Dup</b> | <b>RDL</b> | <b>QC Batch</b> |

|                                                                                           |      |    |         |    |        |         |    |        |         |
|-------------------------------------------------------------------------------------------|------|----|---------|----|--------|---------|----|--------|---------|
| <b>Elements</b>                                                                           |      |    |         |    |        |         |    |        |         |
| Total Mercury (Hg)                                                                        | ug/L | ND | C361900 | ND | 0.0019 | C362625 | ND | 0.0019 | C362625 |
| <b>Lab Filtered Elements</b>                                                              |      |    |         |    |        |         |    |        |         |
| Dissolved Mercury (Hg)                                                                    | ug/L | ND | C361271 | ND | 0.0019 | C361271 |    |        |         |
| RDL = Reportable Detection Limit                                                          |      |    |         |    |        |         |    |        |         |
| Lab-Dup = Laboratory Initiated Duplicate                                                  |      |    |         |    |        |         |    |        |         |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |      |    |         |    |        |         |    |        |         |

|                          |              |                     |                     |                     |                     |            |                 |
|--------------------------|--------------|---------------------|---------------------|---------------------|---------------------|------------|-----------------|
| <b>Bureau Veritas ID</b> |              | EJR371              | EJR372              | EJR373              | EJR374              |            |                 |
| <b>Sampling Date</b>     |              | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |            |                 |
| <b>COC Number</b>        |              | 136590              | 136590              | 136590              | 136590              |            |                 |
|                          | <b>UNITS</b> | <b>WLNG-US</b>      | <b>Field Blank</b>  | <b>Trip Blank</b>   | <b>DUP</b>          | <b>RDL</b> | <b>QC Batch</b> |

|                                                                                           |      |        |    |    |    |        |         |
|-------------------------------------------------------------------------------------------|------|--------|----|----|----|--------|---------|
| <b>Elements</b>                                                                           |      |        |    |    |    |        |         |
| Total Mercury (Hg)                                                                        | ug/L | 0.0054 | ND | ND | ND | 0.0019 | C362625 |
| <b>Lab Filtered Elements</b>                                                              |      |        |    |    |    |        |         |
| Dissolved Mercury (Hg)                                                                    | ug/L | 0.0052 | ND | ND | ND | 0.0019 | C361271 |
| RDL = Reportable Detection Limit                                                          |      |        |    |    |    |        |         |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |      |        |    |    |    |        |         |

**ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)**

| Bureau Veritas ID |       | EJR369              | EJR370              |     |          | EJR371              |     |          | EJR372              |     |          |
|-------------------|-------|---------------------|---------------------|-----|----------|---------------------|-----|----------|---------------------|-----|----------|
| Sampling Date     |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |     |          | 2026/07/28<br>08:30 |     |          | 2026/07/28<br>08:30 |     |          |
| COC Number        |       | 136590              | 136590              |     |          | 136590              |     |          | 136590              |     |          |
|                   | UNITS | WLNG-DS             | WLNG -EOP           | RDL | QC Batch | WLNG-US             | RDL | QC Batch | Field Blank         | RDL | QC Batch |

**ANIONS**

|              |      |    |    |       |         |       |       |         |    |       |         |
|--------------|------|----|----|-------|---------|-------|-------|---------|----|-------|---------|
| Bromide (Br) | mg/L | ND | ND | 0.010 | C367942 | 0.012 | 0.010 | C367942 | ND | 0.010 | C367942 |
|--------------|------|----|----|-------|---------|-------|-------|---------|----|-------|---------|

**Dissolved Metals by ICPMS**

|                          |      |      |      |       |         |      |       |         |    |       |         |
|--------------------------|------|------|------|-------|---------|------|-------|---------|----|-------|---------|
| Dissolved Calcium (Ca)   | mg/L | 22.1 | 23.3 | 0.050 | C361585 | 14.2 | 0.050 | C361585 | ND | 0.050 | C361585 |
| Dissolved Magnesium (Mg) | mg/L | 1.34 | 1.44 | 0.050 | C361585 | 2.85 | 0.050 | C361585 | ND | 0.050 | C361585 |
| Dissolved Potassium (K)  | mg/L | 1.37 | 1.51 | 0.050 | C361585 | 2.22 | 0.050 | C361585 | ND | 0.050 | C361585 |
| Dissolved Sodium (Na)    | mg/L | 6.28 | 6.90 | 0.050 | C361585 | 2.38 | 0.050 | C361585 | ND | 0.050 | C361585 |
| Dissolved Sulphur (S)    | mg/L | 4.6  | 4.9  | 3.0   | C361585 | 7.2  | 3.0   | C361585 | ND | 3.0   | C361585 |

**Lab Filtered Metals**

|                           |      |        |        |        |         |        |        |         |    |        |         |
|---------------------------|------|--------|--------|--------|---------|--------|--------|---------|----|--------|---------|
| Dissolved Aluminum (Al)   | ug/L | 47.0   | 38.6   | 0.50   | C364066 | 110    | 0.50   | C364066 | ND | 0.50   | C364066 |
| Dissolved Antimony (Sb)   | ug/L | 0.591  | 0.654  | 0.020  | C364066 | 0.366  | 0.020  | C364066 | ND | 0.020  | C364066 |
| Dissolved Arsenic (As)    | ug/L | 0.695  | 0.775  | 0.020  | C364066 | 1.16   | 0.020  | C364066 | ND | 0.020  | C364066 |
| Dissolved Barium (Ba)     | ug/L | 4.74   | 3.36   | 0.020  | C364066 | 11.1   | 0.020  | C364066 | ND | 0.020  | C364066 |
| Dissolved Beryllium (Be)  | ug/L | ND     | ND     | 0.010  | C364066 | ND     | 0.010  | C364066 | ND | 0.010  | C364066 |
| Dissolved Bismuth (Bi)    | ug/L | ND     | ND     | 0.0050 | C364066 | 0.0085 | 0.0050 | C364066 | ND | 0.0050 | C364066 |
| Dissolved Boron (B)       | ug/L | ND     | 12     | 10     | C364066 | 15     | 10     | C364066 | ND | 10     | C364066 |
| Dissolved Cadmium (Cd)    | ug/L | ND     | ND     | 0.0050 | C364066 | 0.0185 | 0.0050 | C364066 | ND | 0.0050 | C364066 |
| Dissolved Cesium (Cs)     | ug/L | ND     | ND     | 0.050  | C364066 | ND     | 0.050  | C364066 | ND | 0.050  | C364066 |
| Dissolved Chromium (Cr)   | ug/L | ND     | ND     | 0.10   | C364066 | 0.38   | 0.10   | C364066 | ND | 0.10   | C364066 |
| Dissolved Cobalt (Co)     | ug/L | 0.0327 | 0.0352 | 0.0050 | C364066 | 0.368  | 0.0050 | C364066 | ND | 0.0050 | C364066 |
| Dissolved Copper (Cu)     | ug/L | 0.180  | 0.070  | 0.050  | C364066 | 16.5   | 0.050  | C364066 | ND | 0.050  | C364066 |
| Dissolved Iron (Fe)       | ug/L | 4.3    | 6.6    | 1.0    | C364066 | 78.2   | 1.0    | C364066 | ND | 1.0    | C364066 |
| Dissolved Lead (Pb)       | ug/L | ND     | ND     | 0.0050 | C364066 | 0.0532 | 0.0050 | C364066 | ND | 0.0050 | C364066 |
| Dissolved Lithium (Li)    | ug/L | 5.96   | 8.15   | 0.50   | C364066 | 0.80   | 0.50   | C364066 | ND | 0.50   | C364066 |
| Dissolved Manganese (Mn)  | ug/L | 17.3   | 25.0   | 0.050  | C364066 | 3.08   | 0.050  | C364066 | ND | 0.050  | C364066 |
| Dissolved Molybdenum (Mo) | ug/L | 41.2   | 43.9   | 0.050  | C364066 | 2.38   | 0.050  | C364066 | ND | 0.050  | C364066 |
| Dissolved Nickel (Ni)     | ug/L | 0.189  | 0.158  | 0.020  | C364066 | 2.68   | 0.020  | C364066 | ND | 0.020  | C364066 |
| Dissolved Phosphorus (P)  | ug/L | 3.5    | 3.5    | 2.0    | C364066 | 386    | 2.0    | C364066 | ND | 2.0    | C364066 |
| Dissolved Rubidium (Rb)   | ug/L | 2.77   | 3.38   | 0.050  | C364066 | 1.76   | 0.050  | C364066 | ND | 0.050  | C364066 |
| Dissolved Selenium (Se)   | ug/L | ND     | ND     | 0.040  | C364066 | 0.202  | 0.040  | C364066 | ND | 0.040  | C364066 |
| Dissolved Silicon (Si)    | ug/L | 6530   | 6750   | 50     | C364066 | 5930   | 50     | C364066 | ND | 50     | C364066 |

RDL = Reportable Detection Limit

ND = Not Detected at a concentration equal or greater than the indicated Detection Limit.



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

| Bureau Veritas ID            |       | EJR369              | EJR370              |        |          | EJR371              |        |          | EJR372              |        |          |
|------------------------------|-------|---------------------|---------------------|--------|----------|---------------------|--------|----------|---------------------|--------|----------|
| Sampling Date                |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |        |          | 2026/07/28<br>08:30 |        |          | 2026/07/28<br>08:30 |        |          |
| COC Number                   |       | 136590              | 136590              |        |          | 136590              |        |          | 136590              |        |          |
|                              | UNITS | WLNG-DS             | WLNG -EOP           | RDL    | QC Batch | WLNG-US             | RDL    | QC Batch | Field Blank         | RDL    | QC Batch |
| Dissolved Silver (Ag)        | ug/L  | ND                  | ND                  | 0.0050 | C364066  | 0.0149              | 0.0050 | C364066  | ND                  | 0.0050 | C364066  |
| Dissolved Strontium (Sr)     | ug/L  | 44.9                | 46.4                | 0.050  | C364066  | 44.0                | 0.050  | C364066  | ND                  | 0.050  | C364066  |
| Dissolved Tellurium (Te)     | ug/L  | ND                  | ND                  | 0.020  | C364066  | ND                  | 0.020  | C364066  | ND                  | 0.020  | C364066  |
| Dissolved Thallium (Tl)      | ug/L  | 0.0044              | 0.0077              | 0.0020 | C364066  | 0.0086              | 0.0020 | C364066  | ND                  | 0.0020 | C364066  |
| Dissolved Thorium (Th)       | ug/L  | 0.0077              | 0.0069              | 0.0050 | C364066  | 0.0389              | 0.0050 | C364066  | ND                  | 0.0050 | C364066  |
| Dissolved Tin (Sn)           | ug/L  | ND                  | ND                  | 0.20   | C364066  | ND                  | 0.20   | C364066  | ND                  | 0.20   | C364066  |
| Dissolved Titanium (Ti)      | ug/L  | ND                  | ND                  | 0.50   | C364066  | 1.76                | 0.50   | C364066  | ND                  | 0.50   | C364066  |
| Dissolved Uranium (U)        | ug/L  | 0.395               | 0.349               | 0.0020 | C364066  | 0.144               | 0.0020 | C364066  | 0.0024              | 0.0020 | C364066  |
| Dissolved Vanadium (V)       | ug/L  | ND                  | ND                  | 0.20   | C364066  | 1.04                | 0.20   | C364066  | ND                  | 0.20   | C364066  |
| Dissolved Zinc (Zn)          | ug/L  | 1.27                | 2.25                | 0.10   | C364066  | 2.62                | 0.10   | C364066  | ND                  | 0.10   | C364066  |
| Dissolved Zirconium (Zr)     | ug/L  | ND                  | ND                  | 0.10   | C364066  | 0.11                | 0.10   | C364066  | ND                  | 0.10   | C364066  |
| <b>Total Metals by ICPMS</b> |       |                     |                     |        |          |                     |        |          |                     |        |          |
| Total Aluminum (Al)          | ug/L  | 92.7                | 83.3                | 0.50   | C364067  | 1030                | 3.0    | C362561  | 0.95                | 0.50   | C364067  |
| Total Antimony (Sb)          | ug/L  | 0.615               | 0.676               | 0.020  | C364067  | 0.394               | 0.020  | C362561  | ND                  | 0.020  | C364067  |
| Total Arsenic (As)           | ug/L  | 0.726               | 0.800               | 0.020  | C364067  | 1.21                | 0.020  | C362561  | ND                  | 0.020  | C364067  |
| Total Barium (Ba)            | ug/L  | 5.20                | 3.93                | 0.020  | C364067  | 25.7                | 0.050  | C362561  | 0.024               | 0.020  | C364067  |
| Total Beryllium (Be)         | ug/L  | ND                  | ND                  | 0.010  | C364067  | 0.027               | 0.010  | C362561  | ND                  | 0.010  | C364067  |
| Total Bismuth (Bi)           | ug/L  | ND                  | ND                  | 0.0050 | C364067  | 0.020               | 0.010  | C362561  | ND                  | 0.0050 | C364067  |
| Total Boron (B)              | ug/L  | ND                  | 11                  | 10     | C364067  | 17                  | 10     | C362561  | ND                  | 10     | C364067  |
| Total Cadmium (Cd)           | ug/L  | ND                  | ND                  | 0.0050 | C364067  | 0.0259              | 0.0050 | C362561  | ND                  | 0.0050 | C364067  |
| Total Cesium (Cs)            | ug/L  | ND                  | ND                  | 0.050  | C364067  | 0.123               | 0.050  | C362561  | ND                  | 0.050  | C364067  |
| Total Chromium (Cr)          | ug/L  | ND                  | ND                  | 0.10   | C364067  | 0.60                | 0.10   | C362561  | ND                  | 0.10   | C364067  |
| Total Cobalt (Co)            | ug/L  | 0.0414              | 0.0468              | 0.0050 | C364067  | 0.562               | 0.010  | C362561  | ND                  | 0.0050 | C364067  |
| Total Copper (Cu)            | ug/L  | 0.220               | 0.060               | 0.050  | C364067  | 17.3                | 0.10   | C362561  | ND                  | 0.050  | C364067  |
| Total Iron (Fe)              | ug/L  | 24.4                | 26.9                | 1.0    | C364067  | 816                 | 5.0    | C362561  | 1.1                 | 1.0    | C364067  |
| Total Lead (Pb)              | ug/L  | 0.0119              | 0.0147              | 0.0050 | C364067  | 0.489               | 0.020  | C362561  | ND                  | 0.0050 | C364067  |
| Total Lithium (Li)           | ug/L  | 5.59                | 7.63                | 0.50   | C364067  | 1.81                | 0.50   | C362561  | ND                  | 0.50   | C364067  |
| Total Manganese (Mn)         | ug/L  | 22.7                | 27.6                | 0.050  | C364067  | 23.2                | 0.10   | C362561  | ND                  | 0.050  | C364067  |
| Total Molybdenum (Mo)        | ug/L  | 41.2                | 44.4                | 0.050  | C364067  | 2.42                | 0.050  | C362561  | ND                  | 0.050  | C364067  |
| Total Nickel (Ni)            | ug/L  | 0.248               | 0.137               | 0.020  | C364067  | 2.86                | 0.10   | C362561  | ND                  | 0.020  | C364067  |
| Total Phosphorus (P)         | ug/L  | 6.1                 | 2.6                 | 2.0    | C364067  | 397                 | 5.0    | C362561  | ND                  | 2.0    | C364067  |

RDL = Reportable Detection Limit

ND = Not Detected at a concentration equal or greater than the indicated Detection Limit.



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

| Bureau Veritas ID    |       | EJR369              | EJR370              |        |          | EJR371              |        |          | EJR372              |        |          |
|----------------------|-------|---------------------|---------------------|--------|----------|---------------------|--------|----------|---------------------|--------|----------|
| Sampling Date        |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |        |          | 2026/07/28<br>08:30 |        |          | 2026/07/28<br>08:30 |        |          |
| COC Number           |       | 136590              | 136590              |        |          | 136590              |        |          | 136590              |        |          |
|                      | UNITS | WLNG-DS             | WLNG -EOP           | RDL    | QC Batch | WLNG-US             | RDL    | QC Batch | Field Blank         | RDL    | QC Batch |
| Total Rubidium (Rb)  | ug/L  | 3.03                | 3.53                | 0.050  | C364067  | 3.08                | 0.050  | C362561  | ND                  | 0.050  | C364067  |
| Total Selenium (Se)  | ug/L  | ND                  | 0.042               | 0.040  | C364067  | 0.214               | 0.040  | C362561  | ND                  | 0.040  | C364067  |
| Total Silicon (Si)   | ug/L  | 6780                | 6950                | 50     | C364067  | 7070                | 50     | C362561  | ND                  | 50     | C364067  |
| Total Silver (Ag)    | ug/L  | ND                  | ND                  | 0.0050 | C364067  | 0.023               | 0.010  | C362561  | ND                  | 0.0050 | C364067  |
| Total Strontium (Sr) | ug/L  | 45.1                | 46.9                | 0.050  | C364067  | 45.0                | 0.050  | C362561  | ND                  | 0.050  | C364067  |
| Total Tellurium (Te) | ug/L  | ND                  | ND                  | 0.020  | C364067  | ND                  | 0.020  | C362561  | ND                  | 0.020  | C364067  |
| Total Thallium (Tl)  | ug/L  | 0.0052              | 0.0081              | 0.0020 | C364067  | 0.0183              | 0.0020 | C362561  | ND                  | 0.0020 | C364067  |
| Total Thorium (Th)   | ug/L  | ND                  | ND                  | 0.050  | C364067  | 0.211               | 0.050  | C362561  | ND                  | 0.050  | C364067  |
| Total Tin (Sn)       | ug/L  | ND                  | ND                  | 0.20   | C364067  | ND                  | 0.20   | C362561  | ND                  | 0.20   | C364067  |
| Total Titanium (Ti)  | ug/L  | ND                  | ND                  | 0.50   | C364067  | 44.5                | 2.0    | C362561  | ND                  | 0.50   | C364067  |
| Total Uranium (U)    | ug/L  | 0.424               | 0.388               | 0.0020 | C364067  | 0.250               | 0.0050 | C362561  | ND                  | 0.0020 | C364067  |
| Total Vanadium (V)   | ug/L  | ND                  | ND                  | 0.20   | C364067  | 1.89                | 0.20   | C362561  | ND                  | 0.20   | C364067  |
| Total Zinc (Zn)      | ug/L  | 1.77                | 2.51                | 0.10   | C364067  | 6.3                 | 1.0    | C362561  | ND                  | 0.10   | C364067  |
| Total Zirconium (Zr) | ug/L  | ND                  | ND                  | 0.10   | C364067  | 0.21                | 0.10   | C362561  | ND                  | 0.10   | C364067  |
| Total Calcium (Ca)   | mg/L  | 22.2                | 23.8                | 0.050  | C361403  | 14.4                | 0.25   | C361403  | ND                  | 0.050  | C361403  |
| Total Magnesium (Mg) | mg/L  | 1.42                | 1.50                | 0.050  | C361403  | 2.98                | 0.25   | C361403  | ND                  | 0.050  | C361403  |
| Total Potassium (K)  | mg/L  | 1.42                | 1.57                | 0.050  | C361403  | 2.47                | 0.25   | C361403  | ND                  | 0.050  | C361403  |
| Total Sodium (Na)    | mg/L  | 6.73                | 7.20                | 0.050  | C361403  | 2.49                | 0.25   | C361403  | ND                  | 0.050  | C361403  |
| Total Sulphur (S)    | mg/L  | 4.8                 | 5.2                 | 3.0    | C361403  | 6.8                 | 3.0    | C361403  | ND                  | 3.0    | C361403  |

RDL = Reportable Detection Limit

ND = Not Detected at a concentration equal or greater than the indicated Detection Limit.

**ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)**

|                                                                                           |              |                     |                 |                     |            |                 |
|-------------------------------------------------------------------------------------------|--------------|---------------------|-----------------|---------------------|------------|-----------------|
| <b>Bureau Veritas ID</b>                                                                  |              | EJR373              |                 | EJR374              |            |                 |
| <b>Sampling Date</b>                                                                      |              | 2026/07/28<br>08:30 |                 | 2026/07/28<br>08:30 |            |                 |
| <b>COC Number</b>                                                                         |              | 136590              |                 | 136590              |            |                 |
|                                                                                           | <b>UNITS</b> | <b>Trip Blank</b>   | <b>QC Batch</b> | <b>DUP</b>          | <b>RDL</b> | <b>QC Batch</b> |
| <b>ANIONS</b>                                                                             |              |                     |                 |                     |            |                 |
| Bromide (Br)                                                                              | mg/L         | ND                  | C367942         | ND                  | 0.010      | C367942         |
| <b>Dissolved Metals by ICPMS</b>                                                          |              |                     |                 |                     |            |                 |
| Dissolved Calcium (Ca)                                                                    | mg/L         | ND                  | C361585         | 24.2                | 0.050      | C361585         |
| Dissolved Magnesium (Mg)                                                                  | mg/L         | ND                  | C361585         | 1.46                | 0.050      | C361585         |
| Dissolved Potassium (K)                                                                   | mg/L         | ND                  | C361585         | 1.82                | 0.050      | C361585         |
| Dissolved Sodium (Na)                                                                     | mg/L         | ND                  | C361585         | 7.65                | 0.050      | C361585         |
| Dissolved Sulphur (S)                                                                     | mg/L         | ND                  | C361585         | 5.6                 | 3.0        | C361585         |
| <b>Lab Filtered Metals</b>                                                                |              |                     |                 |                     |            |                 |
| Dissolved Aluminum (Al)                                                                   | ug/L         | ND                  | C364066         | 46.5                | 0.50       | C364066         |
| Dissolved Antimony (Sb)                                                                   | ug/L         | ND                  | C364066         | 0.776               | 0.020      | C364066         |
| Dissolved Arsenic (As)                                                                    | ug/L         | ND                  | C364066         | 0.790               | 0.020      | C364066         |
| Dissolved Barium (Ba)                                                                     | ug/L         | ND                  | C364066         | 9.25                | 0.020      | C364066         |
| Dissolved Beryllium (Be)                                                                  | ug/L         | ND                  | C364066         | ND                  | 0.010      | C364066         |
| Dissolved Bismuth (Bi)                                                                    | ug/L         | ND                  | C364066         | ND                  | 0.0050     | C364066         |
| Dissolved Boron (B)                                                                       | ug/L         | ND                  | C364066         | 12                  | 10         | C364066         |
| Dissolved Cadmium (Cd)                                                                    | ug/L         | ND                  | C364066         | ND                  | 0.0050     | C364066         |
| Dissolved Cesium (Cs)                                                                     | ug/L         | ND                  | C364066         | ND                  | 0.050      | C364066         |
| Dissolved Chromium (Cr)                                                                   | ug/L         | ND                  | C364066         | ND                  | 0.10       | C364066         |
| Dissolved Cobalt (Co)                                                                     | ug/L         | ND                  | C364066         | 0.0544              | 0.0050     | C364066         |
| Dissolved Copper (Cu)                                                                     | ug/L         | ND                  | C364066         | 0.065               | 0.050      | C364066         |
| Dissolved Iron (Fe)                                                                       | ug/L         | ND                  | C364066         | 3.5                 | 1.0        | C364066         |
| Dissolved Lead (Pb)                                                                       | ug/L         | ND                  | C364066         | ND                  | 0.0050     | C364066         |
| Dissolved Lithium (Li)                                                                    | ug/L         | ND                  | C364066         | 8.48                | 0.50       | C364066         |
| Dissolved Manganese (Mn)                                                                  | ug/L         | ND                  | C364066         | 27.3                | 0.050      | C364066         |
| Dissolved Molybdenum (Mo)                                                                 | ug/L         | ND                  | C364066         | 45.5                | 0.050      | C364066         |
| Dissolved Nickel (Ni)                                                                     | ug/L         | ND                  | C364066         | 0.205               | 0.020      | C364066         |
| Dissolved Phosphorus (P)                                                                  | ug/L         | ND                  | C364066         | 2.4                 | 2.0        | C364066         |
| Dissolved Rubidium (Rb)                                                                   | ug/L         | ND                  | C364066         | 3.60                | 0.050      | C364066         |
| Dissolved Selenium (Se)                                                                   | ug/L         | ND                  | C364066         | 0.041               | 0.040      | C364066         |
| RDL = Reportable Detection Limit                                                          |              |                     |                 |                     |            |                 |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |              |                     |                 |                     |            |                 |



### ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

| Bureau Veritas ID                                                                         |       | EJR373              |          | EJR374              |        |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|----------|---------------------|--------|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 |          | 2026/07/28<br>08:30 |        |          |
| COC Number                                                                                |       | 136590              |          | 136590              |        |          |
|                                                                                           | UNITS | Trip Blank          | QC Batch | DUP                 | RDL    | QC Batch |
| Dissolved Silicon (Si)                                                                    | ug/L  | ND                  | C364066  | 6290                | 50     | C364066  |
| Dissolved Silver (Ag)                                                                     | ug/L  | ND                  | C364066  | ND                  | 0.0050 | C364066  |
| Dissolved Strontium (Sr)                                                                  | ug/L  | ND                  | C364066  | 49.1                | 0.050  | C364066  |
| Dissolved Tellurium (Te)                                                                  | ug/L  | ND                  | C364066  | ND                  | 0.020  | C364066  |
| Dissolved Thallium (Tl)                                                                   | ug/L  | ND                  | C364066  | 0.0073              | 0.0020 | C364066  |
| Dissolved Thorium (Th)                                                                    | ug/L  | ND                  | C364066  | 0.0077              | 0.0050 | C364066  |
| Dissolved Tin (Sn)                                                                        | ug/L  | ND                  | C364066  | ND                  | 0.20   | C364066  |
| Dissolved Titanium (Ti)                                                                   | ug/L  | ND                  | C364066  | ND                  | 0.50   | C364066  |
| Dissolved Uranium (U)                                                                     | ug/L  | ND                  | C364066  | 0.400               | 0.0020 | C364066  |
| Dissolved Vanadium (V)                                                                    | ug/L  | ND                  | C364066  | ND                  | 0.20   | C364066  |
| Dissolved Zinc (Zn)                                                                       | ug/L  | ND                  | C364066  | 9.05                | 0.10   | C367639  |
| Dissolved Zirconium (Zr)                                                                  | ug/L  | ND                  | C364066  | ND                  | 0.10   | C364066  |
| <b>Total Metals by ICPMS</b>                                                              |       |                     |          |                     |        |          |
| Total Aluminum (Al)                                                                       | ug/L  | ND                  | C364067  | 110                 | 0.50   | C364067  |
| Total Antimony (Sb)                                                                       | ug/L  | ND                  | C364067  | 0.820               | 0.020  | C364067  |
| Total Arsenic (As)                                                                        | ug/L  | ND                  | C364067  | 0.807               | 0.020  | C364067  |
| Total Barium (Ba)                                                                         | ug/L  | ND                  | C364067  | 9.67                | 0.020  | C364067  |
| Total Beryllium (Be)                                                                      | ug/L  | ND                  | C364067  | ND                  | 0.010  | C364067  |
| Total Bismuth (Bi)                                                                        | ug/L  | ND                  | C364067  | ND                  | 0.0050 | C364067  |
| Total Boron (B)                                                                           | ug/L  | ND                  | C364067  | 11                  | 10     | C364067  |
| Total Cadmium (Cd)                                                                        | ug/L  | ND                  | C364067  | ND                  | 0.0050 | C364067  |
| Total Cesium (Cs)                                                                         | ug/L  | ND                  | C364067  | ND                  | 0.050  | C364067  |
| Total Chromium (Cr)                                                                       | ug/L  | ND                  | C364067  | ND                  | 0.10   | C364067  |
| Total Cobalt (Co)                                                                         | ug/L  | ND                  | C364067  | 0.0644              | 0.0050 | C364067  |
| Total Copper (Cu)                                                                         | ug/L  | ND                  | C364067  | 0.074               | 0.050  | C364067  |
| Total Iron (Fe)                                                                           | ug/L  | ND                  | C364067  | 23.7                | 1.0    | C364067  |
| Total Lead (Pb)                                                                           | ug/L  | ND                  | C364067  | 0.0081              | 0.0050 | C364067  |
| Total Lithium (Li)                                                                        | ug/L  | ND                  | C364067  | 7.85                | 0.50   | C364067  |
| Total Manganese (Mn)                                                                      | ug/L  | ND                  | C364067  | 29.5                | 0.050  | C364067  |
| Total Molybdenum (Mo)                                                                     | ug/L  | ND                  | C364067  | 46.2                | 0.050  | C364067  |
| RDL = Reportable Detection Limit                                                          |       |                     |          |                     |        |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |          |                     |        |          |



### ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

| Bureau Veritas ID                                                                         |       | EJR373              |          | EJR374              |        |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|----------|---------------------|--------|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 |          | 2026/07/28<br>08:30 |        |          |
| COC Number                                                                                |       | 136590              |          | 136590              |        |          |
|                                                                                           | UNITS | Trip Blank          | QC Batch | DUP                 | RDL    | QC Batch |
| Total Nickel (Ni)                                                                         | ug/L  | 0.024               | C364067  | 0.210               | 0.020  | C364067  |
| Total Phosphorus (P)                                                                      | ug/L  | ND                  | C364067  | 3.9                 | 2.0    | C364067  |
| Total Rubidium (Rb)                                                                       | ug/L  | ND                  | C364067  | 3.77                | 0.050  | C364067  |
| Total Selenium (Se)                                                                       | ug/L  | ND                  | C364067  | 0.052               | 0.040  | C364067  |
| Total Silicon (Si)                                                                        | ug/L  | ND                  | C364067  | 6630                | 50     | C364067  |
| Total Silver (Ag)                                                                         | ug/L  | ND                  | C364067  | ND                  | 0.0050 | C364067  |
| Total Strontium (Sr)                                                                      | ug/L  | ND                  | C364067  | 49.1                | 0.050  | C364067  |
| Total Tellurium (Te)                                                                      | ug/L  | ND                  | C364067  | ND                  | 0.020  | C364067  |
| Total Thallium (Tl)                                                                       | ug/L  | ND                  | C364067  | 0.0067              | 0.0020 | C364067  |
| Total Thorium (Th)                                                                        | ug/L  | ND                  | C364067  | ND                  | 0.050  | C364067  |
| Total Tin (Sn)                                                                            | ug/L  | ND                  | C364067  | ND                  | 0.20   | C364067  |
| Total Titanium (Ti)                                                                       | ug/L  | ND                  | C364067  | ND                  | 0.50   | C364067  |
| Total Uranium (U)                                                                         | ug/L  | ND                  | C364067  | 0.446               | 0.0020 | C364067  |
| Total Vanadium (V)                                                                        | ug/L  | ND                  | C364067  | ND                  | 0.20   | C364067  |
| Total Zinc (Zn)                                                                           | ug/L  | ND                  | C364067  | 2.57                | 0.10   | C364067  |
| Total Zirconium (Zr)                                                                      | ug/L  | ND                  | C364067  | ND                  | 0.10   | C364067  |
| Total Calcium (Ca)                                                                        | mg/L  | ND                  | C361403  | 24.3                | 0.050  | C361403  |
| Total Magnesium (Mg)                                                                      | mg/L  | ND                  | C361403  | 1.50                | 0.050  | C361403  |
| Total Potassium (K)                                                                       | mg/L  | ND                  | C361403  | 1.82                | 0.050  | C361403  |
| Total Sodium (Na)                                                                         | mg/L  | ND                  | C361403  | 7.96                | 0.050  | C361403  |
| Total Sulphur (S)                                                                         | mg/L  | ND                  | C361403  | 5.3                 | 3.0    | C361403  |
| RDL = Reportable Detection Limit                                                          |       |                     |          |                     |        |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |          |                     |        |          |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### MISCELLANEOUS (WATER)

|                                                                                           |              |                     |                     |                     |                     |            |                 |
|-------------------------------------------------------------------------------------------|--------------|---------------------|---------------------|---------------------|---------------------|------------|-----------------|
| <b>Bureau Veritas ID</b>                                                                  |              | EJR369              | EJR370              | EJR371              | EJR374              |            |                 |
| <b>Sampling Date</b>                                                                      |              | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |            |                 |
| <b>COC Number</b>                                                                         |              | 136590              | 136590              | 136590              | 136590              |            |                 |
|                                                                                           | <b>UNITS</b> | <b>WLNG-DS</b>      | <b>WLNG -EOP</b>    | <b>WLNG-US</b>      | <b>DUP</b>          | <b>RDL</b> | <b>QC Batch</b> |
| <b>Calculated Parameters</b>                                                              |              |                     |                     |                     |                     |            |                 |
| Total Un-ionized Hydrogen Sulfide as S                                                    | mg/L         | ND                  | ND                  | ND                  | ND                  | 0.0018     | C361583         |
| Total Un-ionized Hydrogen Sulfide as H <sub>2</sub> S                                     | mg/L         | ND                  | ND                  | ND                  | ND                  | 0.0019     | C361583         |
| RDL = Reportable Detection Limit                                                          |              |                     |                     |                     |                     |            |                 |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |              |                     |                     |                     |                     |            |                 |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### LEPH & HEPH WITH CSR/CCME PAH IN WATER (WATER)

| Bureau Veritas ID                                                                         |       | EJR370              | EJR374              |        |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|---------------------|--------|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |        |          |
| COC Number                                                                                |       | 136590              | 136590              |        |          |
|                                                                                           | UNITS | WLNG -EOP           | DUP                 | RDL    | QC Batch |
| <b>Calculated Parameters</b>                                                              |       |                     |                     |        |          |
| Low Molecular Weight PAH's                                                                | ug/L  | ND                  | ND                  | 0.10   | C361366  |
| High Molecular Weight PAH's                                                               | ug/L  | ND                  | ND                  | 0.050  | C361366  |
| Total PAH                                                                                 | ug/L  | ND                  | ND                  | 0.10   | C361366  |
| <b>Polycyclic Aromatics</b>                                                               |       |                     |                     |        |          |
| Quinoline                                                                                 | ug/L  | ND                  | ND                  | 0.020  | C363972  |
| Naphthalene                                                                               | ug/L  | ND                  | ND                  | 0.10   | C363972  |
| 1-Methylnaphthalene                                                                       | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| 2-Methylnaphthalene                                                                       | ug/L  | ND                  | ND                  | 0.10   | C363972  |
| Acenaphthylene                                                                            | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| Acenaphthene                                                                              | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| Fluorene                                                                                  | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| Phenanthrene                                                                              | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| Anthracene                                                                                | ug/L  | ND                  | ND                  | 0.010  | C363972  |
| Acridine                                                                                  | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| Fluoranthene                                                                              | ug/L  | ND                  | ND                  | 0.020  | C363972  |
| Pyrene                                                                                    | ug/L  | ND                  | ND                  | 0.020  | C363972  |
| Benzo(a)anthracene                                                                        | ug/L  | ND                  | ND                  | 0.010  | C363972  |
| Chrysene                                                                                  | ug/L  | ND                  | ND                  | 0.020  | C363972  |
| Benzo(b&j)fluoranthene                                                                    | ug/L  | ND                  | ND                  | 0.030  | C363972  |
| Benzo(k)fluoranthene                                                                      | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| Benzo(a)pyrene                                                                            | ug/L  | ND                  | ND                  | 0.0050 | C363972  |
| Indeno(1,2,3-cd)pyrene                                                                    | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| Dibenz(a,h)anthracene                                                                     | ug/L  | ND                  | ND                  | 0.0030 | C363972  |
| Benzo(g,h,i)perylene                                                                      | ug/L  | ND                  | ND                  | 0.050  | C363972  |
| <b>Calculated Parameters</b>                                                              |       |                     |                     |        |          |
| LEPH (C10-C19 less PAH)                                                                   | mg/L  | ND                  | ND                  | 0.20   | C361370  |
| HEPH (C19-C32 less PAH)                                                                   | mg/L  | ND                  | ND                  | 0.20   | C361370  |
| <b>Ext. Pet. Hydrocarbon</b>                                                              |       |                     |                     |        |          |
| EPH (C10-C19)                                                                             | mg/L  | ND                  | ND                  | 0.20   | C363978  |
| RDL = Reportable Detection Limit                                                          |       |                     |                     |        |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |                     |        |          |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### LEPH & HEPH WITH CSR/CCME PAH IN WATER (WATER)

| Bureau Veritas ID                                                                         |       | EJR370              | EJR374              |      |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|---------------------|------|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |      |          |
| COC Number                                                                                |       | 136590              | 136590              |      |          |
|                                                                                           | UNITS | WLNG -EOP           | DUP                 | RDL  | QC Batch |
| EPH (C19-C32)                                                                             | mg/L  | ND                  | ND                  | 0.20 | C363978  |
| <b>Surrogate Recovery (%)</b>                                                             |       |                     |                     |      |          |
| O-TERPHENYL (sur.)                                                                        | %     | 100                 | 94                  |      | C363978  |
| D10-ANTHRACENE (sur.)                                                                     | %     | 94                  | 89                  |      | C363972  |
| D8-ACENAPHTHYLENE (sur.)                                                                  | %     | 84                  | 80                  |      | C363972  |
| D8-NAPHTHALENE (sur.)                                                                     | %     | 76                  | 68                  |      | C363972  |
| TERPHENYL-D14 (sur.)                                                                      | %     | 71                  | 63                  |      | C363972  |
| RDL = Reportable Detection Limit                                                          |       |                     |                     |      |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |                     |      |          |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### CSR VOC + VPH IN WATER (WATER)

| Bureau Veritas ID                                                                         |       | EJR370              | EJR374              |      |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|---------------------|------|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |      |          |
| COC Number                                                                                |       | 136590              | 136590              |      |          |
|                                                                                           | UNITS | WLNG -EOP           | DUP                 | RDL  | QC Batch |
| <b>Calculated Parameters</b>                                                              |       |                     |                     |      |          |
| VPH (VH6 to 10 - BTEX)                                                                    | ug/L  | ND                  | ND                  | 300  | C361373  |
| <b>Volatiles</b>                                                                          |       |                     |                     |      |          |
| VH C6-C10                                                                                 | ug/L  | ND                  | ND                  | 300  | C364163  |
| 1,1,1,2-tetrachloroethane                                                                 | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,1,1-trichloroethane                                                                     | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,1,2,2-tetrachloroethane                                                                 | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,1,2Trichloro-1,2,2Trifluoroethane                                                       | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| 1,1,2-trichloroethane                                                                     | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,1-dichloroethane                                                                        | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,1-dichloroethene                                                                        | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,2,3-trichlorobenzene                                                                    | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| 1,2,4-trichlorobenzene                                                                    | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| 1,2-dibromoethane                                                                         | ug/L  | ND                  | ND                  | 0.20 | C364163  |
| 1,2-dichlorobenzene                                                                       | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,2-dichloroethane                                                                        | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,2-dichloropropane                                                                       | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,3,5-trimethylbenzene                                                                    | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| 1,3-Butadiene                                                                             | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,3-dichlorobenzene                                                                       | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| 1,3-dichloropropane                                                                       | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| 1,4-dichlorobenzene                                                                       | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| Benzene                                                                                   | ug/L  | ND                  | ND                  | 0.40 | C364163  |
| Bromobenzene                                                                              | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| Bromodichloromethane                                                                      | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| Bromoform                                                                                 | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| Bromomethane                                                                              | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| Carbon tetrachloride                                                                      | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| Chlorobenzene                                                                             | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| Dibromochloromethane                                                                      | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| RDL = Reportable Detection Limit                                                          |       |                     |                     |      |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |                     |      |          |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### CSR VOC + VPH IN WATER (WATER)

| Bureau Veritas ID                                                                         |       | EJR370              | EJR374              |      |          |
|-------------------------------------------------------------------------------------------|-------|---------------------|---------------------|------|----------|
| Sampling Date                                                                             |       | 2026/07/28<br>08:30 | 2026/07/28<br>08:30 |      |          |
| COC Number                                                                                |       | 136590              | 136590              |      |          |
|                                                                                           | UNITS | WLNG -EOP           | DUP                 | RDL  | QC Batch |
| Chloroethane                                                                              | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| Chloroform                                                                                | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| Chloromethane                                                                             | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| cis-1,2-dichloroethene                                                                    | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| cis-1,3-dichloropropene                                                                   | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| Dichlorodifluoromethane                                                                   | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| Dichloromethane                                                                           | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| Ethylbenzene                                                                              | ug/L  | ND                  | ND                  | 0.40 | C364163  |
| Hexachlorobutadiene                                                                       | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| Isopropylbenzene                                                                          | ug/L  | ND                  | ND                  | 2.0  | C364163  |
| Methyl-tert-butylether (MTBE)                                                             | ug/L  | ND                  | ND                  | 4.0  | C364163  |
| Styrene                                                                                   | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| Tetrachloroethene                                                                         | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| Toluene                                                                                   | ug/L  | ND                  | ND                  | 0.40 | C364163  |
| trans-1,2-dichloroethene                                                                  | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| trans-1,3-dichloropropene                                                                 | ug/L  | ND                  | ND                  | 1.0  | C364163  |
| Trichloroethene                                                                           | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| Trichlorofluoromethane                                                                    | ug/L  | ND                  | ND                  | 4.0  | C364163  |
| Vinyl chloride                                                                            | ug/L  | ND                  | ND                  | 0.50 | C364163  |
| m & p-Xylene                                                                              | ug/L  | ND                  | ND                  | 0.40 | C364163  |
| o-Xylene                                                                                  | ug/L  | ND                  | ND                  | 0.40 | C364163  |
| Xylenes (Total)                                                                           | ug/L  | ND                  | ND                  | 0.40 | C364163  |
| <b>Surrogate Recovery (%)</b>                                                             |       |                     |                     |      |          |
| 1,4-Difluorobenzene (sur.)                                                                | %     | 102                 | 101                 |      | C364163  |
| 4-Bromofluorobenzene (sur.)                                                               | %     | 88                  | 92                  |      | C364163  |
| D4-1,2-Dichloroethane (sur.)                                                              | %     | 98                  | 96                  |      | C364163  |
| RDL = Reportable Detection Limit                                                          |       |                     |                     |      |          |
| ND = Not Detected at a concentration equal or greater than the indicated Detection Limit. |       |                     |                     |      |          |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### GENERAL COMMENTS

Sample EJR374, Elements by ICPMS Low Level (lab filter): Test repeated.

**Results relate only to the items tested.**



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT

| QA/QC<br>Batch | Init | QC Type                  | Parameter                   | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|--------------------------|-----------------------------|---------------|-------------------|----------|-------|-----------|
| C361271        | IC4  | Matrix Spike             | Dissolved Mercury (Hg)      | 2026/07/29    |                   | NC       | %     | 80 - 120  |
| C361271        | IC4  | Spiked Blank             | Dissolved Mercury (Hg)      | 2026/07/29    |                   | 99       | %     | 80 - 120  |
| C361271        | IC4  | Method Blank             | Dissolved Mercury (Hg)      | 2026/07/29    | ND,<br>RDL=0.0019 |          | ug/L  |           |
| C361271        | IC4  | RPD                      | Dissolved Mercury (Hg)      | 2026/07/29    | 3.1               |          | %     | 20        |
| C361474        | SPP  | Matrix Spike             | Total Dissolved Solids      | 2026/07/30    |                   | 101      | %     | 80 - 120  |
| C361474        | SPP  | Spiked Blank             | Total Dissolved Solids      | 2026/07/30    |                   | 98       | %     | 80 - 120  |
| C361474        | SPP  | Method Blank             | Total Dissolved Solids      | 2026/07/30    | ND,<br>RDL=10     |          | mg/L  |           |
| C361474        | SPP  | RPD                      | Total Dissolved Solids      | 2026/07/30    | 5.6               |          | %     | 20        |
| C361900        | IC4  | Matrix Spike             | Total Mercury (Hg)          | 2026/07/30    |                   | 93       | %     | 80 - 120  |
| C361900        | IC4  | Spiked Blank             | Total Mercury (Hg)          | 2026/07/30    |                   | 95       | %     | 80 - 120  |
| C361900        | IC4  | Method Blank             | Total Mercury (Hg)          | 2026/07/30    | ND,<br>RDL=0.0019 |          | ug/L  |           |
| C361900        | IC4  | RPD                      | Total Mercury (Hg)          | 2026/07/30    | NC                |          | %     | 20        |
| C362014        | SPP  | Matrix Spike             | Total Dissolved Solids      | 2026/07/30    |                   | NC       | %     | 80 - 120  |
| C362014        | SPP  | Spiked Blank             | Total Dissolved Solids      | 2026/07/30    |                   | 104      | %     | 80 - 120  |
| C362014        | SPP  | Method Blank             | Total Dissolved Solids      | 2026/07/30    | ND,<br>RDL=10     |          | mg/L  |           |
| C362014        | SPP  | RPD                      | Total Dissolved Solids      | 2026/07/30    | 1.7               |          | %     | 20        |
| C362091        | SPP  | Matrix Spike [EJR370-01] | Total Suspended Solids      | 2026/07/30    |                   | 96       | %     | 80 - 120  |
| C362091        | SPP  | Spiked Blank             | Total Suspended Solids      | 2026/07/30    |                   | 105      | %     | 80 - 120  |
| C362091        | SPP  | Method Blank             | Total Suspended Solids      | 2026/07/30    | ND,<br>RDL=1.0    |          | mg/L  |           |
| C362091        | SPP  | RPD [EJR369-01]          | Total Suspended Solids      | 2026/07/30    | 0                 |          | %     | 20        |
| C362100        | JGL  | Spiked Blank             | Nitrate plus Nitrite (N)    | 2026/07/29    |                   | 105      | %     | 80 - 120  |
| C362100        | JGL  | Method Blank             | Nitrate plus Nitrite (N)    | 2026/07/29    | ND,<br>RDL=0.020  |          | mg/L  |           |
| C362103        | JGL  | Spiked Blank             | Nitrite (N)                 | 2026/07/29    |                   | 104      | %     | 80 - 120  |
| C362103        | JGL  | Method Blank             | Nitrite (N)                 | 2026/07/29    | ND,<br>RDL=0.0050 |          | mg/L  |           |
| C362108        | JGL  | Matrix Spike             | Nitrate plus Nitrite (N)    | 2026/07/29    |                   | 117      | %     | 80 - 120  |
| C362108        | JGL  | Spiked Blank             | Nitrate plus Nitrite (N)    | 2026/07/29    |                   | 107      | %     | 80 - 120  |
| C362108        | JGL  | Method Blank             | Nitrate plus Nitrite (N)    | 2026/07/29    | ND,<br>RDL=0.020  |          | mg/L  |           |
| C362108        | JGL  | RPD                      | Nitrate plus Nitrite (N)    | 2026/07/29    | 1.3               |          | %     | 20        |
| C362113        | JGL  | Matrix Spike             | Nitrite (N)                 | 2026/07/29    |                   | 124 (1)  | %     | 80 - 120  |
| C362113        | JGL  | Spiked Blank             | Nitrite (N)                 | 2026/07/29    |                   | 103      | %     | 80 - 120  |
| C362113        | JGL  | Method Blank             | Nitrite (N)                 | 2026/07/29    | ND,<br>RDL=0.0050 |          | mg/L  |           |
| C362113        | JGL  | RPD                      | Nitrite (N)                 | 2026/07/29    | NC                |          | %     | 20        |
| C362189        | BB3  | Spiked Blank             | pH                          | 2026/07/30    |                   | 100      | %     | 97 - 103  |
| C362197        | CJY  | Spiked Blank             | Total Organic Carbon (C)    | 2026/07/30    |                   | 107      | %     | 80 - 120  |
| C362197        | CJY  | Method Blank             | Total Organic Carbon (C)    | 2026/07/30    | ND,<br>RDL=0.50   |          | mg/L  |           |
| C362198        | BB3  | Spiked Blank             | Alkalinity (Total as CaCO3) | 2026/07/30    |                   | 96       | %     | 80 - 120  |
| C362198        | BB3  | Method Blank             | Alkalinity (PP as CaCO3)    | 2026/07/30    | ND,<br>RDL=1.0    |          | mg/L  |           |
|                |      |                          | Alkalinity (Total as CaCO3) | 2026/07/30    | ND,<br>RDL=1.0    |          | mg/L  |           |
|                |      |                          | Bicarbonate (HCO3)          | 2026/07/30    | ND,<br>RDL=1.0    |          | mg/L  |           |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter                                | Date Analyzed | Value          | Recovery | UNITS | QC Limits |
|----------------|------|--------------|------------------------------------------|---------------|----------------|----------|-------|-----------|
| C362198        | BB3  | RPD          | Carbonate (CO <sub>3</sub> )             | 2026/07/30    | ND,<br>RDL=1.0 |          | mg/L  |           |
|                |      |              | Hydroxide (OH)                           | 2026/07/30    | ND,<br>RDL=1.0 |          | mg/L  |           |
|                |      |              | Alkalinity (PP as CaCO <sub>3</sub> )    | 2026/07/30    | NC             |          | %     | 20        |
|                |      |              | Alkalinity (Total as CaCO <sub>3</sub> ) | 2026/07/30    | 3.8            |          | %     | 20        |
|                |      |              | Bicarbonate (HCO <sub>3</sub> )          | 2026/07/30    | 3.8            |          | %     | 20        |
|                |      |              | Carbonate (CO <sub>3</sub> )             | 2026/07/30    | NC             |          | %     | 20        |
| C362541        | SPP  | Matrix Spike | Hydroxide (OH)                           | 2026/07/30    | NC             |          | %     | 20        |
|                |      |              | Total Suspended Solids                   | 2026/07/31    |                | 101      | %     | 80 - 120  |
|                |      |              | Total Suspended Solids                   | 2026/07/31    |                | 108      | %     | 80 - 120  |
| C362541        | SPP  | Method Blank | Total Suspended Solids                   | 2026/07/31    | ND,<br>RDL=1.0 |          | mg/L  |           |
| C362541        | SPP  | RPD          | Total Suspended Solids                   | 2026/07/31    | 7.4            |          | %     | 20        |
| C362561        | AA1  | Matrix Spike | Total Aluminum (Al)                      | 2026/07/31    |                | 102      | %     | 80 - 120  |
|                |      |              | Total Antimony (Sb)                      | 2026/07/31    |                | 102      | %     | 80 - 120  |
|                |      |              | Total Arsenic (As)                       | 2026/07/31    |                | 103      | %     | 80 - 120  |
|                |      |              | Total Barium (Ba)                        | 2026/07/31    |                | 100      | %     | 80 - 120  |
|                |      |              | Total Beryllium (Be)                     | 2026/07/31    |                | 106      | %     | 80 - 120  |
|                |      |              | Total Bismuth (Bi)                       | 2026/07/31    |                | 95       | %     | 80 - 120  |
|                |      |              | Total Boron (B)                          | 2026/07/31    |                | 108      | %     | 80 - 120  |
|                |      |              | Total Cadmium (Cd)                       | 2026/07/31    |                | 100      | %     | 80 - 120  |
|                |      |              | Total Cesium (Cs)                        | 2026/07/31    |                | 100      | %     | 80 - 120  |
|                |      |              | Total Chromium (Cr)                      | 2026/07/31    |                | 94       | %     | 80 - 120  |
|                |      |              | Total Cobalt (Co)                        | 2026/07/31    |                | 91       | %     | 80 - 120  |
|                |      |              | Total Copper (Cu)                        | 2026/07/31    |                | 86       | %     | 80 - 120  |
|                |      |              | Total Iron (Fe)                          | 2026/07/31    |                | 101      | %     | 80 - 120  |
|                |      |              | Total Lead (Pb)                          | 2026/07/31    |                | 94       | %     | 80 - 120  |
|                |      |              | Total Lithium (Li)                       | 2026/07/31    |                | 106      | %     | 80 - 120  |
|                |      |              | Total Manganese (Mn)                     | 2026/07/31    |                | 93       | %     | 80 - 120  |
|                |      |              | Total Molybdenum (Mo)                    | 2026/07/31    |                | 107      | %     | 80 - 120  |
|                |      |              | Total Nickel (Ni)                        | 2026/07/31    |                | 88       | %     | 80 - 120  |
|                |      |              | Total Phosphorus (P)                     | 2026/07/31    |                | 102      | %     | 80 - 120  |
|                |      |              | Total Rubidium (Rb)                      | 2026/07/31    |                | 95       | %     | 80 - 120  |
|                |      |              | Total Selenium (Se)                      | 2026/07/31    |                | 108      | %     | 80 - 120  |
|                |      |              | Total Silicon (Si)                       | 2026/07/31    |                | 106      | %     | 80 - 120  |
|                |      |              | Total Silver (Ag)                        | 2026/07/31    |                | 99       | %     | 80 - 120  |
|                |      |              | Total Strontium (Sr)                     | 2026/07/31    |                | NC       | %     | 80 - 120  |
|                |      |              | Total Tellurium (Te)                     | 2026/07/31    |                | 99       | %     | 80 - 120  |
|                |      |              | Total Thallium (Tl)                      | 2026/07/31    |                | 100      | %     | 80 - 120  |
|                |      |              | Total Thorium (Th)                       | 2026/07/31    |                | 105      | %     | 80 - 120  |
|                |      |              | Total Tin (Sn)                           | 2026/07/31    |                | 103      | %     | 80 - 120  |
|                |      |              | Total Titanium (Ti)                      | 2026/07/31    |                | 99       | %     | 80 - 120  |
|                |      |              | Total Uranium (U)                        | 2026/07/31    |                | 108      | %     | 80 - 120  |
|                |      |              | Total Vanadium (V)                       | 2026/07/31    |                | 99       | %     | 80 - 120  |
|                |      |              | Total Zinc (Zn)                          | 2026/07/31    |                | 87       | %     | 80 - 120  |
| C362561        | AA1  | Spiked Blank | Total Zirconium (Zr)                     | 2026/07/31    |                | 103      | %     | 80 - 120  |
|                |      |              | Total Aluminum (Al)                      | 2026/07/31    |                | 100      | %     | 80 - 120  |
|                |      |              | Total Antimony (Sb)                      | 2026/07/31    |                | 101      | %     | 80 - 120  |
|                |      |              | Total Arsenic (As)                       | 2026/07/31    |                | 100      | %     | 80 - 120  |
|                |      |              | Total Barium (Ba)                        | 2026/07/31    |                | 99       | %     | 80 - 120  |
|                |      |              | Total Beryllium (Be)                     | 2026/07/31    |                | 100      | %     | 80 - 120  |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter             | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|--------------|-----------------------|---------------|-------------------|----------|-------|-----------|
|                |      |              | Total Bismuth (Bi)    | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Boron (B)       | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Cadmium (Cd)    | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Cesium (Cs)     | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Chromium (Cr)   | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Total Cobalt (Co)     | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Total Copper (Cu)     | 2026/07/31    |                   | 96       | %     | 80 - 120  |
|                |      |              | Total Iron (Fe)       | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Lead (Pb)       | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Total Lithium (Li)    | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Manganese (Mn)  | 2026/07/31    |                   | 98       | %     | 80 - 120  |
|                |      |              | Total Molybdenum (Mo) | 2026/07/31    |                   | 105      | %     | 80 - 120  |
|                |      |              | Total Nickel (Ni)     | 2026/07/31    |                   | 96       | %     | 80 - 120  |
|                |      |              | Total Phosphorus (P)  | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Rubidium (Rb)   | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Total Selenium (Se)   | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Silicon (Si)    | 2026/07/31    |                   | 104      | %     | 80 - 120  |
|                |      |              | Total Silver (Ag)     | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Strontium (Sr)  | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Tellurium (Te)  | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Thallium (Tl)   | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Total Thorium (Th)    | 2026/07/31    |                   | 104      | %     | 80 - 120  |
|                |      |              | Total Tin (Sn)        | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Titanium (Ti)   | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Uranium (U)     | 2026/07/31    |                   | 107      | %     | 80 - 120  |
|                |      |              | Total Vanadium (V)    | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Total Zinc (Zn)       | 2026/07/31    |                   | 95       | %     | 80 - 120  |
|                |      |              | Total Zirconium (Zr)  | 2026/07/31    |                   | 100      | %     | 80 - 120  |
| C362561        | AA1  | Method Blank | Total Aluminum (Al)   | 2026/07/31    | ND,<br>RDL=3.0    |          | ug/L  |           |
|                |      |              | Total Antimony (Sb)   | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Total Arsenic (As)    | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Total Barium (Ba)     | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |              | Total Beryllium (Be)  | 2026/07/31    | ND,<br>RDL=0.010  |          | ug/L  |           |
|                |      |              | Total Bismuth (Bi)    | 2026/07/31    | ND,<br>RDL=0.010  |          | ug/L  |           |
|                |      |              | Total Boron (B)       | 2026/07/31    | ND,<br>RDL=10     |          | ug/L  |           |
|                |      |              | Total Cadmium (Cd)    | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |              | Total Cesium (Cs)     | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |              | Total Chromium (Cr)   | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
|                |      |              | Total Cobalt (Co)     | 2026/07/31    | ND,<br>RDL=0.010  |          | ug/L  |           |
|                |      |              | Total Copper (Cu)     | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type | Parameter             | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|---------|-----------------------|---------------|-------------------|----------|-------|-----------|
| C362561        | AA1  | RPD     | Total Iron (Fe)       | 2026/07/31    | ND,<br>RDL=5.0    |          | ug/L  |           |
|                |      |         | Total Lead (Pb)       | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |         | Total Lithium (Li)    | 2026/07/31    | ND,<br>RDL=0.50   |          | ug/L  |           |
|                |      |         | Total Manganese (Mn)  | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
|                |      |         | Total Molybdenum (Mo) | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Nickel (Ni)     | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
|                |      |         | Total Phosphorus (P)  | 2026/07/31    | ND,<br>RDL=5.0    |          | ug/L  |           |
|                |      |         | Total Rubidium (Rb)   | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Selenium (Se)   | 2026/07/31    | ND,<br>RDL=0.040  |          | ug/L  |           |
|                |      |         | Total Silicon (Si)    | 2026/07/31    | ND,<br>RDL=50     |          | ug/L  |           |
|                |      |         | Total Silver (Ag)     | 2026/07/31    | ND,<br>RDL=0.010  |          | ug/L  |           |
|                |      |         | Total Strontium (Sr)  | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Tellurium (Te)  | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |         | Total Thallium (Tl)   | 2026/07/31    | ND,<br>RDL=0.0020 |          | ug/L  |           |
|                |      |         | Total Thorium (Th)    | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Tin (Sn)        | 2026/07/31    | ND,<br>RDL=0.20   |          | ug/L  |           |
|                |      |         | Total Titanium (Ti)   | 2026/07/31    | ND,<br>RDL=2.0    |          | ug/L  |           |
|                |      |         | Total Uranium (U)     | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Total Vanadium (V)    | 2026/07/31    | ND,<br>RDL=0.20   |          | ug/L  |           |
|                |      |         | Total Zinc (Zn)       | 2026/07/31    | ND,<br>RDL=1.0    |          | ug/L  |           |
|                |      |         | Total Zirconium (Zr)  | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
|                |      |         | Total Aluminum (Al)   | 2026/07/31    | NC                |          | %     | 20        |
|                |      |         | Total Antimony (Sb)   | 2026/07/31    | 13                |          | %     | 20        |
|                |      |         | Total Arsenic (As)    | 2026/07/31    | 0.51              |          | %     | 20        |
|                |      |         | Total Barium (Ba)     | 2026/07/31    | 0.61              |          | %     | 20        |
|                |      |         | Total Beryllium (Be)  | 2026/07/31    | NC                |          | %     | 20        |
|                |      |         | Total Bismuth (Bi)    | 2026/07/31    | 2.7               |          | %     | 20        |
|                |      |         | Total Boron (B)       | 2026/07/31    | NC                |          | %     | 20        |
|                |      |         | Total Cadmium (Cd)    | 2026/07/31    | NC                |          | %     | 20        |
|                |      |         | Total Chromium (Cr)   | 2026/07/31    | NC                |          | %     | 20        |
|                |      |         | Total Cobalt (Co)     | 2026/07/31    | 7.4               |          | %     | 20        |
|                |      |         | Total Copper (Cu)     | 2026/07/31    | 2.8               |          | %     | 20        |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type                  | Parameter                    | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|--------------------------|------------------------------|---------------|-------------------|----------|-------|-----------|
|                |      |                          | Total Iron (Fe)              | 2026/07/31    | 0.12              |          | %     | 20        |
|                |      |                          | Total Lead (Pb)              | 2026/07/31    | NC                |          | %     | 20        |
|                |      |                          | Total Lithium (Li)           | 2026/07/31    | 0.82              |          | %     | 20        |
|                |      |                          | Total Manganese (Mn)         | 2026/07/31    | 0.38              |          | %     | 20        |
|                |      |                          | Total Molybdenum (Mo)        | 2026/07/31    | 2.8               |          | %     | 20        |
|                |      |                          | Total Nickel (Ni)            | 2026/07/31    | 7.4               |          | %     | 20        |
|                |      |                          | Total Phosphorus (P)         | 2026/07/31    | 9.8               |          | %     | 20        |
|                |      |                          | Total Selenium (Se)          | 2026/07/31    | NC                |          | %     | 20        |
|                |      |                          | Total Silicon (Si)           | 2026/07/31    | 0.33              |          | %     | 20        |
|                |      |                          | Total Silver (Ag)            | 2026/07/31    | NC                |          | %     | 20        |
|                |      |                          | Total Strontium (Sr)         | 2026/07/31    | 0.15              |          | %     | 20        |
|                |      |                          | Total Thallium (Tl)          | 2026/07/31    | NC                |          | %     | 20        |
|                |      |                          | Total Tin (Sn)               | 2026/07/31    | NC                |          | %     | 20        |
|                |      |                          | Total Titanium (Ti)          | 2026/07/31    | NC                |          | %     | 20        |
|                |      |                          | Total Uranium (U)            | 2026/07/31    | 0.73              |          | %     | 20        |
|                |      |                          | Total Vanadium (V)           | 2026/07/31    | NC                |          | %     | 20        |
|                |      |                          | Total Zinc (Zn)              | 2026/07/31    | 2.2               |          | %     | 20        |
|                |      |                          | Total Zirconium (Zr)         | 2026/07/31    | NC                |          | %     | 20        |
| C362625        | IC4  | Matrix Spike [EJR370-07] | Total Mercury (Hg)           | 2026/07/30    |                   | 90       | %     | 80 - 120  |
| C362625        | IC4  | Spiked Blank             | Total Mercury (Hg)           | 2026/07/30    |                   | 100      | %     | 80 - 120  |
| C362625        | IC4  | Method Blank             | Total Mercury (Hg)           | 2026/07/30    | ND,<br>RDL=0.0019 |          | ug/L  |           |
| C362625        | IC4  | RPD [EJR370-07]          | Total Mercury (Hg)           | 2026/07/30    | NC                |          | %     | 20        |
| C362735        | JAV  | Matrix Spike [EJR374-02] | Chloride (Cl)                | 2026/07/30    |                   | 98       | %     | 80 - 120  |
|                |      |                          | Sulphate (SO4)               | 2026/07/30    |                   | 100      | %     | 80 - 120  |
| C362735        | JAV  | Spiked Blank             | Chloride (Cl)                | 2026/07/30    |                   | 100      | %     | 80 - 120  |
|                |      |                          | Sulphate (SO4)               | 2026/07/30    |                   | 91       | %     | 80 - 120  |
| C362735        | JAV  | Method Blank             | Chloride (Cl)                | 2026/07/30    | ND,<br>RDL=1.0    |          | mg/L  |           |
|                |      |                          | Sulphate (SO4)               | 2026/07/30    | ND,<br>RDL=1.0    |          | mg/L  |           |
| C362735        | JAV  | RPD [EJR374-02]          | Chloride (Cl)                | 2026/07/30    | 0.21              |          | %     | 20        |
|                |      |                          | Sulphate (SO4)               | 2026/07/30    | 0.12              |          | %     | 20        |
| C362997        | CJY  | Matrix Spike [EJR370-10] | Total Organic Carbon (C)     | 2026/07/30    |                   | 101      | %     | 80 - 120  |
| C362997        | CJY  | Spiked Blank             | Total Organic Carbon (C)     | 2026/07/30    |                   | 96       | %     | 80 - 120  |
| C362997        | CJY  | Method Blank             | Total Organic Carbon (C)     | 2026/07/30    | ND,<br>RDL=0.50   |          | mg/L  |           |
| C362997        | CJY  | RPD [EJR370-10]          | Total Organic Carbon (C)     | 2026/07/30    | 12                |          | %     | 20        |
| C363055        | TSO  | Matrix Spike [EJR369-11] | Total Ammonia (N)            | 2026/07/30    |                   | 94       | %     | 80 - 120  |
| C363055        | TSO  | Spiked Blank             | Total Ammonia (N)            | 2026/07/30    |                   | 109      | %     | 80 - 120  |
| C363055        | TSO  | Method Blank             | Total Ammonia (N)            | 2026/07/30    | ND,<br>RDL=0.015  |          | mg/L  |           |
| C363055        | TSO  | RPD [EJR369-11]          | Total Ammonia (N)            | 2026/07/30    | NC                |          | %     | 20        |
| C363095        | CJY  | Spiked Blank             | Dissolved Organic Carbon (C) | 2026/07/30    |                   | 91       | %     | 80 - 120  |
| C363095        | CJY  | Method Blank             | Dissolved Organic Carbon (C) | 2026/07/30    | ND,<br>RDL=0.50   |          | mg/L  |           |
| C363972        | JST  | Spiked Blank             | D10-ANTHRACENE (sur.)        | 2026/07/31    |                   | 98       | %     | 50 - 140  |
|                |      |                          | D8-ACENAPHTHYLENE (sur.)     | 2026/07/31    |                   | 89       | %     | 50 - 140  |
|                |      |                          | D8-NAPHTHALENE (sur.)        | 2026/07/31    |                   | 78       | %     | 50 - 140  |
|                |      |                          | TERPHENYL-D14 (sur.)         | 2026/07/31    |                   | 74       | %     | 50 - 140  |
|                |      |                          | Quinoline                    | 2026/07/31    |                   | 109      | %     | 50 - 140  |
|                |      |                          | Naphthalene                  | 2026/07/31    |                   | 85       | %     | 50 - 140  |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter                | Date Analyzed | Value            | Recovery | UNITS | QC Limits |
|----------------|------|--------------|--------------------------|---------------|------------------|----------|-------|-----------|
| C363972        | JST  | Method Blank | 1-Methylnaphthalene      | 2026/07/31    |                  | 86       | %     | 50 - 140  |
|                |      |              | 2-Methylnaphthalene      | 2026/07/31    |                  | 91       | %     | 50 - 140  |
|                |      |              | Acenaphthylene           | 2026/07/31    |                  | 90       | %     | 50 - 140  |
|                |      |              | Acenaphthene             | 2026/07/31    |                  | 91       | %     | 50 - 140  |
|                |      |              | Fluorene                 | 2026/07/31    |                  | 91       | %     | 50 - 140  |
|                |      |              | Phenanthrene             | 2026/07/31    |                  | 91       | %     | 50 - 140  |
|                |      |              | Anthracene               | 2026/07/31    |                  | 97       | %     | 50 - 140  |
|                |      |              | Acridine                 | 2026/07/31    |                  | 95       | %     | 50 - 140  |
|                |      |              | Fluoranthene             | 2026/07/31    |                  | 68       | %     | 50 - 140  |
|                |      |              | Pyrene                   | 2026/07/31    |                  | 68       | %     | 50 - 140  |
|                |      |              | Benzo(a)anthracene       | 2026/07/31    |                  | 86       | %     | 50 - 140  |
|                |      |              | Chrysene                 | 2026/07/31    |                  | 84       | %     | 50 - 140  |
|                |      |              | Benzo(b&j)fluoranthene   | 2026/07/31    |                  | 95       | %     | 50 - 140  |
|                |      |              | Benzo(k)fluoranthene     | 2026/07/31    |                  | 90       | %     | 50 - 140  |
|                |      |              | Benzo(a)pyrene           | 2026/07/31    |                  | 95       | %     | 50 - 140  |
|                |      |              | Indeno(1,2,3-cd)pyrene   | 2026/07/31    |                  | 99       | %     | 50 - 140  |
|                |      |              | Dibenz(a,h)anthracene    | 2026/07/31    |                  | 97       | %     | 50 - 140  |
|                |      |              | Benzo(g,h,i)perylene     | 2026/07/31    |                  | 101      | %     | 50 - 140  |
|                |      |              | D10-ANTHRACENE (sur.)    | 2026/07/31    |                  | 94       | %     | 50 - 140  |
|                |      |              | D8-ACENAPHTHYLENE (sur.) | 2026/07/31    |                  | 88       | %     | 50 - 140  |
|                |      |              | D8-NAPHTHALENE (sur.)    | 2026/07/31    |                  | 71       | %     | 50 - 140  |
|                |      |              | TERPHENYL-D14 (sur.)     | 2026/07/31    |                  | 95       | %     | 50 - 140  |
|                |      |              | Quinoline                | 2026/07/31    | ND,<br>RDL=0.020 |          | ug/L  |           |
|                |      |              | Naphthalene              | 2026/07/31    | ND,<br>RDL=0.10  |          | ug/L  |           |
|                |      |              | 1-Methylnaphthalene      | 2026/07/31    | ND,<br>RDL=0.050 |          | ug/L  |           |
|                |      |              | 2-Methylnaphthalene      | 2026/07/31    | ND,<br>RDL=0.10  |          | ug/L  |           |
|                |      |              | Acenaphthylene           | 2026/07/31    | ND,<br>RDL=0.050 |          | ug/L  |           |
|                |      |              | Acenaphthene             | 2026/07/31    | ND,<br>RDL=0.050 |          | ug/L  |           |
|                |      |              | Fluorene                 | 2026/07/31    | ND,<br>RDL=0.050 |          | ug/L  |           |
|                |      |              | Phenanthrene             | 2026/07/31    | ND,<br>RDL=0.050 |          | ug/L  |           |
|                |      |              | Anthracene               | 2026/07/31    | ND,<br>RDL=0.010 |          | ug/L  |           |
|                |      |              | Acridine                 | 2026/07/31    | ND,<br>RDL=0.050 |          | ug/L  |           |
|                |      |              | Fluoranthene             | 2026/07/31    | ND,<br>RDL=0.020 |          | ug/L  |           |
|                |      |              | Pyrene                   | 2026/07/31    | ND,<br>RDL=0.020 |          | ug/L  |           |
|                |      |              | Benzo(a)anthracene       | 2026/07/31    | ND,<br>RDL=0.010 |          | ug/L  |           |
|                |      |              | Chrysene                 | 2026/07/31    | ND,<br>RDL=0.020 |          | ug/L  |           |
|                |      |              | Benzo(b&j)fluoranthene   | 2026/07/31    | ND,<br>RDL=0.030 |          | ug/L  |           |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter                 | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|--------------|---------------------------|---------------|-------------------|----------|-------|-----------|
|                |      |              | Benzo(k)fluoranthene      | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |              | Benzo(a)pyrene            | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |              | Indeno(1,2,3-cd)pyrene    | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |              | Dibenz(a,h)anthracene     | 2026/07/31    | ND,<br>RDL=0.0030 |          | ug/L  |           |
|                |      |              | Benzo(g,h,i)perylene      | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
| C363978        | RYA  | Spiked Blank | O-TERPHENYL (sur.)        | 2026/07/31    |                   | 99       | %     | 60 - 140  |
|                |      |              | EPH (C10-C19)             | 2026/07/31    |                   | 98       | %     | 70 - 130  |
|                |      |              | EPH (C19-C32)             | 2026/07/31    |                   | 105      | %     | 70 - 130  |
| C363978        | RYA  | Method Blank | O-TERPHENYL (sur.)        | 2026/07/31    |                   | 100      | %     | 60 - 140  |
|                |      |              | EPH (C10-C19)             | 2026/07/31    | ND,<br>RDL=0.20   |          | mg/L  |           |
|                |      |              | EPH (C19-C32)             | 2026/07/31    | ND,<br>RDL=0.20   |          | mg/L  |           |
| C364066        | AA1  | Matrix Spike | Dissolved Aluminum (Al)   | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Dissolved Antimony (Sb)   | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Arsenic (As)    | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Barium (Ba)     | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Beryllium (Be)  | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Bismuth (Bi)    | 2026/07/31    |                   | 98       | %     | 80 - 120  |
|                |      |              | Dissolved Boron (B)       | 2026/07/31    |                   | 95       | %     | 80 - 120  |
|                |      |              | Dissolved Cadmium (Cd)    | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Cesium (Cs)     | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Chromium (Cr)   | 2026/07/31    |                   | 94       | %     | 80 - 120  |
|                |      |              | Dissolved Cobalt (Co)     | 2026/07/31    |                   | 94       | %     | 80 - 120  |
|                |      |              | Dissolved Copper (Cu)     | 2026/07/31    |                   | 92       | %     | 80 - 120  |
|                |      |              | Dissolved Iron (Fe)       | 2026/07/31    |                   | 96       | %     | 80 - 120  |
|                |      |              | Dissolved Lead (Pb)       | 2026/07/31    |                   | 93       | %     | 80 - 120  |
|                |      |              | Dissolved Lithium (Li)    | 2026/07/31    |                   | 92       | %     | 80 - 120  |
|                |      |              | Dissolved Manganese (Mn)  | 2026/07/31    |                   | 94       | %     | 80 - 120  |
|                |      |              | Dissolved Molybdenum (Mo) | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Nickel (Ni)     | 2026/07/31    |                   | 93       | %     | 80 - 120  |
|                |      |              | Dissolved Phosphorus (P)  | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Rubidium (Rb)   | 2026/07/31    |                   | 95       | %     | 80 - 120  |
|                |      |              | Dissolved Selenium (Se)   | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Dissolved Silicon (Si)    | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Dissolved Silver (Ag)     | 2026/07/31    |                   | 95       | %     | 80 - 120  |
|                |      |              | Dissolved Strontium (Sr)  | 2026/07/31    |                   | 98       | %     | 80 - 120  |
|                |      |              | Dissolved Tellurium (Te)  | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Dissolved Thallium (Tl)   | 2026/07/31    |                   | 96       | %     | 80 - 120  |
|                |      |              | Dissolved Thorium (Th)    | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Dissolved Tin (Sn)        | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Dissolved Titanium (Ti)   | 2026/07/31    |                   | 95       | %     | 80 - 120  |
|                |      |              | Dissolved Uranium (U)     | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Dissolved Vanadium (V)    | 2026/07/31    |                   | 95       | %     | 80 - 120  |
|                |      |              | Dissolved Zinc (Zn)       | 2026/07/31    |                   | 94       | %     | 80 - 120  |
|                |      |              | Dissolved Zirconium (Zr)  | 2026/07/31    |                   | 96       | %     | 80 - 120  |
| C364066        | AA1  | Spiked Blank | Dissolved Aluminum (Al)   | 2026/07/31    |                   | 107      | %     | 80 - 120  |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter                 | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|--------------|---------------------------|---------------|-------------------|----------|-------|-----------|
|                |      |              | Dissolved Antimony (Sb)   | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Arsenic (As)    | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Barium (Ba)     | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Dissolved Beryllium (Be)  | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Dissolved Bismuth (Bi)    | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Boron (B)       | 2026/07/31    |                   | 97       | %     | 80 - 120  |
|                |      |              | Dissolved Cadmium (Cd)    | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Cesium (Cs)     | 2026/07/31    |                   | 104      | %     | 80 - 120  |
|                |      |              | Dissolved Chromium (Cr)   | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Cobalt (Co)     | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Dissolved Copper (Cu)     | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Dissolved Iron (Fe)       | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Lead (Pb)       | 2026/07/31    |                   | 98       | %     | 80 - 120  |
|                |      |              | Dissolved Lithium (Li)    | 2026/07/31    |                   | 93       | %     | 80 - 120  |
|                |      |              | Dissolved Manganese (Mn)  | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Dissolved Molybdenum (Mo) | 2026/07/31    |                   | 104      | %     | 80 - 120  |
|                |      |              | Dissolved Nickel (Ni)     | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Dissolved Phosphorus (P)  | 2026/07/31    |                   | 107      | %     | 80 - 120  |
|                |      |              | Dissolved Rubidium (Rb)   | 2026/07/31    |                   | 106      | %     | 80 - 120  |
|                |      |              | Dissolved Selenium (Se)   | 2026/07/31    |                   | 106      | %     | 80 - 120  |
|                |      |              | Dissolved Silicon (Si)    | 2026/07/31    |                   | 110      | %     | 80 - 120  |
|                |      |              | Dissolved Silver (Ag)     | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Dissolved Strontium (Sr)  | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Tellurium (Te)  | 2026/07/31    |                   | 105      | %     | 80 - 120  |
|                |      |              | Dissolved Thallium (Tl)   | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Dissolved Thorium (Th)    | 2026/07/31    |                   | 106      | %     | 80 - 120  |
|                |      |              | Dissolved Tin (Sn)        | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Titanium (Ti)   | 2026/07/31    |                   | 105      | %     | 80 - 120  |
|                |      |              | Dissolved Uranium (U)     | 2026/07/31    |                   | 109      | %     | 80 - 120  |
|                |      |              | Dissolved Vanadium (V)    | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Dissolved Zinc (Zn)       | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Dissolved Zirconium (Zr)  | 2026/07/31    |                   | 102      | %     | 80 - 120  |
| C364066        | AA1  | Method Blank | Dissolved Aluminum (Al)   | 2026/07/31    | ND,<br>RDL=0.50   |          | ug/L  |           |
|                |      |              | Dissolved Antimony (Sb)   | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Dissolved Arsenic (As)    | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Dissolved Barium (Ba)     | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Dissolved Beryllium (Be)  | 2026/07/31    | ND,<br>RDL=0.010  |          | ug/L  |           |
|                |      |              | Dissolved Bismuth (Bi)    | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |              | Dissolved Boron (B)       | 2026/07/31    | ND,<br>RDL=10     |          | ug/L  |           |
|                |      |              | Dissolved Cadmium (Cd)    | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |              | Dissolved Cesium (Cs)     | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |              | Dissolved Chromium (Cr)   | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type | Parameter                 | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|---------|---------------------------|---------------|-------------------|----------|-------|-----------|
|                |      |         | Dissolved Cobalt (Co)     | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Dissolved Copper (Cu)     | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Dissolved Iron (Fe)       | 2026/07/31    | ND,<br>RDL=1.0    |          | ug/L  |           |
|                |      |         | Dissolved Lead (Pb)       | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Dissolved Lithium (Li)    | 2026/07/31    | ND,<br>RDL=0.50   |          | ug/L  |           |
|                |      |         | Dissolved Manganese (Mn)  | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Dissolved Molybdenum (Mo) | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Dissolved Nickel (Ni)     | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |         | Dissolved Phosphorus (P)  | 2026/07/31    | ND,<br>RDL=2.0    |          | ug/L  |           |
|                |      |         | Dissolved Rubidium (Rb)   | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Dissolved Selenium (Se)   | 2026/07/31    | ND,<br>RDL=0.040  |          | ug/L  |           |
|                |      |         | Dissolved Silicon (Si)    | 2026/07/31    | ND,<br>RDL=50     |          | ug/L  |           |
|                |      |         | Dissolved Silver (Ag)     | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Dissolved Strontium (Sr)  | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Dissolved Tellurium (Te)  | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |         | Dissolved Thallium (Tl)   | 2026/07/31    | ND,<br>RDL=0.0020 |          | ug/L  |           |
|                |      |         | Dissolved Thorium (Th)    | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Dissolved Tin (Sn)        | 2026/07/31    | ND,<br>RDL=0.20   |          | ug/L  |           |
|                |      |         | Dissolved Titanium (Ti)   | 2026/07/31    | ND,<br>RDL=0.50   |          | ug/L  |           |
|                |      |         | Dissolved Uranium (U)     | 2026/07/31    | ND,<br>RDL=0.0020 |          | ug/L  |           |
|                |      |         | Dissolved Vanadium (V)    | 2026/07/31    | ND,<br>RDL=0.20   |          | ug/L  |           |
|                |      |         | Dissolved Zinc (Zn)       | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
|                |      |         | Dissolved Zirconium (Zr)  | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
| C364066        | AA1  | RPD     | Dissolved Aluminum (Al)   | 2026/07/31    | 2.3               |          | %     | 20        |
|                |      |         | Dissolved Antimony (Sb)   | 2026/07/31    | 4.7               |          | %     | 20        |
|                |      |         | Dissolved Arsenic (As)    | 2026/07/31    | 7.6               |          | %     | 20        |
|                |      |         | Dissolved Barium (Ba)     | 2026/07/31    | 0.52              |          | %     | 20        |
|                |      |         | Dissolved Beryllium (Be)  | 2026/07/31    | NC                |          | %     | 20        |
|                |      |         | Dissolved Bismuth (Bi)    | 2026/07/31    | NC                |          | %     | 20        |
|                |      |         | Dissolved Boron (B)       | 2026/07/31    | NC                |          | %     | 20        |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter                 | Date Analyzed | Value | Recovery | UNITS | QC Limits |
|----------------|------|--------------|---------------------------|---------------|-------|----------|-------|-----------|
| C364067        | AA1  | Matrix Spike | Dissolved Cadmium (Cd)    | 2026/07/31    | 6.5   |          | %     | 20        |
|                |      |              | Dissolved Chromium (Cr)   | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Cobalt (Co)     | 2026/07/31    | 4.9   |          | %     | 20        |
|                |      |              | Dissolved Copper (Cu)     | 2026/07/31    | 0.72  |          | %     | 20        |
|                |      |              | Dissolved Iron (Fe)       | 2026/07/31    | 1.2   |          | %     | 20        |
|                |      |              | Dissolved Lead (Pb)       | 2026/07/31    | 3.7   |          | %     | 20        |
|                |      |              | Dissolved Lithium (Li)    | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Manganese (Mn)  | 2026/07/31    | 1.7   |          | %     | 20        |
|                |      |              | Dissolved Molybdenum (Mo) | 2026/07/31    | 5.7   |          | %     | 20        |
|                |      |              | Dissolved Nickel (Ni)     | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Phosphorus (P)  | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Selenium (Se)   | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Silicon (Si)    | 2026/07/31    | 1.9   |          | %     | 20        |
|                |      |              | Dissolved Silver (Ag)     | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Strontium (Sr)  | 2026/07/31    | 1.4   |          | %     | 20        |
|                |      |              | Dissolved Thallium (Tl)   | 2026/07/31    | 4.9   |          | %     | 20        |
|                |      |              | Dissolved Tin (Sn)        | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Titanium (Ti)   | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Dissolved Uranium (U)     | 2026/07/31    | 0.085 |          | %     | 20        |
|                |      |              | Dissolved Vanadium (V)    | 2026/07/31    | 3.3   |          | %     | 20        |
|                |      |              | Dissolved Zinc (Zn)       | 2026/07/31    | 0.92  |          | %     | 20        |
|                |      |              | Dissolved Zirconium (Zr)  | 2026/07/31    | NC    |          | %     | 20        |
|                |      |              | Total Aluminum (Al)       | 2026/07/31    |       | 102      | %     | 80 - 120  |
|                |      |              | Total Antimony (Sb)       | 2026/07/31    |       | 104      | %     | 80 - 120  |
|                |      |              | Total Arsenic (As)        | 2026/07/31    |       | 102      | %     | 80 - 120  |
|                |      |              | Total Barium (Ba)         | 2026/07/31    |       | NC       | %     | 80 - 120  |
|                |      |              | Total Beryllium (Be)      | 2026/07/31    |       | 99       | %     | 80 - 120  |
|                |      |              | Total Bismuth (Bi)        | 2026/07/31    |       | 96       | %     | 80 - 120  |
|                |      |              | Total Boron (B)           | 2026/07/31    |       | 96       | %     | 80 - 120  |
|                |      |              | Total Cadmium (Cd)        | 2026/07/31    |       | 100      | %     | 80 - 120  |
|                |      |              | Total Cesium (Cs)         | 2026/07/31    |       | 101      | %     | 80 - 120  |
|                |      |              | Total Chromium (Cr)       | 2026/07/31    |       | 96       | %     | 80 - 120  |
|                |      |              | Total Cobalt (Co)         | 2026/07/31    |       | 93       | %     | 80 - 120  |
|                |      |              | Total Copper (Cu)         | 2026/07/31    |       | 89       | %     | 80 - 120  |
|                |      |              | Total Iron (Fe)           | 2026/07/31    |       | 100      | %     | 80 - 120  |
|                |      |              | Total Lead (Pb)           | 2026/07/31    |       | 95       | %     | 80 - 120  |
|                |      |              | Total Lithium (Li)        | 2026/07/31    |       | 94       | %     | 80 - 120  |
|                |      |              | Total Manganese (Mn)      | 2026/07/31    |       | NC       | %     | 80 - 120  |
|                |      |              | Total Molybdenum (Mo)     | 2026/07/31    |       | 103      | %     | 80 - 120  |
|                |      |              | Total Nickel (Ni)         | 2026/07/31    |       | 90       | %     | 80 - 120  |
|                |      |              | Total Phosphorus (P)      | 2026/07/31    |       | 103      | %     | 80 - 120  |
|                |      |              | Total Rubidium (Rb)       | 2026/07/31    |       | 100      | %     | 80 - 120  |
|                |      |              | Total Selenium (Se)       | 2026/07/31    |       | 103      | %     | 80 - 120  |
|                |      |              | Total Silicon (Si)        | 2026/07/31    |       | NC       | %     | 80 - 120  |
|                |      |              | Total Silver (Ag)         | 2026/07/31    |       | 100      | %     | 80 - 120  |
|                |      |              | Total Strontium (Sr)      | 2026/07/31    |       | NC       | %     | 80 - 120  |
|                |      |              | Total Tellurium (Te)      | 2026/07/31    |       | 104      | %     | 80 - 120  |
|                |      |              | Total Thallium (Tl)       | 2026/07/31    |       | 100      | %     | 80 - 120  |
|                |      |              | Total Thorium (Th)        | 2026/07/31    |       | 108      | %     | 80 - 120  |
|                |      |              | Total Tin (Sn)            | 2026/07/31    |       | 103      | %     | 80 - 120  |
|                |      |              | Total Titanium (Ti)       | 2026/07/31    |       | 100      | %     | 80 - 120  |
|                |      |              | Total Uranium (U)         | 2026/07/31    |       | 109      | %     | 80 - 120  |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter             | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|--------------|-----------------------|---------------|-------------------|----------|-------|-----------|
| C364067        | AA1  | Spiked Blank | Total Vanadium (V)    | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Total Zinc (Zn)       | 2026/07/31    |                   | 92       | %     | 80 - 120  |
|                |      |              | Total Zirconium (Zr)  | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Aluminum (Al)   | 2026/07/31    |                   | 106      | %     | 80 - 120  |
|                |      |              | Total Antimony (Sb)   | 2026/07/31    |                   | 108      | %     | 80 - 120  |
|                |      |              | Total Arsenic (As)    | 2026/07/31    |                   | 104      | %     | 80 - 120  |
|                |      |              | Total Barium (Ba)     | 2026/07/31    |                   | 108      | %     | 80 - 120  |
|                |      |              | Total Beryllium (Be)  | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Total Bismuth (Bi)    | 2026/07/31    |                   | 105      | %     | 80 - 120  |
|                |      |              | Total Boron (B)       | 2026/07/31    |                   | 99       | %     | 80 - 120  |
|                |      |              | Total Cadmium (Cd)    | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Total Cesium (Cs)     | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Total Chromium (Cr)   | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Total Cobalt (Co)     | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Copper (Cu)     | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Iron (Fe)       | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Total Lead (Pb)       | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Lithium (Li)    | 2026/07/31    |                   | 96       | %     | 80 - 120  |
|                |      |              | Total Manganese (Mn)  | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Total Molybdenum (Mo) | 2026/07/31    |                   | 107      | %     | 80 - 120  |
|                |      |              | Total Nickel (Ni)     | 2026/07/31    |                   | 100      | %     | 80 - 120  |
|                |      |              | Total Phosphorus (P)  | 2026/07/31    |                   | 105      | %     | 80 - 120  |
|                |      |              | Total Rubidium (Rb)   | 2026/07/31    |                   | 109      | %     | 80 - 120  |
|                |      |              | Total Selenium (Se)   | 2026/07/31    |                   | 104      | %     | 80 - 120  |
|                |      |              | Total Silicon (Si)    | 2026/07/31    |                   | 109      | %     | 80 - 120  |
|                |      |              | Total Silver (Ag)     | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Total Strontium (Sr)  | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Total Tellurium (Te)  | 2026/07/31    |                   | 109      | %     | 80 - 120  |
|                |      |              | Total Thallium (Tl)   | 2026/07/31    |                   | 105      | %     | 80 - 120  |
|                |      |              | Total Thorium (Th)    | 2026/07/31    |                   | 108      | %     | 80 - 120  |
|                |      |              | Total Tin (Sn)        | 2026/07/31    |                   | 102      | %     | 80 - 120  |
|                |      |              | Total Titanium (Ti)   | 2026/07/31    |                   | 103      | %     | 80 - 120  |
|                |      |              | Total Uranium (U)     | 2026/07/31    |                   | 112      | %     | 80 - 120  |
|                |      |              | Total Vanadium (V)    | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Zinc (Zn)       | 2026/07/31    |                   | 101      | %     | 80 - 120  |
|                |      |              | Total Zirconium (Zr)  | 2026/07/31    |                   | 105      | %     | 80 - 120  |
| C364067        | AA1  | Method Blank | Total Aluminum (Al)   | 2026/07/31    | ND,<br>RDL=0.50   |          | ug/L  |           |
|                |      |              | Total Antimony (Sb)   | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Total Arsenic (As)    | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Total Barium (Ba)     | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |              | Total Beryllium (Be)  | 2026/07/31    | ND,<br>RDL=0.010  |          | ug/L  |           |
|                |      |              | Total Bismuth (Bi)    | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |              | Total Boron (B)       | 2026/07/31    | ND,<br>RDL=10     |          | ug/L  |           |
|                |      |              | Total Cadmium (Cd)    | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type | Parameter             | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|---------|-----------------------|---------------|-------------------|----------|-------|-----------|
|                |      |         | Total Cesium (Cs)     | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Chromium (Cr)   | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
|                |      |         | Total Cobalt (Co)     | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Total Copper (Cu)     | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Iron (Fe)       | 2026/07/31    | ND,<br>RDL=1.0    |          | ug/L  |           |
|                |      |         | Total Lead (Pb)       | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Total Lithium (Li)    | 2026/07/31    | ND,<br>RDL=0.50   |          | ug/L  |           |
|                |      |         | Total Manganese (Mn)  | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Molybdenum (Mo) | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Nickel (Ni)     | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |         | Total Phosphorus (P)  | 2026/07/31    | ND,<br>RDL=2.0    |          | ug/L  |           |
|                |      |         | Total Rubidium (Rb)   | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Selenium (Se)   | 2026/07/31    | ND,<br>RDL=0.040  |          | ug/L  |           |
|                |      |         | Total Silicon (Si)    | 2026/07/31    | ND,<br>RDL=50     |          | ug/L  |           |
|                |      |         | Total Silver (Ag)     | 2026/07/31    | ND,<br>RDL=0.0050 |          | ug/L  |           |
|                |      |         | Total Strontium (Sr)  | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Tellurium (Te)  | 2026/07/31    | ND,<br>RDL=0.020  |          | ug/L  |           |
|                |      |         | Total Thallium (Tl)   | 2026/07/31    | ND,<br>RDL=0.0020 |          | ug/L  |           |
|                |      |         | Total Thorium (Th)    | 2026/07/31    | ND,<br>RDL=0.050  |          | ug/L  |           |
|                |      |         | Total Tin (Sn)        | 2026/07/31    | ND,<br>RDL=0.20   |          | ug/L  |           |
|                |      |         | Total Titanium (Ti)   | 2026/07/31    | ND,<br>RDL=0.50   |          | ug/L  |           |
|                |      |         | Total Uranium (U)     | 2026/07/31    | ND,<br>RDL=0.0020 |          | ug/L  |           |
|                |      |         | Total Vanadium (V)    | 2026/07/31    | ND,<br>RDL=0.20   |          | ug/L  |           |
|                |      |         | Total Zinc (Zn)       | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
|                |      |         | Total Zirconium (Zr)  | 2026/07/31    | ND,<br>RDL=0.10   |          | ug/L  |           |
| C364067        | AA1  | RPD     | Total Aluminum (Al)   | 2026/07/31    | 4.4               |          | %     | 20        |
|                |      |         | Total Antimony (Sb)   | 2026/07/31    | 2.5               |          | %     | 20        |
|                |      |         | Total Arsenic (As)    | 2026/07/31    | 0.38              |          | %     | 20        |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type         | Parameter                           | Date Analyzed | Value            | Recovery | UNITS | QC Limits |
|----------------|------|-----------------|-------------------------------------|---------------|------------------|----------|-------|-----------|
|                |      |                 | Total Barium (Ba)                   | 2026/07/31    | 0.65             |          | %     | 20        |
|                |      |                 | Total Beryllium (Be)                | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Bismuth (Bi)                  | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Boron (B)                     | 2026/07/31    | 13               |          | %     | 20        |
|                |      |                 | Total Cadmium (Cd)                  | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Chromium (Cr)                 | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Cobalt (Co)                   | 2026/07/31    | 9.6              |          | %     | 20        |
|                |      |                 | Total Copper (Cu)                   | 2026/07/31    | 4.2              |          | %     | 20        |
|                |      |                 | Total Iron (Fe)                     | 2026/07/31    | 0.57             |          | %     | 20        |
|                |      |                 | Total Lead (Pb)                     | 2026/07/31    | 18               |          | %     | 20        |
|                |      |                 | Total Lithium (Li)                  | 2026/07/31    | 3.8              |          | %     | 20        |
|                |      |                 | Total Manganese (Mn)                | 2026/07/31    | 1.1              |          | %     | 20        |
|                |      |                 | Total Molybdenum (Mo)               | 2026/07/31    | 1.3              |          | %     | 20        |
|                |      |                 | Total Nickel (Ni)                   | 2026/07/31    | 3.6              |          | %     | 20        |
|                |      |                 | Total Phosphorus (P)                | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Selenium (Se)                 | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Silicon (Si)                  | 2026/07/31    | 3.3              |          | %     | 20        |
|                |      |                 | Total Silver (Ag)                   | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Strontium (Sr)                | 2026/07/31    | 3.1              |          | %     | 20        |
|                |      |                 | Total Thallium (Tl)                 | 2026/07/31    | 12               |          | %     | 20        |
|                |      |                 | Total Tin (Sn)                      | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Titanium (Ti)                 | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Uranium (U)                   | 2026/07/31    | 0.88             |          | %     | 20        |
|                |      |                 | Total Vanadium (V)                  | 2026/07/31    | NC               |          | %     | 20        |
|                |      |                 | Total Zinc (Zn)                     | 2026/07/31    | 8.7              |          | %     | 20        |
|                |      |                 | Total Zirconium (Zr)                | 2026/07/31    | NC               |          | %     | 20        |
| C364107        | BTM  | Matrix Spike    | Dissolved Fluoride (F)              | 2026/07/31    |                  | 100      | %     | 80 - 120  |
| C364107        | BTM  | Spiked Blank    | Dissolved Fluoride (F)              | 2026/07/31    |                  | 100      | %     | 80 - 120  |
| C364107        | BTM  | Method Blank    | Dissolved Fluoride (F)              | 2026/07/31    | ND,<br>RDL=0.050 |          | mg/L  |           |
| C364107        | BTM  | RPD [EJR369-02] | Fluoride (F)                        | 2026/07/31    | 0.90             |          | %     | 20        |
| C364163        | DWL  | Matrix Spike    | 1,4-Difluorobenzene (sur.)          | 2026/07/31    |                  | 100      | %     | 50 - 140  |
|                |      |                 | 4-Bromofluorobenzene (sur.)         | 2026/07/31    |                  | 99       | %     | 50 - 140  |
|                |      |                 | D4-1,2-Dichloroethane (sur.)        | 2026/07/31    |                  | 94       | %     | 50 - 140  |
|                |      |                 | 1,1,1,2-tetrachloroethane           | 2026/07/31    |                  | 79       | %     | 50 - 140  |
|                |      |                 | 1,1,1-trichloroethane               | 2026/07/31    |                  | 91       | %     | 50 - 140  |
|                |      |                 | 1,1,2,2-tetrachloroethane           | 2026/07/31    |                  | 77       | %     | 50 - 140  |
|                |      |                 | 1,1,2Trichloro-1,2,2Trifluoroethane | 2026/07/31    |                  | 96       | %     | 50 - 140  |
|                |      |                 | 1,1,2-trichloroethane               | 2026/07/31    |                  | 81       | %     | 50 - 140  |
|                |      |                 | 1,1-dichloroethane                  | 2026/07/31    |                  | 91       | %     | 50 - 140  |
|                |      |                 | 1,1-dichloroethene                  | 2026/07/31    |                  | 99       | %     | 50 - 140  |
|                |      |                 | 1,2,3-trichlorobenzene              | 2026/07/31    |                  | 92       | %     | 50 - 140  |
|                |      |                 | 1,2,4-trichlorobenzene              | 2026/07/31    |                  | 97       | %     | 50 - 140  |
|                |      |                 | 1,2-dibromoethane                   | 2026/07/31    |                  | 75       | %     | 50 - 140  |
|                |      |                 | 1,2-dichlorobenzene                 | 2026/07/31    |                  | 92       | %     | 50 - 140  |
|                |      |                 | 1,2-dichloroethane                  | 2026/07/31    |                  | 80       | %     | 50 - 140  |
|                |      |                 | 1,2-dichloropropane                 | 2026/07/31    |                  | 86       | %     | 50 - 140  |
|                |      |                 | 1,3,5-trimethylbenzene              | 2026/07/31    |                  | 98       | %     | 50 - 140  |
|                |      |                 | 1,3-Butadiene                       | 2026/07/31    |                  | 88       | %     | 50 - 140  |
|                |      |                 | 1,3-dichlorobenzene                 | 2026/07/31    |                  | 95       | %     | 50 - 140  |
|                |      |                 | 1,3-dichloropropane                 | 2026/07/31    |                  | 83       | %     | 50 - 140  |
|                |      |                 | 1,4-dichlorobenzene                 | 2026/07/31    |                  | 90       | %     | 50 - 140  |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter                           | Date Analyzed | Value | Recovery | UNITS | QC Limits |
|----------------|------|--------------|-------------------------------------|---------------|-------|----------|-------|-----------|
| C364163        | DWL  | Spiked Blank | Benzene                             | 2026/07/31    |       | 88       | %     | 50 - 140  |
|                |      |              | Bromobenzene                        | 2026/07/31    |       | 86       | %     | 50 - 140  |
|                |      |              | Bromodichloromethane                | 2026/07/31    |       | 83       | %     | 50 - 140  |
|                |      |              | Bromoform                           | 2026/07/31    |       | 84       | %     | 50 - 140  |
|                |      |              | Bromomethane                        | 2026/07/31    |       | 66       | %     | 50 - 140  |
|                |      |              | Carbon tetrachloride                | 2026/07/31    |       | 89       | %     | 50 - 140  |
|                |      |              | Chlorobenzene                       | 2026/07/31    |       | 81       | %     | 50 - 140  |
|                |      |              | Dibromochloromethane                | 2026/07/31    |       | 77       | %     | 50 - 140  |
|                |      |              | Chloroethane                        | 2026/07/31    |       | 74       | %     | 50 - 140  |
|                |      |              | Chloroform                          | 2026/07/31    |       | 86       | %     | 50 - 140  |
|                |      |              | Chloromethane                       | 2026/07/31    |       | 99       | %     | 50 - 140  |
|                |      |              | cis-1,2-dichloroethene              | 2026/07/31    |       | 85       | %     | 50 - 140  |
|                |      |              | cis-1,3-dichloropropene             | 2026/07/31    |       | 72       | %     | 50 - 140  |
|                |      |              | Dichlorodifluoromethane             | 2026/07/31    |       | 117      | %     | 50 - 140  |
|                |      |              | Dichloromethane                     | 2026/07/31    |       | 83       | %     | 50 - 140  |
|                |      |              | Ethylbenzene                        | 2026/07/31    |       | 87       | %     | 50 - 140  |
|                |      |              | Hexachlorobutadiene                 | 2026/07/31    |       | 100      | %     | 50 - 140  |
|                |      |              | Isopropylbenzene                    | 2026/07/31    |       | 100      | %     | 50 - 140  |
|                |      |              | Methyl-tert-butylether (MTBE)       | 2026/07/31    |       | 77       | %     | 50 - 140  |
|                |      |              | Styrene                             | 2026/07/31    |       | 91       | %     | 50 - 140  |
|                |      |              | Tetrachloroethene                   | 2026/07/31    |       | 86       | %     | 50 - 140  |
|                |      |              | Toluene                             | 2026/07/31    |       | 87       | %     | 50 - 140  |
|                |      |              | trans-1,2-dichloroethene            | 2026/07/31    |       | 91       | %     | 50 - 140  |
|                |      |              | trans-1,3-dichloropropene           | 2026/07/31    |       | 63       | %     | 50 - 140  |
|                |      |              | Trichloroethene                     | 2026/07/31    |       | 92       | %     | 50 - 140  |
|                |      |              | Trichlorofluoromethane              | 2026/07/31    |       | 100      | %     | 50 - 140  |
|                |      |              | Vinyl chloride                      | 2026/07/31    |       | 104      | %     | 50 - 140  |
|                |      |              | m & p-Xylene                        | 2026/07/31    |       | 83       | %     | 50 - 140  |
|                |      |              | o-Xylene                            | 2026/07/31    |       | 94       | %     | 50 - 140  |
|                |      |              | 1,4-Difluorobenzene (sur.)          | 2026/07/31    |       | 100      | %     | 50 - 140  |
|                |      |              | 4-Bromofluorobenzene (sur.)         | 2026/07/31    |       | 103      | %     | 50 - 140  |
|                |      |              | D4-1,2-Dichloroethane (sur.)        | 2026/07/31    |       | 91       | %     | 50 - 140  |
|                |      |              | VH C6-C10                           | 2026/07/31    |       | 112      | %     | 70 - 130  |
|                |      |              | 1,1,1,2-tetrachloroethane           | 2026/07/31    |       | 76       | %     | 60 - 130  |
|                |      |              | 1,1,1-trichloroethane               | 2026/07/31    |       | 90       | %     | 60 - 130  |
|                |      |              | 1,1,2,2-tetrachloroethane           | 2026/07/31    |       | 80       | %     | 60 - 130  |
|                |      |              | 1,1,2Trichloro-1,2,2Trifluoroethane | 2026/07/31    |       | 96       | %     | 60 - 130  |
|                |      |              | 1,1,2-trichloroethane               | 2026/07/31    |       | 75       | %     | 60 - 130  |
|                |      |              | 1,1-dichloroethane                  | 2026/07/31    |       | 89       | %     | 60 - 130  |
|                |      |              | 1,1-dichloroethene                  | 2026/07/31    |       | 99       | %     | 60 - 130  |
|                |      |              | 1,2,3-trichlorobenzene              | 2026/07/31    |       | 86       | %     | 60 - 130  |
|                |      |              | 1,2,4-trichlorobenzene              | 2026/07/31    |       | 92       | %     | 60 - 130  |
|                |      |              | 1,2-dibromoethane                   | 2026/07/31    |       | 71       | %     | 60 - 130  |
|                |      |              | 1,2-dichlorobenzene                 | 2026/07/31    |       | 87       | %     | 60 - 130  |
|                |      |              | 1,2-dichloroethane                  | 2026/07/31    |       | 75       | %     | 60 - 130  |
|                |      |              | 1,2-dichloropropane                 | 2026/07/31    |       | 82       | %     | 60 - 130  |
|                |      |              | 1,3,5-trimethylbenzene              | 2026/07/31    |       | 108      | %     | 60 - 130  |
|                |      |              | 1,3-Butadiene                       | 2026/07/31    |       | 79       | %     | 50 - 140  |
|                |      |              | 1,3-dichlorobenzene                 | 2026/07/31    |       | 98       | %     | 60 - 130  |
|                |      |              | 1,3-dichloropropane                 | 2026/07/31    |       | 77       | %     | 60 - 130  |
|                |      |              | 1,4-dichlorobenzene                 | 2026/07/31    |       | 87       | %     | 60 - 130  |
|                |      |              | Benzene                             | 2026/07/31    |       | 85       | %     | 60 - 130  |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type      | Parameter                           | Date Analyzed | Value           | Recovery | UNITS | QC Limits |
|----------------|------|--------------|-------------------------------------|---------------|-----------------|----------|-------|-----------|
| C364163        | DWL  | Method Blank | Bromobenzene                        | 2026/07/31    |                 | 89       | %     | 60 - 130  |
|                |      |              | Bromodichloromethane                | 2026/07/31    |                 | 79       | %     | 60 - 130  |
|                |      |              | Bromoform                           | 2026/07/31    |                 | 77       | %     | 60 - 130  |
|                |      |              | Bromomethane                        | 2026/07/31    |                 | 66       | %     | 50 - 140  |
|                |      |              | Carbon tetrachloride                | 2026/07/31    |                 | 88       | %     | 60 - 130  |
|                |      |              | Chlorobenzene                       | 2026/07/31    |                 | 78       | %     | 60 - 130  |
|                |      |              | Dibromochloromethane                | 2026/07/31    |                 | 72       | %     | 60 - 130  |
|                |      |              | Chloroethane                        | 2026/07/31    |                 | 78       | %     | 50 - 140  |
|                |      |              | Chloroform                          | 2026/07/31    |                 | 82       | %     | 60 - 130  |
|                |      |              | Chloromethane                       | 2026/07/31    |                 | 90       | %     | 50 - 140  |
|                |      |              | cis-1,2-dichloroethene              | 2026/07/31    |                 | 85       | %     | 60 - 130  |
|                |      |              | cis-1,3-dichloropropene             | 2026/07/31    |                 | 64       | %     | 50 - 140  |
|                |      |              | Dichlorodifluoromethane             | 2026/07/31    |                 | 110      | %     | 50 - 140  |
|                |      |              | Dichloromethane                     | 2026/07/31    |                 | 79       | %     | 60 - 130  |
|                |      |              | Ethylbenzene                        | 2026/07/31    |                 | 86       | %     | 60 - 130  |
|                |      |              | Hexachlorobutadiene                 | 2026/07/31    |                 | 98       | %     | 60 - 130  |
|                |      |              | Isopropylbenzene                    | 2026/07/31    |                 | 100      | %     | 60 - 130  |
|                |      |              | Methyl-tert-butylether (MTBE)       | 2026/07/31    |                 | 74       | %     | 60 - 130  |
|                |      |              | Styrene                             | 2026/07/31    |                 | 88       | %     | 60 - 130  |
|                |      |              | Tetrachloroethene                   | 2026/07/31    |                 | 85       | %     | 60 - 130  |
|                |      |              | Toluene                             | 2026/07/31    |                 | 86       | %     | 60 - 130  |
|                |      |              | trans-1,2-dichloroethene            | 2026/07/31    |                 | 90       | %     | 60 - 130  |
|                |      |              | trans-1,3-dichloropropene           | 2026/07/31    |                 | 56       | %     | 50 - 140  |
|                |      |              | Trichloroethene                     | 2026/07/31    |                 | 85       | %     | 60 - 130  |
|                |      |              | Trichlorofluoromethane              | 2026/07/31    |                 | 96       | %     | 60 - 130  |
|                |      |              | Vinyl chloride                      | 2026/07/31    |                 | 93       | %     | 50 - 140  |
|                |      |              | m & p-Xylene                        | 2026/07/31    |                 | 83       | %     | 60 - 130  |
|                |      |              | o-Xylene                            | 2026/07/31    |                 | 93       | %     | 60 - 130  |
|                |      |              | 1,4-Difluorobenzene (sur.)          | 2026/07/31    |                 | 101      | %     | 50 - 140  |
|                |      |              | 4-Bromofluorobenzene (sur.)         | 2026/07/31    |                 | 89       | %     | 50 - 140  |
|                |      |              | D4-1,2-Dichloroethane (sur.)        | 2026/07/31    |                 | 94       | %     | 50 - 140  |
|                |      |              | VH C6-C10                           | 2026/07/31    | ND,<br>RDL=300  |          | ug/L  |           |
|                |      |              | 1,1,1,2-tetrachloroethane           | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |              | 1,1,1-trichloroethane               | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |              | 1,1,2,2-tetrachloroethane           | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |              | 1,1,2Trichloro-1,2,2Trifluoroethane | 2026/07/31    | ND,<br>RDL=2.0  |          | ug/L  |           |
|                |      |              | 1,1,2-trichloroethane               | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |              | 1,1-dichloroethane                  | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |              | 1,1-dichloroethene                  | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |              | 1,2,3-trichlorobenzene              | 2026/07/31    | ND,<br>RDL=2.0  |          | ug/L  |           |
|                |      |              | 1,2,4-trichlorobenzene              | 2026/07/31    | ND,<br>RDL=2.0  |          | ug/L  |           |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type | Parameter               | Date Analyzed | Value           | Recovery | UNITS | QC Limits |
|----------------|------|---------|-------------------------|---------------|-----------------|----------|-------|-----------|
|                |      |         | 1,2-dibromoethane       | 2026/07/31    | ND,<br>RDL=0.20 |          | ug/L  |           |
|                |      |         | 1,2-dichlorobenzene     | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | 1,2-dichloroethane      | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | 1,2-dichloropropane     | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | 1,3,5-trimethylbenzene  | 2026/07/31    | ND,<br>RDL=2.0  |          | ug/L  |           |
|                |      |         | 1,3-Butadiene           | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | 1,3-dichlorobenzene     | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | 1,3-dichloropropane     | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | 1,4-dichlorobenzene     | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | Benzene                 | 2026/07/31    | ND,<br>RDL=0.40 |          | ug/L  |           |
|                |      |         | Bromobenzene            | 2026/07/31    | ND,<br>RDL=2.0  |          | ug/L  |           |
|                |      |         | Bromodichloromethane    | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | Bromoform               | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | Bromomethane            | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | Carbon tetrachloride    | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | Chlorobenzene           | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |
|                |      |         | Dibromochloromethane    | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | Chloroethane            | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | Chloroform              | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | Chloromethane           | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | cis-1,2-dichloroethene  | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | cis-1,3-dichloropropene | 2026/07/31    | ND,<br>RDL=1.0  |          | ug/L  |           |
|                |      |         | Dichlorodifluoromethane | 2026/07/31    | ND,<br>RDL=2.0  |          | ug/L  |           |
|                |      |         | Dichloromethane         | 2026/07/31    | ND,<br>RDL=2.0  |          | ug/L  |           |
|                |      |         | Ethylbenzene            | 2026/07/31    | ND,<br>RDL=0.40 |          | ug/L  |           |
|                |      |         | Hexachlorobutadiene     | 2026/07/31    | ND,<br>RDL=0.50 |          | ug/L  |           |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type                  | Parameter                     | Date Analyzed | Value              | Recovery | UNITS | QC Limits |
|----------------|------|--------------------------|-------------------------------|---------------|--------------------|----------|-------|-----------|
| C364163        | DWL  | RPD                      | Isopropylbenzene              | 2026/07/31    | ND,<br>RDL=2.0     |          | ug/L  |           |
|                |      |                          | Methyl-tert-butylether (MTBE) | 2026/07/31    | ND,<br>RDL=4.0     |          | ug/L  |           |
|                |      |                          | Styrene                       | 2026/07/31    | ND,<br>RDL=0.50    |          | ug/L  |           |
|                |      |                          | Tetrachloroethene             | 2026/07/31    | ND,<br>RDL=0.50    |          | ug/L  |           |
|                |      |                          | Toluene                       | 2026/07/31    | ND,<br>RDL=0.40    |          | ug/L  |           |
|                |      |                          | trans-1,2-dichloroethene      | 2026/07/31    | ND,<br>RDL=1.0     |          | ug/L  |           |
|                |      |                          | trans-1,3-dichloropropene     | 2026/07/31    | ND,<br>RDL=1.0     |          | ug/L  |           |
|                |      |                          | Trichloroethene               | 2026/07/31    | ND,<br>RDL=0.50    |          | ug/L  |           |
|                |      |                          | Trichlorofluoromethane        | 2026/07/31    | ND,<br>RDL=4.0     |          | ug/L  |           |
|                |      |                          | Vinyl chloride                | 2026/07/31    | ND,<br>RDL=0.50    |          | ug/L  |           |
|                |      |                          | m & p-Xylene                  | 2026/07/31    | ND,<br>RDL=0.40    |          | ug/L  |           |
|                |      |                          | o-Xylene                      | 2026/07/31    | ND,<br>RDL=0.40    |          | ug/L  |           |
|                |      |                          | Xylenes (Total)               | 2026/07/31    | ND,<br>RDL=0.40    |          | ug/L  |           |
|                |      |                          | VH C6-C10                     | 2026/07/31    | NC                 |          | %     | 30        |
|                |      |                          | 1,3,5-trimethylbenzene        | 2026/07/31    | NC                 |          | %     | 30        |
| C364528        | JLP  | Matrix Spike [EJR369-09] | Benzene                       | 2026/07/31    | NC                 |          | %     | 30        |
|                |      |                          | Ethylbenzene                  | 2026/07/31    | NC                 |          | %     | 30        |
|                |      |                          | Styrene                       | 2026/07/31    | NC                 |          | %     | 30        |
| C364528        | JLP  | Spiked Blank             | Toluene                       | 2026/07/31    | NC                 |          | %     | 30        |
|                |      |                          | m & p-Xylene                  | 2026/07/31    | NC                 |          | %     | 30        |
|                |      |                          | o-Xylene                      | 2026/07/31    | NC                 |          | %     | 30        |
| C364528        | JLP  | Method Blank             | Xylenes (Total)               | 2026/07/31    | NC                 |          | %     | 30        |
|                |      |                          | Total Hex. Chromium (Cr 6+)   | 2026/07/31    |                    | 110      | %     | 80 - 120  |
|                |      |                          | Total Hex. Chromium (Cr 6+)   | 2026/07/31    |                    | 112      | %     | 80 - 120  |
| C364528        | JLP  | RPD [EJR369-09]          | Total Hex. Chromium (Cr 6+)   | 2026/07/31    | ND,<br>RDL=0.00099 |          | mg/L  |           |
|                |      |                          | Total Hex. Chromium (Cr 6+)   | 2026/07/31    | NC                 |          | %     | 20        |
|                |      |                          | Total Hex. Chromium (Cr 6+)   | 2026/07/31    | NC                 |          | %     | 20        |
| C365066        | CBK  | Matrix Spike             | Total Phosphorus (P)          | 2026/08/04    |                    | 105      | %     | N/A       |
|                |      |                          | Total Phosphorus (P)          | 2026/08/04    |                    | 116      | %     | 80 - 120  |
|                |      |                          | Total Phosphorus (P)          | 2026/08/04    | ND,<br>RDL=0.0010  |          | mg/L  |           |
| C365144        | TSO  | Matrix Spike             | Total Nitrogen (N)            | 2026/08/05    |                    | NC       | %     | 80 - 120  |
|                |      |                          | Total Nitrogen (N)            | 2026/08/05    |                    | 102      | %     | 80 - 120  |
|                |      |                          | Total Nitrogen (N)            | 2026/08/05    | ND,<br>RDL=0.020   |          | mg/L  |           |
| C365144        | TSO  | Spiked Blank             | Total Nitrogen (N)            | 2026/08/05    | 0.63               |          | %     | 20        |
|                |      |                          | Total Sulphide                | 2026/08/04    |                    | 29 (1)   | %     | 80 - 120  |
|                |      |                          | Total Sulphide                | 2026/08/04    |                    | 97       | %     | 80 - 120  |
| C366265        | CT6  | Method Blank             | Total Sulphide                | 2026/08/04    | ND,<br>RDL=0.0018  |          | mg/L  |           |
|                |      |                          | Total Sulphide                | 2026/08/04    |                    |          |       |           |
|                |      |                          | Total Sulphide                | 2026/08/04    |                    |          |       |           |



**BUREAU  
VERITAS**

Bureau Veritas Job #: C647451  
Report Date: 2026/08/11

HATFIELD CONSULTANTS  
Client Project #: FORTIS11234/PE110163  
Site Location: WOODFIBRE PIPELINE PROJECT  
Your P.O. #: 4800010213  
Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC<br>Batch | Init | QC Type                  | Parameter             | Date Analyzed | Value             | Recovery | UNITS | QC Limits |
|----------------|------|--------------------------|-----------------------|---------------|-------------------|----------|-------|-----------|
| C366265        | CT6  | RPD                      | Total Sulphide        | 2026/08/04    | NC                |          | %     | 20        |
| C366269        | NJD  | Matrix Spike [EJR373-11] | Total Sulphide        | 2026/08/05    |                   | 115      | %     | 80 - 120  |
| C366269        | NJD  | Spiked Blank             | Total Sulphide        | 2026/08/05    |                   | 97       | %     | 80 - 120  |
| C366269        | NJD  | Method Blank             | Total Sulphide        | 2026/08/05    | ND,<br>RDL=0.0018 |          | mg/L  |           |
| C366269        | NJD  | RPD                      | Total Sulphide        | 2026/08/05    | NC                |          | %     | 20        |
| C366504        | MDO  | Matrix Spike             | Phenols               | 2026/08/04    |                   | 101      | %     | 80 - 120  |
| C366504        | MDO  | Spiked Blank             | Phenols               | 2026/08/04    |                   | 99       | %     | 80 - 120  |
| C366504        | MDO  | Method Blank             | Phenols               | 2026/08/04    | ND,<br>RDL=0.0015 |          | mg/L  |           |
| C366504        | MDO  | RPD                      | Phenols               | 2026/08/04    | 7.4               |          | %     | 20        |
| C367639        | AA1  | Spiked Blank             | Dissolved Zinc (Zn)   | 2026/08/05    |                   | 100      | %     | 80 - 120  |
| C367639        | AA1  | Method Blank             | Dissolved Zinc (Zn)   | 2026/08/05    | ND,<br>RDL=0.10   |          | ug/L  |           |
| C367942        | SOM  | Matrix Spike             | Bromide (Br)          | 2026/08/05    |                   | 85       | %     | 78 - 120  |
| C367942        | SOM  | Spiked Blank             | Bromide (Br)          | 2026/08/05    |                   | 91       | %     | 80 - 120  |
| C367942        | SOM  | Method Blank             | Bromide (Br)          | 2026/08/05    | ND,<br>RDL=0.010  |          | mg/L  |           |
| C367942        | SOM  | RPD                      | Bromide (Br)          | 2026/08/05    | NC                |          | %     | 20        |
| C367946        | AAX  | Matrix Spike [EJR370-15] | Methyl Sulfone (sur.) | 2026/08/05    |                   | 87       | %     | 50 - 140  |
|                |      |                          | Ethylene Glycol       | 2026/08/05    |                   | 87       | %     | 60 - 140  |
|                |      |                          | Diethylene Glycol     | 2026/08/05    |                   | 106      | %     | 60 - 140  |
|                |      |                          | Triethylene Glycol    | 2026/08/05    |                   | 100      | %     | 60 - 140  |
|                |      |                          | Propylene Glycol      | 2026/08/05    |                   | 90       | %     | 60 - 140  |
| C367946        | AAX  | Spiked Blank             | Methyl Sulfone (sur.) | 2026/08/05    |                   | 89       | %     | 50 - 140  |
|                |      |                          | Ethylene Glycol       | 2026/08/05    |                   | 79       | %     | 70 - 130  |
|                |      |                          | Diethylene Glycol     | 2026/08/05    |                   | 96       | %     | 70 - 130  |
|                |      |                          | Triethylene Glycol    | 2026/08/05    |                   | 90       | %     | 70 - 130  |
|                |      |                          | Propylene Glycol      | 2026/08/05    |                   | 82       | %     | 70 - 130  |
| C367946        | AAX  | Method Blank             | Methyl Sulfone (sur.) | 2026/08/05    |                   | 90       | %     | 50 - 140  |
|                |      |                          | Ethylene Glycol       | 2026/08/05    | ND,<br>RDL=3.0    |          | mg/L  |           |
|                |      |                          | Diethylene Glycol     | 2026/08/05    | ND,<br>RDL=5.0    |          | mg/L  |           |
|                |      |                          | Triethylene Glycol    | 2026/08/05    | ND,<br>RDL=5.0    |          | mg/L  |           |
|                |      |                          | Propylene Glycol      | 2026/08/05    | ND,<br>RDL=5.0    |          | mg/L  |           |
| C367946        | AAX  | RPD [EJR374-15]          | Ethylene Glycol       | 2026/08/05    | NC                |          | %     | 30        |
|                |      |                          | Diethylene Glycol     | 2026/08/05    | NC                |          | %     | 30        |
|                |      |                          | Triethylene Glycol    | 2026/08/05    | NC                |          | %     | 30        |



BUREAU  
VERITAS

Bureau Veritas Job #: C647451

Report Date: 2026/08/11

HATFIELD CONSULTANTS

Client Project #: FORTIS11234/PE110163

Site Location: WOODFIBRE PIPELINE PROJECT

Your P.O. #: 4800010213

Sampler Initials: JMP

### QUALITY ASSURANCE REPORT(CONT'D)

| QA/QC                                                                                                                                                                                                                                                                                                  | Batch | Init | QC Type | Parameter        | Date Analyzed | Value | Recovery | UNITS | QC Limits |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|---------|------------------|---------------|-------|----------|-------|-----------|
|                                                                                                                                                                                                                                                                                                        |       |      |         | Propylene Glycol | 2026/08/05    | NC    |          | %     | 30        |
| Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.                                                                                                                                                                                 |       |      |         |                  |               |       |          |       |           |
| Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.                                                                                                                                                                 |       |      |         |                  |               |       |          |       |           |
| Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.                                                                                                                                            |       |      |         |                  |               |       |          |       |           |
| Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.                                                                                                                                                                      |       |      |         |                  |               |       |          |       |           |
| Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.                                                                                                                                                            |       |      |         |                  |               |       |          |       |           |
| NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spike amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than the native sample concentration) |       |      |         |                  |               |       |          |       |           |
| NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference <= 2x RDL).                                                                                                           |       |      |         |                  |               |       |          |       |           |
| (1) Recovery or RPD for this parameter is outside control limits. The overall quality control for this analysis meets acceptability criteria.                                                                                                                                                          |       |      |         |                  |               |       |          |       |           |



### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

David Huang, M.Sc., P.Chem., QP, Scientific Services Manager

Jared Wiseman, B.Sc., P.Chem., QP, Senior Analyst, Organics

Levi Manchak, Senior Project Manager

Melissa Thompson, Scientist

Suwan (Sze Yeung) Fock, B.Sc., Scientific Specialist

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rob Gilbert, BBY General Manager responsible for British Columbia Environmental laboratory operations.

C647451  
2026/07/28 17:21



## Custody Tracking Form

|             |
|-------------|
| eCOC Number |
| w136590     |

Please use this form for custody tracking when submitting the work instructions via eCOC (electronic Chain of Custody). Please ensure your form has a barcode or a Bureau Veritas eCOC confirmation number in the top right hand side. This number links your electronic submission to your samples. This form should be placed in the cooler with your samples.

| Relinquished By       |            | Received By  |            |
|-----------------------|------------|--------------|------------|
| JACKSON<br>MACPHERSON |            | DAMYAN GILL  |            |
| Date                  | 2026/07/28 | Date         | 2026/07/28 |
| Time (24 HR)          | 17:20      | Time (24 HR) | 17:21      |
| Date                  |            | Date         |            |
| Time (24 HR)          |            | Time (24 HR) |            |
| Date                  |            | Date         |            |
| Time (24 HR)          |            | Time (24 HR) |            |

Unless otherwise agreed to, submissions and use of services are governed by Bureau Veritas' standard terms and conditions which can be found at [www.bvna.com](http://www.bvna.com).

| Triage Information |                   |                                  |                                          |
|--------------------|-------------------|----------------------------------|------------------------------------------|
| Sampled By (Print) | # of Coolers/Pkgs | * EXTRA LC-50<br>JUG 4 DAPHNIA * | Immediate Test: <input type="checkbox"/> |
| JACKSON MACPHERSON | 3                 |                                  | Rush <input type="checkbox"/>            |
|                    |                   |                                  | Micro <input type="checkbox"/>           |



  

| *** Laboratory Use Only *** |                    |               |              |               |    |                |    |
|-----------------------------|--------------------|---------------|--------------|---------------|----|----------------|----|
| Received At                 | Lab Comments       | Custody Seal  |              | Cooling Media |    | Temperature °C |    |
|                             |                    | Present (Y/N) | Intact (Y/N) | Present (Y/N) | 1  | 2              | 3  |
|                             | MIVAN-2026-07-2284 | N             | N            | Y             | 7  | 8              | 10 |
|                             |                    | N             | N            | Y             | 11 | 13             | 14 |
|                             |                    | N             | N            | Y             | 16 | 16             | 17 |

ICE PACKS FROZEN



COR FCD-00340 / 7  
PAGE 1 of 1

# EPH in Water when PAH required Chromatogram



**Note:** This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.


EPH in Water when PAH required Chromatogram



Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.



eCOC: W136590



Project Information: C647451  
Job Received: 2026/07/28 17:21  
Expected TAT: Standard TAT  
Expected Arrival: 2026/07/28 14:30  
Submitted By: Jackson Macpherson  
Submitted To: Burnaby ENV: 4606  
Canada Way

#### Invoice Information

Attn: Accounts Payable  
Fortis BC Energy Inc  
16705 Fraser Hwy  
Surrey, BC, V4N 0E8  
Email to:  
einvoices@fortisbc.com

#### Report Information

Attn: Brett Lucas  
HATFIELD CONSULTANTS  
200-850 Harbourside Dr  
North Vancouver, BC, V7P 0A3  
Email to:  
blucas@hatfieldgroup.com  
danielle.samels@fortisbc.com  
smangwani@hatfieldgroup.com  
jmacpherson@hatfieldgroup.com  
swolf@hatfieldgroup.com

#### Project Information

Quote #: C50083  
PO/AFE#: 4800010213  
Project #: Fortis11234/PE-110163  
Site Location: Woodfibre Pipeline Project

#### Analytical Summary

A: Standard TAT

| Client Sample ID | Clnt Ref | Sampling Date/Time | Matrix | #Cont | Woodfibre | Woodfibre Additional | Woodfibre Blank | Daphnia Magna LC50 Multi-concentration | Rainbow Trout LC50 Multi-concentration | Set Number |
|------------------|----------|--------------------|--------|-------|-----------|----------------------|-----------------|----------------------------------------|----------------------------------------|------------|
| WLNG-DS          | 1        | 2026/07/28 08:30   | WATER  | 14    | A         |                      |                 |                                        |                                        | 1          |
| WLNG -EOP        | 2        | 2026/07/28 08:30   | WATER  | 23    | A         | A                    |                 | A                                      | A                                      | 2          |
| WLNG-US          | 3        | 2026/07/28 08:30   | WATER  | 14    | A         |                      |                 |                                        |                                        | 1          |
| Field Blank      | 4        | 2026/07/28 08:30   | WATER  | 14    |           |                      | A               |                                        |                                        | 3          |
| Trip Blank       | 5        | 2026/07/28 08:30   | WATER  | 14    |           |                      | A               |                                        |                                        | 3          |
| DUP              | 6        | 2026/07/28 08:30   | WATER  | 18    | A         | A                    |                 |                                        |                                        | 4          |

Deadlines are estimates only and are subject to change. Please refer to your Job Confirmation report for final due dates.

#### Submission Information

# of Samples: 6

#### eCOC Change Log

| Modified By        | Date Modified      | Changes            | Comments                  |
|--------------------|--------------------|--------------------|---------------------------|
| Jackson Macpherson | 23 Jul 26 08:33:18 | Sample Information | Edit to sample containers |

#### Sample Set Listing

| Set 1 (2 samples)  | Set 2 (1 sample) | Set 3 (2 samples)         | Set 4 (1 sample) |
|--------------------|------------------|---------------------------|------------------|
| WLNG-DS<br>WLNG-US | WLNG -EOP        | Field Blank<br>Trip Blank | DUP              |